SHOUT
SHARE
IT

Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

http://www.archive.org/details/synonymiccatalog03brituoft

Insecta
3
British Museum (Nat. Hist.) Dept. of Entomology
13

A SYNONYMIC CATALOGUE

OF

ORTHOPTERA.

BY

W. F. KIRBY,

FORMERLY ASSISTANT IN THE DEPARTMENT OF ZOOLOGY.

VOL. III.

ORTHOPTERA SALTATORIA

PART II.

(LOCUSTIDÆ vel ACRIDIIDÆ.)

105201
28/9/

LONDON:
PRINTED BY ORDER OF THE
TRUSTEES OF THE BRITISH MUSEUM.

SOLD BY
LONGMANS & Co., 39 PATERNOSTER ROW, E.C.;
B. QUARITCH, 11 GRAFTON STREET, NEW BOND STREET, W.;
DULAU & Co., Ltd., 37 SOHO SQUARE, W.;
AND AT THE
BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, S.W.

1910.

All rights reserved.

LIBRARY
NOV 13 1969
UNIVERSITY OF TORONTO

ALERE FLAMMAM

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET

QL
506
B85
V.3

PREFACE.

This volume completes Mr. Kirby's arduous work in compiling a Catalogue of the Orthoptera. Its preparation has occupied a considerable part of the last three years, but has been frequently interrupted by the numerous other duties the author has been called on to perform. A glance at the synonymy and at the multitude of references will be enough to show how great has been the labour involved in the preparation of the Catalogue.

SIDNEY F. HARMER,
Keeper of Zoology.

British Museum (Natural History),
London, S.W.
March 3rd, 1910.

INTRODUCTION TO VOL. III.

WITH this volume I complete my general Catalogue of the Order Orthoptera, of which Vol. I., containing the *Forficulidæ*, *Hemimeridæ*, *Blattidæ*, *Mantidæ*, and *Phasmidæ*, was published in 1904; and Vol. II., containing the families *Achetidæ* and *Phasgonuridæ*, was published in 1906. The third volume, containing the *Locustidæ* or *Acridiidæ* (the Short-horned Grasshoppers or Migratory Locusts), is considerably larger than the others, and has consequently occupied a longer time in preparation.

It had been intended to add an Appendix bringing the Catalogue up to date; but this was found to be impracticable, except as regards the third volume; for a Catalogue so largely facilitates work on the groups of which it treats, that it speedily grows out of date, and in many groups treated of in Vols. I. and II. the amount of recent changes and additions has been so large that nothing short of re-editing whole families would be satisfactory.

As regards Vol. I., Prof. A. N. Caudell published numerous additions in the 'Proceedings of the Entomological Society of Washington,' vol. vii. pp. 84–88. The contents of this paper have been included in our Additions and Corrections (*infra*, pp. 562–569), and various other omissions to Vols. I. and II.

have been supplied. Corrections of synonymy have not been included: these are often more or less conjectural or doubtful, and would have required more time and labour to investigate than could possibly be devoted to them. Nor have I attempted to include all the species described under magazine genera, like *Blatta* and *Mantis*, by the older authors, such as Gmelin and Goeze, who often described species very briefly and imperfectly, and sometimes based them merely on almost unrecognizable figures in the works of Seba and other early iconographers.

When any doubt seemed to exist in the identification of a synonym, I have preferred to keep the names distinct for the present. It is always easy to drop a superfluous name; but if a name representing a distinct species should be wrongly rejected, the insect is likely to be renamed as new by the next writer who notices it.

In using my Catalogue, it will be necessary for Entomologists always to consult the 'Zoological Records' published a year or two before each volume, as well as those published since. While the general arrangement is largely that of Brunner von Wattenwyl's 'Révision du Système des Orthoptères' of 1893, the latest revisions of separate families or even genera have been used to supplement it, especially those in the 'Biologia Centrali-Americana' by Bruner.

I may now make supplementary remarks on some of the families included in Vols. I. and II.

FORFICULIDÆ.

Since the death of De Bormans, Dr. Malcolm Burr has completely remodelled this group of insects. I have therefore omitted any reference to it in my Additions and Corrections.

BLATTIDÆ.

Since his return from Borneo, Mr. R. Shelford has specially devoted himself to this family, and has revised and rearranged many of the subfamilies which it includes.

PHASMIDÆ.

A great monograph on this family has been published by Brunner von Wattenwyl and J. Redtenbacher, 'Die Insektenfamilie der Phasmiden' (3 parts, 4to, Leipzig, 1906, 1907, 1908), which supersedes everything previously published on this group.

PHASGONURIDÆ.

Dr. A. Griffini has given special attention to the great genus *Gryllacris*, on which he has published an important series of papers.

The Order Orthoptera is the smallest of the seven great Orders of Insects, with perhaps the exception of the Neuroptera; but it contains many species of exceedingly curious forms, and others of much economic importance from their numbers and destructiveness. The Order has hitherto been somewhat neglected, but appears likely to attract an increasing number of students from year to year.

W. F. KIRBY.

BRITISH MUSEUM (NATURAL HISTORY),
London, S.W.
March, 1910.

CONTENTS.

PAGE

PREFACE iii

INTRODUCTION v

CONTENTS ix

LOCUSTIDÆ vel ACRIDIIDÆ 1

Acrydiinæ 1
Pneumorinæ . . . . [illegible]
Eumastacinæ . . . . [illegible]
Proscopiinæ . . . . [illegible]
Truxalinæ 90
Locustinæ 104
Thrinchinæ . . . . [illegible]
Batrachotetriginæ . . . . [illegible]
Ommexychinæ . . . . [illegible]
Pyrgomorphinæ . . . . [illegible]
Pamphaginæ 341
Cyrtacanthacrinæ . . . . [illegible]

ADDITIONS AND CORRECTIONS.

Vol. I. . . . . [illegible]
Vol. II. [illegible]
Vol. III. 575

INDEX . . . . [illegible]

CATALOGUE

OF

ORTHOPTERA.

VOL. III.

FAM. VIII.

LOCUSTIDÆ
(or ACRIDIIDÆ).

SUBFAM. I.

ACRYDIINÆ.

Genus 1. **Tripetalocera.**

Westw. Zool. Journ. v. p. 444 (1834); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 310 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 4 (1906).

*1. **T. Ferruginea, Westw.** l. c. p. 444. n. 1, pl. 22. f. 3 (1834); Bol. l. c. p. 310. n. 1, pl. 5. f. 28 (1887). — Malabar. Borneo. Penang
Acridium (Tetrix) Ferrugineum, De Haan. Temminck, Verhandel., Orth. pp. 166, 168. n. 5, pl. 22. f. 11 (1842). — (eadem?).

Genus 2. **Birmana.**

Brunn. Ann. Mus. Genova, xxxiii. p. 113 (1893); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 4 (1906).

1. **B. Gracilis, Brunn.** l. c. p. 114. pl. 5. f. 47 (1893). — Burma.

Genus 3. **Cleostratus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 56 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 198 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 5 (1906).

1. **C. Monocerus, Stål,** l. c. p. 56. n. 1 (1877); Bol. l. c. p. 198. n. 1, pl. 4. ff. 1, 1 *a* (1887); Hanc. l. c. p. 5. n. 1, f. 1 (1906).	Philippines.
2. **C. Longifrons, Stål,** l. c. p. 56. n. 2 (1877); Bol. l. c. p. 198. n. 2 (1887).	id.

Genus 4. **Discotettix.** (*Type* no. 1.)

Costa, Ann. Mus. Zool. Nap. ii. p. 59 (1864); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 306 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 6 (1906).

Mnesarchus, *Stål*, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55 (1877). (*Type* no. 3.)

*1. **D. Belzebuth, Serv.** (*Tetrix B.*) Ins. Orth. p. 759. n. 2 (1839). *Tettix Belzebuth*, *Stål*, Rec. Orth. i. p. 152. n. 13 (1873). *Acridium (Tetrix) Belzebuth*, *De Haan*, Temminck, Verhandel., Orth. pp. 166, 167. n. 1, pl. 22. f. 9 (1842). *D. Belzebuth*, *Bol.* l. c. p. 306. n. 1, pl. 5. f. 29 (1887); Hanc. l. c. p. 6. n. 1, f. 2 (1906). *D. Armatus*, *Costa*, l. c. p. 59. n. 1696 (1864).	Java, Borneo.
2. **D. Selysi, Bol.** l. c. pp. 306, 307. n. 2 (1887).	Sumatra.
3. **D. Scabridus, Stål,** (*Mnesarchus S.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55. n. 1 (1877). *D. Scabridus*, *Bol.* l. c. pp. 306, 307. n. 3 (1887).	Philippines.
4. **D. Doriæ, Bol.** Ann. Mus. Genova, xxxix. p. 80. n. 27 (1898).	Mentawei Isl.

Genus 5. **Arulenus.**

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 308 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 6 (1906).

1. **A. Validispinus, Stål,** l. c. p. 56. n. 1 (1877); Bol. l. c. p. 308. n. 1 (1887).	Philippines.

Genus 6. **Hirrius.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 308 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 7 (1906).

1. **H. Punctatus, Stål,** (*Arulenus P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 56. n. 2 (1877). — Philippines.
H. Punctatus, Bol. l. c. p. 309. n. 1 (1887).

Genus 7. **Phæstus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 190, 196, 309 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 7 (1906).

1. **P. Mellerborgi, Stål,** (*Tettix M.*) Œfv. Vet.-Akad. Förh. xii. p. 353. n. 1 (1855); Rec. Orth. i. p. 153. n. 16 (1873). — Java.
Tetrix Mellerborgi, Stål, Eugenies Resa, Orth. p. 346. n. 110 (1860).
P. Mellerborgi, Bol. l. c. p. 309. n. 1 (1887).

Genus 8. **Ophiotettix.**

Walk. Cat. Derm. Salt. B. M. v. p. 846 (1871).
Tetricodina, pt., Westw. Thes. Ent. Oxon. p. 175 (1874).
Tettigodina, Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 305 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 5, 8 (1906).

1. **O. Cygnicollis, Walk. l. c. p. 847. n. 1 (1871). — Dorey, Menado.
Tetricodina Luteomarginata, Westw. l. c. p. 176, pl. 22. ff. 6, 6 *b* (1874).
Tettigodina Luteomarginata, Bol. l. c. p. 305. n. 1, pl. 5. ff. 30, 30 *a* (1887); Hanc. l. c. p. 8. n. 1, f. 3 (1906).

Genus 9. **Tetricodina.**

Westw. Thes. Ent. Oxon. p. 175 (1871).

1. **T. Limosina, Voll.** (*Tetrix L.*) Tijdschr Ent. viii. p. 65, pl. 1. ff. 6–8 (1865). — Gebeh. Waigeou.
T. Limosina, Westw. l. c. p. 175. n. 1, pl. 32. f. 6 (1871).
Spartolus Limosinus, Bol. Ann. Soc. Ent. Belg. xxxi. p. 233. n. 3 (1887).

Genus 10. **Bufonides.**

Bol. Ann. Mus. Genova, xxxix. p. 67 (1898); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 8 (1906).

1. **B. Antennatus, Bol.** l. c. p. 68. n. 4 (1898): Hanc. l. c. pp. 8, 9. n. 1, f. 4 (1906).	N. Guinea.

Genus 11. **Hymenotes.** (*Type* no. 1.)

Westw. Proc. Zool. Soc. Lond. 1837. p. 129; Mag. Nat. Hist. (n. s.) iii. p. 493 (1839); De Haan, Verhandel., Orth. p. 165 (1842); Walk. Cat. Derm. Salt. B. M. v. p. 846 (1871); (?) Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191. 199 (1887); (?) Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 11 (1906).

*1. **H. Triangularis, Westw.** ll. cc. p. 130. n. 2 (1837); pp. 492, 493. n. 2, ff. 3, 3 *a–c* (1839).	Philippines.
2. **H. Bolivari, Kirb.** (n. n.). ‖*H. Triangularis, Bol.* (*nec Westw.*) l. c. p. 200. n. 1, pl. 4. ff. 2, 2 *a*, *b* (1887); Hanc. l. c. p. 11, pl. 1. f. 5 (1906).	id.

Genus 12. **Hypsæus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 200 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 12 (1906).

1. **H. Westwoodi, Bol.** l. c. p. 200. n. 1, pl. 4. ff. 3, 3 *a*, *b* (1887); Hanc. l. c. p. 12. n. 1, pl. 1. f. 12 (1906).	Luzon.

Genus 13. **Phyllotettix.** (*Type* n. 3.)

Hanc. Ent. News. xiii. p. 188 (1902); Gen. Ins. Orth., Acrid. Tetr. p. 11 (1906).

Phylotettix, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 9 (1906).

‖*Phyllonotus, Hanc.* (*nec Swains.*) Tett. N. Amer. pp. 34. 45 (1900).

1. **P. Rhombea, Linn. (*Cicada R.*) Syst. Nat. (ed. 12) i. p. 704. n. 1 (1767). *Rhombea Cicada, Felton*, Phil. Trans. liv. p. 55. pl. 6 (1764).	Jamaica.

Acridium (Hymenotes) Rhombeum, De Haan, Temminck, Verhandel., Orth. p. 165. n. 1 (1842).
Membracis Rhombea, Fabr. Syst. Ent. p. 675. n. 1 (1775).
Choriphyllum Rhombeum, Hanc. Tett. N. Amer. pp. 42, 44 (1900).
Chorophyllum Rhombeum, Bol. Ann. Soc. Ent. Belg. xxxi. p. 202. n. 1 (1887).
Hymenotes Rhombea, Westw. Proc. Zool. Soc. Lond. 1837. p. 130. n. 1; Mag. Nat. Hist. (n. s.) iii. pp. 492, 493, f. 1 (1839); Guér., Ramon de la Sagra, Hist. Cuba, Ins. p. 358. n. 1, pl. 12. f. 11 (1857).

*2. **P. Compressa, Thunb.** (*Acrydium Compressum*) Nova Acta Sci. Upsal. vii. p. 162. n. 11 (1815). — Jamaica.
||*Membracis Rhombea, Westw.* (*nec Linn.*) Mag. Nat. Hist. (n. s.) iii. p. 492, ff. 2, 2 *a*, *b* (nec 1) (1839).
***Choriphyllum Westwoodi, Hanc.* Tett. N. Amer. p. 42, pl. 1. f. 2 (1902).
Hymenotes Compressus, Stål, Rec. Orth. i. p. 153. n. 1 (1873).

*3. **P. Foliatus, Hanc.** (*Choriphyllum Foliatum*) l. c. p. 42, pl. 1. f. 1 (1902). — id.
P. Foliatus, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 12. n. 1, pl. 1. f. 10 (1906).

Genus 14. **Choriphyllum.** (*Type* n. 1.)

Serv. Ins. Orth. p. 754 (1839); Thom. Syn. Acr. N. Amer. p. 244 (1873); Hanc. Tett. N. Amer. pp. 34, 41 (1892); Gen. Ins. Orth., Acrid. Tetr. pp. 9, 12 (1906).
Chorophyllum, Fieb. Abh. kön. Böhm. Ges. Wiss. (5) iii. p. 407 (1845); Bol. Ann. Soc. Ent. Belg. xxxi. p. 202 (1887); Hanc. Psyche, ix. p. 6 (1900).

1. **C. Sagrai, Serv.** l. c. p. 755. n. 1, pl. 8. f. 5 (1839). — Cuba.
Hymenotes Sagrai, Westw. Mag. Nat. Hist. (n. s.) iii. p. 492, f. 4, p. 493. n. 3 (1839); De Haan, Temminck, Verhandel., Orth. p. 165. n. 3 (1842); (?) Guér., Ramon de la Sagra, Hist. Cuba, Ins. p. 357, pl. 12. f. 10 (1857).

Chorophyllum Sagræ, Bol. l. c. p. 203. n. 2 (1887). *Phyllonotus Sagrai, Hanc.* Tett. N. Amer. p. 45 (1902). ‖ *Choriphyllum Rhombeum, Thom.* (excl. syn.) l. c. p. 245 (1873).	
2. **C. Plagiatum, Walk. Cat. Derm. Salt. B. M. v. p. 845. n. 2 (1871) ; Thom. l. c. p. 245 (1873). *Phyllonotus Plagiatum, Hanc.* l. c. pp. 45, 46 (1902).	Jamaica.
3. **C. Saussurei, Bol.** (*Chorophyllum S.*) l. c. pp. 202, 203. n. 3, pl. 4. f. 5 (1887). *Phyllonotus Saussurei, Hanc.* l. c. pp. 45, 46, pl. 1. f. 7 (1902). *C. Saussurei, Hanc.* Gen. Ins. Orth., Acrid. Tett. pp. 12, 13. n. 3, pl. 1. f. 7 (1906).	Cuba.

Genus 15. **Dolatettix.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 13 (1906).

1. **D. Spinifrons, Hanc.** l. c. p. 13. n. 1, pl. 1. f. 2 (1906).	British N. Guinea.

Genus 16. **Piezotettix.** (*Type* n. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 200 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 13 (1906).
‖ *Plagiocephalus, Fieb.* (*nec Macq.*) Abh. kön. Böhm. Ges. Wiss. (5) iii. p. 407 (1845).

*1. **P. Cultratus, Stål,** (*Hymenotes C.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 54. n. 2 (1877). *P. Cultratus, Bol.* l. c. p. 201. n. 1, pl. 4. ff. 4, 4 *a* (1887) ; Hanc. l. c. p. 13. n. 1, pl. 1. f. 11 (1906).	Philippines, Borneo.
2. **P. Sulcatus, Stål,** (*Hymenotes S.*) l. c. p. 54. n. 1 (1877). *P. Sulcatus, Bol.* l. c. p. 201. n. 2 (1887).	Philippines.
*3. **P. Arcuatus, De Haan,** (*Acridium (Hymenotes) Arcuatum*) Temminck, Verhandel., Orth. pp. 165, 166. n. 4, pl. 22. f. 8 (1842). *P. Arcuatus, Bol.* l. c. p. 202. n. 3 (1887).	N. Guinea, Mysol, Aru.

Choriphyllum Granulatum, *Costa*, Ann. Mus. Nap. ii. p. 58. n. 1688 (1861).

4. **P. Karschi, Bol.** Mem. Soc. Españ. i. p. 213 (1905). — W. Africa.

5. **P. Clypeatus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 196. n. 38 (1896). — Cameroons.

6. **P. Pachymerus, Fieb.** (*Plagiocephalus P.*) l. c. p. 407 (1845). — "E. Ind."

Genus 17. **Deltonotus.** (*Type* no. 1.)

Hanc. Spol. Zeyl. ii. pp. 107, 111 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 9, 14 (1906).

||*Pœcilotettix*, *Bol.* (*nec Scudd.*) Ann. Soc. Ent. France, lxx. p. 580 (1902).

1. **D. Subcucullatus, Walk. (*Tettix Subcucullata*) Cat. Derm. Salt. B. M. v. p. 830. n. 68 (1871). — Ceylon.

D. Tectiformis, *Hanc.* ll. cc. pp. 107, 111. 154. n. 1, pl. 1. ff. 2, 2 *a* (1904); p. 14. n. 1, pl. 1. f. 1 (1906).

2. **D. Gibbiceps, Bol.** (*Pœcilottetix G.*) l. c. p. 580 (1902). — Madura.

Genus 18. **Trypophyllum.**

Karsch, Ent. Nachr. xvi. p. 22 (1890);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 9, 14 (1906).

1. **T. Glabrifrons, Karsch,** l. c. p. 23. n. 4, p. 17. f. 3 (1890); Hanc. l. c. p. 14. n. 1, f. 5 (1906). — W. Africa.

Genus 19. **Xerophyllum.** (*Type* n. 1.)

Fairm. Ann. Soc. Ent. France, (2) iv. pp. 240, 242 (1846); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 191, 204 (1887); Mem. Soc. Españ. i. p. 210 (1905): Karsch, Ent. Nachr. xvi. p. 18 (1890): Buckt. Mon. Membrac. p. 29 (1901); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 15 (1906).

*1. **X. Servillei, Fairm.** l. c. p. 242. n. 1, pl. 4. ff. 10–12 (1846); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 204, 205. n. 4 (1887): Buckt. l. c. p. 30, pl. 1. ff. 1, 1 *a*– (1901). — W. Africa.

2. **X. Simile, Bol.** l. c. pp. 204, 205. n. 3, pl. 4. ff. 6, 6 *a* (1887); Hanc. l. c. p. 15. n. 1, pl. 1. f. 4 (1906).	Angola.
*3. **X. Cortices, Buckt.** l. c. p. 31, pl. 1. ff. 2, 11 *a* (1901).	Ogruga, Lagos.
*4. **X. Fuscum, Bol.** l. c. p. 204. n. 1 (1887); Karsch, l. c. p. 19 (1890).	S. Leone.
*5. **X. Minor, Buckt.** l. c. p. 31, pl. 1. f. 3 (1901).	W. Africa, Ogruga.
6. **X. Platycorys, Westw. (*Hymenotes P.*) Mag. Nat. Hist. iii. p. 424, p. 492, ff. 5, 5 *a–c* (1839). *X. Platycorys, Bol.* l. c. pp. 204, 205. n. 2 (1887).	S. Leone.
7. **X. Galeatum, Karsch,** l. c. p. 20. n. 2, p. 17. f. 1 (1890).	W. Africa.
8. **X. Æquale, Karsch,** (*Hypsæus Æqualis*) l. c. p. 257. n. 1, f. 1 (1890); Bol. Mem. Soc. Españ. i. p. 212 (1905).	id.
9. **X. Inæquale, Karsch,** (*Hypsæus Inæqualis*) l. c. p. 257 (1890).	Cameroons.

Genus 20. **Acmophyllum.** (*Type* no. 1.)

Karsch, Ent. Nachr. xvi. p. 21 (1890);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 15 (1906).

1. **A. Undulatum, Karsch,** l. c. p. 22. n. 3, p. 17, f. 2 (1890); Hanc. l. c. p. 15. n. 1, f. 6 (1906).	W. Africa.
2. **A. Xerophylloide, Bol.** Mem. Soc. Españ. i. p. 211 (1905).	Cameroons.
3. **A. Conradti, Bol.** l. c. (1905).	id.
4. **A. Nigropunctatum, Bol.** l. c. p. 212 (1905).	id.

Genus 21. **Eleleus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 205 (1887);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

1. **E. Curtus, Bol.** l. c. p. 206. n. 1, pl. 4. ff. 7, 7 *a, b* (1887); Hanc. l. c. p. 16. n. 1, pl. 1. f. 6 (1906).	Brazil.

Genus 22. **Cladonotus.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 478 (1861); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 208 (1887); Hanc. Spol. Zeyl. ii. pp. 107, 112 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

*1.	**C. Humbertianus, Sauss.** l. c. p. 478. n. 8 (1861); Bol. l. c. p. 209. n. 1, pl. 4. ff. 10, 10 *a* (1887); Hanc. Spol. Zeyl. ii. pp. 107, 113. n. 2 (1904).	Ceylon.
**2.	**C. Turrifer, Walk.** Cat. Derm. Salt. B. M. v. p. 843. n. 5 (1871).	id.
3.	**C. Latiramus, Hanc.** l. c. pp. 107, 113, 114. n. 3, pl. 1. ff. 1, 1 *a* (1904); Gen. Ins. Orth., Acrid. Tetr. p. 16. n. 2, pl. 1. f. 3 (1906).	id.
4.	**C. Gibbosus, De Haan,** (*Acridium* (*Tetrix*) *Gibbosum*) Temminck, Verhandel., Orth. pp. 167, 169. n. 23, pl. 22. f. 14 (1842). *C. Gibbosus, Bol.* l. c. p. 209. n. 2 (1887).	Japan.
**5.	**C. Pelops, Walk.** l. c. p. 843. n. 4 (1871).	Ceylon.
6.	**C. Echinatus, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 54. n. 1 (1877); Bol. l. c. p. 209. n. 3 (1887).	Philippines.
7.	**C. Beccarii, Bol.** Ann. Mus. Genova, xxxix. p. 66. n. 2 (1898).	N. Guinea.
8.	**C. Interruptus, Bol.** l. c. p. 67. n. 3 (1898).	Java.
**9.	**C. Cristicornis, Walk.** l. c. v. p. 844. n. 7 (1871).	Philippines.
**10.	**C. Securifer, Walk.** l. c. n. 6 (1871).	id.

Genus 23. **Misythus.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 54 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 210 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 16 (1906).

**1.	**M. Cultatrix, Walk.** (*Tettix C.*) Cat. Derm. Salt. B. M. v. p. 833. n. 86 (1871). *M. Histrionicus, Stål,* l. c. p. 55. n. 2 (1877); (?) Bol. l. c. pp. 210, 211. n. 3 (1887).	Philippines.
**2.	**M. Gladiatrix, Walk.** (*Tettix G.*) l. c. p. 833. n. 85 (1871).	id.

3. **M. Ensatrix, Walk. (*Tettix E.*) l. c. p. 833. n. 84 (1871).	Philippines.
M. Appendiculatus, Stål, l. c. p. 55. n. 1 (1877) ; (?) Bol. l. c. p. 210. n. 2 (1887).	
*4. **M. Laminatus, Stål,** l. c. p. 55. n. 3 (1877); Bol. l. c. p. 210. n. 1, pl. 4. ff. 11, 11 *a* (1887) ; Hanc. l. c. p. 17. n. 1 pl. 1. f. 8 (1906).	id.

Genus 24. **Diotarus.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 55 (1877) ; Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 211 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 17 (1906).

1. **D. Brunneri, Bol.** l. c. pp. 211, 212. n. 1 (1887).	Sydney.
2. **D. Galeatus, Bol.** ll. cc. n. 2 (1887).	Philippines.
3. **D. Verrucifer, Stål,** l. c. pp. 55. n. 1 (1877) ; Bol. l. c. p. 212. n. 3 (1887).	id.
4. **D. Pupus, Bol.** l. c. n. 4 (1887).	id.

Genus 25. **Pantelia.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 214 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 17 (1906).

1. **P. Horrenda, Walk. (*Cladonotus Horrendus*) Cat. Derm. Salt. B. M. v. p. 842. n. 3 (1871).	Sierra Leone.
P. Cristulata, Bol. l. c. p. 214. n. 1, pl. 4. f. 12 (1887) ; Hanc. l. c. p. 18. n. 1, pl. 1. f. 9 (1906).	
2. **P. Armata, Bol.** Ann. Soc. Ent. France, lxii. p. 176. n. 42 (1893).	Assinie.
3. **P. Uncinata, Bol.** Jorn. Sci. Lisb. (2) i. p. 217. n. 195 (1890).	Caconda.

Genus 26. **Hippodes.**

Karsch, Ent. Nachr. xvi. p. 24 (1890) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 18 (1906).

1. **H. Vicarius, Karsch,** l. c. p. 24. n. 5, p. 17, f. 4 (1890).	W. Africa.
H. Vicarus, Hanc. l. c. p. 18. n. 1, f. 7 (1906).	

Genus 27. **Cota.** (*Type* no. 2.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 206 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 18 (1906).

1. **C. Strumosa, Bol.** l. c. p. 206. n. 1 (1887).	Upper Amazons.
2. **C. Saxosa, Bol.** l. c. pp. 206, 207. n. 2, pl. 4. ff. 8, 8 *a* (1887) ; Hanc. l. c. p. 18. n. 2, pl. 1. f. 13 (1906).	Peru.
3. **C. Bispina, Sauss.** (*Tettix B.*) Rev. Zool. (2) xiii. p. 401 (1861). *C. Bispina, Bol.* l. c. p. 183. n. 6, p. 207. n. 3 (1887).	Bahia.

Genus 28. **Potua.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 183, 192, 208 (1887) ; Hanc. Gen. Ins., Orth. Tetr. pp. 10, 19 (1906).

1. **P. Coronata, Bol.** l. c. p. 208. n. 1, pl. 4. f. 9 (1887) ; Hanc. l. c. p. 19. n. 1, f. 8 (1906).	Borneo, Malacca.
2. **P. Sumatrensis, Bol.** (*P. Coronata*, var. *Sumatrensis*) Ann. Mus. Genova, xxxix. p. 66. n. 1 (1898).	Sumatra.
3. **P. (?) Morbillosa, Walk. (*Tettix M.*) Cat. Derm. Salt. B. M. v. p. 832. n. 82 (1871).	Sarawak.

Genus 29. **Gestroana.**

Berg, Com. Mus. B. Aires, i. p. 42 (1898) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 19 (1906).

‖ *Gestroa, Bol.* (*nec Pini*) Ann. Mus. Genova, xxxix. p. 68 (1898).

1. **G. Discoidea, Bol.** (*Gestroa D.*) l. c. n. 5 (1898).	N. Guinea.

Genus 30. **Trachytettix.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 57 (1876) ; Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 192, 213 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 10, 19 (1906).

*1. **T. Bufo, Costa,** (*Tettix B.*) Ann. Mus. Nap. ii. p. 58. n. 1695 (1864).	Africa.

T. Bufo, *Bol.* l. c. p. 213. n. 1 (1887); Hanc. l. c. p. 20. n. 1 (1906).	
***Cladonotus Horridus*, *Walk.* Cat. Derm. Salt. B. M. v. p. 844. n. 8 (1871).	
T. Scaberrimus, *Stål*, l. c. p. 57. n. 1 (1876).	
2. **T. Alatus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 84. n. 5 (1908).	Congo.

Genus 31. **Dasyleurotettix.**

Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 658 (1905); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 11, 20 (1906).

1. **D. Curriei, Rehn,** l. c. p. 658 (1905).	Liberia.

Genus 32. **Tylotettix.**

Morse, Biol. Centr. Amer., Orth. ii. p. 6 (1900); Hanc. Tett. N. Amer. pp. 34, 47 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 11, 20 (1906).

1. **T. Sinuatus, Morse,** l. c. p. 6. n. 1, figs. (1900); Hanc. ll. cc. p. 47, pl. 1. f. 4 (1902); p. 21. n. 1, f. 9 (1906).	Nicaragua.
Crimisus sp., *Brun.* Bull. Lab. Nat. Hist. Univ. Iowa, iii. p. 61, pl. 3. f. 1 (1895).	

Genus 33. **Amphibotettix.** (*Type* no. 1.)

Hanc. Ent. News, xviii. p. 86 (1906); Gen. Ins. Orth., Acrid. Tetr. pp. 21, 22 (1906).

1. **A. Longipes, Hanc.** ll. cc. p. 87 (1906); p. 23. n. 1, f. 10 (1906).	Borneo.
2. **A. Abbotti, Rehn,** (*Scelimena A.*) Proc. Acad. Nat. Sci. Philad. lvi. p. 660 (1905).	Siam.

Genus 34. **Scelimena.** (*Type* no. 1.)

Serv. Ins. Orth. p. 762 (1839); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 215 (1887); Hanc. Spol. Zeyl. ii. pp. 107, 116, 154 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 21, 23 (1906).

Scelymena, *Sauss.* Ann. Soc. Ent. France. (4) i. p. 484 (1861).
Scelhymena, *Bol.* Ann. Soc. Ent. France. lxx. p. 581 (1902).

*1. **S. Producta, Serv.** (*Tetrix P.*) l. c. p. 762. n. 6 (1839). Java.
Acridium (*Tetrix*) *Productum* (a), *DeHaan*, Temminck, Verhandel., Orth. pp. 166, 168. n. 6 (1842).
Scelymena Producta, *Sauss.* l. c. p. 484. n. 11 (1861).
(?) *Tettix Productus*, *Stål*, Recens. Orth. i. p. 150. n. 7 (1873).
S. Producta, *Bol.* Ann. Soc. Ent. Belg. xxxi. p. 216. n. 1 (1887).
***Scelymena Extensa*, *Walk.* Cat. Derm. Salt. B. M. v. p. 841. n. 10 (1871).

2. **S. Sanguinolenta, Bol.** l. c. p. 216. n. 2 (1887). id.
Acridium (*Tetrix*) *Productum* (b, c), *De Haan*, l. c. pp. 166, 168. n. 6 (1842).

3. **S. (?) Hexodon, De Haan,** (*Acridium* (*Tetrix*) *H.*) l. c. pp. 166, 168. n. 7 (1842). Sumatra.
S. Hexodon, *Bol.* l. c. pp. 216, 217. n. 3 (1887).

4. **S. Femorata, Stoll,** (*Gryllus Locusta Femoratus*) Spectres, Saut. p. 31, pl. 15 *b*. f. 54 (1813). Hab. —— ?

*5. **S. Harpago, Serv.** (*Tetrix H.*) l. c. p. 763. n. 7 (1839); De Haan, l. c. p. 166. n. 8 (1842). Bombay.
S. Harpago, *Bol.* l. c. pp. 216, 217, pl. 4. f. 13 (1887).

*6. **S. Gavialis, Sauss.** (*Scelymena G.*) l. c. p. 485. n. 12 (1861). Ceylon.
S. Gavialis, *Hanc.* Spol. Zeyl. ii. pp. 107, 117, 154, pl. 1. ff. 4, 4 *a–c* (1904).
***Scelymena Nodosa*, *Walk.* l. c. p. 840. n. 9 (1871).

*7. **S. Logani, Hanc.** l. c. pp. 107, 120, 154, pl. 1. ff. 5, 5 *a–c* (1904); Gen. Ins. Orth., Acrid. Tetr. p. 24. n. 7, pl. 2. f. 15 (1906). id.

8. **S. (?) Contracta, Walk. (*Scelymena C.*) l. c. v. p. 841. n. 11 (1871). India.

9. **S. (?) Uncinata, Serv.** (*Tetrix U.*) l. c. p. 763. n. 8 (1839). id.
S. Uncinata, *Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 216, 218. n. 5 (1887).

Genus 35. **Eugavialidium.** (*Type* no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 21, 24 (1906).

1. **E. Dentiumeris, Hanc.** l. c. p. 24. n. 1 (1906). Borneo.
2. **E. Novæ-Guineæ, Bol.** (*Gavialidium N.*) Ann. Mus. Genova, xxxix. p. 68. n. 6 (1898). N. Guinea.
3. **E. Kraussi, Bol.** (*Gavialidium K.*) Ann. Soc. Ent. Belg. xxxi. pp. 218, 221. n. 9 (1887). Philippines.
4. **E. Dentifer, Stål,** (*Tettix D.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 1 (1877). id.
   Gavialidium Dentifer, Bol. l. c. pp. 218, 221. n. 8 (1887).
5. **E. Spiculatum, Stål,** (*Tettix Spiculatus*) l. c. p. 57. n. 2 (1877). id.
   Gavialidium Spiculatum, Bol. l. c. pp. 218, 220. n. 7 (1887).
6. **E. Celebicum, Bol.** (*Gavialidium C.*) l. c. pp. 218, 220. n. 6 (1887). Minahassa.
7. **E. Aurivillii, Bol.** (*Gavialidium A.*) l. c. pp. 218, 220. n. 5 (1887). Philippines.
8. **E. Birmanicum, Bol.** (*Gavialidium B.*) Ann. Mus. Genova, xxxiii. p. 104, pl. 5. f. 37 (1893). Burma.
   E. Birmani, Hanc. l. c. p. 25. n. 8 (1906).
9. **E. Tuberculatum, Bol.** (*Gavialidium T.*) l. c. pp. 218, 219. n. 1 (1887). Minahassa.

Genus 36. **Gavialidium.** (*Type* no. 1.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 481 (1861); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 218 (1887); Hanc. Spol. Zeyl. ii. pp. 107, 122 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 22, 25 (1906).

*1. **G. Crocodilus, Sauss.** (*Scelymena C.*) l. c. p. 481. n. 9 (1861). Ceylon.
   G. Crocodilus, Bol. l. c. pp. 218, 219. n. 2 (1887); Hanc. ll. cc. pp. 107, 122, 123. n. 6, pl. 2. ff. 11, 11 *a*, *b* (1904); p. 25. n. 1, pl. 2. ff. 16, 16 *a* (1906).

2. **G. Alligator, Sauss.** (*Scelymena A.*) l. c. p. 483. n. 10 (1861). *G. Alligator, Bol.* l. c. pp. 218, 219. n. 3 (1887) ; Hanc. Spol. Zeyl. ii. pp. 107, 122, 125. n. 7 (1904).	Ceylon.
3. **G. Productum, Walk. (*Tettix Producta*) Cat. Derm. Salt. B. M. v. p. 831. n. 80 (1871). *G. Philippinum, Bol.* l. c. pp. 218, 219. n. 4 (1887).	Philippines.

Genus 37. **Falconius.** (*Type* no. 3.)

Bol. Ann. Mus. Genova, xxxix. p. 69 (1898) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 22, 25 (1906).

1. **F. Clavatus, Bol.** l. c. p. 70. n. 7 (1898).	Mentawei Isl.
2. **F. Gestroi, Bol.** l. c. n. 8 (1898).	id.
3. **F. Clavitarsis, Bol.** (*Criotettix C.*) Ann. Soc. Ent. Belg. xxxi. pp. 224, 230. n. 17 (1887).	Borneo.

Genus 38. **Tefrinda.**

Bol., Bol. Soc. Españ. vi. p. 394 (July 1906).

‖*Chthonius, Bol.* (*nec Koch*) Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 221 (1887) ; Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 22, 26 (1906).

Chthonotettix, Hanc. l. c. p. 26 note (Nov. 1906).

1. **T. Palpatus, Stål,** (*Tettix P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 3 (1877). *Chthonius Palpatus, Bol.* l. c. p. 222. n. 1. pl. 4. ff. 14, 14*a* (1887) ; Hanc. l. c. p. 26. n. 1, f. 11 (1906).	Philippines.

Genus 39. **Oxynotus.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 11 (1900) ; Gen. Ins. Orth., Acrid. Tetr. pp. 22, 26 (1906).

1. **O. Hastatus, Hanc.** ll. cc. p. 12, pl. 1. ff. 3, 3*a* (1900) ; p. 27. n. 1. f. 11 (1906).	Madagascar.

Genus 40. **Charagotettix.**

Brancs. Jahresh. Ver. Trencs. Com. xv.–xvi. p. 184 (1893); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 22, 27 (1906).

*1. **C. Lucubensis, Brancs.** l. c. p. 184. pl. 10. f. 13 (1893).	Madagascar

Genus 41. **Criotettix.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 184, 193, 222 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 128 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 22, 27 (1906).

1. **C. Tricarinatus, Bol.** l. c. pp. 184, 223, 224. n. 1 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 128. n. 9, pl. 3. ff. 15, 15 *a*, *b* (1904).	Ceylon.
2. **C. Indicus, Bol.** Ann. Soc. Ent. France, lxx. p. 581 (1902).	S. India.
3. **C. Vidali, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 10 (1887).	Philippines.
4. **C. Oculatus, Bol.** Ann. Mus. Genova, xxxix. p. 71. n. 9 (1898).	Java, Sumatra.
5. **C. Spinilobus, Hanc.** l. c. pp. 108, 129, 130. n. 10. pl. 3. ff. 12, 12 *a*, *b* (1904); Gen. Ins. Orth., Acrid. Tetr. p. 28. n. 5. f. 13 (1906).	Ceylon.
6. **C. Exsertus, Bol.** Ann. Soc. Ent. France, lxx. p. 583 (1902).	S. India.
7. **C. Acutipennis, Karsch,** Ent. Nachr. xxvi. pp. 285, 286 (1900).	Zanzibar.
8. **C. Aptus, Bol.** Ann. Mus. Genova, xxxix. p. 72. n. 11 (1898).	N. Guinea.
9. **C. Durus, Karsch,** (*Paratettix D.*) Berlin. Ent. Zeitschr. xxxviii. p. 119. n. 92 (1893). *C. Durus, Karsch,* Ent. Nachr. xxvi. pp. 285, 286 (1900).	Adeli.
10. **C. Subulatus, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 9 (1887).	"E. Indies."
11. **C. Nigellus, Bol.** l. c. pp. 185, 223, 225. n. 4 (1887); Mem. Soc. Esp. i. p. 213 (1905).	Gaboon.
12. **C. Baeri, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 227. n. 8 (1887). *C. Beari, Hanc.* Gen. Ins. Orth., Acrid. Tetr. p. 28. n. 12 (1906).	Philippines.

13. **C. Nexuosus, Bol.** l. c. pp. 185, 223, 224. n. 2 (1887).	Borneo.
14. **C. Borrei, Bol.** l. c. pp. 185, 223, 225. n. 3 (1887).	Cochin China.
15. **C. Nodulosus, Stål,** (*Tetrix Nodulosa*) Eugenies Resa, Orth. p. 346. n. 109 (1860). *Tettix Nodulosus, Stål,* Recens. Orth. i. p. 151. n. 9 (1873). *C. Nodulosus, Bol.* l. c. pp. 185, 224, 230. n. 16 (1887).	Java, Malacca.
16. **C. Telifera, Walk. (*Tettix T.*) l. c. p. 818. n. 38 (1871).	Sierra Leone.

Genus 42. **Acanthalobus.** (*Type* no. 1.)

Hanc. Spol. Zeyl. ii. pp. 108, 131 (1904);
Gen. Ins. Orth., Acrid. Tetr. pp. 22, 28 (1906).

*1. **A. Miliarius, Bol.** (*Criotettix M.*) Ann. Soc. Ent. Belg. xxxi. pp. 185, 223, 226. n. 6 (1887). *A. Miliarius, Hanc.* ll. cc. pp. 108, 131, 132, 155. n. 11, pl. 2. ff. 8, 8 *a* (1904); p. 29. n. 1, pl. 2. ff. 19, 19 *a* (1906).	Ceylon.
2. **A. Cuneatus, Hanc.** Spol. Zeyl. ii. p. 108. n. 12 (1904). *A. Miliarius Cuneatus, Hanc.* l. c. p. 133. n. 12 (1904).	id.
3. **A. Inornatus, Walk. (*Tettix Inornata*) Cat. Derm. Salt. B. M. v. p. 834. n. 87 (1871). *Criotettix Saginatus, Bol.* l. c. pp. 185, 223, 225. n. 5 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 104. n. 1, pl. 5. f. 38 (1893).	Burma, Java, Sumatra, S. India.
*4. **A. Bispinosus, Dalm.** (*Acrydium Bispinosum*) Vet.-Acad. Handl. 1818, p. 77. no. 1. *Tettix Bispinosa, Dalm.* Anal. Ent. p. 86. n. 94 (1823). *Tettix Bispinosus, Stål,* Recens. Orth. i. p. 150. n. 8 (1873).	China, Burma.

Criotettix Bispinosus, Bol. l. c. pp. 185, 223, 226. n. 7. (1887).	
***Tettix Pallitarsis, Walk.* l. c. p. 822. n. 50 (1871).	
***Tettix Armigera, Walk.* l. c. p. 826. n. 60 (1871).	
***Tettix Latispina, Walk.* l. c. p. 837. n. 96 (1871).	
5. **A. Simplex, Walk. (*Tettix S.*) l. c. p. 836. n. 95 (1871).	China.
6. **A. Latiferus, Walk. (*Tettix Latifera*) l. c. p. 839. n. 101 (1871).	Hab. —— ?
7. **A. Nodiferus, Walk. (*Tettix Nodifera*) l. c. p. 822. n. 49 (1871).	China, Java, &c.
Acridium (Tetrix) Bispinosum, De Haan (*nec Dalm.*), Temminck, Verhandel., Orth. pp. 166, 169. n. 10 (1842).	
8. **A. Japonicus, De Haan,** (*Acridium* (*Tetrix*) *Bispinosum*, var. *Japonica*) l. c. p. 169. n. 10 (1842).	Japan.
9. **A. Flavopictus, Bol.** (*Criotettix F.*) Ann. Soc. Ent. France, lxx. p. 582 (1902).	S. India.

Genus 43. **Loxilobus.** (*Type* no. 1.)

Hanc. Spol. Zeyl. ii. pp. 108, 134 (1904): Gen. Ins. Orth., Acrid. Tetr. pp. 22, 29 (1906).

1. **L. Acutus, Hanc.** ll. cc. pp. 108, 134, 154, 155, pl. 1. f. 3, pl. 3. ff. 16, 16 *a*, *b* (1904); p. 29. n. 1, f. 14, pl. 2. f. 17 (1906).	Ceylon.
2. **L. Hancocki, Kirb.** (n. n.).	id.
‖ *L. Rugosus, Hanc.* (*nec Bol.*) ll. cc. pp. 108, 134, 135, 155, pl. 3. ff. 17, 17 *a*, *b* (1904); p. 30. n. 2 (1906).	
3. **L. Pullus, Bol.** (*Criotettix P.*) Ann. Soc. Ent. Belg. xxxi. pp. 185, 224, 230. n. 15 (1887).	Philippines.
4. **L. Rugosus, Bol.** (*Criotettix R.*) l. c. pp. 185, 224, 228. n. 12 (1887).	Borneo.
5. **L. Insidiosus, Bol.** (*Criotettix I.*) ll. cc. n. 13 (1887).	Malacca, Borneo.
6. **L. Pulcher, Bol.** (*Criotettix P.*) ll. cc. n. 14 (1887).	Queensland.

7. **L. Perminutus, Bol.** (*Criotettix P.*) l. c. pp. 185, 224, 227. n. 11 (1887).	Philippines.
*8. **L. Brevis, De Haan,** (*Acridium* (*Tetrix*) *Breve*, a & b) Temminck, Verhandel., Orth. pp. 167, 170. n. 24, pl. 22. f. 13 (1842).	N. Guinea. Tondano.
9. **L. Compactus, Walk. (*Tettix C.*) Cat. Derm. Salt. B. M. v. p. 835. n. 90 (1871). *Acridium* (*Tetrix*) *Breve*, var. c, *De Haan*, l. c. p. 170. n. 24 (1842). *Criotettix Brevis*, *Bol.* l. c. pp. 185, 224, 229. n. 17 (1887).	Java.
10. **L. Emarginatus, De Haan,** (*Acridium* (*Tetrix*) *Emarginatum*) l. c. pp. 167, 170. n. 25, pl. 22. f. 15 (1842). *Criotettix Emarginatus*, *Bol.* l. c. pp. 185, 224, 229. n. 18 (1887).	N. Guinea.

Genus 44. **Threciscus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 193, 232 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 32 (1906).

1. **T. Pugionatus, Stål,** (*Spartolus P.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 56. n. 2 (1877). *T. Pugionatus*, *Bol.* l. c. pp. 185, 232. n. 1 (1887).	Philippines.

Genus 45. **Spartolus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 56 (1877); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 193, 232 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 33 (1906).

1. **S. Minax, Walk. (*Tettix M.*) Cat. Derm. Salt. B. M. v. p. 832. n. 83 (1871). *S. Longiceps*, *Stål*, l. c. p. 56. n. 1 (1877); Bol. l. c. pp. 185, 233. n. 1, pl. 5. ff. 15, 15 *a* (1887); Hanc. l. c. p. 33. n. 1. f. 15 (1906).	Philippines.
2. **S. Tricostatus, Bol.** l. c. pp. 185, 233. n. 2 (1887).	id.

Genus 46. **Systolederus.** (*Type* no. 5.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 194, 234 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 136 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 30, 33 (1906).

1. **S. Femoralis, Walk. (*Tettix F.*) Cat. Derm. Salt. B. M. v. p. 834. n. 89 (1871).	Philippines.
2. **S. Angusticeps, Stål,** (*Tettix A.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 4 (1877).	id.
S. Angusticeps, Bol. l. c. pp. 185, 234, 235. n. 1 (1887).	
3. **S. Ophthalmicus, Bol.** ll. cc. n. 2 (1887).	Celebes.
4. **S. Cinereus, Brunn.** Ann. Mus. Genova, xxxiii. p. 105. n. 1 (1893).	Burma.
5. **S. Haani, Bol.** l. c. pp. 185, 234, 235. n. 3, pl. 5. ff. 16, 16 *a* (1887).	Philippines.
6. **S. Cephalicus, De Haan,** (*Acridium* (*Tetrix*) *Cephalicum*) Temminck, Verhandel., Orth. pp. 167, 169. n. 14 (1842).	Sumatra.
S. Cephalicus, Bol. l. c. pp. 185, 234, 236. n. 4 (1887).	Philippines.
7. **S. Languidus, Bol.** ll. cc. n. 5 (1887).	id.
8. **S. Uncinatus, Stål,** (*Tettix U.*) l. c. p. 57. n. 5 (1877).	id.
S. Uncinatus, Bol. l. c. pp. 185, 234, 236. n. 6 (1887).	
*9. **S. Greeni, Bol.** Ann. Soc. Ent. France, lxx. p. 584 (1892); Hanc. ll. cc. pp. 108, 137, 155, pl. 2. ff. 9, 9 *a*, *b* (1904); p. 34. n. 7. pl. 2. f. 14 (1906).	S. India, Ceylon.

Genus 47. **Plesiotettix.** (*Type* no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 34 (1906).

1. **P. Uncinatus, Hanc.** l. c. p. 34. n. 1, pl. 3. f. 22 (1906).	Peru.
2. **P. Spinosus, Hanc.** l. c. p. 34. n. 2 (1906).	id.

Genus 48. **Apterotettix.**

Hanc. Spol. Zeyl. ii. pp. 108, 140 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

*1. **A. Obtusus, Hanc.** ll. cc. pp. 108, 140, 155. n. 17, pl. 3. ff. 13, 13 *a*, *b* (1904); p. 35. n. 1, f. 16 (1906).	Ceylon.

Genus 49. **Cotys.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 247 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

1. **C. Antennatus, Bol.** l. c. pp. 186, 247. n. 1 (1887); Hanc. l. c. p. 35. n. 1, pl. 4. f. 34 (1906).	Peru.

Genus 50. **Eurymorphopus.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 30, 35 (1906).

1. **E. Cunctatus, Bol.** (*Amorphopus C.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 250. n. 1 (1887).	New Caledonia.

Genus 51. **Platythorus.**

Morse, Biol. Centr.-Amer., Orth. ii. p. 8 (1900); Hanc. Tett. N. Amer. pp. 34, 51 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 36 (1906).

1. **P. Camurus, Morse,** l. c. p. 8. n. 1, figs. (1900); Hanc. Tett. N. Amer. p. 52, pl. 1. f. 3 (1902).	Nicaragua.

Genus 52. **Amorphopus.** (*Type* no. 1.)

Serv. Ins. Orth. p. 756 (1839); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 250 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 36 (1906).

*1. **A. Notabilis, Serv.** l. c. p. 757. n. 1, pl. 13. f. 5 (1839); Bol. l. c. pp. 186, 250, 252. n. 5, pl. 5. ff. 20, 20 *a*, *b* (1887); Hanc. l. c. p. 37. n. 1, pl. 4. f. 38 (1906).	S. America.

*2. **A. Griseus, Bol.** l. c. pp. 186, 250, 251. n. 4 (1887).	Ega.
3. **A. Testudo, Sauss.** Rev. Zool. (2) xiii. p. 402 (1861).	Guiana.
4. **A. Caiman, Sauss.** l. c. (1861).	Brazil.
5. **A. ( ) Humeralis, Walk. (*Tettix H.*) Cat. Derm. Salt. B. M. v. p. 838. n. 100 (1871).	Hab. —— ?
6. **A. (?) Cnemidotus, Burm.** (*Tetrix Cnemidota*) Handb. Ent. ii. p. 659. n. 3 (1838) *Paratettix Cnemidotus*, *Bol.* l. c. pp. 188, 270, 274. n. 6 (1887); Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 28 (1897).	Brazil, Argentina.

Genus 53. **Morphopus.** (*Type* no. 1.)

Bol. Mem. Soc. Españ. i. p. 216 (1905);
Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 37 (1906).

1. **M. Affinis, Bol.** l. c. p. 216 (1905); Mém. Soc. Ent. Belg. xiv. p. 85. n. 7 (1908).	Cameroons.
2. **M. Phyllocerus, Bol.** (*Amorphopus P.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 251. n. 3 (1887).	Gaboon.
3. **M. Simplex, Brancs.** (*Amorphopus S.*) Jahresh. Ver. Trencs. Com. xv.–xvi. p. 185, pl. 12. ff. 8 *a–c* (1893).	Madagascar

Genus 54. **Eomorphopus.** (*Type* no. 1.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 37 (1906).

*1. **E. Antennatus, Bol.** (*Amorphopus A.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 250, 251. n. 2, pl. 5. ff. 19, 19 *a*, *b* (1887).	Amazons.
*2. **E. Granulatus, Hanc.** l. c. p. 38. n. 2, pl. 4. ff. 35, 35 *a* (1906).	Guiana.
*3. **E. Purpurascens, Oliv.** (*Acrydium P.*) Encycl. Méth. vi. p. 234. n. 80 (1791). *Tettix Purpurascens*, *Thom.* Syn. Acrid. N. Amer. p. 244 (1873).	Trinidad.

Genus 55. **Tetticerus.** (*Type* no. 1.)

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 2 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 38 (1906).

1. **T. Bigibbosus, Hanc.** ll. cc. p. 5. pl. 1. ff. 1, 1 *a*, *b* (1900); p. 39. n. 1, pl. 2. f. 18 (1906).	Madagascar
2. **T. Belphegor, Serv.** (*Tetrix B.*) Ins. Orth. p. 760. n. 4 (1839).	id.

Genus 56. **Chiriquia.** (*Type* no. 1.)

Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 6 (1900); Hanc. Tett. N. Amer. pp. 34, 37, 49 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 39 (1906).

1. **C. Serrata, Morse,** l. c. p. 7. n. 1, figs. (1900); Hanc. ll. cc. p. 49, pl. 1. f. 6 (1902); p. 39. n. 1 (1906).	Nicaragua, Panama.
2. **C. Concinna, Bol.** (*Metrodora C.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 248, 249. n. 5 (1887).	Guiana, Peru.

Genus 57. **Platytettix.** (*Type* no. 2.)

Hanc. Ent. News, xvii. p. 88 (1906); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 39 (1906).

1. **P. Gibbosulus, Walk. (*Amorphopus G.*) Cat. Derm. Salt. B. M. v. p. 842. n. 4 (1871).	Rio Negro.
2. **P. Reticulatus, Hanc.** ll. cc. p. 88 (1906); p. 40. n. 1, pl. 3. ff. 23, 23 *a* (1906).	Peru.

Genus 58. **Phelene.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 292 (July, 1906).

‖*Nephele*, *Bol.* (*nec Hübn.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 252 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp 31, 40 (1906).

Gladiotettix, *Hanc.* l. c. p. 40, note (1906).

1. **P. Turgida, Bol.** (*Nephele T.*) l. c. pp. 186, 252. n. 1 (1887).	Brazil, Peru.

Genus 59. **Crimisus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 246 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 40 (1906).

1. **C. Patruus, Bol.** l. c. p. 246. no. 1 (1887).	Upper Amazons.
2. **C. Contractus, Bol.** l. c. n. 2 (1887).	Peru.

Genus 60. **Metrodora.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 247 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 31, 41 (1906).

1. **M. Rana, Bol.** l. c. p. 248. n. 1 (1887).	Upp. Amaz.
2. **M. Lutosa, Bol.** l. c. n. 2 (1887).	Brazil.

Genus 61. **Lamellitettix.**

Hanc. Spol. Zeyl. ii. pp. 107, 125 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 41 (1906).

1. **L. Acutus, Hanc.** ll. cc. pp. 107, 126, 154. n. 8, pl. 2. ff. 6, 6 *a*, *b* (1904); p. 42. n. 1, pl. 2. ff. 21, 21 *a* (1906).	Ceylon.

Genus 62. **Cryptotettix.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 14 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 31, 42 (1906).

1. **C. Spinilobus, Hanc.** Occas. Mem. Chicago Ent. Soc. i. (1) p. 14, pl. 1. ff. 6, 6 *a*, *b* (1900).	Madagascar

Genus 63. **Mazarredia.** (*Type* no. 14.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 185, 194, 236 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 138 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 42 (1906).

1. **M. Sobria, Walk. (*Tettix S.*) Cat. Derm. Salt. B. M. v. p. 831. n. 81 (1871).	Philippines.
2. **M. Cervina, Walk. (*Tettix C.*) l. c. p. 823. n. 51 (1871).	China.

3. **M. Sculpta, Bol.** l. c. pp. 237, 238. n. 1 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 107. n. 2 (1893).	Tenasserim, Pegu.
4. **M. Remissa, Bol.** l. c. pp. 237, 238. n. 2 (1887).	Cambodia.
5. **M. Semperi, Bol.** ll. cc. n. 3 (1887).	Philippines.
6. **M. Abbreviata, Bol.** l. c. pp. 237, 239. n. 4 (1887).	Viti.
*7. **M. Insularis, Bol.** ll. cc. n. 5 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 138, 155. n. 16, pl. 2. ff. 7, 7 *a*, *b* (1904).	Ceylon.
8. **M. Gallinacea, Stål,** (*Tettix Gallinaceus*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 57. n. 6 (1877).	Philippines.
M. Gallinacea, Bol. l. c. pp. 237, 239. n. 6 (1887).	
9. **M. Atypa, Bol.** l. c. pp. 237, 240. n. 7 (1887).	id.
10. **M. Lauta, Bol.** ll. cc. n. 8 (1887).	id.
*11. **M. Fuscipes, Stål,** (*Tettix F.*) l. c. p. 58. n. 8 (1877).	id.
M. Fuscipes, Bol. l. c. pp. 237, 241. n. 9 (1887).	
12. **M. Rufipes, Stål,** (*Tettix R.*) l. c. p. 57. n. 7 (1877).	id.
M. Rufipes, Bol. l. c. pp. 238, 241. n. 10 (1887).	
13. **M. Consocia, Walk. (*Tettix C.*) l. c. v. p. 834. n. 88 (1871).	id.
14. **M. Gemella, Bol.** l. c. pp. 186, 238, 241. n. 11, pl. 5. f. 17 (1887).	id.
15. **M. Celebica, Bol.** ll. cc. n. 12 (1887).	Celebes.
16. **M. Centrosa, Bol.** l. c. pp. 186, 242. n. 13 (1887).	Borneo.
17. **M. Aptera, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 663 (1905).	Labuan.
18. **M. Asperula, Bol.** Ann. Mus. Genova, xxxix. p. 72. n. 12 (1898).	Sumatra.
19. **M. Quadricarinata, Bol.** l. c. p. 73. n. 13 (1898).	id.
20. **M. Gibbosa, Bol.** l. c. p. 73. n. 14 (1898).	N. Guinea.
21. **M. Minuta, Bol.** l. c. p. 74. n. 15 (1898).	Java.
22. **M. Truncata, Bol.** l. c. p. 75. n. 16 (1898).	N. Guinea.
23. **M. Cristulata, Bol.** Ann. Soc. Ent. France, lxx. p. 584 (1902).	S. India.
24. **M. Inæqualis, Brunn.** Ann. Mus. Genova, xxxiii. p. 106. n. 1, pl. 5. f. 39 (1893).	Burma.

25. **M. Convergens, Brunn.** l. c. pp. 106, 107. n. 3, pl. 5. f. 40 (1893).	Burma.
26. **M. Lativertex, Brunn.** l. c. pp. 106, 108. n. 4, pl. 5. f. 41 (1893).	id.

Genus 64. **Dinotettix.** (*Type* no. 1.)

Bol. Mem. Soc. Españ. i. p. 214 (1905); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 43 (1906).

1. **D. Biafrensis, Bol.** Mem. Soc. Españ. i. p. 214 (1905).	Biafra, Cameroons.
2. **D. Elegans, Bol.** l. c. p. 215 (1905).	Cameroons.
3. **D. Major, Bol.** l. c. (1905).	id.

Genus 65. **Otumba.** (*Type* no. 1.)

Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 7 (1900); Hanc. Tett. N. Amer. pp. 34, 50 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 43 (1906).

1. **O. Scapularis, Morse,** l. c. pp. 7, 8, n. 1, figs. (1900); Hanc. ll. cc. p. 50, pl. 1. f. 5 (1902); pp. 44, 45. n. 1 (1906).	Nicaragua.
*2. **O. Spinifrons, Stål,** (*Tetrix S.*) Eugenies Resa, Orth. p. 346. n. 108 (1860). *Tettix Spinifrons, Stål,* Recens. Orth. i. p. 151. n. 10 (1873); Walk. Cat. Derm. Salt. B. M. v. p. 815. n. 31 (1871). *Metrodora Spinifrons, Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 248, 249. n. 4 (1887). *O. Spinifrons, Hanc.* Gen. Ins. Orth., Acrid. Tetr. pp. 44, 45. n. 2 (1906).	Brazil.
3. **O. Marcapata, Hanc.** l. c. p. 44. n. 3 (1906).	Peru.
4. **O. Lobata, Hanc.** l. c. pp. 44, 45. n. 4 (1906).	British Guiana.
5. **O. Dentata, Hanc.** ll. cc. n. 5 (1906).	Costa Rica.

Genus 66. **Pterotettix.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 245 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 45 (1906).

*1. **P. Andrei, Bol.** l. c. pp. 186, 245. n. 1 (1887).	Madagascar

Genus 67. **Xistra.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 186, 194, 242 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 45 (1906).

1. **X. Gorgorzæ, Bol.** l. c. pp. 186, 243. n. 2, pl. 5. ff. 18, 18 *a* (1887); Hanc. l. c. pp. 45, 46. n. 1, f. 17 (1906).	Philippines.
2. **X. Corniculata, Stål,** (*Tettix Corniculatus*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 58. n. 9 (1877).	id.
X. Corniculata, *Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 186, 243. n. 1 (1887).	
3. **X. Sagittaria, Bol.** l. c. pp. 186, 244. n. 3 (1887).	id.
4. **X. Impressa, Bol.** ll. cc. n. 4 (1887).	id.
5. **X. Lurida, Bol.** ll. cc. n. 5 (1887).	id.
6. **X. Similis, Bol.** l. c. pp. 186, 245. n. 6 (1887).	id.
7. **X. Ochracea, Bol.** ll. cc. n. 7 (1887).	id.
8. **X. Tricristata, Bol.** Ann. Mus. Genova, xxxix. p. 75. n. 17 (1898).	Java.
9. **X. Sagittata, Bol.** (*Paratettix Sagittatus*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 280. n. 21 (1887).	Philippines.
X. Sagittata, *Bol.* Ann. Mus. Genova, xxxix. p. 76. n. 18 (1898).	
10. **X. Sumatrana, Bol.** (*X. Tricristata*, var. *Sumatrana*) l. c. p. 76 (1898).	Sumatra, Nias, &c.
11. **X. (?) Dubia, Brunn.** Ann. Mus. Genova, xxxiii. p. 108, pl. 5. f. 42 (1893).	Burma.

Genus 68. **Trigonofemora.**

Hanc. Ent. News, xvii. p. 89 (1906); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 46 (1906).

1. **T. Fossulatus, Hanc.** ll. cc. p. 89 (1906); p. 46, pl. 3. f. 30 (1906).	Peru.

Genus 69. **Scabrotettix.** (*Type* no. 5.)

Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 46 (1906).
Scabritettix, *Hanc.* l. c. p. 32 (1906).

1. **S. Scabrosus, Hanc.** l. c. p. 47. n. 1 (1906).	Bolivia.

2. **S. Magistralis, Brunn.** (*Metrodora M.*) Berlin. Ent. Zeitschr. xlv. p. 254, pl. 3. f. 1 (1900). *S. Magistralis*, *Hanc.* l. c. pp. 47, 48. n. 2 (1906).	Colombia.
3. **S. Amazonica, Bol.** (*Metrodora A.*) Ann. Soc. Ent. Belg. xxxi. pp. 186, 249. n. 3 (1887). *S. Amazonus*, *Hanc.* l. c. pp. 47, 48. n. 3 (1906).	Upper Amazons.
4. **S. Bolivianus, Hanc.** ll. cc. n. 4 (1906). *S. Bolivianus Extensus*, *Hanc.* ll. cc. n. 6 (1906).	Bolivia.
5. **S. Acutilobus, Hanc.** ll. cc. n. 5, pl. 4. ff. 37, 37 *a* (1906).	id.

Genus 70. **Holocerus.**

Bol. Ann. Soc. Ent. Belg. xxxi. p. 186 (1887).

*1. **H. Lucifer, Serv.** (*Tetrix L.*) Ins. Orth. p. 758. n. 1 (1839).	Madagascar

Genus 71. **Allotettix.** (*Type* no. 1.)

Hanc. Ent. News, x. pp. 275, 276 (1899); Tett. N. Amer. pp. 36, 39, 126 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 48 (1906).

1. **A. Prolongatus, Hanc.** Ent. News, x. p. 276 (1899).	Bolivia.
2. **A. Peruvianus, Bol.** (*Paratettix P.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 270, 272. n. 1 (1887). *A. Peruvianus*, *Hanc.* l. c. p. 277 (1899); Tett. N. Amer. pp. 127, 187, pl. 9. f. 5 (1902); Gen. Ins. Orth., Acrid. Tetr. p. 48. n. 1, f. 18 (1906).	Peru, Costa Rica, to Argentine Republic.
3. **A. Cayennensis, Bol.** (*Paratettix C.*) l. c. pp. 187, 270, 273. n. 2 (1887). *A. Cayennensis*, *Hanc.* Ent. News, x. p. 277 (1899).	Cayenne.
4. **A. Chipmani, Brun.** Journ. N. York Ent. Soc. xiv. p. 146. n. 45 (1906).	Trinidad.

Genus 72. **Notocerus.**

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 5 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 49 (1906).

1. **N. Cornutus, Hanc.** ll. cc. p. 6, pl. 1. ff. 2, 2 *a* (1900); p. 49. n. 1, pl. 2. ff. 20, 20 *a* (1906).	Madagascar

Genus 73. **Hybotettix.** (*Type* no. 1.)

Hanc. Occas. Mem. Chicago Ent. Soc. i. (1) p. 8 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 32, 49 (1906).

1. **H. Humeralis, Hanc.** ll. cc. p. 9, pl. 1. f. 4 (1900); p. 50, pl. 4. f. 43 (1906).	Madagascar
2. **H. (?) Asmodæus, Serv.** (*Tetrix A.*) Ins. Orth. p. 760. n. 3 (1839). *Nephele Asmodæus, Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 186, 253. n. 2 (1887).	Paraguay.

Genus 74. **Thyrsus.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 194, 253 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 39 (1906).

1. **T. Tiaratus, Bol.** l. c. pp. 187, 254, pl. 5. f. 21 (1887); Hanc. l. c. p. 50. n. 1, f. 19 (1906).	Fiji.

Genus 75. **Pseudomitraria.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 32, 50 (1906).

1. **P. Pontificalis, Rehn,** (*Mitraria P.*) Proc. Acad. Nat. Sci. Philad. lvi. p. 664 (1905).	Liberia.

Genus 76. **Miriatra.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (July 1906).
Mitritettix, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 51 note (1906).
‖ *Mitraria, Bol.* (*nec Raf.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 194, 253 (1887); Hanc. l. c. pp. 32, 51 (1906).

1. **M. Producta, Bol.** (*Mitraria P.*) l. c. pp. 187, 253. n. 1 (1887).	Upper Amazons.

2. **M. Phyllocera, De Haan,** (*Acridium* (*Tetrix*) *Phyllocerum*) Temminck, Verhandel., Orth. pp. 166, 168. n. 4, pl. 22. f. 10 (1842). — Java.
   Mitraria Phyllocera, Bol. l. c. pp. 187, 253. n. 2 (1887).

Genus 77. **Teredorus.**

Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 51, 52 (1906).

1. **T. Stenofrons, Hanc.** l. c. p. 53. n. 1, pl. 4. f. 42 (1906). — Peru.

Genus 78. **Telmatettix.** (*Type* no. 1.)

Hanc. Psyche, ix. p. 7 (1900); Tett. N. Am. pp. 36, 39, 127 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 51, 53 (1906).

*1. **T. Azteca, Sauss.** (*Tettix A.*) Rev. Zool. (2) xiii. p. 400 (1861); Thom. Acrid. N. Amer. p. 243 (1873). — Mexico, Arizona, California, Cuba.
   Paratettix Aztecus, Bol. Ann. Soc. Ent. Belg. xxxi. pp. 188, 272, 282. n. 28 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 12, 14. n. 8 (1900).
   T. Aztecus, Hanc. Tett. N. Amer. pp. 39, 128, 131, pl. 9. ff. 1, 2 (1902).

2. **T. Hesperus, Morse** (*Paratettix H.*) Journ. New York Ent. Soc. vii. p. 198 (1899). — Oregon, California.
   T. Hesperus, Hanc. l. c. pp. 39, 128, 129, pl. 9. ff. 8, 9 (1902).

3. **T. Aridus, Hanc.** l. c. pp. 39, 129, 133, pl. 6. ff. 3, 3 *a* (1902). — California.

4. **T. Fallax, Bol.** (*Paratettix F.*) l. c. pp. 188, 272, 282. n. 27 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 12, 13. n. 7 (1900). — Guatemala.
   T. Fallax, Hanc. l. c. pp. 39, 129, 133 (1902).

5. **T. Minutus, Hanc.** l. c. pp. 39, 129, 134, pl. 7. ff. 5, 5 *a*, 6, 6 *a* (1902); Gen. Ins. Orth., Acrid. Tetr. p. 54. n. 5, pl. 3. f. 28 (1906). — Mexico.
   T. Minutus Rugosus, Hanc. Tett. N. Amer. pp. 39, 129, 135 (1902).

6. **T. Parviverticis, Hanc.** l. c. pp. 39, 128, 130, pl. 9. ff. 3, 4 (1902).	Mexico.

Genus 79. **Clypeotettix.** (*Type* no. 1.)

Hanc. Tett. N. Amer. pp. 36, 39, 121 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 51, 54 (1906).

1. **C. Schochii, Bol.** (*Paratettix S.*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 270, 274. n. 5 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 2 (1900). *C. Schochii*, *Hanc.* ll. cc. pp. 39, 124, pl. 7. f. 1, pl. 9. ff. 10, 11 (1902); p. 54. n. 1, f. 21, pl. 3. f. 24 (1906).	Mexico, Nicaragua, Guatemala, Venezuela.
2. **C. (?) Zonata, Walk. (*Tettix Z.*) Cat. Derm. Salt. B. M. v. p. 818. n. 37 (1871)	Santarem.

Genus 80. **Euparatettix.** (*Type* no. 2.)

Hanc. Spol. Zeyl. ii. pp. 108, 111, 145 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 51, 55 (1906).

1. **E. Parvus, Hanc.** Spol. Zeyl. ii. pp. 108, 145. n. 21 (1904).	Ceylon.
*2. **E. Personatus, Bol.** (*Paratettix P.*) Ann. Soc. Ent. Belg. xxxi. pp. 188, 278. n. 15 (1887). *E. Personatus*, *Hanc.* l. c. pp. 108, 115, 146, 155, 156. n. 22, pl. 2. ff. 10, 10 *a*, *b*, pl. 3. ff. 20, 20 *a*, *b* (1904); Gen. Ins. Orth., Acrid. Tetr. p. 55. n. 2, pl. 3. f. 32 (1906).	id., Java, Philippines, Burma.
3. **E. Interruptus, Brunn.** (*Paratettix I.*) Ann. Mus. Genova, xxxiii. p. 109. n. 2 (1893).	Burma.
4. **E. Cingalensis, Walk. (*Tettix C.*) Cat. Derm. Salt. B. M. v. p. 827. n. 61 (1871).	Ceylon.
5. **E. Novæ-Guineæ, Bol.** (*Paratettix N.*) Ann. Mus. Genova, xxxix. p. 78. n. 22 (1898).	N. Guinea.

Genus 81. **Paratettix.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 195, 270 (1887); Fin. Faune France, Orth. pp. 100, 169 (1889); Lugg. Orthopt. Minnesota, pp. 196, 199 (1897); Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 11 (1900); Blatchl. Rep. Indiana Dep. Geol. xxvii. pp. 218, 227 (1903); Hanc. Tettig. N. Amer. pp. 36, 39, 108 (1902); Spol. Zeyl. ii. pp. 108, 110, 144 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 55 (1906); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 164, 175, 211 (1902).

‖ *Batrachidea*, *Sauss.* (*nec Serv.*) Rev. Zool. (2) xiii. p. 401 (1861).

*1. **P. Meridionalis, Ramb.** (*Tetrix M.*) Faune Andal. ii. p. 65 (1839); Fin. Orth. France, pp. 84, 85 (1883).

S. Europe, N. Africa, W. Asia, Madagascar

Tettix Meridionalis, *Bol.* Ortópt. Españ. pp. 162, 163. n. 2, pl. 3. f. 26 (1876); Ann. Soc. Españ. v. pp. 368, 369. n. 2, pl. 12. f. 26 (1876); Brunn. Prodr. Eur. Orth. pp. 235, 239. n. 4 (1882); Tümp. Geradfl. Mitteleuropas, pp. 220, 253 (1900).

Paratettix Meridionalis, *Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 188, 271, 275. n. 9, pl. 5. ff. 23, 23*a* (1887); Fin. Faune France, Orth. p. 170 (1889); Jacobs. & Bianchi, l. c. pp. 175, 211 (1902).

Tettix Subulata, var. *Meridionalis*, *Fisch.* Orth. Eur. pp. 422, 423, pl. 18. ff. 18. 18* (1853).

Tettix Dohrnii, *Fieb.* Lotos, iii. p. 142. n. 4 (1853); Syn. Eur. Orth. p. 32. n. 4 (1854).

Tettix Ophthalmica, *Fieb.* ll. cc. p. 145. n. 7 (1853); p. 35. n. 7 (1854).

*2. **P. Scaber, Thunb.** (*Acrydium Scabrum*) Nova Acta Upsal. vii. p. 159 (1815).

S. Africa.

Tettix Scaber, *Stål*, Recens. Orth. i. p. 149. n. 5 (1873).

Paratettix Scaber, *Bol.* l. c. pp. 188, 279. n. 18 (1887).

***Tettix Subpustulata*, *Walk.* Cat. Derm. Salt. B. M. v. p. 819. n. 40 (1871).

P. Scaber, var. *Ugandensis*, *Karny*, Sitz. Akad. Wiss. Wien, cxvi. p. 26 (1907).

3. **P. (?) Scapularis, Beauv.** (*Tetrix S.*) Ins. Afr. Amér. p. 231, Orth. pl. 2 *c*. f. 8 (1805).

Benin.

4. **P. (?) Striata, Beauv.** (*Tetrix S.*) l. c. p. 232, Orth. pl. 2 c. f. 9 (1805).	Benin.
5. **P. Carinata, Kirb. Trans. Ent. Soc. Lond. 1902, p. 59. n. 6.	Transvaal.
6. **P. Cinereus, Bol.** l. c. pp. 188, 271, 277. n. 14 (1887).	Nossi-Bé.
7. **P. Voeltzkowiana, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 656. n. 1 (1899).	id.
8. **P. Indicus, Bol.** l. c. pp. 188, 272, 281. n. 22 (1887).	India (?), China.
9. **P. Hirsutus, Brunn.** Ann. Mus. Genova, xxxiii. p. 110. n. 3, pl. 5. ff. 43 *a*, *b* (1893).	Burma.
10. **P. Semihirsutus, Brunn.** l. c. p. 110. n. 4 (1893).	id.
11. **P. Variegatus, Bol.** l. c. pp. 188, 272, 280. n. 19 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 144. n. 20 (1904).	Ceylon.
12. **P. Contractus, Bol.** l. c. pp. 188, 272, 281. n. 23 (1887).	Borneo, Philippines.
13. **P. Variabilis, Bol.** l. c. pp. 188, 271, 276. n. 11 (1887).	iid., Madura.
14. **P. Mimus, Bol.** l. c. pp. 188, 271, 278. n. 16 (1887).	Philippines.
15. **P. Histrica, Stål** (*Tetrix H.*) Eugenies Resa, Orth. p. 347. n. 113 (1860). *Tettix Histricus, Stål*, Recens. Orth. i. p. 149. n. 6 (1873). *P. Histricus, Bol.* l. c. pp. 188, 271, 279. n. 17 (1887).	Malay Isl., Philippines, N.Australia, N.Caledonia
16. **P. Tricarinatus, Bol.** l. c. pp. 188, 272, 282. n. 25 (1887).	Philippines.
17. **P. Pullus, Bol.** l. c. pp. 188, 272, 281. n. 24 (1887).	Fiji.
18. **P. Cultratus, Bol.** Ann. Mus. Genova, xxxix. p. 77. n. 21 (1898).	N. Guinea.
19. **P. Femoralis, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 188, 271, 277. n. 12 (1887).	Sydney.
20. **P. Obesus, Bol.** ll. cc. n. 13 (1887).	Hab. —— ?
21. **P. Fluctuans, Bol.** l. c. pp. 188, 272, 280. n. 20 (1887).	N.Australia.
22. **P. Similis, Bol.** l. c. pp. 188, 272, 282. n. 26 (1887).	id.
23. **P. Cucullata, Burm.** (*Tetrix C.*) Handb. Ent. ii. p. 658. n. 1 (1838).	Canada, U. States.

Tettix Cucullata, Scudd. Bost. Journ. Nat. Hist. vii. p. 475. n. 4 (1862); Thom. Syn. Acrid. N. Amer. p. 185 (1873).	
Tettix Cucullatus, Bol. l. c. pp. 187, 259, 266. n. 18 (1887).	
P. Cucullatus, Morse, Psyche, vii. p. 163, pl. 6. ff. 4, 4 *a* (1894); Hanc. Trans. Amer. Ent. Soc. xxiii. p. 241. n. 1, pl. 7. ff. 11, 11 *a* (1896); Tett. N. Amer. pp. 39, 109, 111, pl. 8. ff. 6, 7 (1902); Gen. Ins. Orth., Acrid. Tetr. p. 56. n. 33, pl. 4. f. 40 (1906); Lugg. Grasshoppers Minnesota, p. 200, f. 65 (1897); Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 227, 228. n. 24, f. 41 (1903).	
24. **P. Texanus, Hanc.** Tett. N. Amer. pp. 39, 109, 113, pl. 6. ff. 2, 2 *a*, pl. 8. ff. 4, 5 (1902).	Texas, Louisiana.
P. Texanus Nanus, Hanc. l. c. pp. 39, 109, 114 (1902).	
25. **P. Mexicana, Sauss.** (*Tettix M.*) Rev. Zool. (2) xiii. p. 400 (1861); Thom. l. c. p. 243 (1873).	Mexico, Southern States.
P. Mexicanus, Bol. l. c. pp. 188, 271, 275. n. 8 (1887); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 4 (1900); Hanc. l. c. pp. 39, 110, 115, pl. 8. ff. 1, 2, 12, 13 (1902).	
P. Mexicanus Abortus, Hanc. l. c. pp. 39, 110, 117 (1902).	
26. **P. Tuberculatus, Hanc.** l. c. pp. 39, 110, 117, pl. 8. f. 3 (1902).	Mexico.
27. **P. Morsei, Hanc.** l. c. pp. 39, 110, 119, pl. 8. ff. 10, 11 (1902).	California, Arizona.
P. Toltecus Extensus, Morse, Journ. N. York Ent. Soc. vii. p. 198 (1899).	
P. Morsei Extensus, Hanc. l. c. pp. 39, 110, 117, 165, pl. 8. ff. 8, 9, 16 (1902).	
28. **P. Tolteca, Sauss.** (*Tettix T.*) l. c. p. 401 (1861).	Mexico, Nicaragua, Southern States.
Batrachidea Tolteca, Thom. Syn. Acrid. N. Amer. p. 244 (1873).	
P. Toltecus, Bol. l. c. pp. 188, 270, 273. n. 3 (1889); Morse, Biol. Centr.-Amer., Orth. ii. pp. 11, 12. n. 3 (1900); Hanc. l. c. pp. 39, 110, 119, pl. 8. ff. 14, 15 (1902).	

P. Toltecus, race *Arizonus*, *Hanc.* l. c. pp. 39, 110, 120 (1902).	
P. Toltecus Sonorensis, *Hanc.* l. c. pp. 39, 110, 121 (1902).	
29. **P. Robustus, Hanc.** l. c. pp. 39, 110, 121 (1902).	Wyoming.
30. **P. Frey-Gessnerii, Bol.** l. c. pp. 188, 271, 276. n. 10 (1887); Hanc. l. c. pp. 39, 110, 122 (1902).	Cuba.
31. **P. Sævus, Kirb.** (n. n.).	Mexico.
‖*P. Durus*, *Morse* (*nec Karsch*), l. c. pp. 11, 13. n. 5 (1900); Hanc. Tett. N. Amer. pp. 39, 111, 122 (1902).	
32. **P. Sinuatus, Morse,** l. c. pp. 11, 13. n. 6 (1900); Hanc. l. c. pp. 39, 111, 123 (1902).	id.
33. **P. Simoni, Bol.** Ann. Soc. Ent. France, (6) x. p. 138. n. 10 (1890).	Venezuela.
34. **P. Borellii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 28 (1897).	Argentina, Paraguay.
35. **P. Hastata, Walk. (*Tettix H.*) l. c. v. p. 816. n. 33 (1871).	Demerara.
36. **P. Attenuata, Walk. (*Tettix A.*) l. c. n. 34 (1871).	Santarem.
37. **P. Ignobilis, Walk. (*Tettix I.*) l. c. p. 837 n. 97 (1871).	Hab. —— ?
38. **P. Heteropus, Bol.** Actas Soc. Españ. xxv. p. 14 (1896).	Amazons.
39. **P. Scabripes, Bol.** Ann. Mus. Genova, xxxix. p. 76. n. 19 (1898).	Java.
40. **P. Pallipes, Walk. (*Tettix P.*) l. c. p. 821. n. 44 (1871).	Sierra Leone.
41. **P. Angustivertex, Bol.** Mém. Soc. Ent. Belge, xvi. p. 85. n. 9 (1908).	W. Africa.
42. **P. Africanus, Bol.** l. c. p. 86. n. 11 (1908).	id.
43. **P. Wilverthi, Bol.** l. c. n. 12 (1908).	id.

82. **Acrydium.** (*Type* no. 1.)

Geoffr. Hist. Ins. i. p. 390 (1762); Fabr. Syst. Ent. p. 278 (1775); Rossi, Faun. Etr. p. 262 (1790); Oliv. Encycl. Méth., Ins. vi. p. 209 (1791); Leach, Edinb. Encycl. ix. p. 120 (1815); Curt. Brit. Ent. x. pl. 439 (1833); Steph. Ill. Brit. Ent., Mand. vii. p. 32 (1835).

Acridium, *Schrank*, Fauna Boica, ii. p. 30 (1801) ; Zett. Orth. Suec. p. 104 (1821) ; Faun. Ins. Lapp. i. p. 452 (1828) ; Ins. Lapp. p. 250 (1840) ; Phil. Orthopt. Berol. p. 40 (1830).

Tetrix, *Latr.* Hist. Nat. Crust. Ins. iii. p. 284 (1802), xii. p. 161 (1804) ; St. Farg. & Serv. Encycl. Méth., Ins. x. p. 598 (1825) ; Serv. Ann. Sci. Nat. xxii. pp. 264, 291 (1831) ; Ins. Orth. p. 757 (1839) ; Wesm. Bull. Acad. Brux. v. p. 596 (1838) ; Burm. Handb. Ent. ii. p. 657 (1838) ; Borck, Skand. Rätv., Ins. p. 138 (1848) ; Fin. Orth. France, pp. 39, 82 (1883) ; Faune France, Orth. pp. 99, 165 (1889) ; Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 174, 208 (1902) ; Hanc. Tett. N. Amer. pp. 35, 38, 66, 68 (1902) ; Spol. Zeyl. ii. pp. 108, 110, 141 (1904) ; Gen. Ins. Orth., Acrid. Tetr. pp. 52, 57 (1906).

Tettix, *Charp.* Germ. Zeitschr. Ent. iii. p. 315 (1841) ; Fieb. Abh. Böhm. Ges. (5) iii. p. 408 (1844) ; Lotos, iii. p. 139 (1853) ; Syn. Eur. Orth. p. 29 (1854) ; Fisch. Waldh. Orth. Russ. p. 347 (1846) ; Türk, Wien. Ent. Mon. vi. p. 206 (1862) ; Friv. Ertek. Termész. Köreb. i. (12) p. 188 (1868) ; Stal, Rec. Orth. i. p. 146 (1873) ; Bol. Ortópt. Esp. p. 161 (1876) ; An. Soc. Esp. v. p. 367 (1876) ; Ann. Soc. Ent. Belg. xxvii. pp. 187, 195, 257 (1887) ; Ann. Sci. Nat. Porto, iv. p. 221, v. p. 35 (1897–1898) ; Brunn. Prodr. Eur. Orth. pp. 87, 234 (1882) ; Auriv. Ent. Tidskr. xxi. pp. 241, 247 (1900) ; Burr, Brit. Orth. pp. 33, 46 (1897) ; Tümp. Geradfl. Mitteleuropas, pp. 220, 253 (1900) ; Fisch. Orth. Eur. p. 215 (1853).

Bulla, *Schrank*, Enum. Ins. Austr. p. 242 (1781).

*1. **A. Subulatum, Linn.** (*Gryllus Subulatus*) Faun. Suec. (ed. ii.) p. 236. n. 865 (1761). *Gryllus Bulla Subulatus*, *Sulz.* Gesch. Ins. p. 82, pl. 8. f. 7, *a* (1776). *Acrydium Subulatum*, *De Geer*, Mém. Ins. iii. p. 484. n. 12 (1773) ; Fabr. l. c. p. 279. n. 2 (1775) ; Fuessly, Arch. Ent. p. 189. n. 2 (1786) ; Rossi, l. c. p. 262. n. 639 (1790) ; Oliv. l. c. vi. p. 233. n. 75 (1791) ; Sowerby, Brit. Misc., Ins. p. 27, pl. 74. f. 1 (1806) ; Curt. l. c. pl. 439 (1833) ; Steph. l. c. p. 34. n. 1 (1835). *Acridium Subulatum*, *Schrank*, Fauna Boica, ii. p. 32. n. 1022 (1801) ; Phil. l. c. p. 41. n. 1 (1830) ; Zett. ll. cc. p. 106. n. 1 (1821); p. 452. n. 1 (1828); p. 250. n. 1 (1840).	Europe. N. & W. Asia.

Tettix Subulatus, *Fisch. Waldh.* l. c. p. 349, pl. 18. f. 1 (1846); Stål, l. c. p. 148. n. 3 (1873); Brunn. l. c. pp. 235, 237. n. 2, pl. 7. f. 56 *e* (1882); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 259, 267. n. 21 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 4 (1898); Auriv. l. c. p. 248. n. 2. ff. 12, 12 *a*, *b* (1900); Burr, l. c. pp. 46, 47, pl. 4. f. 3 (1897); Tümp. l. c. pp. 220, 253, pl. 20 (1900).

Tetrix Subulata, *Latr.* l. c. xii. p. 164. n. 2 (1804); St. Farg. & Serv. l. c. p. 599. n. 1 (1825); Serv. Ins. Orth. p. 760. n. 5 (1839); Wesm. l. c. p. 596. n. 2 (1838); Burm. l. c. p. 659. n. 5 (1838); Borck, l. c. p. 138. n. 1, pl. 4. f. 8 (1848); Fin. ll. cc. p. 84 (1883), p. 167, pl. 8. f. 116 (1889); Jacobs. & Bianchi, l. c. pp. 175, 210, pl. 7 (1902).

Tettix Subulata, *Charp.* l. c. p. 315 (1841); Fieb. ll. cc. p. 409. n. 1, pl. 10. ff. 12, 12 *a* (1844); p. 145. n. 9 (1853); p. 35. n. 9 (1854); Türk, l. c. p. 208. n. 1, pl. 2. ff. 1, 1 *a* (1862); Friv. l. c. p. 190. n. 1 (1868); Bol. An. Soc. Esp. v. pp. 367, 368. n. 1 (1876); Ortópt. Españ. pp. 161, 162. n. 1 (1876).

Var. *Acridium Pallescens*, *Zett.* ll. cc. p. 109. n. 2 (1821); p. 453. n. 3 (1828); p. 250. n. 3 (1840). Europe.

‖*Acrydium Bipunctatum*, *Panz.* (*nec Linn.*) Ins. Germ. fasc. v. pl. xviii. (1793).

Tetrix Panzeri, *St. Farg. & Serv.* Enc. Méth., Ins. x. p. 599. n. 2 (1825).

Tettix Subulatus, *β. Panzeri*, *Fisch. Waldh.* l. c. p. 350, pl. 18. f. 2 (1846).

Tettix Subulatus v. *Pallescens*, *Fieb.* Lotos, iii. p. 146. v. 7 (1853); Syn. Eur. Orth. p. 36. v. 7 (1854).

Var. *Acrydium Thoracicum*, *Oliv.* Enc. Méth., Ins. v. p. 233. n. 77 (1791). Provence.

Var. *Acrydium Bimaculatum*, *Herbst*, Fuessly, Archiv, p. 190. n. 5, pl. 52. f. 4 (1786); Oliv. l. c. p. 236. n. 11 (1791).

Acridium Bimaculatum, *Zett.* Orth. Suec. p. 114. n. 6 (1821); Ins. Lapp. p. 250. n. 6 (1840).

Tettix Subulatus, ε. *Bimaculatus*, *Fisch. Waldh.* l. c. p. 351 (1846).

Tettix Subulata, var. *Bimaculata*, *Fieb.* ll. cc. p. 146. v. 3 (1853); p. 36. v. 3 (1854).

Var. *Acrydium Dorsale*, *Thunb.* Nova Acta Upsal. vii. p. 160. n. 3 (1815).

Acridium Dorsale, *Zett.* Ins. Suec. p. 112. n. 5 (1821); Faun. Ins. Lapp. i. p. 453. n. 5 (1828); Ins. Lapp. p. 250. n. 5 (1840).

Tettix Subulatus, δ. *Dorsalis*, *Fisch. Waldh.* l. c. p. 350, pl. 18. f. 4 (1846).

Var. *Acrydium Quadrimaculatum*, *Thunb.* l. c. p. 160. n. 4 (1815).

Var. *Tetrix Exclamationis*, *St. Farg. & Serv.* l. c. p. 600. n. 7 (1825).

Var. *Acridium Marginatum*, *Zett.* ll. cc. p. 110. n. 3 (1821); p. 453. n. 4 (1828); p. 250. n. 4 (1840).

Tetrix Marginata, *St. Farg. & Serv.* l. c. p. 599. n. 4 (1825).

Var. *Acridium Humerale*, *Zett.* Orth. Suec. p. 111. n. 4 (1821).

Tettix Subulatus, var. *Humeralis*, *Fieb.* Lotos, iii. p. 146. v. 9 (1853); p. 37. v. 9 (1854).

Var. *Tettix Subulata*, var. *Nigra*, *Fieb.* Lotos, iii. p. 145. v. 1 (1853); Syn. Eur. Orth. p. 36. v. 1 (1854).

Var. *T. Subulata*, var. *Fusca*, *Fieb.* ll. cc. p. 145. v. 2 (1853); p. 36. v. 2 (1854).

Var. *Tettix Subulatus*, var. *Notata*, *Fieb.* ll. cc. p. 146. v. 4 (1853); p. 36. v. 4 (1854).

Var. *Tettix Subulatus*, var. *Marginata*, *Fieb.* ll. cc. p. 146. v. 5 (1853); p. 36. v. 5 (1854).

Var. *Tettix Subulatus*, var. *Livida*, *Fieb.* ll. cc. p. 146. v. 6 (1853); p. 36. v. 6 (1854).

Var. *Tettix Subulatus*, var. *Nebulosa*, *Fieb.* ll. cc. p. 146. v. 8 (1853); p. 36. v. 8 (1854).

Var. *Tettix Subulatus*, var. *Stragulum*, *Fieb.* ll. cc. p. 146. v. 10 (1853); p. 37. v. 10 (1854).

Var. *Tettix Subulatus*, var. *Crucigera*, *Fieb.* ll. cc. p. 147. v. 11 (1853); p. 37. v. 11 (1854).

Var. *Tettix Vittata*, *Fieb.* ll. cc. p. 147. v. 12 (1853); p. 37. v. 12 (1854).

Var. *Tettix Subulatus*, var. *Dorsalis*, *Fieb.* ll. cc. p. 147. v. 13 (1853); p. 37. v 13 (1854).

Var. *Tettix Subulatus*, var. *Lineata*, *Fieb.* ll. cc. p. 147. v. 14 (1853); p. 37. v. 14 (1854).

Var. *Gryllus Dispar*, *Lep.* Reise, ii. p. 211, pl. 10. f. 17 (1775).

Tettix Subulatus, γ. *Dispar*, *Fisch. Waldh.* l. c. p. 350, pl. 18. f. 3 (1846).

Gryllus Striatus, *Gmel.* Syst. Nat. (1) iv. p. 2058 (1788).

Var. *Tettix Subulatus*, ζ. *Macropterus*, *Fisch. Waldh.* l. c. p. 351 (1846).

*2. **A. Bipunctatum, Linn.** (*Gryllus Bulla Bipunctatus*) Syst. Nat. (ed. x.) p. 427. n. 17 (1758); Sulz. l. c. p. 82, pl. 8. f. 6 (1776).

Europe, N. Africa, N. & W. Asia.

Gryllus Bipunctatus, *Linn.* Faun. Suec. ed. ii. p. 235. n. 864 (1761); Scop. Ent. Carn. p. 105. n. 316 (1763); Schrank, Enum. Ins. Austr. p. 242. n. 461 (1781).

Acrydium Bipunctatum, *Fabr.* Syst. Ent. p. 278. n. 1 (1775); Rossi, l. c. p. 262. n. 638 (1790); Herbst, l. c. p. 189. n. 1, pl. 52. f. 1 (1786); Oliv. l. c. vi. p. 232. n. 74 (1791); Curt. l. c. fol. 439, p. 2. n. 2 (1833); Steph. l. c. p. 43. n. 2 (1835).

Acridium Bipunctatum, *Schrank*, Fauna Boica, ii. p. 32. n. 1023 (1801); Phil. l. c. p. 42. n. 2 (1830); Zett. ll. cc. p. 115. n. 7 (1821); p. 454. n. 8 (1828); p. 251. n. 8 (1840).

Tetrix Bipunctata, *Latr.* l. c. xii. p. 164. n. 1 (1804); Wesm. l. c. p. 596. n. 1 (1838); Burm. l. c. p. 660. n. 7 (1838); Serv. l. c. p. 765. n. 10 (1839); Borck, l. c. p. 140. n. 2 (1848); Fin. l. c. pp. 83, 84 (1883); p. 166 (1889); Jacobs. & Bianchi, l. c. pp. 171, 209, pl. 7 (1902).

Tettix Bipunctatus, *Stål*, l. c. p. 147. n. 2 (1873); Brunn. l. c. pp. 234, 235. n. 1 (1882); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 263. n. 11 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 3 (1898); Burr, l. c. p. 46, pl. 4. f. 2 (1897); Auriv. l. c. p. 248. n. 1 (1900); Tümp. l. c. pp. 220, 253, pl. 20 (1900).

Tettix (Batrachidea) Bipunctatus, *Fisch. Waldh.* l. c. p. 351. n. 2, pl. 18. f. 6 (1846).

Tettix Bipunctata, *Fieb.* Abh. Böhm. Ges. (5) iii. p. 411. n. 4, pl. 10. ff. 14–16 (1844); Türk, l. c. pp. 208, 211, pl. 2. ff. 4, 4 *a* (1862); Friv. l. c. p. 191. n. 2 (1867); Bol. Ortópt. Españ. pp. 162, 164. n. 3, pl. 3. f. 27 (1876); Ann. Soc. Españ. v. pp. 368, 370. n. 3, pl 12. f. 27 (1876).

Acrydium Scutellatum, *De Geer*, l. c. p. 483. n. 11, pl. 23. f. 15 (1773).

(Larva ?) *Gryllus Xyphothyreus*, *Schrank*, Enum. Ins. Austr. p. 243. n. 462 (1781).

Acridium Xyphothyreum, *Schrank*, Fauna Boica, ii. (1) p. 33. n. 1024 (1801).

Tettix Schrankii, *Fieb.* Abhandl. Böhm. Ges. (5) iii. p. 412. n. 5, pl. 10. ff. 17–19 (1843); Lotos, iii. p. 139. n. 2 (1853); Syn. Eur. Orth. p. 29. n. 2 (1854); Fisch. l. c. p. 427. n. 4, pl. 18. ff. 22, 22 *a* (1853).

Tettix Schrankii, varr. *Fusca*, *Tristis*, *Ferrugata*, *Acuata*, *Maculata*, *Bifasciata*, *Maculosa*, *Femoralis*, *Carinalis*, *Dorsalis*, *Bufonia*, *Elegans*, *Vittata*, *Decora*, *Signata*, *Flavovittata*, *Ephippioides*, *Litura*, *et Oculata*, *Fieb.* Lotos, iii. pp. 139–141 (1853); Syn. Eur. Orth. pp. 29–31 (1854).

Acrydium Opacum, *Herbst*, Fuessly, Archiv, p. 190. n. 3, pl. 52. f. 2 (1786).

Acrydium Gibbum, *Oliv.* Enc. Méth., Ins. vi. p. 233. n. 76 (1791).

Var. *Acrydium Bifasciatum*, *Herbst*, l. c. p. 190. n. 4, pl. 52. f. 3 (1786); Oliv. Enc. Méth., Ins. vi. p. 236. n. 10 (1791).

Var. *Acridium Laterale, Zett.* ll. cc. p. 118. n. 8 (1821); p. 455. n. 8 (1828); p. 251. n. 10 (1840).

Tettix (Batrachidea) Bipunctatus, β. *Lateralis*, f. 5; γ. *Ephippium*, f. 10, p. 352; δ. *Zonatus*, f. 8; ε. *Ochraceus*, f. 7; ζ. *Coronatus*, f. 9; η. *Morosus* and θ. *Æthiops*, p. 353: *Fisch. Waldh.* l. c. (1846).

Var. *Acrydium Ephippium, Thunb.* Nova Acta Upsala, vii. p. 161. n. 8 (1815).

Acridium Ephippium, Zett. ll. cc. p. 118. n. 9 (1821); p. 455. n. 9 (1828); p. 252. n. 11 (1840).

Tettix Ephippium, Fisch. Waldh. l. c. p. 352, pl. 13. f. 10 (1846).

Var. *Gryllus Binotatus, Gmel.* Syst. Nat. i. (4) p. 2059. n. 231 (1788).

Acridium Binotatum, Zett. ll. cc. p. 119. n. 10 (1821); p. 456. n. 10 (1828); p. 252. n. 12 (1840).

Var. *Acridium Obscurum, Zett.* ll. cc. p. 123. n. 14 (1821); p. 456. n. 12 (1828); p. 252. n. 14 (1840).

Tetrix Obscura, Hagenb. Symb. Faun. Ins. Helvet. p. 42, f. 26 (1822).

Var. *Acrydium Cristatum, Thunb.* l. c. pp. 159, 161. n. 10 (1815).

Acridium Cristatum, Zett. ll. cc. p. 120. n. 11 (1821); p. 456. n. 11 (1828); p. 252. n. 13 (1840).

Var. *Acridium Vittatum, Zett.* Orth. Suec. p. 121. n. 12 (1821).

Var. *Acridium Zonatum, Zett.* l. c. p. 122. n. 13 (1821).

Var. *Acridium Ochraceum, Zett.* l. c. p. 124. n. 15 (1821).

Var. *Acridium Hieroglyphicum, Zett.* l. c. p. 128. n. 16 (1821); Ins. Lapp. p. 252. n. 15 (1840).

Acrydium Lunulatum, Thunb. l. c. pp. 159, 161 (1815).

Var. *Acridium Scriptum, Zett.* l. c. p. 126. n. 17 (1821).

Var. *Acridium Variegatum, Zett.* l. c. p. 127. n. 18 (1821).

Var. *Acridium Hilare, Zett.* Faun. Ins.

Lapp. i. p. 455. n. 7 (1828); Ins. Lapp. p. 251. n. 9 (1840).

Var. *Acridium Carbonarium, Zett.* Ins. Lapp. p. 252. n. 15 (1840).

Var. *Tetrix Nutans, Hagenb.* l. c. p. 41, f. 25 (1822); Charp. Hor. Ent. p. 179 (1825).

Tettix Nutans, Fieb. Abh. Böhm. Ges. (5) iii. p. 410. n. 3, pl. 10. f. 13 (1844); Lotos, iii. p. 147. n. 10 (1853); p. 37. n. 10 (1854); Fisch. Orth. Eur. p. 423, pl. 18. f. 19 (1853).

Tettix Linnei, cum varr. *Conspersa*, *Circumscripta*, *Carinalis*, *Punctulata*, *Bipunctata* (L.), *Deltigera*, *Hilaris* (Zett.), *Punctatosignata*, *Hieroglyphica* (Zett.), *Marmorata*, *Discolor*, *Equestris*, *Dorsalis*, *Ziczac*, *Limbata*, *Vittata* (Zett.), *Cristata*, *Binotata* (Gmel.), *Ephippium* (Thunb.), *Contigua*, *Obscura* (Hag.), *Fieb.* Lotos, iii. pp. 142–144 (1853); Syn. Eur. Orth. pp. 32–34 (1854).

Var. *Acridium Undulatum, Sowerby*, l. c. p. 28, pl. 74. f. 2 (1806).

Var. *Acrydium Nigricans, Sowerby*, l. c. f. 3 (1806); Curt. Brit. Ent. x. fol. 439, p. 2. n. 3 (1833).

3. **A. Tenuicorne, Sahlb.** (*Tettix Tenuicornis*) Medd. Soc. Faun. Flor. Fenn. xix. p. 47 (1893). — Finland.

*4. **A. Depressum, Bris.** (*Tetrix Depressa*) Ann. Soc. Ent. France, (2) vi. p. 424 (1848); Fin. ll. cc. pp. 83, 85 (1883); pp. 166, 168, pl. 8. f. 117 (1889); Jacobs. & Bianchi, l. c. pp. 174, 208, pl. 7 (1902). — S. Europe, Asia Minor, N. Africa, Zanzibar.

Tettix Depressa, Fisch. l. c. p. 424. n. 2, pl. 18. ff. 20, 20*, 20 *a* (1853); Bol. Ortópt. Españ. pp. 162, 165. n. 4 (1876); An. Soc. Españ. v. pp. 368, 371. n. 4 (1876).

Tettix Depressus, Stål, Recens. Orth. i. p. 151. n. 11 (1873); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 259. n. 1 (1887); Ann. Sci. Nat. Porto, v. pp. 35, 36. n. 1 (1898); Tümp. l. c. pp. 220, 254, pl. 20 (1900).

Tetrix Acuminata, Bris. Bull. Soc. Ent. France, (2) viii. p. lxiii (1850).	
[Costa, Faun. Nap., Ortott. pl. 1*. f. 3 (1836).]	
Tettix Charpentieri, Fieb. ll. cc. p. 141. n. 3 (1853); p. 32. n. 3 (1854).	
Tettix Elevata, Fieb. ll. cc. p. 144. n. 6 (1853); p. 35. n. 6 (1854).	
** *Tettix Rudis, Walk.* Cat. Derm. Salt. B. M. v. p. 838. n. 98 (1871).	
Larva. *Tettix Nodulosa, Fieb.* ll. cc. p. 139. n. 1 (1853); p. 29. n. 1 (1854).	
5. **A. Brachypterum, Luc.** (*Tetrix Brachyptera*) Expl. Alg. iii. p. 506 (1849); Jacobs. & Bianchi, l. c. pp. 174, 208, pl. 7 (1902).	Portugal, Algeria, Morocco, Syria.
Tettix Nobrei, Bol. An. Soc. Españ. xvi. p. 99, pl. 4. f. 10 (1887); Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 262. n. 9 (1887); Ann. Sci. Nat. Porto, v. p. 36. n. 2 (1898).	
6. **A. Tartarus, Bol.** (*Tettix T.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 262. n. 10 (1887).	Turkestan.
Tetrix Tartara, Jacobs. & Bianchi, l. c. pp. 174, 209 (1902).	
7. **A. Tuerki, Krauss,** (*Tettix Türki*) Ent. Monatsbl. i. p. 103 (1876); Brunn. Prodr. Eur. Orth. pp. 235, 240. n. 5, pl. 7. f. 56 A, B (1882).	Austria, Servia.
Tettix Turki, Bol. l. c. pp. 187, 258, 264. n. 14 (1887); Tümp. l. c. pp. 220, 253 (1900).	
Tetrix Tuerki, Jacobs. & Bianchi, l. c. pp. 175, 210 (1902).	
Tettix Meridionalis, pt., Türk, Wien. Ent. Mon. vi. p. 209. n. 2, pl. 11. ff. 2, 2 *a–n* (1862).	
Tetrix Turki Saulcyi, Azam, Bull. Soc. Ent. France, lxii. p. 312 (1893).	
8. **A. Ceperoi, Bol.** An. Soc. Españ. xvi. p. 100 (1887); Ann. Soc. Ent. Belg. xxxi. pp. 187, 259, 267. n. 22 (1887); Ann. Sci. Nat. Porto, v. pp. 36, 37. n. 5 (1898).	Spain, Portugal, N. Africa.

9. **A. Fuliginosum, Zett.** (*Acridium F.*) Faun. Ins. Lapp. i. p. 452. n. 2 (1828); Ins. Lapp. p. 250. n. 2 (1840).	N. Europe, Siberia.
Tettix Fuliginosus, Brunn. l. c. pp. 235, 239. n. 3 (1882); Sahlb. l. c. pp. 46, 47 (1893); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 259, 268. n. 23 (1887).	
Tetrix Fuliginosa, Jacobs. & Bianchi, l. c. pp. 175, 210 (1902).	
Var. *Acridium Fascipes, Zett.* Ins. Lapp. p. 250. n. 7 (1840).	
Var. *Tettix Fuliginosus,* var. *Pulchella. Sahlb.* l. c. p. 48 (1893).	
10. **A. Kraussi, Saulcy,** (*Tetrix K.*) Bull. Soc. Ent. France, (6) viii. p. cxxxv (1888); Fin. Faune France, Orth. pp. 166, 167 (1889); Jacobs. & Bianchi, l. c. pp. 174, 209 (1902).	Europe.
Tettix Bipunctata, Sahlb. (*nec Linn.*) l. c. p. 47 (1893).	
*11. **A. Gratiosum, Karsch,** (*Tettix Gratiosus*) Berlin. Ent. Zeitschr. xxxviii. p. 120. n. 93 (1893).	Adeli, Fernando Po.
12. **A. Illepidum, Karsch,** (*Tettix Illepidus*) l. c. p. 121. n. 94 (1893).	id.
13. **A. Depressior, Karsch,** (*Tetrix D.*) Ent. Nachr. xxvi. p. 286 (1900).	E. Africa.
*14. **A. Condylops, Gerst.** (*Tettix C.*) Arch. f. Nat. xxxv. p. 221. n. 76 (1869); Von der Decken, Reisen, iii. (2) p. 48. n. 76 (1873).	Zanzibar, Natal.
***Tettix Vittata, Walk.* Cat. Derm. Salt. B. M. v. p. 821. n. 43 (1871).	
15. **A. Latipes, Stål,** (*Tettix L.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 56. n. 2 (1876); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 261. n. 6 (1887).	Damara Land.
16. **A. Dubiosum, Bol.** (*Tettix Dubiosus*) ll. cc. n. 7 (1887).	Caffraria.
17. **A. Distanti, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 59. n. 4.	Transvaal.
18. **A. Serripes, Redt.** (*Tettix S.*) Wien. Ent. Zeit. viii. p. 28. n. 4 (1889).	Turcomania
19. **A. Sibiricum, Bol.** (*Tettix Sibiricus*) l. c. pp. 187, 258, 265. n. 17 (1887).	Siberia.
Tetrix Sibirica, Jacobs. & Bianchi, l. c. pp. 175, 210 (1902).	

20. **A. Japonicum, Bol.** (*Tettix Japonicus*) l. c. pp. 187, 258, 263. n. 12 (1887). *Tetrix Japonica, Jacobs. & Bianchi*, l. c. pp. 175, 210 (1902).	Japan.
21. **A. Reductum, Walk. (*Tettix Reducta*) l. c. p. 827. n. 62 (1871).	HongKong.
22. **A. Mundum, Walk. (*Tettix Munda*) l. c. p. 823. n. 52 (1871)	N. India.
23. **A. Umbriferum, Walk. (*Tettix Umbrifera*) l. c. p. 824. n. 53 (1871).	Bombay.
24. **A. Lineiferum, Walk. (*Tettix Lineifera*) l. c. n. 54 (1871).	id.
25. **A. Vittiferum, Walk. (*Tettix Vittifera*) l. c. n. 55 (1871).	id.
26. **A. Dorsiferum, Walk. (*Tettix Dorsifera*) l. c. p. 825. n. 56 (1871).	id.
27. **A. Obliquiferum, Walk. (*Tettix Obliquifera*) l. c. n. 57 (1871).	id.
28. **A. Nigricolle, Walk. (*Tettix Nigricollis*) l. c. p. 826. n. 58 (1871).	id.
29. **A. Balteatum, Walk. (*Tettix Balteata*) l. c. p. 828. n. 65 (1871).	S. India.
30. **A. Lineosum, Walk. (*Tettix Lineosa*) l. c. v. Suppl. p. 90 (1871).	Bombay.
31. **A. Discalis, Walk. (*Tettix D.*) l. c. v. p. 826. n. 59 (1871).	Ceylon.
32. **A. Atypicalis, Hanc.** (*Tettix A.*) Spol. Zeyl. ii. pp. 108, 142, 155. n. 18, pl. 3. ff. 14, 14 *a*, *b* (1904).	id.
33. **A. Ceylonicum, Hanc.** (*Tettix Atypicalis Ceylonus*) l. c. pp. 108, 142, 143. n. 19 (1904).	id.
34. **A. Dilatatum, De Haan,** (*Acridium (Tetrix) D.*) Temminck, Verhandel., Orth. pp. 167, 169. n. 22, pl. 22. f. 12 (1842). *Tettix Dilatatus, Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 260. n. 3 (1887).	Java.
35. **A. Miserum, Walk. (*Tettix Misera*) l. c. v. p. 835. n. 91 (1871).	id.
36. **A. Signatum, Bol.** (*Tettix Signatus*) l. c. pp. 187, 259, 268. n. 24 (1887).	Philippines.
37. **A. Priscum, Bol.** (*Tettix Priscus*) l. c. pp. 187, 258, 261. n. 5 (1887).	N.Australia.
*38. **A. Irruptum, Bol.** (*Tettix Irruptus*) l. c. pp. 187, 258, 262. n. 8 (1887).	Australia.

39. **A. Spathulatum, Stål,** (*Tetrix Spathulata*) Eugenies Resa, Orth. p. 348. n. 114 (1860). *Tettix Spathulatus, Stål,* Recens. Orth. i. p. 152. n. 15 (1873); Bol. l. c. pp. 187, 259. n. 26 (1887). *Tettix Spathulata, Bol.* l. c. p. 269. n. 26 (1887).	Australia
40. **A. Australe, Walk. (*Tettix Australis*) l. c. v. p. 836. n. 93 (1871).	S.Australia.
41. **A. Albescens, Walk. (*Tettix A.*) l. c. p. 838. n. 99 (1871).	Australia.
42. **A. Granulatum, Kirb.** Faun. Bor.-Amer., Ins. p. 251 (1837). *Tettix Granulatus, Scudd.* Bost. Journ. Nat. Hist. vii. p. 474 (1862); Hanc. Tett. N. Amer. pp. 38, 66, 69, pl. 3. f. 1, pl. 4. ff. 2, 2 *a* (1902); Bol. l. c. pp. 187, 259, 265. n. 18 (1887); Lugger, Grasshoppers Minnesota, p. 197, f. 63 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 220, 221. n. 18, f. 39 (1903). *Tettix Granulata, Thom.* Syn. Acrid. N. Amer. p. 182 (1873). *Tettix Granulatus Variegatus, Hanc.* Tett. N. Amer. pp. 36, 66 (1902). ‖*Tetrix Ornata, Harr.* (*nec Say*) Ins. Injur. Veget. p. 150. n. 1 (1841); (ed. 3) p. 186. n. 1 (1862). *Tettix Morsei, Hanc.* Ent. News, x. p. 280 (1899).	Hudson's Bay, Canada, Northern U. States.
43. **A. Incurvatum, Hanc.** (*Tettix Incurvata*) Amer. Nat. xxxix. p. 761, fig. (1895). *Tettix Incurvatus, Hanc.* Tett. N. Amer. pp. 38, 66, 74, pl. 3. f. 2 (1902).	Wash'gton, New Mexico, Colorado.
44. **A. Brunneri, Bol.** (*Tettix B.*) l. c. pp. 187, 259, 266. n. 20, pl. 5. ff. 22, 22 *a* (1887); Hanc. l. c. pp. 38, 67, 74 (1902). *Tetrix Brunneri Caudata, Hanc.* Gen. Ins. Orth., Acrid. Tetr. p. 59. n. 39 (1906). *Tettix Tentatus, Morse,* Journ. N. York Ent. Soc. vii. p. 200 (1899). ‖*Tettix Granulatus, Hanc.* (*nec Kirb.*) Ent. News, x. p. 279 (1899).	Hudson's Bay, Western U. States.

45. **A. Luggeri, Lugger** (*Tettix L.*) l. c. p. 199 (1897); Hanc. Tett. N. Amer. pp. 38, 67, 73, pl. 4. ff. 6, 6 *a* (1902). Minnesota, Illinois.

46. **A. Acadicum, Scudd.** (*Tettigidea Acadica*) Dawson, Rep. Geol. & Resources 49th Parallel, p. 345. n. 15 (1875). New Mexico. Minnesota, Nebraska, Canada.

Tettix Acadicus, Scudd. Ann. Rep. W. 100th Merid. (App. JJ) p. 295. n. 49 (1876); Hanc. Tett. N. Amer. pp. 38, 67, 76. pl. 4. ff. 3, 3 *a* (1902).

(?) *Tettix Ornatus, Lugger* (*nec Say*), l. c. pp. 198, 199. f. 64 (1897); Blatchl. l. c. pp. 220, 222. n. 19, f. 40 (1903).

*47. **A. Ornatum, Say,** Amer. Ent. i. p. 10, pl. 5. f. 1 (1824). N. America.

Tettix Ornata, Scudd. Bost. Journ. Nat. Hist. vii. p. 474. n. 2 (1862); Thom. l. c. p. 183 (1873).

Tettix Ornatus, Bol. l. c. pp. 187, 258, 264. n. 15 (1887); Hanc. l. c. pp. 38, 67, 78, pl. 3. f. 4, pl. 11. ff. 3, 3 *a* (1902).

Var. *Tetrix Dorsalis, Harr.* ll. cc. p. 151. n. 2 (1841); p. 186. n. 2 (1862).

Tettix Dorsalis, Thom. l. c. p. 184 (1873).

Var. *Tetrix Quadrimaculata, Harr.* ll. cc. p. 151. n. 3 (1841); p. 186. n. 3 (1862).

Tettix Quadrimaculata, Thom. l. c. p. 184 (1873).

Var. *Tetrix Bilineata, Harr.* ll. cc. p. 151. n. 4 (1841); p. 186. n. 4 (1862).

Tettix Bilineata, Thom. l. c. p. 184 (1873).

Var. *Tetrix Sordida, Harr.* ll. cc. p. 151. n. 5 (1841); p. 187. n. 5 (1862).

Tettix Sordida, Thom. l. c. p. 184 (1873).

Var. *Tettix Triangularis, Scudd.* l. c. p. 475. n. 3 (1862); Thom. l. c. p. 185 (1873); Bol. l. c. pp. 187, 258, 265. n. 16 (1887); Hanc. l. c. pp. 38, 67, 80 (1902).

48. **A. Oxycephalum, Burm.** (*Tetrix Oxycephalus*) Handb. Ent. ii. p. 659. n. 2 (1838). S. Carolina.

Tettix Oxycephala, Thom. l. c. p. 186 (1873).

49. **A. Hancocki, Morse,** (*Tettix H.*) Journ. N. York Ent. Soc. vii. p. 200 (1899); Hanc. l. c. pp. 38, 67, 81, pl. 4. f. 4, pl. 11. ff. 5, 5 *a* (1902); Blatchl. l. c. pp. 220, 223. n. 20 (1903). *Tettix Hancocki Abbreviatus, Morse,* l. c. p. 200 (1899); Hanc. l. c. pp. 38, 67, 83, pl. 4. ff. 1, 1 *a* (1902).	N. America.
50. **A. Crassum, Morse,** (*Tettix Crassus*) l. c. p. 201 (1899); Hanc. l. c. pp. 38, 67, 83 (1902). *Tettix Crassus Affinis, Hanc.* l. c. pp. 38, 67 (1902).	Colorado.
51. **A. Arenosum, Burm.** (*Tetrix Arenosa*) l. c. p. 659. n. 4 (1838). *Tettix Arenosus, Bol.* l. c. pp. 187, 259, 269. n. 25 (1887); Hanc. l. c. pp. 38, 68, 85, pl. 3. f. 3, pl. 4. ff. 5, 5 *a*, *b* (1902); Blatchl. l. c. pp. 220, 224. n. 21 (1903). *Tettix Arenosus Costatus, Hanc.* l. c. pp. 38, 68 (1902).	United States.
52. **A. Angustum, Hanc.** (*Tettix Angustus*) Trans. Amer. Ent. Soc. xxiii. p. 238. n. 3, pl. 6. ff. 4, 4 *a* (1896); Tett. N. Amer. pp. 88, 89 (1902). Var. *Tettix Inflatus, Hanc.* ll. cc. p. 238. n. 4, pl. 7. f. 8 (1896); p. 88 (1902). Var. *Tettix Obscurus, Hanc.* ll. cc. p. 239. n. 5, pl. 7. ff. 9, 9*a*, 10, 10*a* (1896); pp. 38, 68, 87, fig. titlepage, pl. 5. ff. 1, 1 *a*, 2, 2 *a* (1902); Lugger, l. c. p. 199 (1897); Blatchl. l. c. pp. 220, 225. n. 22 (1903). *Tetrix Obscura, Hanc.* Gen. Ins. Orth., Acrid. Tetr. p. 59. n. 47 (1906). *Tetrix Obscurus, Hanc.* l. c. pl. 3. f. 27 (1906). Var. *Tettix Gibbosus, Hanc.* Trans. Amer. Ent. Soc. xxiii. p. 239. n. 6, pl. 6. ff. 5, 5 *a* (1896); Tett. N. Amer. pp. 38, 68, 89, pl. 3. f. 6, pl. 5. ff. 3–5 (1902). Var. *Tettix Fluctuosus, Hanc.* ll. cc. p. 240. n. 7, pl. 7. ff. 6, 6 *a* (1896); pp. 38, 68, 90 (1902). Var. *Tettix Decoratus, Hanc.* ll. cc. p. 240. n. 8, pl. 7. ff. 7, 7 *a* (1896); pp. 38, 68, 90, pl. 3. f. 5, pl. 5. ff. 6, 6 *a* (1902).	N. America.

53. **A. Blatchleyi, Hanc.** (*Tettix B.*) Tett. N. Amer. pp. 38, 68, 91 (1902).	Florida.
*54. **A. Mucronatum, St. Farg. & Serv.** (*Tetrix Mucronata*) Enc. Méth., Ins. x. p. 600. n. 5 (1825).	Brazil.
***Tettix Maura, Walk.* l. c. v. p. 817. n. 36 (1871).	
55. **A. (?) Morbillosum, Fabr.** Mant. Ins. i. p. 230. n. 1 (1787).	Sierra Leone.
A. Afrum, Oliv. Encycl. Méth., Ins. vi. p. 232. n. 73 (1791).	
56. **A. (?) Indum, Oliv.** l. c. p. 234. n. 79 (1791).	"E.Indies."
57. **A. Gracile, Brun.** (*Nephele G.*) 2nd Rep. Locust Comm. B. Aires, p. 15 (1900).	Argentina, Paraguay. Trinidad (eadem?).
Tettix Gracilis, Brun. Journ. N. York Ent. Soc. xiv. p. 145. n. 44 (1906).	
58. **A. Waelbroecki, Bol.** (*Tettix W.*) Mém. Soc. Ent. Belg. xvi. p. 87. n. 13 (1908).	Kinchassa.

Genus 83. Stenodorsus.

Hancock, Ent. News, xvii. p. 90 (1906).
Stenodorus, Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 52, 59 (1906).

1. **S. Extenuatus, Hanc.** Ent. News, xvii. p. 91 (1906).	Peru.
Stenodorus Extenuatus, Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 60. n. 1, pl. 4. f. 39 (1906).	

Genus 84. Hedotettix. (*Type* no. 2.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 188, 195, 283 (1887): Hanc. Spol. Zeyl. ii. pp. 108, 111, 148 (1904): Gen. Ins. Orth., Acrid. Tetr. pp. 52, 60 (1906).

1. **H. Quadriplagiata, Walk. (*Tettix Q.*) Cat. Derm. Salt. B. M. v. p. 828. n. 64 (1871).	N. India.
2. **H. Gracilis, De Haan,** (*Acridium (Tettix) Gracile*) Temminck, Verhandel., Orth. pp. 167, 169. n. 16 (1842).	India. Burma, Siam, Ceylon, Java,
H. Gracilis, Bol. l. c. pp. 188, 283, 284. n. 1 (1887); Hanc. Spol. Zeyl. ii.	

pp. 108, 149, 156, pl. 3. ff. 19, 19 *a*, *b* (1904).	Sumatra, Tondano.
H. Gracilis Abortus, Hanc. l. c. pp. 108, 149, 151. n. 24 (1904).	
H. Festivus, Bol. l. c. pp. 188, 284, 286. n. 8, pl. 5. ff. 24, 24 *a* (1887).	
3. **H. Attenuatus, Hanc.** l. c. pp. 108, 149, 151. n. 25, pl. 3. ff. 18, 18 *a*, *b* (1904); Gen. Ins. Orth., Acrid. Tetr. p. 60. n. 11, f. 23 (1906).	Ceylon.
4. **H. Exsultans, Stål,** (*Tetrix E.*) Eugenies Resa, Orth. p. 347. n. 112 (1860).	China.
Tettix Exsultans, Stål, Rec. Orth. i. p. 149. n. 4 (1873).	
H. Exsultans, Bol. l. c. pp. 188, 283, 284. n. 2 (1887).	
5. **H. Plana, Walk. (*Tettix P.*) l. c. p. 828. n. 63 (1871).	id.
6. **H. Notata, Walk. (*Tettix N.*) l. c. p. 829. n. 66 (1871).	Hong Kong.
7. **H. Affinis, Bol.** l. c. pp. 188, 284, 285. n. 3 (1887).	Philippines, Sydney.
8. **H. Guibelondoi, Bol.** ll. cc. n. 4 (1887).	Philippines.
9. **H. Coactus, Bol.** ll. cc. n. 5 (1887).	Sumatra.
10. **H. Sobrinus, Bol.** l. c. pp. 188, 284, 286. n. 6 (1887).	Philippines.
11. **H. Rusticus, Bol.** ll. cc. n. 7 (1887).	id.
12. **H. Angustifrons, Bol.** l. c. pp. 188, 284, 287. n. 9 (1887).	id.
13. **H. Puellus, Navás,** Bol. Soc. Aragon. iv. p. 52 (1905).	Mindanao.
14. **H. Equestris, Navas,** l. c. (1905).	id.
15. **H. Pulchellus, Bol.** l. c. pp. 188, 284, 287. n. 10 (1887).	Congo, Madagascar
16. **H. Granulatus, Bol.** Ann. Soc. Ent. France, lxiv. p. 375 (1895).	Seychelles.
17. **H. Burri, Hanc.** (*Telmatettix B.*) Mem. Chicago Ent. Soc. i. p. 10. pl. 1. ff. 5. 5 *a* (1900).	Madagascar
18. **H. Tschoffeni, Bol.** Mém. Soc. Ent. Belg. xvi. p. 87. n. 14 (1908).	Banana Boma.

Genus 85. **Ochetotettix.** (*Type* no. 1.)

Morse, Biol. Centr.-Amer., Orth. ii. pp. 5, 9 (1900); Hanc. Tett. N. Amer. pp. 36, 39, 106 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 61 (1906).

1. **O. Barretti, Hanc.** (*Neotettix B.*) Ent. News, x. p. 277 (1899). *O. Barretti, Morse*, l. c. p. 9. n. 1 (1900); Hanc. Tett. N. Amer. pp. 39, 106, 107, pl. 7. ff. 3, 3 *a* (1902); Gen. Ins. Orth., Acrid. Tetr. p. 61. n. 1, pl. 3. f. 33 (1906).	Mexico.
2. **O. Volans, Morse,** l. c. p. 9. n. 2, figs. (1900); Hanc. Tett. N. Amer. pp. 39, 106, 108 (1902).	id.

Genus 86. **Neotettix.** (*Type* no. 1.)

Hanc. Ent. News, ix. p. 138 (1898); Tett. N. Amer. pp. 35, 38, 92 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52. 61 (1906).

1. **N. Bolivari, Hanc.** ll. cc. p. 139. n. 2. pl. 8. ff. 2, 2 *a–d* (1898); pp. 38, 93, pl. 6. ff. 4, 4 *a*, *b*, pl. 11. ff. 1, 1 *a*, *b* (1902); pp. 61, 62. n. 1, f. 24 (1906). *N. Bolivari Longipennis, Hanc.* Tett. N. Amer. p. 165 (1902). ‖ *Tettix Femoratus, Bol.* (*nec Scudd.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 258, 264. n. 13 (1887).	Southern United States.
2. **N. Rotundifrons, Hanc.** Ent. News, ix. p. 139. n. 1, pl. 8. ff. 3, 3 *a–d* (1898); Tett. N. Amer. pp. 38, 93, 94, pl. 6. f. 5 (1902).	Florida.
3. **N. Bolteri, Hanc.** ll. cc. p. 140. n. 3, pl. 8. ff. 1, 1 *a–e* (1898); pp. 38, 93, 96, pl. 6. ff. 6, 6 *a*, *b* (1902).	id.
4. **N. Coarctatus, Hanc.** Tett. N. Amer. p. 165 (1902).	id., New Mexico
5. **N. Variabilis, Hanc.** l. c. (1902).	Florida.
6. **N. Femoratus, Scudd.** (*Tettix Femorata*) Trans. Amer. Ent. Soc. ii. p. 306 (1869); Thom. Syn. Acrid. N. Amer. p. 185 (1873). *N. Femoratus, Hanc.* Ent. News, ix. pp. 139, 140. n. 4 (1898); Tett. N. Amer. pp. 38, 93, 95 (1902).	Southern Maryland, Georgia, Carolina.
7. **N. Hancocki, Blatchl.** Rep. Indiana Dept. Geol. xxvii. p. 226. n. 23 (1903).	Indiana.

Genus 87. **Nomotettix.** (*Type* no. 1.)

Morse, Psyche, vii. p. 150 (1894); Lugger, Orthopt. Minnesota, pp. 195, 196 (1897); Hanc. Psyche, ix. p. 6 (1900); Tett.

N. Amer. pp. 35, 38, 53 (1902) : Gen. Ins. Orth., Acrid. Tetr. pp. 52, 62 (1906) ; Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 217, 218 (1903).

‖*Batrachidea*, *Scudd.* (*nec Serv.*) Boston Journ. Nat. Hist. vii. p. 478 (1862) ; Thomas, Syn. Acrid. N. Amer. p. 189 (1873).

1. **N. Cristatus, Scudd.** (*Batrachidea Cristata*) l. c. p. 478 (1862) ; Thomas, l. c. p. 190 (1873) ; Morse, Psyche, vii. p. 54 (1894). *N. Cristatus*, *Morse*, Journ. N. York Ent. Soc. iii. p. 15 (1895) ; iv. p. 49, pl. 1. ff. 2, 2 *a*, *b* (1896) ; Hanc. Tett. N. Amer. pp. 38, 55, 60 (1902). *N. Cristatus*, var. *Denticulatus*, *Morse*, Psyche, xiii. p. 119 (1906).	United States.
2. **N. Carinatus, Scudd.** (*Batrachidea Carinata*) l. c. p. 479 (1862) ; Thom. l. c. p. 190 (1873). *N. Carinatus*, *Hanc.* l. c. pp. 38, 55, 63, pl. 2. f. 5 (1902) ; Gen. Ins. Orth., Acrid. Tetr. p. 62. n. 3, pl. 3. f. 25 (1906).	id.
3. **N. Parvus, Morse,** l. c. iii. p. 14 (1895) ; iv. p. 49, pl. 1. ff. 1, 1 *a*, *b* (1896) ; Lugger, l. c. p. 196, f. 62 (1897) ; Hanc. Tett. N. Amer. pp. 38, 54, 55, pl. 2. ff. 4, 4 *a* (1902).	Minnesota.
4. **N. Acuminatus, Hanc.** Ent. News, x. p. 8 (1899) ; Tett. N. Amer. pp. 38, 54, 56, pl. 2. ff. 2, 2 *a* (1902).	Kansas.
5. **N. Sinufrons, Hanc.** ll. cc. x. p. 278 (1899) ; pp. 38, 54, 57 (1902).	Minnesota.
6. **N. Compressus, Morse,** l. c. iii. p. 15 (1895) ; iv. p. 49, pl. 1. ff. 3, 3 *a*, *b* (1896) ; Hanc. Tett. N. Amer. pp. 38, 55, 58 (1902) ; Blatchl. l. c. p. 218. n. 17 (1903). *N. Compressus*, var. *Atarus*, *Blatchl.* l. c. p. 219 (1903).	Maryland, Georgia, Indiana, N. Carolina.
7. **N. Floridanus, Hanc.** Tett. N. Amer. pp. 38, 55, 64 (1902).	Florida.
8. **N. Arcuatus, Hanc.** l. c. pp. 38, 55, 65 (1902). ‖*Tettix Cristatus*, *Bol.* (*nec Scudd.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 260. n. 4 (1887).	Georgia.

Genus 88. **Micronotus.** (*Type* no. 1.)

Hanc. Tett. N. Amer. pp. 35, 39, 97 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 63 (1906).

1. **M. Quadriundulatus, Redt. (*Tettix Q.*) Proc. Zool. Soc. Lond. 1892, p. 208. pl. 16. f. 10. *M. Quadriundulatus, Hanc.* Tett. N. Amer. pp. 39, 98 (1902); Brun. Journ. N. York Ent. Soc. xiv. p. 146. n. 46 (1906).	Grenada. Haiti. Trinidad.
2. **M. Asperulus, Bol.** (*Tettix A.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 257, 260. n. 2 (1887).	Brazil.
3. **M. Hancocki, Brun.** l. c. p. 146. n. 47 (1906); Hanc. Gen. Ins. Orth., Acrid. Tetr. p. 63. n. 3. pl. 4. f. 41 (1906).	Trinidad.
4. **M. Caudatus, Sauss.** (*Tettix Caudata*) Rev. Zool. (2) xiii. p. 399 (1861). *Paratettix Caudatus, Bol.* l. c. pp. 188, 271, 274. n. 7 (1887).	id., S. America.

Genus 89. **Merotettix.**

Morse, Journ. N. York Ent. Soc. vii. p. 199 (1899); Hanc. Tett. N. Amer. pp. 35, 39, 105 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 63 (1906).

1. **M. Pristinus, Morse,** Journ. N. York Ent. Soc. vii. p. 199 (1899); Hanc. l. c. pp. 39, 105 (1902).	California.

Genus 90. **Apotettix.** (*Type* no. 1.)

Hanc. Tett. N. Amer. pp. 35, 39, 99 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 64 (1906).

1. **A. Convexus, Morse,** (*Tettix C.*) Biol. Centr.-Amer., Orth. ii. p. 10. n. 1 (1900). *A. Convexus, Hanc.* ll. cc. pp. 39, 100, 101 (1902); p. 64. n. 1. pl. 3. f. 29 (1906).	Mexico.

2. **A. Tectus, Morse,** (*Tettix* (?) *T.*) l. c. p. 10. n. 2 (1900). *A. Tectus, Hanc.* Tett. N. Amer. pp. 39, 100, 101, pl. 7. ff. 2, 2 *a* (1902).	Mexico.
3. **A. Rugosa, Scudd.** (*Tettix R.*) Bost. Journ. Nat. Hist. vii. p. 476. n. 5 (1862); Thom. Syn. Acrid. N. Amer. p. 186 (1873). *Paratettix Rugosus, Bol.* Ann. Soc. Ent. Belg. xxxi. pp. 188, 270, 273. n. 4 (1887). *A. Rugosus, Hanc.* l. c. pp. 39, 100, 104, pl. 6. ff. 1, 1 *a* (1902).	id., Southern United States.
4. **A. Eurycephalus, Hanc.** l. c. pp. 39, 100, 102, pl. 7. ff. 4, 4 *a* (1902).	Texas.
5. **A. Brevipennis, Hanc.** l. c. pp. 39, 100, 103 (1902).	id.
6. **A. Minutus, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lvii. p. 34. pl. 1. ff. 3, 4 (1905).	Florida.
7. **A. Bruneri, Hanc.** Proc. U.S. Nat. Mus. xxx. p. 614 (1906).	Paraguay.

Genus 91. **Liotettix.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 393 (1906).
‖*Prototettix, Bol.* (*nec Gieb.*) Ann. Soc. Ent. Belg. xxxi. pp. 187, 195, 255 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 52, 65 (1906).

1. **L. Impressus, Stål,** (*Tettix I.*) Rec. Orth. i. p. 151. n. 12 (1873). *Prototettix Impressus, Bol.* l. c. pp. 187, 255. n. 1 (1887).	S. Africa.
2. **L. Odiosus, Walk. (*Tettix Odiosa*) Cat. Derm. Salt. B. M. v. p. 820. n. 41 (1871).	id.
3. **L. Alienus, Walk. (*Tettix Aliena*) l. c. p. 821. n. 45 (1871).	Sierra Leone.
4. **L. Umbripennis, Karsch,** (*Prototettix U.*) Berlin. Ent. Zeitschr. xxxviii. p. 118. n. 90 (1893).	Adeli.
5. **L. Fossulatus, Bol.** (*Prototettix F.*) l. c. pp. 187, 255, 256. n. 2 (1887).	Brazil.
6. **L. Miserabilis, Blanch.** (*Tetrix M.*) Gay, Hist. Chile, Zool. vi. p. 85 [Orth. pl. 3. f. 10 ined. ?] (1852).	Chile.

7. **L. Lobulatus, Stål,** (*Tetrix Lobulata*) Eugenies Resa, Orth. p. 347. n. 111 (1860). *Tettix Lobulatus*, *Stål*, Rec. Orth. i. p. 152. n. 14 (1873). *Prototettix Lobulatus*, *Bol.* l. c. pp. 187, 255, 256. n. 3 (1887).	Brazil. Argentina.

Genus 92. **Coptotettix.** (*Type* no. 16.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 188, 195, 287 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 111, 152 (1904); Gen. Ins. Orth., Acrid. Tetr. pp. 52, 65 (1906).

1. **C. Latifrons, Brunn.** Ann. Mus. Genova. xxxiii. p. 112. n. 2. pl. 5. f. 44 (1893).	Burma.
2. **C. Acuteterminatus, Brunn.** l. c. p. 112. n. 3 (1893).	Pegu.
3. **C. Modiglianii, Bol.** Ann. Mus. Genova, xxxix. p. 78. n. 24 (1898).	Sumatra.
4. **C. Fossulatus, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 188, 287, 288. n. 1 (1887); Hanc. Spol. Zeyl. ii. pp. 108, 153. n. 26 (1904).	Ceylon.
5. **C. Inflatus, Krauss,** Denkschr. Med. Nat. Ges. Jena, viii. p. 758, pl. 67. f. 10 (1903).	Java.
6. **C. Planus, Bol.** l. c. pp. 188, 287, 289. n. 2 (1887).	N. Australia.
7. **C. Capitatus, Bol.** ll. cc. n. 3 (1887).	Burma. Java.
8. **C. Fuscus, Bol.** l. c. pp. 188, 288, 289. n. 4 (1887).	Philippines.
9. **C. Rufipes, Bol.** l. c. pp. 188, 288, 290. n. 5 (1887).	Somali.
10. **C. Bilineatus, Bol.** Mem. Soc. Españ. i. p. 217 (1905).	Guinea.
11. **C. Minutus, Bol.** l. c. p. 218 (1905).	id.
12. **C. Angulatus, Bol.** l. c. (1905).	Cameroons.
13. **C. Annulipes, Karsch,** Ent. Nachr. xvi. p. 25. n. 8 (1890).	W. Africa.
14. **C. Infaustus, Walk. (*Tettix Infausta*) Cat. Derm. Salt. B. M. v. p. 820. n. 42 (1871).	Natal.
15. **C. Maesoi, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 189, 288, 290. n. 6 (1887).	Philippines.

16. **C. Asperatus, Bol.** ll. cc. n. 7, pl. 5. ff. 25, 25 *a* (1887).	Cochin China.
17. **C. Tuberculatus, Bol.** l. c. pp. 189, 288, 291. n. 8 (1887).	Borneo.
18. **C. Testaceus, Bol.** ll. cc. n. 9 (1887); Hanc. l. c. pp. 108, 153. n. 27 (1904).	Ceylon.
19. **C. Interruptus, Bol.** l. c. pp. 189, 288, 291. n. 10 (1887).	Java, Burma.
20. **C. Nodulosus, Bol.** l. c. pp. 189, 288, 292. n. 11 (1887).	Philippines.
21. **C. Fuliginosus, Bol.** ll. cc. n. 12 (1887); Ann. Mus. Genova, xxxix. p. 78. n. 23 (1898). *C. Fuliginosus*, var. *Abbreviatus, Bol.* Ann. Mus. Genova. xxxix. p. 78 (1898).	Sumatra.
22. **C. Ferrugineus, Bol.** Ann. Soc. Ent. Belg. xxxi. pp. 189, 288, 292. n. 13 (1887).	Philippines.
23. **C. Mazarredoi, Bol.** l. c. pp. 189, 288, 293. n. 14 (1887).	id.

Genus 93. **Paxilla.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 195, 294 (1887); Hanc. Tett. N. Amer. pp. 36, 40, 136 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 66, 67 (1906).

1. **P. Obesa, Scudd.** (*Tettigidea O.*) Proc. Bost. Soc. Nat. Hist. xix. p. 34 (1877). *P. Obesa, Bol.* l. c. pp. 189, 294. n. 1 (1887); Hanc. ll. cc. pp. 40, 137, pl. 2. ff. 3, 3 *a* (1902); p. 67. n. 1, pl. 3. f. 31 (1906).	Georgia.

Genus 94. **Castetsia.**

Bol. Ann. Soc. Ent. France, lxx. p. 614 (1902).

1. **C. Dispar, Bol.** l. c. (1901).	Madura.

Genus 95. **Tettigidea.** (*Type* no. 1.)

Scudd. Bost. Journ. Nat. Hist. vii. p. 476 (1862); Thom. Syn. Acrid. N. Amer. p. 186 (1873); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 195, 295 (1887); Lugger, Orthopt. Minnesota, pp. 196, 200 (1898); Morse, Biol. Centr.-Amer., Orth. ii.

pp. 6, 15 (1900) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 218, 228 (1903) ; Hanc. Tett. N. Amer. pp. 37, 40, 138 (1902) ; Gen. Ins. Orth., Acrid. Tetr. pp. 66, 67 (1906).

*1. **T. Lateralis, Say** (*Acrydium Laterale*) Amer. Ent. i. pl. 5, pt. (1824). N. America.

Tetrix Lateralis, Harr. Ins. Injur. Veget. p. 151. n. 6 (1841), (ed. 3) p. 187. n. 6 (1862).

Tettix Lateralis, Glov. Ill. N. Amer. Orth. pl. 5. f. 7 (1872).

Tettigidea Lateralis, Scudd. l. c. p. 477. n. 1 (1862) ; Thom. l. c. pp. 187, 188 (1873) ; Bol. l. c. pp. 189, 295, 298. n. 5 (1887) ; Lugg. l. c. p. 201, f. 66 (1898) ; Brun. Nebraska State Board Agric. p. 138, f. 35 (1899) ; Blatchl. l. c. pp. 229, 231, 232. n. 28, f. 42 (1903) ; Hanc. Tett. N. Amer. pp. 40, 140, 149, pl. 10. f. 9 (1902).

Var. *Tetrix Polymorpha, Burm.* Handb. Ent. ii. p. 659. n. 6 (1838).

Tettigidea Polymorpha, Scudd. l. c. p. 477. n. 2 (1862) ; Thom. l. c. p. 188 (1873) ; Bol. l. c. pp. 189, 295, 297. n. 4 (1887) ; Lugg. l. c. p. 201 (1898) ; Morse, Psyche, vii. p. 54 (1894) ; Hanc. l. c. pp. 40, 140, 151, pl. 10. f. 11 (1902).

Tetrix Parvipennis, Harr. ll. cc. p. 152. n. 7 (1841), p. 187. n. 7, f. 82 (1862) : Thom. l. c. p. 189 (1873) ; Blatchl. l. c. pp. 229, 230. n. 27 (1903).

Tettigidea Parvipennis, Hanc. l. c. pp. 40, 140, 148, pl. 10. f. 8 (1902).

Var. *Tettigidea Medialis, Hanc.* l. c. pp. 40, 140, 152, pl. 10. f. 10 (1902).

Var. *Tettigidea Parvipennis Pennata, Morse,* Journ. N. York Ent. Soc. iii. p. 109 (1901) ; Hanc. l. c. pp. 40, 140, 146, pl. 10. f. 7, pl. 11. ff. 2, 2 *a*, eggs (1902).

2. **T. Jalapa, Hanc.** Canad. Ent. xxxii. p. 25 (1900) ; Tett. N. Amer. pp. 40, 140, 152, pl. 2. ff. 1, 1 *a*, pl. 10. f. 4 (1902) ; Gen. Ins. Orth., Acrid. Tetr. p. 68. n. 6, pl. 3. f. 26 (1906). Mexico.

3. **T. Chichimeca, Sauss.** (*Tettix C.*) Rev. Zool. (2) xiii. p. 400 (1861) ; Thom. l. c. p. 244 (1873). *Tettigidea Chichimeca, Bol.* l. c. pp. 189, 295, 296. n. 1 (1887) ; Morse, Biol. Centr.-Amer., Orth. ii. pp. 15, 16. n. 2 (1900) ; Hanc. Tett. N. Amer. pp. 40, 141, 156 (1902). *Tettigidea Chichimeca Australis, Hanc.* Canad. Ent. xxxii. p. 25 (1900) ; Tett. N. Amer. p. 153 (1902). *Tettigidea Australis, Hanc.* Tett. N. Amer. pp. 40, 140 (1902).	Mexico.
4. **T. Guatemalteca, Bol.** l. c. pp. 189, 296, 298. n. 6 (1887) ; Morse, l. c. p. 18. n. 8 (1900) ; Hanc. l. c. pp. 40, 141, 155, pl. 10. f. 3 (1902).	Guatemala.
5. **T. Bruneri, Morse,** l. c. pp. 15, 16. n. 1 (1900) ; Hanc. l. c. pp. 40, 141, 155 (1902).	Mexico.
6. **T. Nicaraguæ, Brun.** Bull. Lab. Nat. Hist. Iowa, iii. p. 62, pl. 3. ff. 3*a*, *b* (1895) ; Morse, l. c. pp. 15, 16. n. 1 (1900) ; Hanc. l. c. pp. 40, 141, 157 (1902). *Tettigidea Nicaraguæ Brevis, Hanc.* l. c. p. 158 (1902).	id., Nicaragua.
7. **T. Plagiata, Morse,** l. c. pp. 15, 17. n. 4 (1900) ; Hanc. l. c. pp. 40, 141, 158 (1902).	Mexico.
8. **T. Parvula, Morse,** l. c. pp. 15, 17. n. 5, fig. (1900) ; Hanc. l. c. pp. 40, 141, 159, pl. 3. f. 7 (1902).	id.
9. **T. Nigra, Morse,** l. c. pp. 15, 18. n. 7, fig. (1900) ; Hanc. l. c. pp. 40, 142, 159, pl. 3. f. 8 (1902).	id.
10. **T. Tecta, Morse,** l. c. pp. 15, 17. n. 6 (1900) ; Hanc. l. c. pp. 40, 142, 160 (1902).	id.
11. **T. Scudderi, Bol.** l. c. pp. 189, 296, 299. n. 7 (1887).	Upper Amazons.
12. **T. Multicostata, Bol.** ll. cc. n. 8 (1887).	Brazil.
13. **T. Exigua, Kirb.** (n. n.). ‖ *T. Gracilis, Brun.* (*nec Scudd.*) 2nd Rep. Merchants' Locust Invest. Comm. B. Aires, p. 17 (1900).	Corrientes.

14. **T. Cuspidata, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 277 (1875); Bol. l. c. pp. 189, 295, 296. n. 2 (1887).	Peruvian Andes.
15. **T. Pulchella, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 669 (1905).	British Guiana.
16. **T. Armata, Morse,** Journ. N. York Ent. Soc. iii. p. 107 (1895); Hanc. Tett. N. Amer. pp. 40, 139, 142, pl. 10. f. 6 (1902); Blatchl. l. c. p. 229. n. 25 (1903).	United States.
T. Armata Depressa, Morse, l. c. p. 107 (1895); Hanc. l. c. pp. 40, 139, 142 (1902).	
17. **T. Apiculata, Morse,** l. c. p. 16 (1895); Hanc. l. c. pp. 40, 139, 143, pl. 10. f. 2 (1902).	New Orleans.
18. **T. Acuta, Morse,** l. c. p. 15 (1895); Hanc. l. c. pp. 40, 139, 144 (1902).	New York.
19. **T. Prorsa, Scudd.** l. c. xix. p. 34 (1877); Bol. l. c. pp. 189, 295, 297. n. 3 (1887); Hanc. l. c. pp. 40, 140, 145, pl. 10. f. 1 (1902).	Georgia.
Tettigidea Prorsa Elongata, Morse, l. c. p. 16 (1895); Hanc. l. c. pp. 40, 140, 146 (1902).	
20. **T. Spicata, Morse,** l. c. p. 108 (1895); Hanc. l. c. pp. 40, 140, 144, pl. 10. f. 5 (1902).	Florida, Georgia, Indiana.
21. **T. Trinitatis, Brun.** Journ. N. York Ent. Soc. xiv. p. 147. n. 47 (1906).	Trinidad.
22. **T. Imperfecta, Brun.** l. c. n. 48 (1906).	id.
23. **T. Gracilis, Scudd.** Dawson, Rep. 49th Parallel, p. 345 (1875).	Lake of the Woods.
24. **T. Ruficornis, Walk. (*Tettix R.*) Cat. Derm. Salt. B. M. v. p. 817. n. 35 (1871).	Santarem.

Genus 96. **Plectronotus.**

Morse, Biol. Centr.-Amer., Orth. ii. pp. 6, 14 (1900); Hanc. Tett. N. Amer. pp. 37, 40, 161 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 66, 69 (1906).

1. **P. Scaber, Morse,** l. c. n. 1, figs. (1900); Hanc. l. c. pp. 40, 161 (1902).	Costa Rica.

Genus 97. **Scaria.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 301 (1887); Hanc. Tett. N. Amer. pp. 37, 40, 162 (1902); Gen. Ins. Orth., Acrid. Tetr. pp. 66, 69 (1906).

1. **S. Hamata, De Geer,** (*Acrydium Hamatum*) Mém. Ins. iii. p. 503. n. 22, pl. 42. f. 13 (1773); Oliv. Encycl. Méth., Ins. vi. p. 233. n. 78 (1791). *Tettix Hamatus, Stål,* Recens. Orth. i. p. 146. n. 1 (1873). *Scaria Hamata, Bol.* l. c. pp. 189, 301. n. 1 (1887); Hanc. Tett. N. Amer. pp. 40, 163 (1902).	Nicaragua, S. America.
2. **S. Lineata, Bol.** l. c. pp. 189, 301, 302. n. 2 (1887).	Upper Amazons.
3. **S. Maculata, Giglio-Tos,** Boll. Mus. Torino, xiii. (311) p. 35 (1898).	Ecuador.
4. **S. Producta, Hanc.** Gen. Ins. Orth., Acrid. Tetr. p. 70. n. 4, pl. 4. f. 36 (1906).	Peru.

Genus 98. **Batrachidea.** (*Type* no. 1.)

Serv. Ins. Orth. p. 764 (1839); Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 299 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 66, 70 (1906).

1. **B. Mucronata, St. Farg. & Serv.** (*Tetrix M.*) Encycl. Méth., Ins. x. p. 600. n. 5 (1825); Serv. Ins. Orth. p. 764. n. 9, pl. 13. f. 4 (1839). *Tetrix Mucronatum, De Haan,* Temminck, Verhandel., Orth. p. 166. n. 3 (1842). *B. Mucronata, Bol.* l. c. pp. 189, 300. n. 2 (1887).	Brazil, Peru.
2. **B. Flavonotata, Bol.** l. c. n. 1 (1887).	N. Granada.
3. **B. Notata, Hanc.** Proc. U.S. Nat. Mus. xxx. p. 616 (1906).	Paraguay.

Genus 99. **Paurotarsus.** (*Type* no. 1.)

Hanc. Psyche, ix. p. 42 (1900); Gen. Ins. Orth., Acrid. Tetr. pp. 67, 70 (1906).

1. **P. Amazonus, Hanc.** ll. cc. p. 12, ff. 1, 1 *a–d* (1900); p. 71. n. 1, f. 26 (1906).	Amazons.
2. **P. Rugosus, Brun.** Journ. N. York Ent. Soc. xiv. p. 148. n. 49 (1906).	Trinidad.

Genus 100. **Puiggaria.**

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 302 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 71 (1906).

1. **P. Antennata, Bol.** l. c. pp. 189, 302. n. 1, pl. 5. ff. 26, 26 *a*, *b* (1887); Hanc. l. c. pp. 71, 72. n. 1, f. 27 (1906).	Brazil.

Genus 101. **Saussurella.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 303 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 72 (1906).

1. **S. Cornuta, De Haan,** (*Acridium* (*Tetrix*) *Cornutum*) Temminck, Verhandel., Orth. pp. 166, 167. n. 2 (1842). *S. Cornuta, Bol.* l. c. pp. 189, 303. n. 1 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 113. n. 1, pl. 5. f. 45 (1893).	Java, Pegu.
2. **S. Cucullifera, Walk. (*Tettix* (*C.*) Cat. Derm. Salt. B. M. v. p. 829. n. 67 (1871).	Amoy.
*3. **S. Decurva, Brunn.** l. c. p. 113. n. 2, pl. 5. f. 46 (1893).	Burma.
4. **S. Javanica, Bol.** Ann. Mus. Genova, xxxix. p. 79. n. 25 (1898).	Java.
5. **S. Sumatrensis, Bol.** l. c. p. 80. n. 26 (1898).	Sumatra.

Genus 102. **Phlœonotus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. Belg. xxxi. pp. 189, 196, 303 (1887); Hanc. Gen. Ins. Orth., Acrid. Tetr. pp. 67, 72 (1906).

1. **P. Jugatus, Walk. (*Tettix Jugata*) Cat. Derm. Salt. B. M. v. p. 819. n. 39 (1871). *P. Natalensis, Bol.* l. c. pp. 189, 304. n. 1, pl. 5. ff. 27, 27 *a*, *b* (1887); Hanc. l. c. pp. 72, 73. n. 1, f. 28 (1906).	Natal.

2. **P. Humilis, Gerst.** (*Hymenotes H.*) Arch. Naturg. xxxv. p. 220. n. 75 (1869); Von der Decken's Reisen, iii. (2) p. 47. n. 75, pl. 3. f. 7 (1873). — Zanzibar.
   P. Humilis, *Bol.* l. c. pp. 189, 304. n. 2 (1887); Karsch, Ent. Nachr. xvi. p. 26. n. 1 (1890).

SUBFAM. II.

PNEUMORINÆ.

Genus 103. **Bulla.** (*Type* no. 3.)

Gryllus Bulla, *Linn.* Syst. Nat. (ed. x.) i. p. 427 (1758).
Bulla, *Stål*, Rec. Orth. i. pp. 136, 137 (1873).

*1. **B. Immaculata, Thunb.** (*Pneumora I.*) Vet.-Acad. Handl. xxxvi. p. 256. n. 1, pl. 7. f. 1 (1775); Vet.-Acad. Nya Handl. xxxi. pp. 57, 59. n. 3 (1810); Burm. Handb. Ent. ii. p. 663. n. 7 (1838); Serv. Ins. Orth. p. 716. n. 3 (1839); Guér. Icon. R. Anim., Ins. p. 339 (1844). — S. Africa.
   B. Immaculata, *Stål*, l. c. p. 138. n. 1 (1873).
   ||*Pneumora Inanis*, *Guér.* (*nec Fabr.*) Icon. R. Anim., Ins. pl. 54. f. 8 (1829); Gray, Griffith, Anim. Kingd. xv. p. 792, pl. 113. f. 8 (1832).
   Var. *Pneumora Rubens*, pt., *Thunb.* Vet.-Acad. Nya Handl. xxxi. pp. 57, 58. n. 1 (1810).
   Mantis Paradoxa, *Stoll*, Spectres, Mant. p. 74, pl. 25. f. 99 (1813).
   Gryllus Locusta Vinaceus, *Stoll*, Spectres, Saut. p. 37, pl. 20 *b*. f. 76 (1813).
   Gryllus Locusta Pulicarius, *Stoll*, l. c. f. 77 (1813).

*2. **B. Longicornis, Stål,** l. c. p. 139. n. 2 (1873). — Caffraria, Zululand.

*3. **B. Unicolor, Linn.** (*Gryllus Bulla U.*) l. c. p. 427. n. 13 (1758); Mus. Ludov. Ulr. p. 119. n. 10 (1764). — S. Africa.
   B. Unicolor, *Stål*, l. c. p. 139. n. 3 (1873).

Var. *Pneumora Rubens*, pt., *Thunb.* l. c. pp. 57, 58. n. 1, pl. 2. f. 1 (1810); Burm. l. c. p. 663. n. 4 (1838).	
*4. **B. Ocellata, Thunb.** (*Pneumora O.*) l. c. pp. 57, 60. n. 4, pl. 2. f. 3 (1810); Burm. l. c. p. 662. n. 1 (1838). *B. Ocellata, Stål*, l. c. p. 140. n. 4 (1873).	S. Africa.
5. **B. Discolor, Thunb.** (*Pneumora D.*) l. c. pp. 57, 59. n. 2, pl. 2. f. 2 (1810); Burm. l. c. p. 663. n. 3 (1838). *B. Discolor, Stål*, l. c. p. 140. n. 5 (1873).	id.
6. **B. Pupillata, Thunb.** (*Pneumora P.*) l. c. pp. 57, 60. n. 5, pl. 2. f. 4 (1810); Burm. l. c. p. 663. n. 2 (1838). *B. Discolor*, var. β, *Stål*, l. c. p. 141 (1873).	id.
7. **B. Carinata, Linn.** (*Gryllus Bulla Carinatus*) ll. cc. p. 427. n. 16 (1758); p. 122. n. 13 (1764).	id.
8. **B. Membracioides, Walk. (*Pneumora M.*) Cat. Derm. Salt. B. M. iv. p. 800. n. 8 (1870).	Natal.
9. **B. Thunbergii, Kirb.** (n. n.). ‖*Pneumora Papillosa, Thunb.* (*nec Fabr.*) l. c. pp. 58, 61. n. 6, pl. 2. f. 5 (1810); Burm. l. c. p. 663. n. 6 (1838). ‖*B. Papillosa, Stål*, l. c. p. 141. n. 6 (1873).	id.
10. **B. Serrata, Thunb.** (*Pneumora S.*) l. c. p. 64, pl. 2. f. 8 (1810). *B. Serrata, Stål*, l. c. p. 142. n. 7 (1873).	S. Africa.

Genus 104. **Pneumora.** (*Type* no. 1.)

Thunb. Vet.-Acad. Handl. xxxvi. p. 254 (1775); Vet.-Acad. Nya Handl. xxxi. p. 54 (1810); Latr. Hist. Nat. Crust. Ins. iii. p. 281 (1802), xii. p. 146 (1804); Cuv. Règne Anim. (ed. 2) v. p. 185 (1829); St. Farg. & Serv. Enc. Meth., Ins. x. p. 163 (1825); Serv. Ann. Sci. Nat. xxii. p. 264 (1831); Ins. Orth. p. 710 (1839); Brullé, Hist. Ins. ix. p. 221 (1835); Burm. Handb. Ent. ii. p. 221 (1838); Blanch. Hist. Nat. Ins. iii. p. 40 (1840); Cuv. Règne Anim. viii. p. 21 (1860); Stål, Rec. Orth. i. pp. 137, 143 (1873).

*1. **P. Variolosa, Linn.** (*Gryllus Bulla Variolosus*) Syst. Nat. (ed. x.) i. p. 427.	S. Africa.

n. 14 (1758) ; Mus. Ludov. Ulr. p. 120. n. 11 (1764).
Gryllus Variolosus, Fabr. Syst. Ent. p. 827 (1775).
Acrydium Variolosum, Oliv. Enc. Méth., Ins. vi. p. 218. n. 14 (1791).
Gryllus Locusta Variolosus, Stoll, Spectres, Saut. p. 38, pl. 20 *b*. f. 78 (1813).
P. Variolosa, Latr. l. c. iii. p. 281 (1802) ; (?) Brullé, l. c. p. 221 (pl. 21. ff. 1, 2, ined.) (1835) ; Serv. Ins. Orth. p. 717. n. 4 (1839) ; Blanch. ll. cc. p. 40. n. 2, pl. 10. f. 2 (1840), xiv. pl. 84. ff. 1, 1 *a–d* (1860) ; Stål, l. c. p. 143. n. 1 (1837).
P. Marmorata, Thunb. Vet.-Acad. Nya Handl. xxxi. pp. 58, 63. n. 9, pl. 2. f. 7 (1810) ; Burm. l. c. p. 663. n. 8 (1838).

*2. **P. Maculata, Thunb.** l. c. pp. 58, 62. n. 8, pl. 2. f. 6 (1810) ; Burm. l. c. p. 663. n. 7 (1838) ; Stål, l. c. p. 143. n. 2 (1873). — S. Africa.

*3. **P. Spinulosa, Thunb.** l. c. p. 64, pl. 2. f. 9 (1810) ; Stål, l. c. p. 144. n. 3 (1873). — id.

4. **P. Papillosa, Fabr. (*Gryllus Papillosus*) Syst. Ent. p. 827 (1775). — id.
Acrydium Papillosum, Oliv. Enc. Méth., Ins. vi. p. 217. n. 13 (1791).

Genus 105. **Physophorina.**

Westw. Thes. Ent. Oxon. p. 175 (1874).

1. **P. Livingstonii, Westw.** l. c. pl. 32. f. 5 (1874). — Zambesi.

Genus 106. **Prostalia.**

Bol., Bol. Soc. Españ. vi. p. 393 (1906).
‖*Pompholyx, Stål* (*nec Gosse*), Recens. Orth. i. pp. 137, 144 (1873).

1. **P. Granulata, Stål,** (*Pneumora G.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 53. n. 1 (1873). — Caffraria.
Pompholyx Granulata, Stål, Recens. Orth. i. p. 144. n. 1 (1873).

Genus 107. **Cystocœlia.** (*Type* no. 1.)

Serv. Ins. Orth. p. 713 (1839); Stål, Recens. Orth. i. pp. 137, 145 (1873).

1. **C. Inanis, Fabr. (*Gryllus I.*) Syst. Ent. p. 827 (1775). S. Africa.

Acrydium Inane, Oliv. Enc. Méth., Ins. vi. p. 217. n. 12 (1791).

Pneumora Sexguttata, Thunb. Vet.-Acad. Handl. xxxvi. p. 258. n. 3, pl. 7. f. 3 (1775); Vet.-Acad. Nya Handl. xxxi. pp. 58, 61. n. 7 (1810); Burm. Handb. Ent. ii. p. 664. n. 9 (1838); Serv. l. c. p. 715. n. 2 (1839).

C. Sexguttata, Stål, l. c. p. 145. n. 1 (1873).

♀. "*Pneumore Scutellaire*," *Latr.*, Cuvier, Règne Anim. (ed. ii.) iii. pl. xix. f. 1 (1830).

Pneumora Scutellaris, Burm. l. c. p. 664. n. 10 (1838); Serv. l. c. p. 713. n. 1 (1839); Blanch. Hist. Nat. Ins. iii. p. 40. n. 1 (1840).

Larva. *Pneumora Obliqua, Thunb.* l. c. p. 65, pl. 2. f. 10 (1810).

*2. **C. Obsidata, Karsch,** Stettin. Ent. Zeit. lvii. p. 245. n. 4 (1896). E. Africa.

SUBFAM. III.

EUMASTACINÆ.

Genus 108. **Xiphicera.** (*Type* no. 1.)

Lam. Anim. sans Vertèbres, iv. p. 243 (1817).

Xyphicera, Latr. Cuv. Règne Anim. (ed. ii.) v. p. 186 (1829).

(*Chorotypus, Serv.* Ins. Orth. p. 751 (1839). (*Type* no. 6.)

Choroetypus, De Haan, Temminck, Verhandel., Orth. p. 164 (1842); Stål, Œfv. Vet.-Akad. Förh. xxx. (3) p. 54 (1876); Karsch, Ent. Nachr. xv. p. 8 (1889); Brunn. Ann. Mus.

Genova, xxxiii. p. 115 (1893); Abhandl. Senckenb. Ges. xxiv. p. 216 (1898); Burr, An. Soc. Españ. xxviii. pp. 87, 93, 96 (1899); Gen. Ins. Orth., Eumastac. p. 3 (1903); Sauss. Rev. Suisse Zool. xi. pp. 49, 61 (1903).

*1. **X. Gallinaceus, Fabr.** (*Gryllus G.*) Ent. Syst. ii. p. 48. n. 8 (1793). *X. Gallinacea, Lam.* l. c. p. 243. n. 1 (1817).	India, Singapore, Borneo.
2. **X. Monacha, Brunn.** (*Choroetypus Monachus*) Abh. Senckenb. Ges. xxiv. pp. 217, 219. n. 6 (1898); Sauss. l. c. pp. 65, 70. n. 4 (1903). ‖ *Acridium* (*Chloroetypus*) *Gallinaceum* (pt.), *De Haan* (*nec Fabr.*), Temminck, Verhandel., Orth. p. 165. n. 2, pl. 22. f. 5 (1842). *Choroetypus Gallinaceus, Burr*, An. Soc. Españ. xxviii. pp. 96, 97. n. 5 (1899).	Java, Borneo.
*3. **X. Mutilata, Brunn.** (*Choroetypus Mutilatus*) l. c. pp. 217, 219. n. 7 (1898); Burr, l. c. pp. 96, 98. n. 6 (1899). ‖ *Acridium* (*Choroetypus*) *Gallinaceum* (pt.), *De Haan* (*nec Fabr.*), l. c. p. 165. n. 2, pl. 22. f. 7 (1842).	iid.
4. **X. Burri, Kirb.** (n. n.). ‖ *Choroetypus Gallinaceus, Brunn.* (*nec Fabr.*) l. c. pp. 217, 218. n. 3 (1898); Burr, l. c. pp. 96, 97. n. 5 (1899); Sauss. l. c. pp. 65, 68. n. 3, pl. 3. ff. 4, 4 *a*, 4 *b* (1903).	Borneo.
5. **X. Biemarginata, Brunn.** (*Choroetypus Biemarginatus*) l. c. pp. 217, 218. n. 4 (1898); Burr, l. c. pp. 96, 97. n. 3 (1899); Sauss. l. c. pp. 65, 72. n. 6 (1903). ‖ *Acridium* (*Choroetypus*) *Gallinaceum* (pt.), *De Haan* (*nec Fabr.*), l. c. p. 165. n. 2, pl. 22. f. 6 (1842).	Java.
*6. **X. Fenestrata, Serv.** (*Chorotypus Fenestratus*) l. c. p. 753. n. 1 (1839). *Choroetypus Fenestratus, Sauss.* l. c. pp. 65, 66. n. 1, pl. 3. f. 3 (1903).	India, Borneo, &c. (eadem ?).
*7. **X. Brunneri, Kirb.** (n. n.). ‖ *Choroetypus Fenestratus, Brunn.* (*nec Serv.*) l. c. p. 217. n. 1, pl. 17. ff. 26, 26 *a*	Borneo.

(1898); Burr, l. c. pp. 96, 97. n. 1 (1899).

8. **X. Haani, Brunn.** (*Choroetypus H.*) l. c. pp. 217, 218. n. 2 (1898); Burr, l. c. pp. 96, 97. n. 2 (1899). Borneo.
Choroetypus Haanii, Sauss. l. c. pp. 65, 67. n. 2 (1903).
‖*Acridium* (*Choroetypus*) *Fenestratum, De Haan* (pt.) (*nec Serv.*), l. c. p. 164. n. 1, pl. 22. f. 4 (1842).

*9. **X. Pusilla, Brunn.** (*Choroetypus Pusillus* l. c. pp. 217, 219. n. 5 (1898); Burr, l. c. pp. 96, 97. n. 4 (1899); Sauss. l. c. pp. 65, 72. n. 5 (1903). Java.

Genus 109. **Phyllochoreia.** (*Type* no. 1.)

Westw. Mag. Nat. Hist. n. s. iii. p. 495 (1839): Burr. An. Soc. Españ. xxviii. pp. 87, 93, 98 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 4 (1903); Sauss. Rev. Suisse Zool. xi. pp. 49, 53 (1903).

*1. **P. Unicolor, Westw.** l. c. p. 495, p. 492. ff. 6, 6 *a–c* (1839); Burr, An. Soc. Españ. xxviii. pp. 98, 301. n. 1 (1899); Sauss. l. c. pp. 55, 58. n. 2 (1903). Malabar.
Choroetypus Unicolor, Brunn. Abh. Senckenb. Ges. xxiv. pp. 217, 219. n. 8 (1898).
P. Sulcata, Sauss. l. c. pp. 55, 59. n. 3 (1903).

2. **P. Equa, Burr, l. c. p. 301. n. 2 (1899). Ceylon.
P. Æqua, Sauss. l. c. pp. 55, 56. n. 1, pl. 3. ff. 2, 2 *a–g* (1903).

3. **P. Asina, Burr,** l. c. pp. 301, 302. n. 3 (1899). id.

4. **P. Whiteheadi, Kirb.** (n. n.). Borneo.
‖*Phyllochoreia Fenestrata, Whitehead* (*nec Serv.*), Expl. Kina Balu, p. 50, pl. 4. f. 3 (1893).

Genus 110. **Scirtotypus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 216, 220 (1898); Burr, An. Soc. Españ. xxviii. pp. 87, 93, 99 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 4 (1903); Sauss. Rev. Suisse Zool. xi. pp. 49, 74 (1903).

1. **S. Aberrans, Brunn.** l. c. p. 220, pl. 17. ff. 27, 27 *a* (1898); Burr, An. Soc. Españ. xxiv. p. 99. n. 1 (1899).	Borneo, Kina Balu.
2. **S. Greeni, Burr,** l. c. pp. 99, 100. n. 3 (1899).	Ceylon.
3. **S. Curtithorax, Karsch,** (*Choroetypus C.*) Ent. Nachr. xvi. p. 258. n. 2, f. 2 (1890); Burr, l. c. p. 99. n. 2 (1899).	W. Africa, Kribi.
4. **S. Finoti, Sauss.** l. c. p. 74. n. 1, pl. 3. f. 5 (1903).	Gaboon.

Genus 111. **Orchetypus.** (*Type* no. 2.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 216, 220 (1898): Burr, An. Soc. Españ. xxviii. pp. 87, 93, 101 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903).

1. **O. Rotundatus, Brunn.** l. c. p. 221. n. 1 (1898).	Ceylon.
2. **O. Subtruncatus, Brunn.** l. c. n. 2. pl. 17. ff. 28, 28 *a* (1898).	id.
3. **O. Ceylonicus, Karsch,** (*Choroetypus C.*) Ent. Nach. xv. p. 8 (1889): Burr, An. Soc. Españ. xxviii. p. 300 (1899). *O. Ceylonicus, Sauss.* Rev. Suisse Zool. xi. p. 73. n. 1, pl. 3. ff. 6, 6 *a–g* (1903).	id.
4. **O. Ocreatus, Rehn,** Proc. Acad. Nat. Sci. Philad. liv. p. 670 (1905).	Congo.

Genus 112. **Phaulotypus.**

Burr, Bull. Liverpool Mus. ii. p. 44 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903); Nat. Hist. Sokotra, p. 418 (1903).

1. **P. Granti, Burr, ll. cc. p. 44. n. 5 (1899): p. 5. n. 1 (1903); p. 418. n. 15. pl. 25. f. 7 (1903).	Socotra.

Genus 113. **Plagiotriptus.**

Karsch, Ent. Nach. xv. p. 8 (1889): Burr, An. Soc. Españ. xxviii. pp. 88, 93, 101 (1899); Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903): Sauss. Rev. Suisse Zool. ii. pp. 49, 50 (1903).

*1. **P. Hippiscus, Garst.** (*Choroetypus H.*) Arch. Naturg. xxxv. p. 218. n. 66 (1869); Van der Decken, Reisen in Ost-Afrika, Ins. p. 42. n. 66, pl. 2. f. 8 (1873). — E. Africa.
P. Hippiscus, Karsch, l. c. p. 9 (1889); Burr, ll. cc. p. 102. n. 1 (1899); p. 5. n. 1, pl. 1. f. 1 (1903); Sauss. l. c. p. 51. n. 1, pl. 3. ff. 1, 1 *a–c* (1903).

Genus 114. **Brachytypus.** (*Type* no. 1.)

Burr, Gen. Ins. Orth., Eumastac. pp. 3, 5 (1903).

1. **B. Rotundifrons, Burr,** (*Plagiotriptus Rotundifrons*) An. Soc. Españ. xxviii. pp. 102, 103. n. 2, pl. 8. f. 1 (1899); Sauss. Rev. Suisse Zool. xi. p. 49 (1903). — Mombasa.

2. **B. Insularis, Burr, (*Plagiotriptus I.*) Bull. Liverpool Soc. ii. p. 44. n. 5 (1899): An. Soc. Españ. xxviii. p. 302 (1899); Nat. Hist. Sokotra, p. 417. n. 14, pl. 25. f. 6 (1903). — Socotra.

Genus 115. **Hemierianthus.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. pp. 412, 413 (1903); Rev. Suisse Zool. xi. p. 75 (1903); Burr, Gen. Ins. Orth., Eumastac. p. 6 (1903).

1. **H. Gabonicus, Sauss.** ll. cc. p. 413 (1903); p. 76, pl. 3. ff. 7, 7 *a–c* (1903). — Gaboon.

2. **H. Camerunensis, Bol.,** Bol. Soc. Españ. iii. p. 301 (1903). — Cameroons.

Genus 116. **Erianthus.** (*Type* no. 3.)

Stål, Bih. Svensk. Handl. iii. (14) p. 36 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 55 note (1876); Karsch, Ent. Nachr. xv. pp. 26, 29 (1889); Brunn. Ann. Mus. Genova, xxxiii. p. 115 (1893); Abhandl. Senckenb. Ges. xxiv.

p. 221 (1898); Burr, An. Soc. Españ. xxviii. pp. 88, 93, 103 (1899); Gen. Ins. Orth., Eumastac. pp. 6, 7 (1903); Sauss. Rev. Suisse Zool. xi. pp. 75, 77 (1903).

1. **E. Erectus, Karsch,** l. c. p. 29 (1889); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 222. n. 1, pl. 17. f. 29 (1898).	Philippines.
*2. **E. Affinis, Westw.** (*Mastax A.*) Arcana Ent. ii. p. 54 note (1843). *E. Acutecarinatus, Brunn.* Ann. Mus. Genova, xxxiii. p. 117. n. 3, pl. 5. f. 48 (1893); Abhandl. Senckenb. Ges. xxiv. p. 222. n. 7 (1898); Sauss. l. c. pp. 78, 80. n. 3, pl. 3. f. 11 (1903).	Assam, Burma.
3. **E. Guttatus, Westw. (*Mastax Guttata*) l. c. i. p. 100. n. 5, pl. 26. f. 3 (1841). *E. Guttatus, Brunn.* Abhandl. Senckenb. Ges. xxiv. pp. 222, 223. n. 2 (1898).	Sumatra, Philippines, Burma.
4. **E. Flavoinflatus, Brunn.** l. c. pp. 222, 223. n. 3 (1898).	Philippines.
*5. **E. Versicolor, Brunn.** l. c. pp. 222, 224. n. 4, pl. 17. f. 30 (1898); Burr, An. Soc. Españ. xxviii. pp. 88, 104. n. 7 (1899); Sauss. l. c. p. 78 (1903).	Cambodia. China, Burma.
*6. **E. Lugubris, Brunn.** l. c. pp. 222, 225. n. 6 (1898); Burr, l. c. pp. 88, 104. n. 7 (1899); Sauss. l. c. pp. 78, 83. n. 6 (1903).	India.
7. **E. Obtusus, Burr,** l. c. pp. 88, 104. n. 8 (1899).	Borneo.
8. **E. Defloratus, Brunn.** Ann. Mus. Genova, xxxiii. p. 116. n. 2 (1893); Abh. Senckenb. Ges. xxiv. pp. 222, 224. n. 5 (1898); Burr, l. c. pp. 88, 104. n. 6 (1899); Sauss. l. c. pp. 78, 81. n. 4 (1903).	Burma.
9. **E. Acutipennis, Sauss.** l. c. p. 78. n. 1, pl. 3. f. 8 (1903).	Khavi.
10. **E. Flavipes, Sauss.** l. c. pp. 78, 79, n. 2, pl. 3. f. 10 (1903).	Burma.
11. **E. Birmanicus, Sauss.** l. c. pp. 78, 82. n. 5, pl. 3. f. 12 (1903).	id.
12. **E. Humbertianus, Sauss.** l. c. pp. 78, 83. n. 7, pl. 3. f. 9 (1903).	Ceylon.
13. **E. Malcolmi, Bol.,** Bol. Soc. Españ. iii. p. 302 (1903).	Malacca.
14. **E. Nipponensis, Rehn,** Proc. Acad. Nat. Sci. Philad. liv. p. 672 (1905).	Japan.

Genus 117. **Teichophrys.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 20 (1901); Burr, Gen. Ins. Orth., Eumastac. pp. 6, 7 (1903).

1. **T. Fusiformis, Brun.** l. c. pp. 20, 21. n. 1, figs. (1901). Lower California.

Genus 118. **Adrapetes.**

Karsch, Ent. Nachr. xv. pp. 26, 28 (1889); Brunn. Ann. Mus. Genova, xxxiii. p. 115 (1893); Burr, An. Soc. Españ. xxviii. pp. 88, 93, 105 (1899); Gen. Ins. Orth., Eumastac. pp. 6, 8 (1903).

1. **A. Serraticrus, Karsch,** l. c. p. 29 (1889); Burr, An. Soc. Españ. xxviii. pp. 88, 105. n. 1 (1899). N. Guinea.

Genus 119. **Eupatrides.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 225, 230 (1898); Burr, An. Soc. Españ. xxviii. pp. 88, 93, 106 (1899); Gen. Ins. Orth., Eumastac. pp. 6, 8 (1903).

1. **E. Cyclopterus, De Haan,** (*Acridium (Mastax) Cyclopterum*) Temminck, Verhandel., Orth. pp. 163, 164. n. 3, pl. 22. f. 1 (1842). Java, Borneo.
   E. Cyclopterus, Brunn. l. c. p. 231. n. 1 (1898).
2. **E. Excelsus, Brunn.** l. c. n. 2, pl. 18. f. 33 (1898). Batchian.

Genus 120. **Bennia.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 88, 94, 106 (1899); Gen. Ins. Orth., Eumastac. pp. 6, 9 (1903).

1. **B. Innotata, Walk. (*Mastax I.*) Cat. Derm. Salt. B. M. v. Suppl. p. 88 (1871). Yunnan.
2. **B. Oberthuri, Bol.,** Bol. Soc. Españ. iii. p. 303 (1903). Bhutan.

Genus 121. **Gomphomastax.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 232 (1898); Burr, An. Soc. Españ. xxviii. pp. 89, 94, 107 (1899); Gen. Ins. Orth., Eumastac. p. 9 (1903); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 164, 175, 211 (1902).
Parerucius, Krauss, Ann. Mus. Zool. Pétersb. iii. p. 108 (1898).

1. **G. Antennatus, Brunn.** l. c. p. 232. n. 1, pl. 18. f. 34 (1898). — Kashmir.
   G. Antennata, Burr, An. Soc. Españ. xxviii. pp. 89, 107, 108. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).
2. **G. Constrictus, Brunn.** l. c. p. 233. n. 2 (1898). — Punjab.
   G. Constricta, Burr, l. c. pp. 89, 107, 108. n. 2 (1898).
3. **G. Clavatus, Ostroumoff,** (*Chrysochraon C.*) Zool. Anz. iv. p. 597 (1881). — Turkestan.
   G. Clavata, Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).
   G. Kraussi, Burr, l. c. pp. 89, 108. n. 3 (1899).
   ‖ *Parerucius Antennatus, Krauss* (*nec Brunn.*), l. c. p. 109. n. 74 (1898).
4. **G. Opacus, Krauss,** (*Parerucius O.*) l. c. p. 110. n. 75 (1898). — Central Asia.
   G. Opaca, Burr, l. c. pp. 89, 108. n. 4 (1899); Jacobs. & Bianchi, l. c. pp. 175, 212 (1902).

Genus 122. **Erucius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 36 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 55 note (1876); Karsch, Ent. Nachr. xv. p. 26 (1889); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 225 (1898); Burr, An. Soc. Españ. xxviii. pp. 94, 109 (1899); Gen. Ins. Orth., Eumastac. p. 10 (1903); Sauss. Rev. Suisse Zool. xi. p. 84 (1903).

** 1. **E. Apicalis, Westw.** (*Mastax A.*) Arcana Ent. i. p. 100. n. 3, pl. 26. f. 1 (1841). — Sumatra, Java, Borneo.
   E. Apicalis, Brunn. l. c. p. 226. n. 1 (1898); Burr, An. Soc. Españ. xxviii. pp. 89, 109. n. 1 (1899); Sauss. l. c. p. 85 (1903).

Acridium (Mastax) Agrionoides, De Haan. Temminck, Verhandel., Orth. p. 163. n. 2, pl. 22. f. 4 (1842).

*2. **E. Vitreus, Westw.** (*Mastax Vitrea*) l. c. p. 100. n. 4, pl. 26. f. 2 (1841). — Java.
E. Vitreus, Burr, l. c. pp. 89, 109. n. 2 (1899); Sauss. l. c. p. 85 (1903).

3. **E. Magnificus, Rehn,** Proc. Acad. Nat. Sci. Philad. liv. p. 674 (1905). — Labuan, Borneo, Philippines (eadem?).
‖*E. Vitreus, Brunn.* (*nec Westw.*) l. c. pp. 226, 227. n. 2 (1898).

*4. **E. Dimidiatipes, Bol.** Ann. Mus. Genova. xxxix. p. 81. n. 30 (1898); Burr, l. c. pp. 89, 109. n. 3 (1899). — Sumatra.

5. **E. Bifasciatus, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 54 (1877); Brunn. l. c. pp. 226, 227. n. 3, pl. 17. f. 31 (1898); Burr, l. c. pp. 89, 109. n. 4 (1899); Sauss. l. c. p. 85 (1903). — Philippines, Borneo.

*6. **E. Tenuis, Brunn.** l. c. pp. 226, 228. n. 4 (1898); Burr, l. c. pp. 89, 109. n. 5 (1899). — Java.

7. **E. Javanus, Burr, l. c. pp. 89, 109, 110. n. 6 (1899); Sauss. l. c. p. 85 (1903). — id.

8. **E. Pictus, Sauss.** l. c. pp. 84, 85. n. 1, pl. 3. f. 13 (1903). — Borneo.

9. **E. Nebulosus, Sauss.** l. c. p. 86. n. 2 (1903). — id.

10. **E. Bonzo, Burr,** l. c. p. 304 (1899). — Siam.

Genus 123. **Mnesicles.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 54 (1877); Karsch, Ent. Nachr. xv. p. 26 (1889); Brunn. Abhandl. Senckenb. Ges. xxiv. pp. 225, 228 (1898); Burr, An. Soc. Españ. xxviii. pp. 89, 94, 110 (1899); Gen. Ins. Orth., Eumastac. p. 10 (1903).

1. **M. Modestus, Stål,** l. c. p. 54. n. 1 (1877); Brunn. l. c. p. 229. n. 1 (1898). — Philippines, Amb., Gil.

2. **M. Crassipes, Karsch,** Ent. Nachr. xv. p. 28 (1889); Brunn. l. c. p. 229. n. 2 (1898). — Luzon.

3. **M. Roseosignatus, Brunn.** l. c. pp. 229, 230. n. 3, pl. 18. f. 32 (1898). — N. Celebes.

4. **M. Strigatus, Bol.** Ann. Mus. Genova. xxxix. p. 82. n. 31 (1898); Burr, l. c. pp. 89, 110 (1899).	Mentawei.
5. **M. Crenatus, De Haan,** (*Acridium* (*Mastax*) *Crenatum*) Temminck, Verhandel., Orth. pp. 163, 164. n. 4, pl. 22. f. 3 (1842).	Borneo.

Genus 124. **Mastacides.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 89, 94, 111 (1899); Gen. Ins. Orth., Eumastac. pp. 10, 11 (1903); Bol. Ann. Soc. Ent. France, lxx. p. 586 (1902); Sauss. Rev. Suisse Zool. xi. p. 86 (1903).

1. **M. Pupæformis, Burr,** An. Soc. Españ. xxviii. pp. 89, 111, 112. n. 1 (1899); Bol. l. c. p. 587, pl. 9. ff. 27, 27 *a*, *b* (1902).	S. India.
2. **M. Pterolepis, Burr,** l. c. pp. 89, 111, 112. n. 2 (1899); Bol. l. c. p. 588, pl. 9. f. 28 (1902).	id.
3. **M. Vaginalis, Sauss.** l. c. p. 87. n. 1 (1903).	id.

Genus 125. **Xanthomastax.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. p. 414 (1903); Rev. Suisse Zool. xi. p. 99 (1903); Burr, Gen. Ins. Orth., Eumastac. p. 11 (1903).

1. **X. Crassipes, Sauss.** ll. cc. p. 414 (1903); p. 100. n. 1, pl. 3. f. 15 (1903).	N. Celebes.
2. **X. Furcatus, Sauss.** Rev. Suisse Zool. xi. p. 101. n. 2, pl. 3. f. 16 (1903).	New Guinea.

Genus 126. **Episactus.**

Epeisactus, *Brunn.* Ann. Mus. Genova, xxxiii. p. 115 (1893).
Episactus, *Burr*, An. Soc. Españ. xxviii. pp. 89, 94, 253 (1899); Gen. Ins. Orth., Eumastac. p. 12 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 22 (1901).

1. **E. Brunneri, Burr,** An. Soc. Españ. xxviii. pp. 89, 254. n. 1 (1899); Brun. l. c. p. 22. no. 1, pl. 2. ff. 15, 15 *a*, 16, 16 *a*, *b* (1901).	Guatemala.

Genus 127. **Malagassa.**

Sauss. Zool. Anz. xxvi. p. 414 (1903): Rev. Suisse Zool. xi. p. 88 (1903); Burr. Gen. Ins. Orth., Eumastac. p. 12 (1903).

1. **M. Coniceps, Sauss.** ll. cc. p. 415 (1903); p. 89. n. 1 (1903). Madagascar.

Genus 128. **Parepisactus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 36 (1898); Burr, An. Soc. Españ. xxviii. pp. 90, 94, 255 (1899); Gen. Ins. Orth., Eumastac. pp. 12, 13 (1903).

1. **P. Carinatus, Giglio-Tos,** l. c. p. 37 (1898); Burr, An. Soc. Españ. xxviii. pp. 90, 255. no. 1 (1899). Ecuador.
2. **P. Saltator, Sauss.** Rev. Suisse Zool. xi. p. 88. n. 1 (1903). Costa Rica. Guatemala.

Genus 129. **Gymnotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 21 (1901); Burr, Gen. Ins. Orth., Eumastac. pp. 12, 13 (1903).

1. **G. Occidentalis, Brun.** l. c. p. 21. n. 1 (1901). British Honduras.

Genus 130. **Thaumastax.**

Burr, An. Soc. Españ. xxviii. p. 299 (1899); Gen. Ins. Orth., Eumastac. p. 14 (1903).

1. **T. Monstrum, Burr,** ll. cc. p. 300 (1899); p. 14. n. 1, pl. 1. f. 2 (1903). Colombia.

Genus 131. **China.**

Burr, An. Soc. Españ. xxviii. pp. 90, 94, 256 (1899); Gen. Ins. Orth., Eumastac. p. 14 (1903).

1. **C. Mantispoides, Walk. (*Mastax M.*) Cat. Derm. Salt. B.M. iv. p. 792. n. 8 (1870). China. Siam.
C. Mantispoides, Burr, An. Soc. Españ. xxviii. pp. 90. 256. n. 1 (1899).

Genus 132. **Biroella.**

Bol., Bol. Soc. Españ. ii. p. 304 (1903) ;
Burr, Gen. Ins. Orth., Eumastac. p. 15 (1903).

1. **B. Dispar, Bol.** l. c. p. 304 (1903).	N. Guinea.

Genus 133. **Eumastax.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 90, 94, 257 (1899) ; Gen. Ins. Orth., Eumastac. p. 15 (1903) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 22 (1901).

‖ *Mastax, Perty* (*nec Fisch.*), Del. Anim. Art. p. 122 (1830) ; Burm. Handb. Ent. ii. p. 652 (1838) ; Serv. Ins. Orth. p. 750 (1839) ; Westw. Arc. Ent. i. p. 99 (1841) ; Stål, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 55 (1876) ; Karsch, Ent. Nachr. xv. p. 26 (1889).

*1. **E. Tenuis, Perty,** (*Mastax T.*) l. c. p. 123, pl. 24. f. 3 (1830) ; Burm. l. c. p. 653 (1838) ; Serv. l. c. p. 750. n. 1 (1839) ; Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 46. n. 40 (1889). *Eumastax Tenuis, Burr*, An. Soc. Españ. xxviii. pp. 90, 258, 259. n. 1, pl. 8. f. 4 (1899) ; Brun. l. c. p. 22. n. 1 (1901). *Mastax Virescens, Westw.* l. c. p. 100. n. 1 (1841). *Mastax Minuta, Bol.* An. Soc. Españ. x. p. 481 (1881) ; Viaje al Pacif., Artrop. p. 31 (1884) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 38 (1898).	Brazil, Ecuador, Peru.
2. **E. Vittata, Burr,** l. c. pp. 90, 258, 260. n. 2 (1899) ; Gen. Ins. Orth., Eumastac. p. 16. n. 2, pl. 1. f. 3 (1903).	Bolivia.
3. **E. Poultoni, Burr,** An. Soc. Españ. xxviii. pp. 90, 258, 261. n. 3 (1899) ; Brun. l. c. pp. 22, 23. n. 2 (1901).	Colombia.
4. **E. Plebeja, Gerst.** (*Mastax P.*) l. c. p. 47. n. 41 (1889). *E. Plebeja, Burr*, l. c. pp 90, 258, 261. n. 4 (1899).	Fuente Boa.
5. **E. Semicæca, Brunn.** (*Mastax S.*) Sitz. zool.-bot. Ges. Wien, xxxix. p. 48 (1889). *Mastax Semicæcus, Brunn.* Obs. Color. Ins. p. 15, pl. 9. f. 118, *a, b* (1897).	Amazons.

E. Semicæca, *Burr*, l. c. pp. 90, 258, 262. n. 5 (1899); Gen. Ins. Orth., Eumastac. p. 16. n. 5, pl. 1. f. 4 (1903); Brun. l. c. pp. 22, 23. n. 3 (1901).	
6. **E. Collaris, Gerst.** (*Mastax C.*) l. c. p. 45. n. 39 (1889). *E. Collaris*, *Burr*, An. Soc. Españ. xxviii. pp. 90, 258, 263. n. 6 (1899).	Upper Amazons.
7. **E. Surda, Burr,** l. c. pp. 90, 258, 264. n. 7 (1899); Brun. l. c. pp. 22, 23. n. 4, pl. 2. ff. 14, 14 *a* (1901).	Panama, Peru.
8. **E. Tipularia, Gerst.** (*Mastax T.*) l. c. p. 41. n. 35 (1889). *E. Tipularia*, *Burr*, l. c. pp. 90, 258, 264. n. 8 (1899); Gen. Ins. Orth., Eumastac. p. 16. n. 8, pl. 1. f. 5 (1903).	Peru, Upper Amazons.
9. **E. Pardalina, Burr,** An. Soc. Españ. xxviii. pp. 90, 258, 265. n. 9, pl. 8. f. 5 (1899).	Peru.
10. **E. Militaris, Gerst.** (*Mastax M.*) l. c. p. 42. n. 36 (1889). *E. Militaris*, *Burr*, l. c. pp. 90, 258, 267. n. 12 (1899); Brun. l. c. pp. 22, 23. n. 6 (1901).	Upper Amazons.
11. **E. Versicolor, Burr,** l. c. pp. 90, 258, 268. n. 13 (1899). *Masyntes Versicolor*, *Burr*, Gen. Ins. Orth., Eumastac. p. 23, pl. 1. f. 6 (1903).	Paraguay.
12. **E. Dentata, Sauss.** (*E. Dentatus*) Rev. Suisse Zool. xi. p. 91. n. 1 (1903).	Costa Rica.

Genus 134. **Paramastax.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 90, 94, 268 (1899); Gen. Ins. Orth., Eumastac. pp. 15, 16 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 23 (1901); Sauss. Rev. Suisse Zool. xi. p. 91 (1903).

*1. **P. Nigra, Scudd.** (*Mastax N.*) Proc. Boston Soc. Nat. Hist. xvii. p. 266. n. 17 (1875). *P. Nigra*, *Burr*, An. Soc. Españ. xxviii. pp. 90, 269. n. 1, pl. 8. f. 7 (1899); Sauss. l. c. p. 92 (1903).	Peru, Bolivia, Ecuador.
2. **P. Gaudens, Burr,** l. c. pp. 90, 269, 270. n. 2, pl. 9. f. 8 (1899); Sauss. l. c. p. 92 (1903).	Bolivia.

3. **P. Vicina, Burr,** l. c. pp. 90, 269, 271. n. 3 (1899) ; Sauss. l. c. p. 92 (1903).	Bolivia.
*4. **P. Magna, Giglio-Tos,** (*Mastax M.*) Boll. Mus. Torino, xiii. (311) p. 38 (1898).	Mexico, Ecuador, Peru.
P. Magna, *Burr*, l. c. pp. 90, 269, 271. n. 4 (1899) ; Sauss. l. c. p. 92 (1903).	
5. **P. Læta, Gerst.** (*Mastax L.*) Mitth. Ver. Neu-Vorpomm. xx. p. 44. n. 38 (1889).	Upper Amazons.
P. Læta, *Burr*, l. c. pp. 90, 269, 272. n. 5 (1899) ; Sauss. l. c. pp. 93, 94. n. 2 (1903).	
6. **P. Personata, Bol.** (*Mastax P.*) An. Soc. Españ. x. p. 480 (1881) ; Viaje al Pacif., Artrop. p. 30 (1884).	Upper Amazons, Peru, Ecuador.
P. Personata, *Burr*, l. c. pp. 90, 269, 272. n. 6, pl. 9. f. 9 (1899) ; Sauss. l. c. pp. 93, 95. n. 3 (1903).	
Mastax Imitatrix, *Gerst.* l. c. p. 43. n. 37 (1889).	
7. **P. Brevipennis, Sauss.** l. c. pp. 92, 93. n. 1, pl. 3. ff. 14, 14 *a* (1903).	Peru.
8. **P. Tæniata, Sauss.** l. c. pp. 93, 96. n. 4 (1903).	Brazil.
9. **P. Facialis, Sauss.** l. c. pp. 93, 97. n. 5 (1903).	Sarayacu.

Genus 135. **Scirtomastax.** (*Type* no. 1.)

Sauss. Zool. Anz. xxvi. p. 413 (1903) ; Rev. Suisse Zool. xi. p. 97 (1903); Burr, Gen. Ins. Orth., Eumastac. pp. 15, 16 (1903).

1. **S. Cordilleræ, Sauss.** ll. cc. p. 414 (1903) ; p. 98. n. 1 (1903).	Ecuador.
2. **S. Surinama, Burr,** (*Eumastax S.*) An. Soc. Españ. xxviii. pp. 90, 258, 266. n. 10, pl. 8. f. 6 (1899).	Surinam.
3. **S. Rosenbergii, Burr,** (*Eumastax R.*) ll. cc. n. 11 (1899).	Colombia.
*4. **S. Mutilata, Serv.** (*Mastax M.*) Ins. Orth. p. 751. n. 2, pl. 8. f. 4 (1839) ; Westw. Arc. Ent. i. p. 100. n. 2 (1841).	id.
Masyntes Mutilata, *Brun.* Biol. Centr.-Amer., Orth. ii. p. 24. n. 2 (1901).	

Genus 136. **Masyntes.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 26, 31 (1889) : Brunn. Ann. Mus. Genova, xxxiii. p. 115 (1893) ; Burr, An. Soc. Españ. xxviii. pp. 90, 95, 273 (1899): Gen. Ins. Orth., Eumastac. pp. 15, 17 (1903) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 24 (1901) ; Sauss. Rev. Suisse Zool. xi. p. 99 (1903).

1. **M. Gundlachii, Scudd.** (*Mastax G.*) Proc. Boston Soc. Nat. Hist. xvii. p. 266. n. 18 (1875) ; Bol. Mém. Soc. Zool. France, i. p. 141. n. 74 (1888). Cuba.
   Masyntes Gundlachii, Karsch, l. c. p. 31 (1889).
   Masyntes Gundlachi, Burr, An. Soc. Españ. xxviii. pp. 90, 274. n. 1, pl. 9. f. 10 (1899) ; Brun. l. c. p. 24. n. 1 (1901).
2. **M. Borellii, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 17 note (1897) ; Burr, An. Soc. Españ. xxviii. pp. 90, 274, 275. n. 2 (1899) ; Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 676 (1905). Paraguay.
3. **M. Tigris, Burr,** l. c. pp. 91, 274, 276. n. 3, pl. 9. f. 11 (1899) ; Gen. Ins. Orth., Eumastac. p. 17. n. 3, pl. 1. f. 7 (1903) ; Rehn, l. c. p. 676 (1905). id., Brazil.
4. **M. Saurus, Burr,** ll. cc. pp. 91, 274, 277. n. 4 (1899) ; p. 17. n. 4 (1903). Brazil.
   M. Versicolor, Burr, Gen. Ins. Orth., Eumastac. p. 23. n. 6, pl. 1. f. 6 (1903).

Genus 137. **Morsea.**

Scudd. Psyche, viii. p. 179 (1898) ; Burr, An. Soc. Españ. xxviii. pp. 91, 95, 277 (1899) ; Gen. Ins. Orth., Eumastac. pp. 15, 17 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 20, 24 (1901).

1. **M. Californica, Scudd.** l. c. p. 179. n. 262 (1898) ; Burr, An. Soc. Españ. xxviii. pp. 91, 95, 278. n. 1 (1899) ; Brun. l. c. p. 25. n. 1 (1901). California.

Genus 138. **Penichrotes.** (*Type* no. 1.

Karsch, Ent. Nachr. xv. pp. 26, 32 (1889) : Brunn. Ann. Mus. Genov. xxxiii. p. 116 (1893) ; Burr, An. Soc. Españ.

xxviii. pp. 91, 95, 278 (1899); Gen. Ins. Orth., Eumastac. p. 18 (1903).

1. **P. Nudata, Karsch,** l. c. p. 32 (1889); Burr, An. Soc. Españ. xxviii. pp. 91, 279. n. 1 (1899). *P. Nudus, Karsch,* Stett. Ent. Zeit. lvii. p. 247 (1896).	Madagascar
2. **P. Brevivalvatus, Karsch,** l. c. p. 246. n. 5 (1896); Burr, l. c. pp. 91, 280. n. 3 (1899).	E. Africa.
3. **P. Leptotes, Brancs.** Jahresh. Nat. Ver. Trencsin. Com. xv.–xvi. p. 186, pl. 12. ff. 1 *a–d* (1893); Burr, l. c. pp. 91, 279. n. 2 (1899).	Madagascar
4. **P. Brunneri, Burr,** l. c. pp. 91, 280. n. 4, pl. 9. f. 12 (1899).	E. Africa.

Genus 139. **Cymatopsygma.**

Karsch, Stettin. Ent. Zeit. lvii. p. 247 (1896); Burr, An. Soc. Españ. xxviii. pp. 91, 95, 281 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 19 (1903).

1. **C. Flabelliferum, Karsch,** l. c. p. 247. n. 6, f. 1 (1896). ‖ *C. Flavelliferum, Burr,* An. Soc. Españ. xxviii. pp. 91, 282. n. 1 (1899).	E. Africa.

Genus 140. **Pseudothericles.** (*Type* no. 1.)

Burr, An. Soc. Españ. xxviii. pp. 91, 95, 282 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 19 (1903).

1. **P. Compressifrons, Stål,** (*Thericles C.*) Bihang Svensk. Akad. iii. (14) p. 36. n. 2 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 56. n. 2 (1876). *P. Compressifrons, Burr,* An. Soc. Españ. xxviii. p. 283. n. 1 (1899).	Damara Land.
2. **P. Bolivari, Burr,** l. c. pp. 91, 283, 284. n. 2, pl. 9. f. 13 (1899).	W. Africa.
3. **P. Jallæ, Griff.** (*Thericles J.*) Boll. Mus. Torino, xii. (289) p. 7. n. 1, fig. (1897). *P. Jallæ, Burr,* l. c. pp. 91, 283, 284. n. 3 (1899).	Bulawayo.

Genus 141. **Symbellia.** (*Type* no. 2.)

Burr, An. Soc. Españ. xxviii. pp. 91, 95, 286 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 19 (1903).

1. **S. Biplagiata, Burr,** An. Soc. Españ. xxviii. pp. 91, 286. n. 1, pl. 10. ff. 19, 19 *a–d* (1899).	W. Africa, Asmara.
2. **S. Karschi, Burr,** l. c. pp. 91, 286, 287. n. 2, pl. 10. f. 14 (1899).	Nossi Bé.

Genus 142. **Thericles.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. iii. (14) p. 35 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) pp. 54, 55 note (1876); Karsch, Ent. Nachr. xv. p. 27 (1889); Burr, An. Soc. Españ. xxviii. pp. 91, 95, 288 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 19 (1903).

1. **T. Obtusifrons, Stål,** ll. cc. p. 36. n. 1 (1875); p. 54. n. 1 (1876); Burr, ll. cc. pp. 91, 288, 289. n. 1 (1899); p. 20. n. 1, pl. 1. f. 8 (1903).	Damara Land.
2. **T. Puberulus, Stål,** Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 56. n. 3 (1876); Burr, An. Soc. Españ. xxviii. pp. 91, 288, 290. n. 2 (1899).	id.
3. **T. Zebra, Gerst.** Mitth. Nat. Ver. Neu-Vorpomm. xx. p. 47. n. 42 (1889); Burr, l. c. pp. 91, 289, 290. n. 3, pl. 10. ff. 16, 16 *a* (1899); Gen. Ins. Orth., Eumastac. p. 20. n. 3, pl. 1. f. 9 (1903).	Cameroons, Gabon, E. Africa.
4. **T. Carinifrons, Karsch,** l. c. p. 33 (1889); Burr, An. Soc. Españ. xxviii. pp. 91, 291. n. 4 (1899).	E. Africa, Kitui.
5. **T. Gnu, Karsch,** Stettin. Ent. Zeit. lvii. p. 248. n. 7 (1896); Burr, l. c. pp. 91, 292. n. 5 (1899); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 676 (1905).	E. Central Africa, Congo.
6. **T. Vacca, Karsch,** l. c. p. 248. n. 8 (1896); Burr, l. c. pp. 91, 292. n. 6 (1899).	W. Africa.
7. **T. Quagga, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 116. n. 86 (1893).	Adeli.
8. **T. Alticeps, Bol.** Mém. Soc. Ent. Belg. xvi. p. 83. n. 1 (1908).	"Banana" (Africa).
9. **T. Depressifrons, Bol.** l. c. n. 2 (1908).	"Popocallacca."

Genus 143. **Parathericles.**

Burr, An. Soc. Españ. xxviii. pp. 92, 95, 293 (1899): Gen. Ins. Orth., Eumastac. pp. 18, 20 (1903).

1. **P. Elephantulus, Burr,** l. c. pp. 92, 293. n. 1, pl. 10. ff. 17, 17 *a* (1899).	W. Africa, San Thomé.

Genus 144. **Macromastax.**

Karsch, Ent. Nachr. xv. pp. 27, 34 (1889): Burr, An. Soc. Españ. xxviii. pp. 92, 95, 294 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 20 (1903).

1. **M. Infernalis, Karsch,** l. c. p. 34 (1889): Burr, An. Soc. Españ. xxviii. p. 294. n. 1 (1899).	Madagascar

Genus 145. **Peœdes.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 27, 34 (1889): Burr, Ann. Soc. Españ. xxviii. pp. 92, 95, 295 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 20 (1903).

1. **P. Appendiculatus, Karsch,** l. c. p. 35 (1889); Burr, An. Soc. Españ. xxviii. pp. 92, 295, 296. n. 1. (1899).	Madagascar
2. **P. Cruciformis, Bol.** Ann. Soc. Ent. France, lxiv. p. 376 (1895); Burr, ll. cc. n. 2, pl. 10. f. 18 (1899).	Seychelles.

Genus 146. **Euschmidtia.** (*Type* no. 1.)

Karsch, Ent. Nachr. xv. pp. 27, 35 (1889): Burr, An. Soc. Españ. xxviii. pp. 92, 95, 297 (1899); Gen. Ins. Orth., Eumastac. pp. 18, 21 (1903): Sauss. Rev. Suisse Zool. xi. p. 101 (1903).

1. **E. Sansibarica, Karsch,** l. c. p. 35 (1889); Burr, An. Soc. Españ. xxviii. pp. 92, 297, 298. n. 1, pl. 10. f. 15 (1899): Sauss. l. c. pp. 103, 104, 106. n. 2.	Zanzibar, Usambara, W. Africa.
2. **E. Guttatifrons, Burr,** l. c. pp. 92, 297, 298. n. 2 (1899); Sauss. l. c. pp. 103, 110 (1903).	E. Africa.
3. **E. Hova, Sauss.** l. c. pp. 102–104. n. 1 (1903).	Madagascar

4. **E. Finoti, Sauss.** l. c. pp. 103, 104, 106. Madagascar
n. 3 (1903).
5. **E. Sakalava, Sauss.** l. c. pp. 103, 104, id.
107. n. 4 (1903).
6. **E. Parvipennis, Sauss.** l. c. pp. 103, 104, id.
108. n. 5 (1903).
7. **E. Lobipennis, Sauss.** l. c. pp. 103, 104, id.
108. n. 6 (1903).
8. **E. Versicolor, Sauss.** l. c. pp. 103, 109. id.
n. 7, pl. 3. ff. 17, 17 *a* (1903).

Genus 147. **Apteropeœdes.**

Bol., Bol. Soc. Españ. iii. p. 305 (1903);
Burr, Gen. Ins. Orth., Eumastac. pp. 18, 21 (1903).

1. **A. Nigroplagiatus, Bol.** l. c. p. 306 Madagascar
(1903).

Genus 148. **Miraculum.**

Bol., Bol. Soc. Españ. iii. p. 306 (1903);
Burr, Gen. Ins. Orth., Eumastac. p. 23 (1903).

1. **M. Mirificum, Bol.** l. c. p. 307 (1903); Madagascar
Burr, l. c. p. 23, pl. 1. f. 10 *a–e* (1903).

SUBFAM. IV.

PROSCOPIINÆ.

Genus 149. **Prosarthria.** (*Type* n. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 93 (1890).

*1. **P. Teretrirostris, Brunn.** l. c. p. 93. S. America.
n. 1, pl. 3. f. 1 A–E (1890).

Genus 150. **Proscopia.** (*Type* no. 5.)

Klug, Hor. Phys. Berol. p. 17 (1820); St. Farg. & Serv. Encycl. Méth., Ins. x. p. 211 (1825); Serv. Ann. Sci. Nat. xxii. p. 265 (1831); Ins. Orth. p. 571 (1839); Burm.

Handb. Ent. ii. pp. 602, 603 (1838); Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 94 (1890).

*1. **P. Granulata, Klug,** l. c. p. 22. n. 7, pl. 4. f. 7 (1820); St. Farg. & Serv. l. c. p. 212. n. 2 (1825); Burm. l. c. p. 604. n. 2 (1838); Serv. Ins. Orth. p. 575. n. 2 (1839); Brunn. l. c. pp. 94, 95. n. 1 (1890). — Brazil.
♂. *P. Ophiopsis, Klug,* l. c. p. 25. n. 14, pl. 4. f. 14 (1820); Burm. l. c. p. 605. n. 14 (1838).
***P. Granosa, Walk.* Cat. Derm. Salt. B. M. iii. p. 487. n. 19 (1870).
***P. Subobtusa, Walk.* l. c. p. 488. n. 21 (1870).
***P. Subvittata, Walk.* l. c. p. 489. n. 23 (1870).

*2. **P. Brevicornis, Klug,** l. c. p. 21. n. 6, pl. 4. f. 6 (1820); Burm. l. c. p. 604. n. 6 (1838). — Bahia, Ega.

3. **P. Inæqualis, Walk. l. c. p. 488. n. 20 (1870). — Upper Amazons.
***P. Expandens, Walk.* l. c. n. 22 (1870).
P. Latirostris, Brunn. l. c. pp. 94, 96. n. 2, pl. 3. f. 2 A–C (1890).

4. **P. Ingens, Brunn.** l. c. pp. 94, 96. n. 3 (1890). — id.

5. **P. Oculata, Klug,** l. c. p. 26. n. 15 (1820); St. Farg. & Serv. l. c. p. 212. n. 3 (1825); Burm. l. c. p. 605. n. 15 (1838). — Para.
♀ (?). ‖*P. Gigantea, Brunn.* (♂ nec ♀) (*nec Klug*) l. c. p. 97. n. 4 (1890).

*6. **P. Scabra, Klug,** l. c. p. 19. n. 2, pl. 3. f. 2 (1820); Burm. l. c. p. 604. n. 7 (1838); Serv. l. c. p. 574. n. 1 (1839); Brunn. l. c. pp. 95, 97. n. 5 (1890). — Brazil, Cayenne.
♂. *P. Rostrata, Klug,* l. c. p. 24. n. 12, pl. 4. f. 12 (1820); Burm. l. c. p. 605. n. 12 (1838); Serv. l. c. p. 576. n. 3 (1839).
(?) ‖*P. Radula, Blanch.* (*nec Klug*) Cuvier. Règn. Anim. xiv. Ins. pl. 85. ff. 1, 1 *a, b* (1860).
***P. Parallela, Walk.* l. c. p. 490. n. 25 (1870).

7. **P. Soror, Brunn.** l. c. pp. 95, 98. n. 6 (1890). — Upper Amazons.

*8. **P. Pyramidalis, Brunn.** ll. cc. n. 7 (1890).	Upper Amazons.

Genus 151. **Apioscelis.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 99 (1890).

*1. **A. Bulbosa, Scudd.** (*Proscopia B.*) Proc. Boston Soc. Nat. Hist. xii. p. 336. n. 13 (1869); xxvii. p. 209. n. 63 (1896). ***Proscopia Granulosa, Walk.* Cat. Derm. Salt. B. M. iii. p. 492. n. 30 (1870).	Peru.
2. **A. Gracilis, Brunn.** l. c. p. 99. n. 1, pl. 1. f. 3 A–C (1890).	Upper Amazons, Bolivia.
3. **A. Tuberculata, Walk. (*Proscopia T.*) l. c. p. 491. n. 29 (1870). *A. Verrucosa, Brunn.* l. c. pp. 99, 100. n. 2 (1890).	Archidona, Upper Amazons.
4. **A. Colombica, Brunn.** (*A. Columbica*) l. c. pp. 99, 100. n. 3 (1890).	Colombia.
*5. **A. Compacta, Brunn.** l. c. pp. 99, 101. n. 4 (1890).	Bogota.
6. **A.** (?) **Sajax, Scudd.** (*Proscopia S.*) Proc. Bost. Nat. Hist. xii. p. 336. n. 14 (1869); xxvii. p. 209. n. 64 (1896).	Peru.

Genus 152. **Corynorhynchus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 101 (1890).

1. **C. Radula, Klug,** (*Proscopia R.*) Hor. Phys. Berol. p. 20. n. 4, pl. 3. f. 4 (1820); Burm. Handb. Ent. ii. p. 604. n. 3 (1838). *C. Radula, Brunn.* l. c. pp. 101, 102. n. 1, pl. 4. f. 4 A–E (1890). ♂. *Proscopia Ruficornis, Klug,* l. c. p. 24. n. 11, pl. 4. f. 11 (1820); Burm. l. c. p. 605. n. 11 (1838).	Brazil.
2. **C. Hispida, Klug,** (*Proscopia H.*) l. c. p. 20. n. 5, pl. 3. f. 5 (1820). *Proscopia Hospida, Burm.* l. c. p. 604. n. 4 (1838). *C. Hispidus, Brunn.* l. c. p. 102. n. 2, pl. 4. f. 4 F (1890).	Bahia.

♂. *Proscopia Brevirostris, Klug,* l. c. p. 25. n. 13, pl. 4. f. 13 (1820) ; Burm. l. c. p. 605. n. 13 (1838).	
3. **C. Hispidulus, Brunn.** l. c. pp. 102, 103. n. 3 (1890).	Bahia, Pernambuco.
4. **C. Latirostris, Brunn.** ll. cc. n. 4 (1890).	Bahia.
*5. **C. Spinosus, Klug,** (*Proscopia Spinosa*) l. c. p. 22. n. 8, pl. 4. f. 8 (1820) ; Burm. l. c. p. 603. n. 1 (1838).	id.
C. Spinosus, Brunn. l. c. pp. 102, 104. n. 5 (1890).	

Genus 153. **Tetanorhynchus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 104 (1890).

*1. **T. Punctatus, Klug,** (*Proscopia Punctata*) Hor. Phys. Berol. p. 19. n. 3, pl. 3. f. 3 (1820) ; Burm. Handb. Ent. ii. p. 604. n. 5 (1838).	Para, Santarem.
T. Punctatus, Brunn. l. c. pp. 104, 105. n. 1, pl. 4. f. 5 D–E (1890).	
***Proscopia Subparallela, Walk.* Cat. Derm. Salt. B. M. iii. p. 489. n. 24 (1870).	
♂. *Proscopia Acuminata, Klug,* l. c. p. 23. n. 10, pl. 4. f. 10 (1820) ; Burm. l. c. p. 605. n. 10 (1838).	
Larva. *Proscopia Striata, Klug,* l. c. p. 23. n. 9, pl. 4. f. 9 (1820) ; Burm. l. c. p. 605. n. 9 (1838).	
2. **T. Humilis, Giglio-Tos,** Boll. Mus. Torino, xii. (302) p. 18 (1897).	Argentina, Bolivia.
3. **T. Borellii Giglio-Tos,** l. c. (1897).	iid.
4. **T. Sublævis, Brunn.** l. c. p. 105. n. 2, pl. 4. f. 5 A–C (1890).	Thereso-polis.
5. **T. Propinquus, Brunn.** l. c. pp. 105, 106. n. 3 (1890).	Santa Catharina
6. **T. Incertus, Brunn.** ll. cc. n. 4 (1890).	Brazil.
7. **T. Longirostris, Brunn.** l. c. pp. 105, 107. n. 5 (1890).	id.
8. **T. Angustirostris, Brunn.** ll. cc. n. 6 (1890).	Argentina.
9. **T. Bihastatus, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 677 (1905).	Brazil.
10. **T. Smithi, Rehn,** l. c. p. 678 (1905).	id.

Genus 154. **Stiphra.** (*Type* n. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 107 (1890).

1. **S. Lobata, Brunn.** l. c. p. 108. n. 1, pl. 4. f. 6 (1890).	Bahia.
*2. **S. Tuberculata, Brunn.** l. c. p. 108. n. 2 (1890).	Brazil.
3. **S. Gibbosa, Guér.** (*Proscopia G.*) Icon. R. Anim., Ins. p. 339 (1844).	Bolivia.
S. Gibbosa, Brunn. l. c. pp. 108, 109. n. 3 (1890).	

Genus 155. **Taxiarchus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 92, 109 (1890).

1. **T. Giganteus, Klug,** (*Proscopia Gigantea*) Hor. Phys. Berol. p. 18. n. 1, pl. 3. f. 1 (1820); St. Farg. & Serv. Encycl. Méth., Ins. x. p. 212. n. 1 (1825); Serv. Ann. Sci. Nat. xxii. p. 265. n. 1 (1831); Burm. Handb. Ent. ii. p. 604. n. 8 (1838); Brunn. (♀ nec ♂) l. c. pp. 95, 97. n. 4 (1890).	Brazil.
T. Superbus, Brunn. l. c. p. 110. n. 1, pl. 4. f. 7 *a, b* (1890).	
2. **T. Subgranulatus, Walk. (*Proscopia Subgranulata*) Cat. Derm. Salt. B. M. iii. p. 492. n. 31 (1870).	Colombia.
*3. **T. Heteropoda, Stoll,** (*Phasma H.*) Spectres, Phasm. p. 69, pl. 24. f. 90 (1813).	Surinam, Para.
***Proscopia Incisa, Walk.* l. c. p. 491. n. 28 (1870).	
4. **T. Attenuatus, Walk. (*Proscopia Attenuata*) l. c. p. 491. n. 27 (1870).	Santarem, Obydos.
T. Paraensis, Rehn, Ent. News, xvii. pp. 332, 333 fig. (1906).	
5. **T. Sublævis, Walk. (*Proscopia S.*) l. c. p. 490. n. 26 (1870).	Villa Nova.
6. **T. Septentrionalis, Rehn,** l. c. xvi. p. 313 (1905).	Costa Rica.

Genus 156. **Anchotatus.** (*Type* no. 1.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 110 (1890)

*1. **A. Peruvianus, Brunn.** l. c pp. 110, 111. n. 1, pl. 5. f. 8 A–C (1890).	Peru, Ecuador.
*2. **A. Subapterus, Brunn.** l. c. pp. 110, 111. n. 2 (1890).	iid.
3. **A. Camposi, Bol.** Bull. Soc. Ent. France, 1897, p. 215.	Peru.

Genus 157. **Epigrypa.** (*Type* no. 2.)

Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 112 (1890).

1. **E. Variegata, Brunn.** l. c. p. 112. n. 1 (1890).	Bogota.
2. **E. Curvicollis, Brunn.** l. c. pp. 112, 113. n. 2. pl. 5. f. 9 A–B (1890).	Guayaquil.

Genus 158. **Hybusa.** (*Type* no. 1.)

Erichs. Arch. Naturg. x. (2) p. 298 (1844) ;
Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 113 (1890).

1. **H. Occidentalis, Westw. (*Proscopia O.*) Arc. Ent. ii. p. 53, pl. 63. f. 1 (1843) ; Erichs. l. c. p. 298 (1844). *H. Occidentalis, Brunn.* l. c. p. 114. n. 1, pl. 5. f. 10 (1890).	Chile.
*2. **H. Coniceps, Blanch.** (*Proscopia C.*) Gay, Faun. Chil. vi. p. 63. n. 4 (1852) ; Phil. Zeitschr. ges. Naturw. xxi. p. 258. n. 5 (1863).	id.
3. **H. Reedi, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 679 (1905).	id.

Genus 159. **Cephalocœma.** (*Type* no. 1.)

Serv. Ins. Orth. p. 577 (1839) ; Burm. Abhandl. Ges. Halle, xv. p. 3 (1880) ; Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 114 (1890).

*1. **C. Sica, Serv.** (*Proscopia S.*) l. c. p. 577. n. 4, pl. 14. f. 1 (1839). *C. Sica, Burm.* l. c. p. 8. n. 2 (1880) ; Brunn. l. c. p. 115. n. 1 (1890).	Brazil, Argentina.
*2. **C. Multispinosa, Brunn.** l. c. pp. 115. 116. n. 2 (1890).	Brazil.

*3. **C. Costulata, Burm.** l. c. p. 9. n. 3, pl. 1. ff. 3–7 (1880); Brunn. l. c. pp. 115, 116. n. 3 (1890); Giglio-Tos, Boll. Mus. Torino, xii. (302) pp. 19, 20 (1897); Brun. 2nd Rep. Locust Comm. B. Aires, p. 20, pl. 6 (1900); P. U.S. Nat. Mus. xxx. p. 619, pl. 36. f. 1 (1906).	Brazil, Argentina, Paraguay.
4. **C. Calamus, Burm.** l. c. p. 11. n. 4 (1880); Brunn. l. c. pp. 115, 116. n. 4 (1890).	Argentina.
5. **C. Burmeisteri, Brun.** P. U.S. Nat. Mus. xxx. p. 619 (1906). *Cephalocœma Calamus* (?), *Brun.* l. c. (1906).	Paraguay.
6. **C. Canaliculata, Guér.** (*Proscopia C.*) Icon. R. Anim., Ins. p. 340 (1844).	Bolivia.
7. **C. Acuminata, Scudd.** Proc. Boston Soc. Nat. Hist. xii. p. 337. n. 15 (1869), xxvii. p. 206. n. 44 (1896); Brunn. l. c. pp. 115, 117. n. 5 (1890).	Peru.
8. **C. Hastata, Scudd.** (*Astroma H.*) ll. cc. xvii. p. 266. n. 16 (1875); xxvii. p. 206. n. 2 (1896).	id.
8. **C. Borellii, Giglio-Tos,** (*Prosarthria B.*) l. c. ix. (184) p. 4 (1894). *C. Borellii, Giglio-Tos,* l. c. xii. (302) p. 19 (1897).	Paraguay.
10. **C. Caizana, Giglio-Tos,** l. c. pp. 19, 20 (1897).	Bolivia.
*11. **C. Teretiuscula, Brunn.** l. c. pp. 115, 117. n. 6 (1890); Giglio-Tos. l. c. p. 20 (1897).	Brazil.
12. **C. Chapadensis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 681 (1905).	id., Paraguay.
13. **C. Obtusa, Giglio-Tos,** l. c. p. 20 (1897).	Argentina.
14. **C. Magna, Giglio-Tos,** l. c. (1897).	id.
15. **C. Gigantea, Giglio-Tos,** l. c. p. 21 (1897)	id.
16. **C. Lancea, Burm.** l. c. p. 7. n. 1, pl. 1. ff. 1, 2 (1880); Brunn. l. c. pp. 115, 118. n. 7 (1890).	id.
17. **C. Lineata, Brunn.** ll. cc. n. 8, pl. 5. f. 11 (1890).	La Plata.
18. **C. Flavirostris, Blanch.** (*Proscopia F.*) Gay, Faun. Chil. vi. p. 61. n. 2 [Orth. pl. 2. f. 5, ined.] (1852).	Chile.
19. **C. Australis, Phil.** (*Proscopia A.*) Zeitschr. ges. Naturw. xxi. p. 258. n. 1 (1863).	id.

Genus 160. **Astroma.** (*Type* n. 1.)

Charp. Orth. pl. 4 (1841);
Brunn. Verh. zool.-bot. Ges. Wien, xl. pp. 93, 119 (1890).

*1. **A. Chloropterum, Charp.** l. c. pl. 4 (1841); Brunn. l. c. pp. 119, 120. n. 1 (1890). *Proscopia Sexspinosa, Phil.* Zeitschr. ges. Naturw. xxi. p. 237. n. 2 (1863). ♂. *Proscopia (Astroma) Filiformis, Sauss.* Rev. Zool. (2) xiii. p. 313 (1861). *Proscopia Gracilis, Phil.* l. c. p. 237. n. 3 (1863). *Proscopia Armaticollis, Blanch.* Gay, Hist. Chil., Zool. vi. p. 62. n. 3 [Orth. pl. 2. ff. 6, 6 *a–c*, ined.] (1852).	Chile, Patagonia.
2. **A. Striatum, Blanch.** (*Proscopia Striata*), l. c. p. 60. n. 1 (1852); Phil. l. c. p. 237. n. 1 (1863). *A. Striatum, Brunn.* l. c. pp. 119, 122. n. 5 (1890).	Chile.
*3. **A. Compactum, Brunn.** l. c. pp. 119, 120. n. 2, pl. 5. f. 12 A–B (1890).	id.
4. **A. Granulosum, Brunn.** l. c. pp. 119, 121. n. 3 (1890).	id.
5. **A. Foliatum, Brunn.** ll. cc. n. 4, pl. 5. f. 12 c (1890).	id.
6. **A. Subaptera, Westw.** (*Proscopia* (*Cephalocama*) *S.*) Arcana Ent. ii. p. 55, pl. 63. f. 2 (1845).	Brazil.

SUBFAM. V.

TRUXALINÆ.

Genus 161. **Acrida.** (*Type* no. 13.)

Gryllus Acrida, Linn. Syst. Nat. (ed. x.) p. 427 (1758).

Acrida, Stål, Rec. Orth. i. pp. 88, 95 (1873); Bol. Ortópt. Españ. pp. 100, 102 (1876); An. Soc. Españ. v. pp. 306, 308 (1876); Ann. Sci. Nat. Porto, iv. pp. 212, 221 (1897); Kirb. & Burr, Trans. Ent. Soc. Lond. 1902, pp. 61, 149, 155; Jacobs. & Bianchi. Prem. i. Lozhn. Ross. Imp. pp. 164, 175, 213 (1902).

Truxalis, pt.. *Fabr.* Syst. Ent. p. 279 (1775); Leach, Edin. Encycl. ix. p. 120 (1815); Latr. Gen. Crust. Ins. iii. p. 281 (1802), xii. p. 147 (1804); Beauv. Ins. Afr. Amér. p. 16 (1805); Thunb. Mém. Acad. Pétersb. v. pp. 217, 263 (1815); Nova Acta Sci. Upsal. ix. p. 76 (1827); Burm. Handb. Ent. ii. pp. 602, 606 (1838); Serv. Ann. Sci. Nat. xxii. p. 266 (1831); Ins. Orth. p. 578 (1839); Finot, Orth. France, pp. 40, 46 (1883); Faune France, Orth. pp. 100, 102 (1889); Ann. Soc. Ent. France, lxiv. pp. 409, 410 (1895).

Tryxalis, *Brullé*, Hist. Nat. Ins. ix. p. 216 (1835); Fisch. Orth. Eur. pp. 296, 298 (1853); Friv. Értek. Termesz. Kör. i. (12) pp. 134, 137 (1868); Brunn. Syn. Eur. Orth. pp. 83, 87 (1882); Bol. Feuille Jeunes Nat. xxiii. p. 161 (1893); Tümp. Geradfl. Mitteleuropas, pp. 216, 237 (1900).

Troxallis, *Fisch.-Waldh.* Orth. Ross. iv. pp. 228, 229 (1846).

1. **A. Brunneriana, Bol.** (*Tryxalis B.*) l. c. pp. 161, 163. n. 2 (1893). *A. Brunneriana*, *Burr*, Trans. Ent. Soc. Lond. 1902, pp. 156, 158. n. 1. *A. Radamæ*, *Sauss.* Abhandl. Senckenb. Ges. xxi. p. 629. n. 1, pl. 38. ff. 29, 30 (1898).	Madagascar
*2. **A. Sanguinea, Sauss.** l. c. p. 629. n. 2 (1898); Burr, l. c. pp. 156, 159. n. 2 (1902).	id.
*3. **A. Liberta, Burr,** l. c. pp. 156, 160. n. 3 (1902).	Slave Coast.
4. **A. Crocea, Bol.** (*Tryxalis C.*) Jorn. Sci. Lisb. (2) i. p. 91. n. 52 (1889); Feuille Jeunes Nat. xxiii. pp. 161, 163. n. 1 (1893). *A. Crocea*, *Burr*, l. c. pp. 156, 160. n. 4 (1902).	Angola, Natal, Transvaal.
5. **A. Ensis, Burr, Bull. Liverpool Mus. ii. p. 43. n. 3 (1899); Trans. Ent. Soc. Lond. 1902, pp. 156, 161. n. 5; Nat. Hist. Sokotra, p. 416. n. 12, pl. 25. ff. 4, 4*a* (1903).	Sokotra.
6. **A. Intercalata, Burr,** Trans. Ent. Soc. Lond. (1902) pp. 156, 162. n. 6.	Madagascar
*7. **A. Acuminata, Stål,** l. c. p. 97. n. 8 (1873); Burr, l. c. pp. 157, 162. n. 7 (1902); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 107. n. 106, pl. 3. f. 53 (1907). *Tryxalis Acuminata*, *Bol.* Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 4 (1893).	S. & W. Africa.

8. **A. Maxima, Karny,** l. c. p. 107. n. 107, pl. 3. ff. 54, 55 (1907).	Soudan.
9. **A. Carinulata, Bol.** (*Tryxalis C.*) Jorn. Sci. Lisb. (2) i. p. 90. n. 51 (1889); Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 5 (1893). *A. Carinulata, Burr,* l. c. pp. 157, 163. n. 8 (1902).	Cape Verdes.
*10. **A. Madecassa, Brancs.** (*Tryxalis M.*) Jahresh. Ver. Trencs. Com. xv.–xvi. p. 186 (1893).	Madagascar
*11. **A. Stæli, Bol.** (*Tryxalis Stali*) Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 8 (1893). *A. Ståli, Burr,* l. c. pp. 157, 169. n. 12 (1902). ‖ *A. Sulphuripennis, Stål* (*nec Gerst.*), l. c. p. 95. n. 1 (1873).	W. Africa.
*12. **A. Sulphuripennis, Gerst.** (*Tryxalis S.*) Arch. f. Nat. xxxv. (1) p. 215. n. 50 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 33. n. 50, pl. 3. f. 1 (1873). *A. Sulphuripennis, Burr,* l. c. pp. 157, 168. n. 11 (1902).	E. Africa.
*13. **A. Turrita, Linn.** (*Gryllus Acrida Turritus*) Syst. Nat. (ed. x.) p. 427. n. 12 (1758). *A. Turrita, Stål,* l. c. p. 96. n. 3 (1873); Kirb. Trans. Ent. Soc. Lond. 1902, p. 61. n. 10; Bol. Ortópt. Españ. p. 102. n. 1, pl. 2. ff. 14, 15 (1876); An. Soc. Españ. v. p. 308. n. 1, pl. 11. ff. 14, 15 (1876); Jacobs. & Bianchi, l. c. pp. 176, 214 (1902). ‖ *Gryllus Acrida Nasutus, Linn.* Mus. Ludov. Ulr. (*nec* Syst. Nat. ed. x.) p. 118. n. 9 (1764). [*Rösel*, Ins.-Belust. ii. Locust. Ind. p. 23, pl. 4. f. 1 (1749).] *Gryllus Nasutus, Sulz.* Kennz. Ins. pl. 8. f. 57 (*nec* p. 20) (1761); Blanch. Cuvier, Règne Anim., Ins. ii. Atlas, pl. 84. ff. 2, 2 *a–f* (1860). ‖ *Truxalis Nasutus, Fabr.* (*nec Linn.*) Syst. Ent. p. 279. n. 1 (1775); Latr. l. c. xii. p. 147. n. 1, pl. 94. f. 5 (1804); Beauv.	Africa, S. Europe, W., S., & Central Asia.

l. c. p. 16, pl. 2. ff. 1, 1 *a* (1805); Thunb. ll. cc. p. 264 (1815); pp. 78, 85 (1827).

Truxalis Nasuta, Charp. Hor. Ent. p. 126 (1825); Burm. l. c. p. 606. n. 1 (1838); Serv. Ins. Orth. p. 580. n. 1 (1839); Finot, ll. cc. p. 46 (1883); p. 102, pl. 4. f. 59 (1889); p. 411 (1895).

Tryxalis Nasutus, Brullé, l. c. p. 217 [pl. 19. f. 1, ined.] (1835); Fieb. Lotos, iii. p. 97. n. 2 (1853); Syn. Eur. Orth. p. 8. n. 2 (1854).

Tryxalis Nasuta, Fisch. l. c. p. 299. n. 1, pl. 15. ff. 1, 1 *a*, 1 *b*, 2 (1853); Friv. l. c. p. 137. n. 1, pl. 6. f. 3 (1868); Brunn. l. c. p. 88. n. 1 (1882); Bol. Feuille Jeunes Nat. xxiii. pp. 163, 164. n. 10 (1893); Tümp. l. c. pp. 216, 237 (1900); Jacobs. & Bianchi, l. c. pl. 2 (1902).

Troxallis Nasutus, Fisch.-Waldh. l. c. p. 230 (pt.) (1846).

♂. *Truxalis Ungaricus, Herbst,* Fuessly, Archiv Ins. p. 192. n. 2, pl. 52. f. 7 (1786).

Truxalis Ungarica, Fisch.-Waldh. l. c. pl. 10. f. 2 (1846).

♂. *Truxalis Tenuis, Beauv.* l. c. p. 17, Orth. pl. 2. f. 3 (1805).

Truxalis Pellucida, Klug, Symb. Phys. pl. 18. ff. 5–7, 9 (1830).

Truxalis Unicolor, Thunb. ll. cc. p. 263 (1815); pp. 78, 85 (1827).

A. Nasuta, Burr, l. c. pp. 157, 164. n. 9 (1902).

A. Nasuta, varr. *Straminea & Graminea, Shug.* Hor. Soc. Ent. Ross. xxxviii. p. 116 (1907).

*14. **A. Gigantea, Herbst** (*Truxalis Giganteus*), Fuessly, Archiv. Ins. p. 191. n. 1, pl. 52. f. 6 (1794).

S. Europe,
Africa,
Asia.

[*Rösel,* l. c. p. 24, pl. 4. f. 2 (1749).]

A. Gigantea, Kirb. l. c. p. 62. n. 11 (1902).

|| *Truxalis Hungaricus, Fabr.* (*nec Herbst*) Ent. Syst. ii. p. 27. n. 4 (1793).

Gryllus (*Locusta*) *Obscurus, Stoll,* Spectres, Saut. p. 19, pl. 8 *b*. f. 27 (1813).

|| *Gryllus Acrida Nasutus,* pt., *Linn.* Mus. Ulr. (*nec* Syst. Nat. ed. x.) p. 118. n. 9 (1764).

|| *Truxalis Nasuta, Fisch.-Waldh.* l. c. pl. 10. f. 1 (1846).

*15. **A. Rufescens, Beauv.** (*Truxalis R.*) l. c. p. 17, Orth. pl. 2. f. 2 (1805). *A. Rufescens*, *Stål*, Recens. Orth. i. p. 97. n. 7 (1873); Burr, l. c. pp. 157, 167. n. 10 (1902). *A. Nasuta*, var. *Rosacea*, *Shug.* l. c. p. 117 (1907).	W. Africa.
16. **A. Lineata, Thunb.** (*Truxalis Lineatus*) ll. cc. p. 266 (1815); pp. 79, 85 (1827). *Tryxalis Lineata*, *Giglio-Tos*, Boll. Mus. Torino, xxii. (554) p. 5 (1907).	Morocco, Erythræa.
17. **A. Chinensis, Westw.** (*Truxalis C.*) Donovan, Ins. China, p. 22, pl. 10. f. 1 (1842). ‖ *Gryllus Nasutus*, *Don.* (*nec Linn.*) Ins. China, pl. 10. f. 1 (1798). ‖ *A. Lineata*, *Stål* (*nec Thunb.*), l. c. p. 95. n. 2 (1873). ‖ *Tryxalis Lineata*, *Bol.* l. c. pp. 161, 163. n. 3 (1893).	China.
*18. **A. Lata, Motsch.** (*Truxalis L.*) Bull. Sci. Nat. Mosc. xxxix. (1) p. 181 (1866). *A. Lata*, *Jacobs. & Bianchi*, l. c. p. 214 (1902).	Japan, China.
19. **A. Csikii, Bol.** Zichy, 3tes Asiat. Forschungsreise, ii. p. 228. n. 7 (1901); Jacobs. & Bianchi, l. c. pp. 176, 213 (1902).	Pekin.
20. **A. Bicolor, Thunb.** (*Truxalis B.*) ll. cc. p. 266 (1815); pp. 79, 87 (1827). *A. Bicolor*, *Stål*, l. c. p. 97. n. 6 (1873). *Truxalis Pellucida*, *Klug* (pt.), l. c. pl. 18. f. 8 (1830).	Egypt (?).
21. **A. Cinerea, Thunb.** (*Truxalis Cinereus*) ll. cc. p. 263 (1815); pp. 77, 79 (1827). ♀. *Truxalis Testaceus*, *Thunb.* ll. cc. p. 265 (1815); pp. 78, 81 (1827). *A. Testacea*, *Stål*, l. c. p. 96. n. 4 (1873).	China, Java.
22. **A. Exaltata, Walk. (*Truxalis E.*) Ann. Nat. Hist. (3) iv. p. 222 (1859). *Tryxalis Brevicollis*, *Bol.* Feuille Jeunes Nat. xxiii. pp. 162, 164. n. 9 (1893). *A. Brevicollis*, *Burr*, l. c. pp. 157, 170. n. 14 (1902).	India, Ceylon.
23. **A. Rendalli, Kirb.** l. c. p. 62. n. 12 (1902).	Barberton.
24. **A. Aspersata, Kirb. l. c. p. 63. n. 13 (1902).	Transvaal.

*25. **A. Lugubris, Burr,** l. c. pp. 157, 170. n. 13 (1902).	Ind., Ceyl., Celebes.
*26. **A. Propinqua, Burr,** l. c. pp. 157, 171. n. 16 (1902).	S. & W. Africa.
27. **A. Subtilis, Burr,** ll. cc. n. 15 (1902).	Madagascar
28. **A. Conica, Fabr. (*Truxalis Conicus*) Spec. Ins. i. p. 352. n. 2 (1781); Thunb. Nova Acta Upsal. ix. pp. 79, 87 (1827). *A. Conica, Stål,* l. c. p. 98. n. 9 (1873). *Truxalis Interruptus, Thunb.* Mém. Acad. Pétersb. p. 269 (1815). *Truxalis Raflesii, Blanch.* Voy. Pôle Sud, Zool. iv. p. 366 (1853). ‖ *Truxalis Nasutus,* var., *Blanch.* (*nec Linn.*) l. c. Atlas, Zool. Orth. pl. 2. ff. 3, 4 (1853). *Tryxalis Rafflesii, Frogg.* Agric. Gaz. N. S. Wales, xv. p. 240, plate, f. 2 (1904). ** ♂. *Tryxalis Scitula, Walk.* Cat. Derm. Salt. B. M. iii. p. 496. n. 7 (1870).	Australia.
29. **A. (?) Thrymmatoptera, Karsch,** Berlin. Ent. Zeitschr. xxxviii. pp. 55, 57. f. 1 (1893); Burr, Trans. Ent. Soc. Lond. 1902, pp. 158, 171. n. 17.	Adeli.

Genus 162. **Acridella.** (*Type* no. 3.)

Bol. Feuille Jeunes Nat. xxiii. p. 163 (1893).

*1. **A. Pharaonis, Klug,** (*Truxalis P.*) Symb. Phys. pl. 14 (1830). ♂. *Truxalis Miniata, Klug,* l. c. pl. 18. ff. 1, 2 (1830); Serv. Ins. Orth. p. 583. n. 4 (1839); Finot, Ann. Soc. Ent. France, lxiv. pp. 411, 413 (1895). *Acrida Miniata, Jacobs. & Bianchi,* Prem. i Lozhn. Ross. Imp. pp. 176, 214 (1902).	Egypt, Nubia, Algeria, Baghdad.
*2. **A. Grandis, Klug,** (*Truxalis G.*) l. c. pl. 15. f. 1 (1830).	Egypt, Nubia.
*3. **A. Nasuta, Linn.** (*Gryllus Acrida Nasutus*) Syst. Nat. (ed. x.) i. p. 427. n. 11 (1758) (*nec Linn. Mus. Ulr.* 1764!); Sulz. Gesch. Ins. p. 82, pl. 8. f. 5 (1776). *Acrida Nasuta, Stål,* Rec. Orth. i. p. 99. n. 10 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 46. n. 2 (1876); Bol. Ortópt. Españ. pp. 102, 103. n. 2, pl. 2. f. 16 (1876); An. Soc. Españ. vi. p. 309. n. 2, pl. 11. f. 16	S. Europe, Africa, W. Asia.

(1876); Ann. Sci. Nat. Porto, iv. p. 221. n. 1 (1897); Jacobs. & Bianchi, l. c. pp. 176, 214 (1902).

Tryxalis Nasuta, Kirb. Trans. Ent. Soc. Lond. 1902, p. 64. n. 18.

Truxalis Annulatus, Thunb. Mém. Acad. Pétersb. v. p. 267 (1815); Nova Acta Upsal. ix. pp. 78, 81 (1827).

Truxalis Nebulosus, Thunb. ll. cc. p. 267 (1815); pp. 78, 83 (1827).

(?) *Acrida Nebulosa, Stål,* l. c. p. 96. n. 5 (1873).

Truxalis Bilineatus, Thunb. ll. cc. p. 268 (1815); pp. 78, 82 (1827).

Truxalis Undatus, Thunb. Nova Acta Upsal. ix. pp. 78, 82 (1827).

Truxalis Eximius, Eichw. Zool. Spec. ii. p. 239. n. 2 (1830).

Gryllus Brasiliensis, Dru. Ill. Exot. Ent. ii. pl. 40. f. 1 (1773).

Truxalis Brasiliensis, Westw. Drury, l. c. p. 85, pl. 40. f. 1 (1837).

Truxalis Erythropterus, Latr. Gen. Crust. Ins. xii. p. 148. n. 2 (1804).

Truxalis Scalaris, Klug, l. c. pl. 15. ff. 2–4 (1830).

Truxalis Miniata, Klug, l. c. pl. 18. ff. 3, 4 (nec 1, 2) (1830).

Truxalis Variabilis, Klug, l. c. pl. 17. ff. 3–6 (1830); Brullé, Hist. Ins. ix. p. 218 (1835); Burm. Handb. Ent. ii. p. 607. n. 2 (1838); Serv. l. c. p. 582. n. 2 (1839).

Acrida Variabilis, Burr, Trans. Ent. Soc. Lond. 1902, pp. 158, 172. n. 18.

Truxalis Procera, Klug, l. c. pl. 16. ff. 2, 3 (1830)

Truxalis Conspurcata, Klug, l. c. pl. 17. f. 1 (1830).

Tryxalis Klugii, Fieb. Lotos, iii. p. 97. n. 1 (1853), iv. p. 177. n. 1 (1854); Syn. Eur. Orth. p. 8. no. 1 (1854).

Truxalis Unguiculata, Ramb. Faune Andal. ii. p. 72. n. 1 (1839); Finot, Ann. Soc. Ent. France, lxiv. pp. 411, 412 (1895).

Tryxalis Unguiculata, Fisch. Orth. Eur. p. 301. n. 2, pl. 15. ff. 3, 3 *a*, 4 (1853);

Brunn. Prodr. Eur. Orth. pp. 88, 90. n. 2, pl. 4. f. 21 (1882).

4. **A. Indica, Bol.** (*Acrida* (*Acridella*) *Unguiculata*, var. *Indica*) Ann. Soc. Ent. France, lxx. p. 589 (1902). India.

5. **A. Fuscofasciata, Bol.** (*Tryxalis F.*) J. Sci. Lisboa, (2) i. p. 93. n. 58 (1889) ; Feuille Jeunes Nat. xxiii. pp. 163, 164. n. 14 (1893). Angola.
   Acrida Fuscofasciata, Burr, l. c. pp. 158, 175. n. 19 (1902).

*6. **A. Somalia, Burr,** l. c. pp. 158, 177. n. 21 (1902). Somali.

*7. **A. Serrata, Thunb.** (*Truxalis Serratus*) Mém. Acad. Pétersb. v. p. 269 (1815) ; Nova Acta Upsal. ix. pp. 78, 84 (1827). S. Africa.
   Acrida Serrata, Stål, l. c. p. 100. n. 11 (1873) ; Burr, l. c. pp. 158, 176. n. 20 (1902).
   Tryxalis Serrata, Bol. Feuille Jeunes Nat. xxiii. p. 163. n. 13 (1893).
   Truxalis Dentatus, Thunb. ll. cc. p. 270 (1815) ; pp. 79, 88 (1827).
   Truxalis Constricta, Schaum, Ber. Akad. Wiss. Berlin, 1853, p. 778. n. 15; Peters, Reise Mossamb., Ins. p. 129, pl. 7 A. f. 1 (1862).
   ***Tryxalis Lativitta, Walk.* Cat. Derm. Salt. B. M. iii. p. 496. n. 8 (1870).

Genus 163. **Calanus.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iii. p. 596 (1870).
Cannula, Bol., Bol. Soc. Españ. vi. p. 391 (1906).
‖ *Calamus, Sauss.* (*nec Swains.*) Ann. Soc. Ent. France, (4) i. p. 476 (1861) ; Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 52, 56 (1893) ; Burr, Trans. Ent. Soc. Lond. 1902, pp. 154, 184.

*1. **C. Linearis, Sauss.** (*Calamus L.*) l. c. p. 476. n. 6, pl. 11. f. 3 (1861) ; Griff. Boll. Mus. Torino, xii. (290) p. 5. n. 3 (1897) ; Burr, l. c. p. 184. n. 32 (1902). Abyssinia.
   Cannula Linearis, Griff. Boll. Mus. Torino. xxii. (551) p. 5 (1907).

*2. **C. Karschi, Kirb.** (n. n.). ‖ *Calamus Linearis, Karsch* (*nec Sauss.*), l. c. pp. 56, 57. n. 3, f. 3 (1893); Burr (*pt.*). l. c. p. 185 (1902).	Adeli.
3. **C. (?) Gracilis, Burm.** (*Mesops G.*) Handb. Ent. iii. p. 610. n. 2 (1838).	Cape.

Genus 164. **Oxyolena.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 52, 58 (1893); Burr, Trans. Ent. Soc. Lond. 1902, p. 155.

1. **O. Mucronata, Karsch,** l. c. p. 58. n. 1, p. 57. f. 2 (1893).	Adeli.

Genus 165. **Glyphoclonus.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 249 (1896).

*1. **G. Miripennis, Karsch,** l. c. p. 250. n. 9, f. 2 (1896).	Nyasa.
2. **G. Nigrescens, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 6 (1907).	Congo.

Genus 166. **Parga.** (*Type* no. 5.)

Walk. Cat. Derm. Salt. B. M. iii. p. 504 (1870).

‖ *Amyeus, Stal* (*nec Koch*), Œfvers. Vet.-Akad. Förh. xii. p. 353 (1855); Recens. Orth. i. pp. 89, 100 (1873); Karsch, Berlin. Ent. Zeitschr. xxviii. pp. 52, 59 (1893); Burr, Trans. Ent. Soc. Lond. 1902, pp. 155, 185.

*1. **P. Xanthoptera, Stål,** (*Amyeus Xanthopterus*) Œfv. Vet.-Akad. Förh. xii. p. 353 (1855); Burr, l. c. p. 186. n. 34 (1902); (?) Bol. Jorn. Sci. Lisb. (2) i. p. 94. n. 59 (1889).	Natal, Caffraria.
2. **P. Rhodioptera, Stål,** (*Amyeus Rhodiopterus*) l. c. p. 353. n. 2 (1855); Karsch, l. c. p. 59. n. 5 (1893).	Natal, Transvaal, Adeli.
3. **P. Tæniata, Bol.** (*Macharidia T.*) Jorn. Sci. Lisb. (2) i. p. 94. n. 61 (1889).	W. Africa.
4. **P. Strigosa, Bol.** (*Macharidia S.*) l. c. p. 95. n. 62 (1889).	id.
5. **P. Spatulata, Walk. l. c. p. 505. n. 1 (1870).	Natal.

6. **P. Achromoptera, Karsch,** (*Amygeus Achromopterus*) Stettin. Ent. Zeit. lvii. p. 250. n. 10 (1893); Burr, l. c. p. 186. n. 35 (1902).	Nyasa.

Genus 167. **Ocnocerus.** (*Type* no. 1.)

Bol. Jorn. Sci. Lisb. (2) i. p. 98 (1889); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 53, 63 (1893).

1. **O. Bayaoi, Bol.** l. c. p. 99. n. 71, pl. 1. ff. 4, 4 *a* (1889).	Braganza.
2. **O. Diabolicus, Karsch,** l. c. pp. 63, 64. n. 10, f. 5 (pt.) (1893).	Adeli.
3. **O. Sulculatus, Karsch,** ll. cc. n. 11, f. 5 (pt.) (1893).	id.

Genus 168. **Acteana.**

Karsch, Stettin. Ent. Zeitschr. lvii. p. 255 (1896).

1. **A. Alazonica, Karsch,** l. c. p. 255. n. 17, f. 7 (1896).	Zanzibar.

Genus 169. **Moraba.**

Walk. Cat. Derm. Salt. B. M. iii. p. 505 (1870).

1. **M. Serricornis, Walk. l. c. n. 1 (1870).	Australia.

Genus 170. **Amphicremna.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeitschr. lvii. p. 250 (1896); Burr, Trans. Ent. Soc. Lond. 1902, p. 154.

1. **A. Scalata, Karsch,** l. c. p. 251. n. 11, f. 3 (1896); Karny, Sitz. Akad. Wiss. Wien, cxvi. p. 106. n. 104 (1907); Bol. Mém. Soc. Ent. Belg. xvi. p. 96. n. 59 (1908).	W. Africa, Gondokoro.
2. **A. Tschoffeni, Bol.** l. c. p. 95. n. 57 (1908).	Congo.
3. **A. Tæniata, Bol.** l. c. p. 96. n. 58 (1908).	id.

Genus 171. **Machæridia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 90, 100 (1873): Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 52, 60 (1893); Burr, Trans. Ent. Soc. Lond. 1902, p. 155.

1. **M. Bilineata, Stål,** l. c. p. 100. n. 1 (1873). *M. Bitæniata, Karsch,* l. c. p. 60. n. 6 (1893).	S. Leone.
2. **M. Conspersa, Bol.** Jorn. Sci. Lisb. (2) i. p. 95. n. 63 (1869).	Delagoa Bay.
3. **M.** (?) **Macilenta, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 53. n. 1 (1877).	Philippines.
4. **M. Cœrulans, Karny,** Sitz. Akad. Wiss. Wien, cxvi. p. 105. n. 102 (1907).	Soudan.

Genus 172. **Wilverthia.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 96 (1908).

1. **W. Acuminata, Bol.** l. c. p. 97. n. 60 (1908).	Congo.

Genus 173. **Euthynous.**

Stal, Œfvers. Vet.-Akad. Förh. xxxiv. (10) p. 53 (1877).

1. **E. Cærulescens, Stål,** l. c. p. 54. n. 1 (1877).	Philippines.

Genus 174. **Odontomelus.** (*Type* no. 1.)

Bol. An. Soc. Españ. xix. p. 309 (1890): Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 53, 61 (1893); Burr, Trans. Ent. Soc. Lond. 1902, p. 154.

*1. **O. Brachypterus, Gerst.** (*Opomala Brachyptera*) Arch. Naturg. xxxv. (1) p. 216. n. 52 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 34. n. 52, pl. 2. ff. 5, 5 *a* (1873). *O. Brachypterus, Bol.* l. c. p. 309, pl. 1. ff. 6, 6 *a* (1890).	E. & W. Africa.
2. **O. Fullonius, Karsch,** Stettin. Ent. Zeit. lvii. p. 251. n. 12 (1906); Bol. Mém. Soc. Ent. Belge, xvi. p. 94. n. 55 (1908).	Chinchoxo.

3. **O. Biafrensis, Bol.** Mem. Soc. Españ. i. p. 219 (1905).	Biafra.
4. **O. Romi, Bol.** Mém. Soc. Ent. Belg. xvi. p. 94. n. 56 (1908).	Stanley Falls.

Genus 175. **Psednura.** (*Type* no. 1.)

Burr, Gen. Ins. Orth., Eumastac. p. 22 (1903).

*1. **P. Pedestris, Erichs.** (*Mesops Pedestris*) Arch. Naturg. viii. p. 250. n. 217, pl. 5. f. 10 (1842). *Mesops Pedestris, McCoy*, Prodr. Zool. Victoria, xiv. p. 152, pl. 139. ff. 5, 5 *a–g*, 6, 6 *a* (1887). *P. Pedestris, Burr*, l. c. p. 22. n. 2 (1903).	Australia. Tasmania, New Zealand.
2. **P. Viatica, Erichs.** (*Truxalis V.*) Arch. Naturg. viii. p. 250. n. 216 (1842). *P. Viatica, Burr*, l. c. p. 22. n. 1 (1903).	Australia. Tasmania.

Genus 176. **Rhadinotatum.**

Radinotatum, McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 199 (1897).

Rhadinotatum, Scudd. Guide N. Amer. Orth. p. 25 (1897); Psyche, viii. pp. 232, 235 (1898); Burr, Trans. Ent. Soc. Lond. 1902, p. 154; Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 34 (1902, 1904).

‖ *Tryxalis, Thom.* (*nec Brullé*) Syn. Acrid. N. Amer. p. 57 (1873).

*1. **R. Brevipenne, Thomas,** (*Tryxalis Brevipennis*) l. c. p. 58, pl. 1. f. 12 (1873). *Achurum Brevipenne, Scudd.* Proc. Boston Soc. N. H. xix. p. 88 (1877). *Radinotatum Brevipenne, McNeill,* l. c. p. 200, pl. 1. ff. 1, 1 *a*, 1 *b* (1897); Rehn & Hebard, Proc. Acad. Nat. Sci. Philad. lvi. p. 783 (1905). *Rhadinotatum Brevipenne, Brun.* l. c. p. 34. n. 1 (1904).	Florida, Mexico.

Genus 177. **Achurum.** (*Type* no. 1.)

Truxalis div. *Achurum*, *Sauss.* Rev. Zool. (2) xiii. p. 313 (1861); Thomas, Syn. Acrid. N. Amer. p. 195 (1873).

Achurum, *Stål*, Recens. Orth. i. pp. 89, 101 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 118 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 201 (1897); Scudd. Guide N. Amer. Orth. p. 25 (1897); Psyche, viii. p. 232 (1898); Burr, Trans. Ent. Soc. Lond. 1902, pp. 154, 178; Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 34 (1902, 1904).

1. **A. Sumichrasti, Sauss.** (*Truxalis S.*) l. c. p. 313 (1861); Thomas, l. c. p. 195 (1873). *A. Sumichrasti*, *McNeill*, l. c. p. 202. n. 1, pl. 1. ff. 2 *a–c* (1897); Burr, l. c. p. 178. n. 23 (1902); Brun. l. c. p. 34. n. 1, pl. 1. f. 6 (1904).	Mexico, Arizona, Guatemala.
2. **A. Acridodes, Stål,** (*Truxalis A.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 52. n. 1 (1873). *A. Acridodes*, *Stål*, Recens. Orth. i. p. 101. n. 1 (1873); Thomas, Rep. Expl. W. 100th Merid. v. p. 865 (1875); Burr, l. c. pp. 178, 179. n. 2 (1902); Brun. l. c. pp. 34, 35. n. 2 (1904).	Mexico.
3. **A. Minimipenne, Caud.** Mus. Brooklyn Inst. Sci. Bull. i. p. 110. n. 18, pl. 6. ff. 3, 4 (1904).	Texas.

Genus 178. **Pseudopomala.** (*Type* no. 2.)

Morse, Psyche, vii. pp. 325, 342 (1896); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 208 (1897); Scudd. Guide N. Amer. Orth. p. 40 (1897).

1. **P. Aptera, Scudd.** (*Opomala A.*) Trans. Amer. Ent. Soc. ii. p. 305 (1869); Thomas, Syn. Acrid. N. Amer. p. 63 (1873). *P. Aptera*, *McNeill*, l. c. p. 209. n. 1 (1897).	Pennsylvania.
*2. **P. Brachyptera, Scudd.** (*Opomala B.*) Boston Journ. Nat. Hist. vii. p. 454. n. 1 (1862); Thomas, l. c. p. 63 (1873). *P. Brachyptera*, *Morse*, Psyche, vii. pp. 325, 343. n. 6, pl. 7. ff. 6, 6 *a*, *b* (1896);	United States.

McNeill, l. c. p. 209. n. 2. pl. 1. ff. 4, 4 *a*, *b* (1897).
Mesops Carinatus, *Walk.* Cat. Derm. Salt. B. M. iii. p. 501. n. 7 (1870).
Opomala Carinata, *Thom.* l. c. p. 62 (1873).

Genus 179. **Acantherus.**

Scudd. Proc. Davenport Acad. Sci. ix. p. 22 (1902); Brun. Biol. Centr.-Amer., Orth. ii. p. 36 (1904).

1. **A. Piperatus, Scudd.** l. c. p. 23, pl. 3. f. 3 (1902); Brun. l. c. p. 37, note (1904). | New Mexico.

Genus 180. **Truxalis.** (*Type* no. 1.)

Fabr. Syst. Ent. p. 279 (1775); Burm. Handb. Ent. ii. pp. 602. 606 (1838); Stål, Recens. Orth. i. pp. 92, 104 (1873); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 210 (1897); Burr, Trans. Ent. Soc. Lond. 1902, p. 154; Brun. Biol. Centr.-Amer., Orth. ii. p. 35 (1904).
Metaleptea, *Brunn.* Ann. Mus. Genova, xxxiii. p. 118 (1893); Brun. l. c. p. 26 (1902).
Tryxalis, *Scudd.* Guide N. Amer. Orth. p. 26 (1897); Psyche, viii. pp. 168, 232, 239 (1898).

*1. **T. Brevicornis, Linn.** (*Gryllus B.*) Amœn. Acad. vi. p. 398. n. 37 (1764). | America.
T. Brevicornis, *Fabr.* l. c. p. 279. n. 2 (1775); Thunb. Mém. Acad. Pétersb. v. p. 264 (1815); Nova Acta Soc. Upsal. ix. pp. 78, 84 (1827); Burm. l. c. p. 607. n. 3 (1838); Stal, l. c. p. 104. n. 1 (1873); McNeill, l. c. p. 211. n. 1, pl. 1. ff. 5, 5 *a*, *b* (1897); Brun. l. c. p. 35. n. 1 (1904).
Pyrgomorpha Brevicornis, *Thomas*, Syn. Acrid. N. Amer. p. 67 (1873).
Acrydium Ensicornu, *De Geer*, Mém. Ins. iii. p. 499. n. 16, pl. 42. f. 7 (1773).
Truxalis Notochlorus, *Beauv.* Ins. Afr. Amér. p. 80, pl. 3. f. 3 (1805).
Metalepta (*Tryxalis*) *Notochloris*, *Brun.* Bull. Lab. Nat. Hist. Iowa, iii. p. 65. n. 21 (1895).

Truxalis Viridulus, Beauv. l. c. p. 81, pl. 3. f. 4 (1805).	
Truxalis Adspersa, Blanch., D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216. n. 742, pl. 27. f. 2 (1837–1845).	
Opsomala Punctipennis, Serv. Ins. Orth. p. 590. n. 5 (1839).	
Pyrgomorpha Punctipennis, Thomas, l. c. p. 68 (1873).	
Oxycoryphus Burkhartianus, Sauss. Rev. Zool. (2) xiii. p. 314 (1861); Thomas, l. c. p. 202 (1873).	
**Opomala Stenobothroides, Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 52 (1871); Thomas, l. c. p. 197 (1873).	
2. **T. Angusticornis, Stål,** l. c. p. 105. n. 2 (1873).	S. Carolina.

Genus 181. **Mermiria.** (*Type* no. 5.)

Stål, Recens. Orth. i. pp. 90, 102 (1873); Thomas, Rep. Geol. Surv. W. 100th Merid. v. Zool. p. 866 (1875); McNeill, Proc. Davenport Acad. Sci. vi. pp. 195, 203 (1897); Scudd. Guide N. Amer. Orth. p. 26 (1897); Psyche, viii. p. 232 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 37 (1902, 1904).

1. **M. Texana, Brun.** Proc. U.S. Nat. Mus. xii. p. 53, pl. 1. f. 11 (1890); Biol. Centr. Amer., Orth. ii. p. 38. n. 1, pl. 1. ff. 19, 19 *a* (1904); McNeill, l. c. pp. 204, 206. n. 2 (1897); Scudd. Proc. Amer. Acad. Arts Sci. xxxv. pp. 41, 42 (1899).	Texas, Arizona, New Mex., Mexico.
2. **M. Maculipennis, Brun.** ll. cc. p. 54 (1890); pp. 38, 39. n. 2, pl. 1. f. 9 (1904).	Texas.
3. **M. Bivittata, Serv.** (*Opsomala B.*) Ins. Orth. p. 589. n. 4 (1838).	United States.
Opomala Bivittata, Glover, Ill. N. Amer. Orth. pl. 6. f. 24, pl. 11. f. 7 (1872); Thomas, Syn. N. Amer. Orth. p. 64 (1873).	
M. Bivittata, McNeill, l. c. pp. 204, 205. n. 1 (1897); Scudd. l. c. pp. 41, 42 (1899); Brun. l. c. pp. 38, 39. n. 3 (1904).	
*4. **M. Intertexta, Scudd.** l. c. pp. 41, 42 (1899); Brun. l. c. pp. 38, 39. n. 4 (1904).	Georgia, Texas.

5. **M. Neomexicana, Thomas,** (*Opomala N.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 77; Syn. Acrid. N. Amer. p. 65 (1873); Glover, l. c. pl. 16. f. 10 (1874).	New Mex. Wyoming. Texas. Mexico.
M. Neomexicana, Scudd. Bull. U.S. Geol. Surv. ii. p. 262 (1876); Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 43 (1899); McNeill, l. c. pp. 205, 206. n. 4 (1897); Brun. l. c. pp. 38, 39. n. 5 (1901).	
M. Belfragii, Stål, l. c. p. 102. n. 1 (1873); Thomas, Rep. Geol. Surv. W. 100th Merid. v. Zool. pp. 866, 900 (1875).	
6. **M. Alacris, Scudd.** Proc. Boston Soc. Nat. Hist. xix. p. 30 (1877); Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 43 (1899); McNeill, l. c. pp. 205, 207. n. 5 (1897).	Georgia, Texas.
7. **M. Rostrata, McNeill,** l. c. pp. 206, 207. n. 6, pl. 1. f. 3 *c, d* (1897); Scudd. Proc. Amer. Acad. Arts Sci. xxxv. pp. 42, 44 (1899).	Indian Territory.
8. **M. Vigilans, Scudd.** l. c. pp. 42, 43 (1899).	N. Carolina.

Genus 182. **Hyalopteryx.** (*Type* no. 1.)

Charp. Orth. pl. 46 (1845); Burr, Trans. Ent. Soc. Lond. 1902, p. 154; Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 10 (1906); Brun. Proc. U.S. Nat. Mus. xxx. pp. 621, 622 (1906).

*1. **H. Rufipennis, Charp.** l. c. pl. 46 (1845): Brun. l. c. p. 623 (1906).	Brazil.
2. **H. Lamellipes, Brun.** l. c. p. 623 (Feb. 1906).	id.
H. Asinus, Rehn, l. c. pp. 11–15, ff. 1–4 (May 1906).	
*3. **H. Specularis, Brun.** l. c. p. 623 (1906).	Paraguay.
‖*H. Rufipennis, Rehn* (*nec Charp.*), l. c. p. 11 (1906).	
4. **H. Exaggeratus, Burr,** l. c. p. 183. n. 30 (1902); Brun. l. c. pp. 623, 625 (1906).	Brazil. Batavia.
5. **H. Rubripennis, Perty,** (*Truxalis R.*) Del. Anim. Art. p. 121, pl. 24. f. 4 (1832).	Brazil.

Genus 183. **Eutryxalis.** (*Type* no. 1.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 24 (1900): Proc. U.S. Nat. Mus. xxx. pp. 621, 625 (1906).

*1. **E. Gracilis, Giglio-Tos,** (*Hyalopteryx G.*) Boll. Mus. Torino, xii. (302) p. 22 (1897); Brun. Proc. U.S. Nat. Mus. xxx. pp. 623, 625 (1906). *E. Gracilis, Rehn,* Proc. Acad. Nat. Sci. Philad. lviii. p. 15 (1906). ‖*E. Minor, Brun.* (*nec Giglio-Tos*) 2nd Rep. Locust Comm. B. Aires, p. 24 (1900).	Argentina.
2. **E. Strigata, Brun.** l. c. (1900).	id.

Genus 184. **Paropomala.** (*Type* no. 1.)

Scudd. Psyche, viii. p. 437 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 26, 39 (1902, 1904).

1. **P. Calamus, Scudd.** l. c. p. 437 (1899); Brun. l. c. p. 40. n. 1 (1904).	California.
2. **P. Wyomingensis, Thomas,** (*Opomala W.*) Rep. U.S. Geol. Surv. Montana, p. 446, pl. 2. f. 8 (1871). *Mesops Wyomingensis, Thomas,* Proc. Acad. Nat. Sci. Philad. 1871. p. 152; Syn. Acrid. N. Amer. p. 59 (1873); Glover, Ill. N. Amer. Orth. pl. 4. f. 9, pl. 11. f. 8 (1874). *P. Wyomingensis, Scudd.* l. c. p. 437 (1899); Rehn & Uhl. Proc. Acad. Nat. Sci. Philad. lviii. p. 399 (1906). *Mesops Cylindricus, Brun.* Proc. U.S. Nat. Mus. xii. p. 48 (1889). *P. Cylindrica, Scudd.* l. c. p. 437 (1899).	Wyoming, Kansas, Nebraska.
3. **P. Pallida, Brun.** Biol. Centr.-Amer., Orth. ii. p. 40. n. 2 (1904).	California.
4. **P. Dissimilis, Brun.** l. c. pp. 40, 41. n. 3 (1904).	id. (?).
5. **P. Virgata, Scudd.** l. c. p. 437 (1899); Brun. l. c. pp. 40, 41. n. 4 (1904).	id. to New Mex.

Genus 185. **Papagoa.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 42 (1902, 1904).

1. **P. Arizonensis, Brun.** l. c. p. 42. n. 1 (1904). Arizona (?).

Genus 186. **Syrbula.** (*Type* no. 2.)

Stål, Recens. Orth. i. pp. 90, 102 (1873); Thomas, Rep. Expl. W. 100th Merid. v. Zool. p. 869 (1875); Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 220 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 233 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 42 (1902, 1904).

Herus, *Rehn*, Trans. Amer. Ent. Soc. xxviii. p. 91 (1900). *Type* no. 6.

1. **S. Admirabilis, Uhl.** (*Stenobothrus A.*) Proc. Ent. Soc. Philad. ii. p. 553 (1864); Glov. Ill. N. Amer. Orth. pl. 4. f. 13 (1872); Thom. Syn. Acrid. N. Amer. p. 84 (1873). United States, Mexico.
   S. Admirabilis, *McNeill*, l. c. pp. 221, 222. n. 2 (1897); Brun. l. c. pp. 43, 44. n. 1 (1904).
2. **S. Leucocerca, Stål,** l. c. p. 102. n. 2 (1873). Mexico.
   S. Leucocera, *Thom.* Rep. Expl. W. 100th Merid. v. Zool. p. 869 (1873).
3. **S. Pacifica, Brun.** l. c. pp. 43, 44. n. 2 (1904). id.
4. **S. Montezuma, Sauss.** (*Oxycoryphus M.*) Rev. Zool. (2) xiii. p. 316 (1861); Thomas, Syn. Acrid. N. Amer. p. 204 (1873). id.
   S. Montezuma, *Stål*, l. c. p. 102. n. 1 (1873); McNeill, l. c. pp. 221, 222. n. 1 (1897); Brun. l. c. pp. 43–45. n. 3 (1904).
5. **S. (?) Eslavæ, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 90 (1900); Brun. l. c. pp. 44, 45. n. 5 (1904). id.
6. **S. (?) Valida, Rehn,** (*Syrbula (Herus) V.*) l. c. p. 91 (1900); Brun. l. c. pp. 43, 45. n. 4 (1904). id.

*7. **S. Fuscovittata, Thom.** Rep. Expl. W. 100th Merid. v. Zool. p. 870, pl. 45. f. 7 (1875); McNeill, l. c. pp. 222, 223. n. 4 (1897); Brun. l. c. pp. 43–45. n. 6, pl. 1. ff. 25, 25 *a* (1904).	Arizona, New Mex.
8. **S. Robusta, Brun.** l. c. pp. 43, 46. n. 7 (1904).	Mexico.
9. **S. Acuticornis, Brun.** Proc. U.S. Nat. Mus. xii. p. 55 (1889); Biol. Centr.-Amer., Orth. ii. pp. 43, 44, 46. n. 8 (1904); McNeill, l. c. pp. 221, 223. n. 3, pl. 2. ff. 10, 10 *a*, *b* (1897).	Texas, New Mex.
10. **S. Modesta, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 43, 44, 46. n. 9 (1904).	Arizona.

Genus 187. **Acrolophitus.** (*Type* no. 1.)

Thomas, Rep. U.S. Geol. Surv. Wyoming, p. 273 (1871); Syn. Acrid. N. Amer. p. 77 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1887); Scudd. Psyche, v. p. 435 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 25 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 47 (1904).

*1. **A. Hirtipes, Say,** (*Gryllus H.*) Amer. Ent. ii. pl. 34. ff. 1, 1 *a* (1825). *A. Hirtipes, Thomas,* l. c. pp. 266, 278 (1871); Glover, Ill. N. Amer. Orth. pl. 9. f. 7 (1874); Scudd. Psyche, v. p. 435 (1890); Brun. l. c. p. 47. n. 1 (1904); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 363 (1906).	Southern United States.
2. **A. Variegatus, Brun.** l. c. pp. 47, 48. n. 2, pl. 1. f. 3 (1904).	Texas.
3. **A. Uniformis, Brun.** l. c. p. 47. n. 3 (1904).	Mexico.

Genus 188. **Pedioscirtetes.** (*Type* no. 1.)

Thom. Proc. Acad. Nat. Sci. Philad. 1873, p. 295; Syn. Acrid. N. Amer. p. 79 (1873); Scudd. Psyche, v. p. 438 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 26 (1897).

1. **P. Nevadensis, Thom.** (*Pedioscirtetes N.*) ll. cc. p. 295 (1873); p. 79 (1873); Wheeler, Rep. Expl. W. 100th Merid. v. Zool. p. 867, pl. 43. f. 4 (1876); Glover, Ill. N. Amer. Orth. pl. 15. f. 1 (1874).	Nevada.
2. **P. Pulchella, Brun.** Proc. U.S. Nat. Mus. xii. p. 60 (1889).	Idaho.

Genus 189. **Acrocara.**

Scudd. Psyche, v. p. 436 (1890), viii. p. 233 (1898) ; Guide N. Amer. Orth. p. 26 (1897) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 48 (1904).

1. **A. Maculipennis, Scudd.** l. c. p. 437 (1890) ; Brun. l. c. p. 49, pl. 1. ff. 1, 1 *a* (1904).	Mexico.

Genus 190. **Sinipta.** (*Type* no. 1.)

Stål, Eugenies Resa, Orth. pp. 340, 341 (1860) ; Recens. Orth. i. pp. 91, 103 (1887) ; Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 31 (1900).

*1. **S. Dalmani, Stål,** (*Gomphocerus (Sinipta) D.*) Eugenies Resa, Orth. p. 340. n. 96 (1860). *S. Dalmani, Stål,* Recens. Orth. i. p. 103. n. 1 (1873) ; Brun. l. c. pp. 31, 32. f. 8 (1900) ; Proc. U.S. Nat. Mus. xxx. p. 630, pl. 36. f. 3 (1906).	Argentina, Paraguay, Uruguay.
2. **S. Purpurea, Thunb.** (*Gryllus Purpureus*) Mém. Acad. Pétersb. v. p. 229 (1815) ; ix. pp. 394, 405 (1824). *S. Purpurea, Stål,* l. c. p. 104. n. 2 (1873).	Hab. —— ?

Genus 191. **Machærocera.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 391 (1859) ; Thomas, Syn. Acrid. N. Amer. p. 201 (1873) ; Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 27, 49 (1904).

*1. **M. Mexicana, Sauss.** l. c. p. 391 (1859) ; Thomas, l. c. p. 201 (1873) ; Brun. l. c. pp. 49, 50. n. 1 (1904) ; Rehn, Trans. Amer. Ent. Soc. xxix. p. 9 (1902); Proc. Acad. Nat. Sci. Philad. lvi. p. 517 (1904).	Mexico.
2. **M. Obscura, Brun.** l. c. pp. 49, 50. n. 2 (1904).	id., Brit. Honduras.

3. **M. Magna, Brun.** l. c. pp. 50, 51. n. 3 (1904).	Mexico.
4. **M. Pacifica, Brun.** l. c. pp. 49, 51. n. 4 (1904).	id.
5. **M. Sumichrasti, Thomas,** Bull. U.S. Geol. Surv. Territ. ii. p. 70 (1874); Brun. l. c. pp. 50, 51. n. 5, pl. 1. ff. 7, 7 *a* (1904).	id.

Genus 192. **Closteridea.**

Scudd. Bull. Mus. Zool. Harvard, xxv. p. 9 (1893).

1. **C. Bauri, Scudd.** l. c. pl. 1. ff. 4, 5 (1893).	Galapagos.

Genus 193. **Peruvia.**

Scudd. Psyche, v. p. 439 (1890).

1. **P. Nigromarginata, Scudd.** (*Machaerocera N.*) Proc. Boston Soc. Nat. Hist. xvii. p. 268. n. 21 (1875).	Peru.

Genus 194. **Gymnes.**

Scudd. Psyche, v. p. 440 (1890), viii. p. 233 (1898); Guide N. Amer. Orth. p. 26 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 28 (1902).

1. **G. Punctatus, Scudd.** l. c. p. 440 (1890).	California.

Genus 195. **Bootettix.**

Brun. Proc. U.S. Nat. Mus. xii. p. 57 (1890): Biol. Centr.-Amer., Orth. ii. pp. 28, 52 (1902, 1904); McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 255 (1897); Scudd. Guide N. Amer. Orth. p. 26 (1897); Psyche, viii. p. 234 (1898).

*1. **B. Argentatus, Brun.** ll. cc. p. 58, pl. 1. ff. 4, 5 (1889); p. 52. n. 1, pl. 1. ff. 24, 24 *a*, *b* (1904); McNeill, l. c. p. 256, pl. 5. ff. 23, 23 *a*, *b* (1897).	California, New Mex., Texas, Arizona, Mexico.

Genus 196. **Eritettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xii. p. 56 (1890); Biol. Centr.-Amer., Orth. ii. pp. 28, 52 (1902, 1904); McNeill, Proc. Davenport Acad. Sci. vi. pp. 196, 217 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 234 (1898).

1. **E. Virgatus, Scudd.** (*Gomphocerus V.*) Proc. Boston Soc. Nat. Hist. xvii. p. 511. n. 33 (1875). *E. Virgatus, McNeill,* l. c. p. 218. n. 1, pl. 2. ff. 9, 9 *a*, *b* (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 53. n. 1 (1904). *E. Vernalis, Brun.* Publ. Nebraska Acad. Sci. iii. p. 22 (1893).	Texas.
2. **E. Carinatus, Scudd.** (*Gomphocerus C.*) l. c. p. 511, note (1875). *E. Carinatus, McNeill,* l. c. pp. 218, 219. n. 2 (1897).	Middle United States.
3. **E. Brachypterus, Brun.** Biol. Centr.-Amer., Orth. ii. p. 53. n. 2 (1904).	Mexico.
4. **E. Variabilis, Brun.** Proc. U.S. Nat. Mus. xii. p. 56 (1890); Biol. Centr.-Amer., Orth. ii. pp. 53, 54. n. 4 (1904); McNeill, l. c. pp. 218, 219. n. 3 (1897).	New Mexico.
*5. **E. Tricarinatus, Thomas,** (*Stenobothrus T.*) Syn. Acrid. N. Amer. p. 84 (1873); McNeill, l. c. pp. 218, 219. n. 4 (1897).	Wyoming, Iowa.
6. **E. Simplex, Scudd.** (*Gomphocerus S.*) Proc. Amer. Ent. Soc. ii. p. 305 (1869); Thomas, l. c. p. 97 (1873). *E. Simplex, McNeill,* l. c. pp. 218, 219. n. 5 (1897).	Delaware.
*7. **E. Navicula, Scudd.** (*Gomphocerus Naviculus*) Wheeler's Ann. Rep. U.S. Surv. W. 100th Merid. 1876, App. JJ, p. 286. n. 27; Caud. Proc. U.S. Nat. Mus. xxvi. p. 781 (1903). *E. Naviculus, McNeill,* l. c. pp. 218, 220. n. 6 (1897). *E. Navicula, Brun.* l. c. pp. 53, 54. n. 3 (1904).	Colorado, New Mex., Montana.
8. **E. Sylvestris, Blatchl.** Nature's Wooing (1903).	N. America.

Genus 197. **Eupedetes.**

Scudd. Proc. Davenport Acad. Sci. ix. p. 24 (1902) ; Brun. Biol. Centr.-Amer., Orth. ii. p. 54 note (1904).

1. **E. Carinatus, Scudd.** l. c. p. 25, pl. 1. f. 2 (1902) ; Brun. l. c. p. 55 note, n. 1 (1904).	New Mexico.

Genus 198. **Mesochloa.** (*Type* no. 1.)

Scudd. Psyche, viii. pp. 234, 239 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 28, 54 (1902, 1904).

1. **M. Abortiva, Brun.** (*Eritettix Abortivus*) Proc. U.S. Nat. Mus. xii. p. 56, pl. 1. ff. 8, 9 (1890) ; McNeill, l. c. pp. 218, 220. n. 7 (1897). *M. Abortiva, Brun.* l. c. p. 55. n. 1 (1904).	Texas.
2. **M. Unicolor, Hart,** Ent. News, xvii. p. 157 (1906).	id.

Genus 199. **Silvitettix.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 55 (1904).

1. **S. Communis, Brun.** l. c. p. 56. n. 1 (1904).	Costa Rica.

Genus 200. **Ochrotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 56 (1902, 1904).

1. **O. Salinus, Brun.** l. c. p. 56. n. 1, pl. 1. ff. 4, 4 *a*, 5, 5 *a* (1904).	Mexico.

Genus 201. **Leuconotus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 57 (1904).

1. **L. Biolleyi, Brun.** l. c. n. 1 (1904).	Costa Rica.

Genus 202. **Amphitornus.** (*Type* no. 1.)

McNeill. Proc. Davenport Acad. Sci. vi. pp. 196, 223 (1897); Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 235 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 58 (1902, 1904).

*1. **A. Bicolor, Thomas,** (*Stenobothrus B.*) Rep. Geol. Surv. Montana, p. 465 (1872). — Wyoming, Colorado.
A. Bicolor, McNeill, l. c. p. 224. n. 1, pl. 3. ff. 11, 11 *a*, *b* (1897); Brun. l. c. p. 58. n. 2 (1904).
Stenobothrus Coloradus, Thomas, Syn. Acrid. N. Amer. pp. 81, 82 (1873).
Stenobothrus Coloradus, var. *Unicolor, Thom.* l. c. p. 83 (1873).

2. **A. Ornatus, McNeill,** l. c. pp. 224, 225. n. 2 (1897); Brun. l. c. p. 58. n. 1, pl. 1. ff. 13, 13 *a* (1904). — S.W. United States, Mexico.

Genus 203. **Akentetus.** (*Type* no. 1.)

McNeill. Proc. Davenport Acad. Sci. vi. pp. 197, 225 (1897).
‖ *Acentetus, Scudd.* (*nec Cab.*), Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 235 (1898).

1. **A. Unicolor, McNeill,** l. c. p. 225. n. 1, pl. 3. ff. 12, 12 *a*, *b* (1897); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 364, ff. 1, 2 (1906). — Colorado.

2. **A. Carinatus, Scudd.** (*Acentetus C.*) Proc. Amer. Acad. xxxv. p. 45 (1899). — id.

Genus 204. **Opeia.** (*Type* no. 1)

McNeill, Proc. Davenport Acad. Sci. vi. p. 214 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. pp. 235, 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 58 (1902, 1904).
‖ *Oreina, McNeill* (*nec Cherr.*), l. c. p. 196 (1897).

*1. **O. Obscura, Thomas,** (*Oxycoryphus Obscurus*) Rep. Geol. Surv. Montana, p. 466 (1872); Syn. Acrid. N. Amer. p. 73 (1873); Glover. Ill. N. Amer. Orth. pl. 13. f. 13 (1872). — Wyoming, Texas, Arizona, New Mexico.
O. Obscura, McNeill, l. c. p. 215. n. 1, pl. 2. ff. 7, 7 *a–c* (1897); Brun. l. c. p. 59. n. 1 (1904).

2. **O. Imperfecta, Brun.** l. c. p. 59. n. 2 (1904).	Texas, Mexico.
3. **O. Pallida, Brun.** l. c. pp. 59, 60. n. 3 (1904).	Mexico.
4. **O. Testacea, Scudd.** Proc. Amer. Acad. Sci. xxxv. p. 46 (1899); Brun. l. c. pp. 59, 60. n. 4 (1904).	California.
5. **O. Mexicana, Brun.** ll. cc. n. 5, pl. 1. ff 15, 15 *a* (1904).	Mexico.
6. **O. Palmeri, Brun.** l. c. pp. 59, 61. n 6 (1904).	id.
7. **O. Lineata, Brun.** ll. cc. n. 7 (1904).	id.

Genus 205. **Macneillia.**

Scudd. Psyche, viii. pp. 235, 239 (1898).

‖*Pedeticum, McNeill* (*nec Lap.*), Proc. Davenport Acad. Sci. vi. pp. 196, 216 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. pp. 235, 239 (1898).

1. **M. Obscura, Scudd.** (*Chrysochraon Obscurus*) Proc. Boston Soc. Nat. Hist. xix. p. 88 (1877).	Florida.
P. Obscurum, McNeill, l. c. p. 216. n. 1, pl. 2. ff. 8, 8 *a–c* (1897).	

Genus 206. **Amblytropidia.** (*Type* no. 1.)

Stal, Recens. Orth. i. pp. 93, 107 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 226 (1897); Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 235 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 62 (1902, 1904).

1. **A. Ferruginosa, Stål,** l. c. p. 107. n. 1 (1873); Brun. l. c. pp. 62, 63. n. 1 (1904); P. U.S. Nat. Mus. xxx. pp. 630, 631 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 18 (1906).	Brazil, Paraguay.
2. **A. Magna, Brun.** ll. cc. pp. 62, 63. n. 2 (1904); p. 630 (1906).	Mexico, Guatemala.
3. **A. Australis, Brun.** ll. cc. pp. 62, 64. n. 3. (1904); pp. 630, 631 (1906); Rehn, l. c. p. 18 (1906).	Argentina.
‖*A. Ferruginosa, Giglio-Tos* (*nec Stål*), Boll. Mus. Torino, ix. (184) p. 13 (1894), xii. (302) p. 25 (1897).	

4. **A. Vittata, Giglio-Tos,** l. c. ix. (184) p. 13 (1894); Brun. ll. cc. pp. 62, 64. n. 4 (1904); pp. 630, 631 (1906); Rehn. l. c. p. 18 (1906).	Paraguay, Brazil.
*5. **A. Robusta, Brun.** Proc. U.S. Nat. Mus. xxx. pp. 630, 631 (1906).	Paraguay.
6. **A. Trinitatis, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 63, 65. n. 5 (1904); Proc. U.S. Nat. Mus. xxx. p. 630 (1906).	Trinidad, Demerara, Venezuela.
7. **A. Chapadensis, Rehn,** Proc. U.S. Nat. Mus. xxx. p. 371 (1906).	Brazil, Paraguay.
8. **A. Auriventris, McNeill,** l. c. p. 227. n. 2 (1897); Brun. ll. cc. pp. 63, 65. n. 6. (1904); p. 631 (1906).	Mexico.
9. **A. Mysteca, Sauss.** (*Stenobothrus Mystecus*) Rev. Zool. (2) xiii. p. 317 (1861); Thomas, Syn. Acrid. N. Amer. p. 205 (1873).	Id.
A. Mysteca, Rehn, Trans. Amer. Ent. Soc. xxix. p. 9 (1902); Proc. Acad. Nat. Sci. Philad. lvi. p. 518 (1904); Brun. ll. cc. pp. 63, 66. n. 8, pl. 1. ff. 14, 14 *a* (1904); p. 631 (1906).	
10. **A. Costaricensis, Brun.** ll. cc. pp. 63, 66. n. 7 (1904); p. 631 (1906).	Costa Rica, Nicaragua.
? ‖ *A. Ferruginosa, Brun.* (*nec Stål*) Bull. Lab. N. H. Iowa, iii. p. 64, pl. 3 (1895).	
11. **A. Ingenita, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 63, 67. n. 9 (1904); Proc. U.S. Nat. Mus. xxx. p. 631 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 518 (1904).	Mexico.
12. **A. Occidentalis, Sauss.** (*Stenobothrus O.*) l. c. p. 317 (1861); Thomas, l. c. p. 92 (1873).	United States.
A. Occidentalis, McNeill, l. c. pp. 226, 227. n. 1, pl. 3. ff. 13. 13 *a*, *b* (1897); Brun. ll. cc. pp. 63, 68. n. 11 (1904), p. 631 (1906); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. pp. 518, 784 (1904, 1905).	
A. Subhyalina, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 511. n. 32 (1875).	
13. **A. Subconspersa, Walk. (*Stenobothrus Subconspersus*) Cat. Derm. Salt. B. M. iv. p. 755. n. 40 (1870); Thom. l. c. pp. 81, 86 (1873).	Florida.

Genus 207. **Thyriptilon.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 68 (1902, 1904).

1. **T. Vitripenne, Brun.** l. c. p. 69. n. 1 (1904).	Mexico.

Genus 208. **Sisantum.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 69 (1902, 1904).

1. **S. Notochloris, Brun.** l. c. p. 69. n. 1, pl. 1. ff. 11, 11 *a* (1904).	Mexico.

Genus 209. **Cordillacris.** (*Type* no. 1.)

Rehn, Canad. Ent. xxxiii. p. 271 (1901) ; Brun. Biol. Centr.-Amer., Orth. ii. p. 70 (1904).

‖ *Alpha, Brunn. (nec Sauss.)* Ann. Mus. Genova. xxxiii. p. 121 (1893) ; McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 245 (1897) ; Scudd. Guide N. Amer. Orth. p. 28 (1897) ; Psyche, viii. p. 235 (1898) ; Brun. l. c. p. 29 (1902).

*1. **C. Occipitalis, Thomas,** (*Stenobothrus O.*) Syn. Acrid. N. Amer. p. 81 (1873) ; Glover, Ill. N. Amer. Orth. pl. 17. f. 13 (1874). *Alpha Occipitalis, McNeill,* l. c. p. 246. n. 1, pl. 4. ff. 18, 18 *a*, *b* (1897). *C. Occipitalis, Brun.* l. c. pp. 70, 71. n. 1 (1904).	United States, Mexico.
2. **C. Cinerea, Brun.** (*Ochrilidia* (?) *C.*) Proc. U.S. Nat. Mus. xii. p. 52 (1889). *Alpha Cinerea, McNeill,* l. c. pp. 246, 247. n. 2 (1897). *C. Cinerea, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 70, 71. n. 2 (1904).	Nebraska, New Mexico.
*3. **C. Crenulata, Brun.** (*Ochrilidia* (?) *C.*) Proc. U.S. Nat. Mus. xii. p. 51 (1889). *Alpha Crenulata, McNeill,* l. c. pp. 246, 247. n. 3 (1897). *C. Crenulata, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 70, 71. n. 3 (1904).	New Mexico, Arizona.

4. **C. Pima, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. p. 69 (1907).	Arizona.
5. **C. Affinis, Morse,** Psyche, x. p. 115 (1903).	Nebraska

Genus 210. **Phlibostroma.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. pp. 516 (1875); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 247 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897); Psyche, viii. pp. 236, 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 29, 71 (1902, 1904).

‖*Beta, Brunn.* (*nec Sauss.*) Ann. Mus. Genova, xxxiii. p. 121 (1893).

*1. **P. Quadrimaculatum, Thomas,** (*Stenobothrus Quadrimaculatus*) Rep. U.S. Geol. Surv. Wyoming, p. 280 (1871); Syn. Acrid. N. Amer. p. 93 (1873). *P. Quadrimaculata, McNeill,* l. c. p. 248. n. 1, pl. 4. ff. 19, 19 *a*, *b* (1897). *P. Quadrimaculatum, Brun.* l. c. p. 72. n. 1 (1904). *P. Pictum, Scudd.* l. c. p. 517. n. 40 (1875). *P. Parvum, Scudd.* Wheeler, Rep. U.S. Surv. W. 100th Merid., App. JJ, p. 290. n. 36 (1876). *Stenobothrus Lætus, Uhl.* Bull. U.S. Geol. Surv. Territ. iii. p. 792 (1877).	United States, Mexico.

Genus 211. **Orphula.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 105 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893); Morse, Psyche, vii. pp. 326, 407 (1896); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 233 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 72 (1902, 1904).

*1. **O. Pagana, Stål,** (*Gomphocerus* (*Hyalopteryx*) *Paganus*) Eugenies Resa, Orth. p. 339. n. 93 (1860). *Truxalis Pagana, Stål,* Recens. Orth. i. p. 106. n. 3 (1873). *Orphula Pagana, Brun.* l. c. pp. 72, 73. n. 1 (1904); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 16 (1906).	Brazil, Paraguay, &c.

2. **O. Minor, Giglio-Tos,** (*Metaleptea Minor*) Boll. Mus. Torino, xii. (302) p. 23 (1897). *O. Minor, Rehn,* l. c. p. 17 (1906).	Argentina. Bolivia.
3 **O. Meridionalis, Brun.** l. c. p. 73. n. 2 (1904).	Costa Rica.
4. **O. Azteca, Sauss.** (*Oxycoryphus Aztecus*) Rev. Zool. (2) xiii. p. 315 (1861); Thomas, Syn. Acrid. N. Amer. p. 203 (1873). *O. Azteca, Brun.* l. c. p. 73. n. 3. pl. 1. f. 23 (1904).	Mexico.
5. **O. Guatemalæ, Brun.** Ohio Nat. vii. p. 10. n. 16 (1906).	Guatemala.
6. **O. Filatus, Walk. (*Chrysochraon F.*) Cat. Derm. Salt. B. M. iv. p. 785. n. 4 (1870).	Santarem.
7. **O. Jucunda, Bol.** Actas Soc. Españ. xxv. p. 15 (1896).	Amazons.

Genus 212. **Œonomus.**

Scudd. Proc. Amer. Acad. xxxv. p. 47 (1899).

1. **Œ. Altus, Scudd.** l. c. (1899).	California.

Genus 213. **Orphulina.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 8, 9 (1894): Brun. Biol. Centr.-Amer., Orth. ii. pp. 30, 74 (1902, 1904).

1. **O. Pulchella, Giglio-Tos,** l. c. p. 10 (1894): Brun. P. U.S. Nat. Mus. xxx. p. 626 (1906).	Paraguay.
*2. **O. Balloui, Rehn,** (*Orphulella B.*) Ent. News. xvi. p. 178, pl. 8. ff. 2, 3 (1905). *Orphulina Balloui, Rehn,* Proc. Acad. Nat. Sci. Philad. lviii. p. 21 (1906).	Barbados.
3. **O. Veteratoria, Rehn,** l. c. pp. 21–23. ff. 5, 6 (1906).	Brazil.
4. **O. Acuta, Rehn,** l. c. pp. 23–25. ff. 7, 8 (1906).	id.

5. **O. Concinnula, Walk. (*Stenobothrus Concinnulus*) Cat. Derm. Salt. B. M. iv. p. 759. n. 53 (1870).	Para.
6. **O. Rugulosa, Walk. (*Stenobothrus Rugulosus*) l. c. p. 760. n. 54 (1870).	Santarem.

Genus 214. **Parorphula.** (*Type* no. 1.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 25 (1900).

1. **P. Graminea, Brun.** l. c. pp. 25. 26. f. 7 (1900); Proc. U.S. Nat. Mus. xxx. p. 626, pl. 36. f. 7 (1906).	Buenos Aires.
2. **P. Pallidinota, Brun.** 2nd Rep. Locust Comm. B. Aires, pp. 25, 26 (1900).	Carcarañá.
3. **P. Strigata, Brun.** l. c. pp. 25, 27 (1900).	id.

Genus 215. **Orphulella.** (*Type* no. 18.)

Giglio-Tos. Boll. Mus. Torino. ix. (184) p. 10 (1894); Morse, Psyche, vii. p. 407 (1896); Scudd. Canad. Ent. xxxi. p. 177 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 74 (1902, 1904).

[*Orphula*, *McNeill* (*nec Stål*). Proc. Davenport Acad. Sci. vi. pp. 197, 233 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897); Psyche, viii. p. 236 (1898).

*1. **O. Compta, Scudd.** Canad. Ent. xxxi. pp. 178, 180 (1899); Brun. l. c. pp. 75, 78. n. 1 (1904).	Texas. Arizona, California
*2. **O. Graminea, Brun.** ll. cc. n. 2 (1904).	Arizona.
*3. **O. Olivacea, Morse,** (*Stenobothrus Olivaceus*) Psyche, vi. pp. 477–479. ff. 1, 2 (1893).	United States; Panama (eadem ?).
Orphula Olivacea, Morse, l. c. vii. pp. 327, 411. n. 10, pl. 7. ff. 10, 10 *a* (1896); (?) Giglio-Tos. Boll. Mus. Torino. xii. (301) p. 2 (1897); McNeill, l. c. pp. 234, 239. n. 2, pl. 4. f. 17 *b* (1897).	
Orphulella Olivacea, Scudd. l. c. pp. 179, 187 (1899); Brun. l. c. pp. 76, 78. n. 3 (1904).	

4. **O. Arctata, Walk. (*Stenobothrus Arctatus*) Cat. Derm. Salt. B. M. iv. p. 761. n. 55 (1870); Thomas, Syn. Acrid. N. Amer. p. 208 (1873). *O. Arctata, Brun.* l. c. pp. 76, 79. n. 4 (1904).	Honduras.
5. **O. Affinis, Scudd.** Canad. Ent. xxxi. pp. 178, 183 (1899). (?) *Orphula Tepanica* et *Tepanicas, McNeill* (*nec Tepaneca, Sauss.*), l. c. pp. 235, 242. n. 5, pl. 4. f. 17 *a* (1897).	California, Mexico.
6. **O. Pelidna, Burm.** (*Gomphocerus Pelidnus*) Handb. Ent. ii. p. 650. n. 14 (1838). *Stenobothrus Pelidnus, Thomas,* Syn. Acrid. N. Amer. p. 95 (1873). *Orphula Pelidna, McNeill,* l. c. pp. 234, 235. n. 1 (1897). *Orphulella Pelidna, Scudd.* l. c. pp. 179, 187 (1899); Brun. l. c. pp. 76, 79. n. 6 (1904); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 366 (1906). *Stenobothrus Maculipennis, Scudd.* Boston Journ. Nat. Hist. vii. p. 458. n. 5 (1862); Thomas, l. c. pp. 81, 87 (1873); Glover, Ill. N. Amer. Orth. pl. 10. f. 14 (1872); Morse, Psyche, vi. pp. 478, 479. ff. 3, 4 (1893), vii. p. 14 (1894). *Orphula Maculipennis, Morse,* l. c. vii. pp. 326, 408. n. 8, pl. 7. ff. 8, 8 *a–e* (1896). *Stenobothrus Propinquans, Scudd.* l. c. p. 461. n. 8 (1862); Thomas, l. c. pp. 81, 90 (1873); Prov. Faun. Ent. Canada, ii. pp. 42, 43. n. 3 (1883).	United States, Cuba.
7. **O. Patruelis, Bol.** (*Orphula P.*) Actas Soc. Españ. xxv. p. 15 (1896).	Amazons.
*8. **O. Speciosa, Scudd.** (*Stenobothrus Speciosus*) l. c. p. 458. n. 4 (1862); Thomas, l. c. p. 87 (1873). *Orphula Speciosa, McNeill,* l. c. pp. 235, 240. n. 4, pl. 4. f. 17 *c* (1897). *Orphulella Speciosa, Brun.* l. c. pp. 75, 79. n. 7 (1904). *Stenobothrus Æqualis, Scudd.* l. c. p. 459. n. 6 (1862); Thomas, l. c. pp. 81, 89	United States.

(1873): Morse, l. c. vi. p. 478, 479. ff. 5, 6 (1893), vii. p. 14 (1894).	
Orphula Æqualis, Morse, l. c. vii. pp. 326, 409. n. 9, pl. 7. ff. 9, 9 *a–c* (1896); Brun. Ann. Rep. Nebraska State Board Agric. 1896, p. 128, f. 28 *a–c* (1897).	
Stenobothrus Bilineatus, Scudd. l. c. p. 460. n. 7 (1862); Thomas, l. c. p. 90 (1873).	
Stenobothrus Gracilis, Scudd. Final Rep. U.S. Geol. Surv. Nebraska, p. 250. n. 12 (1872); Thomas, l. c. pp. 81, 94 (1873).	
9. **O. Desereta, Scudd.** Canad. Ent. xxxi. pp. 178, 184 (1899).	Utah.
*10. **O. Picturata, Scudd.** l. c. pp. 178, 181 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 75, 79. n. 8 (1904).	Texas.
11. **O. Obliquata, Scudd.** l. c. pp. 178, 181 (1899); Brun. l. c. pp. 75, 80. n. 9 (1904).	id., Colorado.
12. **O. Salina, Scudd.** l. c. pp. 179, 185 (1899).	Colorado, Utah.
*13. **O. Pratorum, Scudd.** l. c. pp. 179, 186 (1899); Brun. l. c. pp. 76, 80. n. 10 (1904).	Texas.
14. **O. Aculeata, Rehn,** Trans. Amer. Ent. Soc. xxvii. p 92 (1900); Brun. l. c. pp. 76, 80. n. 12 (1904).	Mexico.
15. **O. Neglecta, Rehn,** l. c. p. 94 (1900); Brun. l. c. pp. 76, 80. n. 11 (1904).	id.
16. **O. Gracilis, Giglio-Tos,** Boll. Mus. Torino. ix. (184) p. 11 (1894); Brun. Bull. U.S. Nat. Mus. xxx. p. 627 (1906).	Paraguay.
17. **O. Obscura, Brun.** l. c. (1906).	id.
*18. **O. Punctata, De Geer,** (*Acrydium Punctatum*) Mém. Ins. iii. p. 593. n. 21, pl. 42. f. 12 (1773).	Mexico, Costa Rica, S. America, Dominica.
Truxalis Punctata, Stål, Recens. Orth. i. p. 106. n. 6 (1873).	
Orphulella Punctata, Giglio-Tos, l. c. ix. (184) p. 12 (1894); Brun. Biol. Centr.-Amer., Orth. ii. pp. 76, 80. n. 13 (1904); Bull. U.S. Nat. Mus. xxx. pp. 627, 628 (1906); Rehn, Entom. News, xvi. p. 177, pl. 8. f. 1 (1905); Proc. Acad. Nat. Sci. Philad. lviii. p. 27 (1906).	
** *Stenobothrus Mexicanus, Walk.* (*nec Sauss.*) l. c. iv. p. 756. n. 45 (1870).	

Orphulella Walkeri, Brun. Biol. Centr.-Amer., Orth. ii. p. 78 (1904); Ohio Nat. vii. p. 11. n. 19 (1904).	
19. **O. Viridissima, Walk. (*Stenobothrus Viridissimus*) l. c. iv. p. 761. n. 56 (1870); Thomas, Syn. Acrid. N. Amer. p. 209 (1873).	Honduras.
20. **O. Costalis, Walk. (*Stenobothrus C.*) l. c. p. 759. n. 52 (1870).	Brazil.
21. **O. Gratiosa, Walk. (*Stenobothrus Gratiosus*) l. c. p. 758. n. 50 (1870).	Santarem.
22. **O. Expandens, Walk. (*Stenobothrus E.*) l. c. n. 51 (1870).	id., Argentina, Paraguay.
O. Elegans, Giglio-Tos. l. c. ix. (184) p. 12 (1894); Brun. Bull. U.S. Nat. Mus. xxx. pp. 627, 629 (1906).	
23. **O. Intricata, Stål, (*Truxalis I.*) Recens. Orth. i. p. 106. n. 5 (1873).	Buenos Aires.
24. **O. Decisa, Walk. (*Stenobothrus Decisus*) l. c. p. 757. n. 47 (1870); Thomas, l. c. p. 207 (1873).	St. Domingo
25. **O. Mexicana, Sauss.** (*Oxycoryphus Mexicanus*) Rev. Zool. (2) xiii. p. 314 (1861); Thomas, l. c. p. 202 (1873).	Mexico.
O. Mexicana, Brun. Biol. Centr.-Amer., Orth. ii. pp. 76, 80. n. 14 (1904).	
26. **O. Tolteca, Sauss.** (*Oxycoryphus Toltecus*) l. c. p. 314 (1861); Thomas, l. c. p. 201 (1873).	id.
O. Tolteca, Brun. l. c. pp. 77, 81. n. 15 (1904).	
27. **O. Totonaca, Sauss.** (*Oxycoryphus Totonacus*) l. c. p. 315 (1861); Thomas, l. c. p. 203 (1873).	id.
28. **O. Viridescens, Scudd.** Canad. Ent. xxxi. pp. 179, 187 (1899); Brun. l. c. pp. 78, 81. n. 16 (1904).	id.
29. **O. Tepaneca, Sauss.** (*Stenobothrus Tepanecus*) l. c. p. 319 (1861); Thomas, l. c. p. 206 (1873).	id.
O. Tepaneca, Scudd. l. c. pp. 177, 180 (1899); Brun. l. c. pp. 77, 81. n. 17 (1904).	
30. **O. Orizabæ, McNeill,** (*Orphula O.*) l. c. pp. 235, 243. n. 6, pl. 4. f. 17 (1897).	id., Texas.
O. Orizabæ, Brun. l. c. pp. 77, 81. n. 18 (1904).	

31. **O. Zapoteca, Sauss.** (*Oxycoryphus Zapotecus*) l. c. p. 316 (1861); Thomas, l. c. p. 203 (1873). *O. Zapoteca, Brun.* l. c. pp. 77, 81. n. 19 (1904).	Mexico.
32. **O. Meridionalis, Brun.** ll. cc. n. 20 (1904).	Costa Rica.
33. **O. Costaricensis, Brun.** l. c. p. 82. n. 21 (1904).	id.
34. **O. Chipmani, Brun.** Journ. N. York Ent. Soc. xiv. p. 149. n. 53 (1906).	Trinidad.
35. **O. Insularis, Brun.** l. c. p. 150. n. 54 (1906).	id.
36. **O. Scudderi, Bol.** (*Orphula S.*) Mém. Soc. Zool. France, i. p. 142 (1888): McNeill, l. c. pp. 235, 244. n. 7 (1897). *O. Scudderi, Scudd.* l. c. pp. 179, 188 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 77, 82. n. 22 (1904).	Cuba. I. Pines.
37. **O. Prominula, Brun.** ll. cc. n. 23 (1904).	Mexico.
38. **O. Decora, McNeill,** (*Orphula D.*) l. c. pp. 235, 239. n. 3, pl. 4. f. 17 *d* (1897). *O. Decora, Scudd.* l. c. pp. 178, 181 (1899); Brun. l. c. pp. 75, 83. n. 24 (1904).	Arkansas, Colorado, Texas.
39. **O. Robusta, Brun.** l. c. pp. 77, 83. n. 25 (1904).	Mexico.
40. **O. Abbreviata, Scudd.** (*Chrysochraon* (?) *Abbreviatum*) Journ. Bost. Soc. Nat. Hist. xii. p. 339. n. 21 (1869), xxvii. p. 206. n. 45 (1896).	Peru.
41. **O. (?) Plebeia, Stål,** (*Gomphocerus* (*Hyalopteryx*) *Plebejus*) Eugenies Resa, Ins. Orth. p. 339. n. 94 (1860). *Truxalis Plebeia, Stål,* Recens. Orth. i. p. 106. n. 4 (1873).	Honolulu.

Genus 216. **Toxopterus.**

Bol. An. Soc. Espan. xix. p. 313 (1890): Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893).

*1. **T. Miniatus, Bol.** l. c. p. 314 (1890); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 30 (1906).	Peru. Ecuador.

Genus 217. **Compsacris.**

Bol. An. Soc. Españ. xix. p. 314 (1890) ;
Brunn. Ann. Mus. Genova, xxxiii. p. 121 (1893).

1. **C. Pulcher, Bol.** l. c. p. 315 (1890).	Peru.

Genus 218. **Parachloebata.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 83 (1902, 1904).

1. **P. Pratensis, Brun.** l. c. p. 84. n. 1, pl. 1. ff. 10, 10 *a* (1904).	Cuba.

Genus 219. **Linoceratium.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 84 (1902, 1904).

1. **L. Boucardi, Brun.** l. c. p. 84. n. 1 (1904).	Honduras, Colombia.

Genus 220. **Clinocephalus.** (*Type* no. 1.)

Morse, Psyche, vii. pp. 326, 402 (1896) ; McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 232 (1897) ; Scudd. Guide N. Amer. Orth. p. 28 (1897) ; Psyche, viii. p. 236 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 85 (1902, 1904).

1. **C. Elegans, Morse,** l. c. pp. 326, 402, pl. 7. ff. B, B*a* (1896) ; McNeill, l. c. p. 233, pl. 3. ff. 16, 16 *a* (1897) ; Brun. l. c. p. 85. n. 1 (1904).	United States.
2. **C. Pulcher, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lvii. p. 36, pl. 1. ff. 1, 2 (1905), lix. p. 287 (1907).	Florida.

Genus 221. **Dichromorpha.** (*Type* no. 1.)

Morse, Psyche, vii. p. 326 (1896) ; McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 230 (1897) ; Scudd. Guide N. Amer. Orth. p. 28 (1897) ; Psyche, viii. p. 237 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 85 (1902, 1904).

1. **D. Viridis, Scudd.** (*Chloëaltis V.*) Boston Journ. Nat. Hist. vii. p. 455. n. 2 (1862); Glover, Ill. N. Amer. Orth. pl. 6. f. 11, pl. 10. f. 5 (1872). — N. America.
Chrysochraon Viridis, Thomas, Syn. Acrid. N. Amer. pp. 74, 75 (1873).
D. Viridis, Morse, l. c. p. 326, pl. 7. ff. 7, 7 *a*, *b* (1896) ; McNeill, l. c. p. 231. n. 1 (1897) ; Brun. l. c. p. 86. n. 1 (1904).
Chloëaltis Punctulata, Scudd. l. c. p. 455. n. 3 (1862).
Chrysochraon Punctulatum, Thomas, l. c. p. 77 (1873).
Opomala Brevipennis, Thomas, Trans. Illinois State Agric. Soc. v. p. 451 (1865).
Truxalis Angusticornis, Stål, Recens. Orth. i. p. 105. n. 2 (1873).

2. **D. Brunnea, Scudd.** (*Chloëaltis B.*) Proc. Boston Soc. Nat. Hist. xvii. p. 510. n. 31 (1875). — Texas.
D. Brunnea, McNeill, l. c. pp. 231, 232. n. 2, pl. 3. ff. 15, 15 *a*, *b* (1897).

3. **D. Mexicana, Brun.** l. c. pp. 86, 87. n. 2, pl. 1. ff. 18, 18 *a* (1904). — Mexico.

4. **D. Longipennis, Brun.** l. c. pp. 86, 87. n. 3 (1904). — id.

5. **D. Australis, Brun.** 2nd Rep. Locust Comm. B. Aires, p. 28 (1900); Biol. Centr.-Amer., Orth. ii. pp. 86, 88. n. 4 (1904). — Argentina, Paraguay, Bolivia.

Genus 222. **Phaneroturis.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 88 (1902, 1904).

1. **P. Cupido, Brun.** l. c. n. 1, pl. 1. f. 17 (1904). — Guatemala.

Genus 223. **Chloëaltis.** (*Type* no. 1.)

Harr. Ins. Injur. Veget. p. 148 (1841), (ed. 3) p. 184 (1862); (?) Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893); Morse, Psyche, vii. pp. 327, 419 (1896); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 227 (1897); Scudd. Guide N. Amer. Orth. p. 28 (1897); Psyche, viii. p. 237 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 31, 89 (1902, 1904).

*1. **C. Conspersa, Harr.** (*Locusta* (*Chloëaltis*) *C.*) ll. cc. p. 149. n. 13 (1841), p. 184. n. 13 (1862). *C. Conspersa, Scudd.* Bost. Journ. Nat. Hist. vii. p. 455. n. 1 (1862); Rep. Ent. Soc. Ontario, xxiii. p. 75, ff. 50, 51 (1893); Glov. Ill. N. Amer. Orth. pl. 6. f. 10, pl. 10. f. 12 (1872); Morse, l. c. pp. 327, 419. n. 11, pl. 7. ff. 11, 11 *a* (1896); McNeill, l. c. p. 228. n. 1, pl. 3. ff. 14, 14 *a*, *b* (1897). *Chrysochraon Conspersum, Thomas,* Syn. Acrid. N. Amer. p. 76 (1873). *Locusta* (*Chloëaltis*) *Abortiva, Harr.* ll. cc. p. 149. n. 14 (1841), p. 184. n. 14 (1862). *Stenobothrus Melanopleurus, Scudd.* Boston Journ. Nat. Hist. vii. p. 456. n. 2 (1862).	Canada, United States.
*2. **C. Abdominalis, Thomas,** (*Chrysochraon A.*) l. c. p. 74 (1873). *C. Abdominalis, McNeill,* l. c. pp. 228, 229. n. 2 (1896); Rehn. Proc. Acad. Nat. Sci. Philad. lviii. pp. 367–369, ff. 3–5 (1906).	Rocky Mountains.
3. **C. Canadensis, Prov.** Nat. Canad. viii. p. 135 (1876).	Quebec.

Genus 224. **Napaia.**

McNeill, Prec. Davenport Acad. Sci. vi. pp. 196, 212 (1897); Scudd. Guide N. Amer. Orth. p. 27 (1897); Psyche, viii. p. 237 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

1. **N. Gracilis, McNeill,** l. c. p. 213, pl. 2. ff. 6, 6 *a–d* (1897); Brun. l. c. p. 90. n. 1. pl. 1. ff. 2, 2 *a* (1904).	California.

Genus 225. **Horesidotes.**

Scudd. Proc. Amer. Acad. xxxv. p. 19 (1899);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

1. **H. Cinereus, Scudd.** l. c. p. 19 (1899): Brun. l. c. p. 90. n. 1 (1904).	California.

Genus 226. **Fenestra.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 120 (1893): (?) Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 30 (1900).
Cocytotettix, *Rehn*, Proc. Acad. Nat. Sci. Philad. lviii. pp. 19, 30 (1906). (*Type* no. 4.)

1. **F. Pulchripennis, Brun.** l. c. p. 30 (1900).	Argentina.
2. **F. Intermedia, Brun.** l. c. pp. 30, 31 (1900).	id.
3. **F. Argentina, Brun.** ll. cc. (1900).	id.
4. **F. Linearis, Rehn,** (*Cocytotettix C.*) Proc. U.S. Nat. Mus. xxx. p. 374 (1906).	Brazil.

Genus 227. **Dichroatettix.**

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 22, 32 (1900).
‖*Fenestra*, *Giglio-Tos* (*nec Brunn.*), Zool. Jahrb. Syst. viii. p. 807 (1895); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 31 (1906).

*1. **D. Bohlsii, Giglio-Tos,** (*Fenestra B.*) l. c. p. 807 (1895); Rehn, l. c. p. 32 (1906). *D. Viridifrons*, *Brun.* l. c. pp. 32, 33. ff. 9, 10 (1900); Proc. U.S. Nat. Mus. xxx. p. 632, pl. 36. ff. 5, 6 (1906).	Argentina, Paraguay.

Genus 228. **Boöpedon.** (*Type* no. 2.)

Thomas, Proc. Acad. Sci. Philad. 1870, p. 83; Syn. Acrid. N. Amer. p. 140 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893); McNeill, Proc. Davenport Acad. Sci. vi. pp. 197, 249 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897); Psyche, viii. p. 238 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 94 (1902, 1904).

1. **B. Flavofasciatum, Thomas,** ll. cc. p. 84 (1870); p. 141 (1873); McNeill, l. c. pp. 250, 251. n. 2 (1897); Brun. l. c. p. 95. n. 1 (1904). *Boopidon Flavofasciatum, Glover,* Ill. N. Amer. Orth. pl. 8. f. 10 (1872).	Montana, New Mexico, Texas.
2. **B. Nubilum, Say,** (*Gryllus Nubilus*) Journ. Acad. Nat. Sci. Philad. iv. p. 308 (1825). *B. Nubilum, Thomas,* Syn. Acrid. N. Amer. p. 341, pl. 1. f. 11 (1873); McNeill, l. c. p. 250. n. 1, pl. 4. ff. 20, 20 *a*, *b* (1897); Brun. l. c. pp. 95, 96. n. 2 (1904). *B. Nigrum, Thomas,* Proc. Acad. Nat. Sci. Philad. 1870, p. 83.	Colorado, New Mexico, Kansas.
3. **B. Hoagi, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 519 (1904).	Mexico.
4. **B. Gracile, Rehn,** l. c. p. 520 (1904).	id.
5. **B. Fuscum, Brun.** l. c. pp. 95, 96. n. 3 (1904).	Arizona.
6. **B. Savannarum, Brun.** l. c. pp. 95, 97. n. 4 (1904).	Nebraska.
7. **B. Auriventris, McNeill,** Canad. Ent. xxxi. p. 54 (1899); Brun. l. c. pp. 95, 97. n. 5 (1904).	Arkansas, Texas.
8. **B. Diabolicum, Brun.** l. c. pp. 95, 98. n. 6, pl. 1. ff. 21, 21 *a* (1904).	Mexico.
9. **B. Flaviventris, Brun.** l. c. pp. 95, 98. n. 7 (1904).	id.

Genus 229. **Coloradella.**

Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893).

1. **C. Brunnea, Brun.** Ann. Rep. Nebraska Board Agric. 1896, p. 129 (1897).	Nebraska.

Genus 230. **Eupnigodes.**

McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide N. Amer. Orth. p. 30 (1897); Psyche, viii. pp. 238, 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 102 (1902, 1904).
‖ *Pnigodes, McNeill (nec Leconte)*, Proc. Davenport Acad. Sci. vi. pp. 198, 266 (1897).

1. **E. Megacephala, McNeill,** (*Pnigodes M.*) l. c. p. 267. n. 1, pl. 6. ff. 28, 28 *a*, *b* (1897).	California.

Genus 231. **Zapata.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 103 (1902, 1904).

1. **Z. Brevipennis, Brun.** l. c. p. 103. n. 1 (1904) (♀ nec ♂). *Aulocara Brevipennis, Brun.* l. c. pl. 1. ff. 22, 22 *a* (1904).	Mexico.

Genus 232. **Psoloessa.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 512 (1875); Guide N. Amer. Orth. p. 32 (1897); Psyche, viii. p. 236 (1898); McNeill, Proc. Davenport Acad. Sci. vi. pp. 199, 272 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 104 (1902, 1904).

1. **P. Texana, Scudd.** l. c. p. 512. n. 34 (1875); Brun. l. c. p. 104. n. 1 (1904). *Stirapleura Texana, McNeill,* l. c. pp. 271, 272. n. 3, pl. 6. f. 30 *c* (1897).	Texas, California.
2. **P. Buddiana, Brun.** P. U.S. Nat. Mus. xii. p. 61, pl. 1. f. 6 (1889); Biol. Centr.-Amer., Orth. ii. p. 104. n. 2, pl. 1. ff. 8, 8 *a* (1904); McNeill, l. c. pp. 273, 274. n. 3 (1897).	iid., New Mexico, Arizona.
*3. **P. Maculipennis, Scudd.** l. c. p. 513. n. 36 (1875); McNeill, l. c. p. 273. n. 1. pl. 6. f. 31 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 104. n. 3 (1904).	iid.
4. **P. Ferruginea, Scudd.** l. c. p. 513. n. 35 (1875); McNeill, l. c. pp. 273, 274. n. 2, pl. 6. f. 31 *a*, *b* (1897); Brun. l. c. pp. 104, 105. n. 4 (1904).	Texas, Arizona.

Genus 233. **Stirapleura.** (*Type* no. 2.)

Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 290; Canad. Ent. xxix. p. 76 (1897); Guide N. Amer. Orth. p. 31 (1897); Psyche, viii. p. 238 (1898); Proc. Amer. Acad. xxxv. p. 51 (1899); McNeill, Proc. Davenport Acad. Sci. vi. pp. 199, 269 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 105 (1902, 1905).

Pseudostauronotus, *Brunn.* Ann. Mus. Genova, xxiii. p. 123 (1893).

1. **S. Ornata, Scudd.** (*Dociostaurus Ornatus*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 287. n. 28. *S. Ornata, McNeill*, l. c. pp. 270, 271. n. 1 (1897); Brun. l. c. pp. 105, 106. n. 1 (1905).	New Mexico.
*2. **S. Decussata, Scudd.** l. c. p. 290. n. 35 (1876); McNeill, l. c. p. 271. n. 2, pl. 6. ff. 30, 30 *a*, *b* (1897); Brun. l. c. pp. 105, 106. n. 2 (1905). *Psoloessa Coloradensis*, *Thomas*, Proc. Davenport Acad. Sci. i. p. 252, pl. 36. ff. 3, 4 (1876).	Southern United States, Mexico.
3. **S. Delicatula, Scudd.** (*Scyllina D.*) Bull. U.S. Geol. Surv. ii. p. 263 (1876); Riley, N. Amer. Fauna, vii. p. 252, pl. 2 (1893). *Stirapleura Delicatula*, *McNeill*, l. c. pp. 271, 272. n. 4 (1897).	Colorado, Southern California.
4. **S. Eurotiæ, Brun.** (*Psoloessa* (?) *E.*) Proc. U.S. Nat. Mus. xii. p. 62 (1889). *S. Eurotiæ*, *McNeill*, l. c. pp. 271, 272. n. 5 (1897).	Laramie River.
*5. **S. Pusilla, Scudd.** Proc. Amer. Acad. xxxv. p. 52 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 105, 106. n. 3 (1905).	Mex. & New Mexico, Arizona, California.
6. **S. Salina, Brun.** l. c. pp. 106, 107. n. 4 (1905).	Mexico.
7. **S. Meridionalis, Brun.** ll. cc. n. 5 (1905).	id.
8. **S. Tenuicarina, Scudd.** Proc. Amer. Acad. xxxv. p. 53 (1899); Brun. l. c. pp. 106, 108. n. 6 (1905).	Texas.
9. **S. Mescalero, Rehn,** Proc. Acad. Nat. Sci. Philad. liv. p. 719 (1902); Brun. l. c. pp. 106, 108. n. 7 (1905).	New Mexico.
10. **S. Brachyptera, Brun.** l. c. pp. 105, 108. n. 8 (1905).	Mexico.

11. **S. Variabilis, Brun.** 2nd Rep. Locust Comm. B. Aires, pp. 34, 36, f. 12 (1900). Argentina.

12. **S. Signatipennis, Blanch.** (*Œdipoda S.*) Gay, Hist. Chile, Zool. vi. p. 79. n. 3 (1851). Chile.
 S. Signatipennis, Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 49 (1906).

13. **S. Chilensis, Sauss.** (*Stenobothrus C.*) Rev. Zool. (2) xiii. p. 318 (1861). id.

14. **S. Bruneri, Rehn,** l. c. p. 49 (1906). Argentina, Uruguay.
 ||*S. Signatipennis, Brun. (nec Blanch.)* l. c. p. 34 (1900).

15. **S. Humilis, Blanch.** (*Œdipoda H.*) l. c. p. 79. n. 4 (1851). Chile.
 S. Humilis, Rehn, l. c. p. 50 (1906).

16. **S. Pallida, Brun.** l. c. p. 35, f. 11 (1900). Argentina.

17. **S. Obscura, Brun.** l. c. p. 36 (1900). id.

18. **S. Brunnea, Rehn,** Proc. U.S. Nat. Mus. xxx. p. 390 (1906). Brazil.

Genus 234. **Bruneria.**

||*Brunneria, McNeill (nec Sauss.)*, Proc. Davenport Acad. Sci. vi. pp. 198, 264 (1897).

Bruneria, McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide N. Amer. Orth. p. 30 (1897); Psyche, viii. pp. 238, 239 (1898).

*1. **B. Shastana, Scudd.** (*Gomphocerus Shastanus*) Rep. U.S. Ent. Comm., ii. App. p. 25, pl. 17. ff. 15, 18 (1880). California.
 Brunneria Shastana, McNeill, Proc. Davenport Acad. Sci. vi. p. 265. n. 1, pl. 5. ff. 26, 26 *a, b* (1897).

Genus 235. **Melanotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 90 (1902, 1904).

1. **M. Dibelonus, Brun.** l. c. p. 91. n. 1, pl. 1. ff. 16, 16 *a* (1904). Mexico.

Genus 236. **Euplectrotettix.** (*Type* no. 2.)

Brun. 2nd Rep. Locust Comm. B. Aires, pp. 23, 38 (1900).

1. **E. Ferrugineus, Brun.** l. c. p. 39 (1900); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 40 (1906).	Paraguay.
2. **E. Conspersus, Brun.** l. c. pp. 39–41. f. 14 (1900).	Mendoza.
3. **E. Schulzi, Brun.** l. c. pp. 39, 41 (1900).	Cordoba.
4. **E. Prasinus, Brun.** l. c. pp. 39, 42 (1900).	id.

Genus 237. **Scyllina.** (*Type* no. 7.)

Stål, Recens. Orth. i. pp. 94, 112 (1873); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 40 (1906); Brun. Biol. Centr.-Amer., Orth. ii. p. 99 (1904).

‖ *Pseudostauronotus, Giglio-Tos* (*nec Brunn.*), Zool. Jahrb. Syst. viii. p. 808 (1894).

‖ *Plectrophorus. McNeill* (*nec Fér.*), Proc. Davenport Acad. Sci. vi. pp. 198, 251 (1900).

Plectrotettix, McNeill, Psyche, viii. p. 71 (1897); Scudd. Guide N. Amer. Orth. p. 29 (1897): Psyche, viii. pp. 238, 239 (1898); Brun. Biol. Centr.-Amer., Orth. pp. 33, 99 (1902, 1904). (*Type* no. 16.)

1. **S. Uniformis, Rehn,** P. U.S. Nat. Mus. xxx. p. 384 (1906).	Brazil.
2. **S. Instabilis, Rehn,** Proc. Acad. Nat. Sci. Philad. lviii. pp. 42–45, ff. 14, 15 (1906).	id.
3. **S. Gregaria, Sauss.** (*Stenobothrus Gregarius*) Rev. Zool. (2) xiii. p. 318 (1861); Thomas, Syn. Acrid. N. Amer. p. 206 (1873). *Plectrotettix Gregarius, Brun.* l. c. p. 100 (1904).	St. Thomas, Haiti.
4. **S. Cyanipes, Fabr.** (*Gryllus C.*) Syst. Ent. p. 292. n. 25 (1775).	America.
*5. **S. Pratensis, Brun.** (*Plectrotettix P.*) l. c. p. 100 (1904). *S. Pratensis, Rehn*, l. c. p. 45 (1906).	Pernambuco.
*6. **S. Brasiliensis, Brun.** (*Plectrotettix B.*) l. c. p. 100 (1904). *S. Brasiliensis, Rehn*, l. c. p. 46 (1906).	Brazil, Paraguay.

7. **S. Peragrans, Stål,** (*Gomphocerus* (*Epacromia*) *P.*) Eugenies Resa, Orth. p. 343. n. 101 (1860). *S. Peragrans, Stål,* Recens. Orth. p. 112. n. 1 (1873); Brun. l. c. p. 100 (1904).	Puna.
*8. **S. Conspersa, Brun.** (*Plectrotettix C.*) l. c. p. 100 (1904). *S. Conspersa, Rehn,* l. c. p. 47 (1906).	Paraguay.
*9. **S. Picta, Brun.** (*Plectrotettix Pictus*) 2nd Rep. Locust Comm. B. Aires, pp. 37, 38, f. 13 (1900); Biol. Centr.-Amer., Orth. ii. p. 100 (1904); Proc. U.S. Nat. Mus. xxx. p. 636, pl. 36. f. 8 (1906).	Argentina.
*10. **S. Brunneri, Giglio-Tos,** (*Pseudostauronotus B.*) Zool. Jahrb. Syst. viii. p. 809 (1894). *Plectrotettix Brunneri, Brun.* Biol. Centr.-Amer., Orth. ii. p. 100 (1904). *S. Brunneri, Rehn,* Proc. Acad. Nat. Sci. Philad. lviii. p. 45 (1906); P. U.S. Nat. Mus. xxx. pp. 385, 635, 636 (1906).	id., Uruguay, Paraguay, Bolivia, Brazil.
11. **S. Borellii, Giglio-Tos,** Boll. Mus. Torino, ix. (184) p. 14 (1894). *Plectrotettix Borellii, Brun.* Biol. Centr.-Amer., Orth. ii. p. 100 (1904); Rehn, P. U.S. Nat. Mus. xxx. p. 636 (1906).	Paraguay.
12. **S. Suffusa, Rehn,** l. c. p. 385 (1906).	Brazil.
*13. **S. Varipes, Brun.** (*Plectrotettix V.*) Ent. News. xvi. p. 214 (1905). *S. Varipes, Rehn,* Proc. Acad. Nat. Sci. Philad. lviii. p. 47 (1906).	Paraguay.
14. **S. Smithi, Rehn,** P. U.S. Nat. Mus. xxx. p. 387 (1906).	Brazil.
*15. **S. Schistocercoides, Rehn,** l. c. p. 388 (1906).	id.
16. **S. Viatoria, Sauss.** (*Stenobothrus Viatorius*) Rev. Zool. (2) xiii. p. 317 (1861); Thomas, l. c. p. 206 (1873). *S. Viatorius, Stål,* Recens. Orth. i. p. 112. n. 2 (1873). *Plectrophorus Viatorius, McNeill,* Proc. Davenport Acad. Sci. vi. pp. 252, 253. n. 1, pl. 4. ff. 21, 21 *a–c* (1897). *Plectrotettix Viatorius, Brun.* l. c. pp. 100, 101. n. 1 (1904).	Mexico.

17. **S. Calida, Brun.** (*Plectrotettix Calidus*) l. c. p. 101. n. 2 (1904). *S. Calida*, *Rehn*, Proc. Acad. Nat. Sci. Philad. lviii. p. 48 (1906).	Mexico, Nicaragua, Costa Rica.
18. **S. Nobilis, Walk. (*Stenobothrus N.*) Cat. Derm. Salt. B. M. v. Suppl. p. 79 (1871) ; Thomas, l. c. p. 209 (1873). *Plectrotettix Nobilis*, *Brun.* l. c. pp. 101, 102. n. 3 (1904).	Mexico.
19. **S. Excelsa, Brun.** (*Plectrotettix Excelsus*) l. c. pp. 101, 102. n. 4 (1904). *S. Excelsa*, *Rehn*, l. c. p. 48 (1906).	id.
*20. **S. Macneilli, Brun.** (*Plectrotettix M.*) l. c. pp. 101, 102. n. 5, pl. 1. ff. 12, 12 *a*, *b* (1904).	id.
21. **S. Patriæ, Scudd.** (*Plectrotettix P.*) Proc. Davenport Acad. Sci. viii. pp. 27, 95, pl. 3. f. 2 (1901) ; Brun. l. c. pp. 101, 102. n. 6 (1904).	California (?), Uruguay.
22. **S. (?) Physopoda, Navás,** Bol. Soc. Aragon, iii. p. 133 (1904).	Himalaya.
23. **S. (?) Rubripes, Navás,** l. c. iv. p. 53 (1905).	id.

Genus 238. **Ageneotettix.** (*Type* no. 2.)

McNeill, Psyche, viii. p. 71 (1897) : Scudd. Guide N. Amer. Orth. p. 31 (1897) ; Psyche, viii. pp. 238, 239 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 33, 108 (1902, 1905).

‖*Eremnus, McNeill (nec Schönh.)*, Proc. Davenport Acad. Sci. vi. pp. 199, 267 (1897).

*1. **A. Scudderi, Brun.** (*Aulocara S.*) Proc. U.S. Nat. Mus. xii. p. 63 (1889). *Eremnus Scudderi*, *McNeill*, l. c. pp. 268, 269. n. 2 (1897). *A. Scudderi*, *Brun.* Biol. Centr.-Amer., Orth. ii. p. 109. n. 1 (1905). ‖*Phlibostroma Parva*, *McNeill* (*nec Scudd.*), Psyche, vi. p. 64 (1891).	U. States.
2. **A. Deorum, Scudd.** (*Chrysochraon D.*) Bull. U.S. Geol. Surv. Territ. ii. p. 262 (1870). *Eremnus Deorum*, *McNeill*, l. c. p. 268. n. 1. pl. 6. ff. 29, 29 *a*, *b* (1897).	New Mexico.

A. Deorum, Brun. l. c. pp. 109, 110. n. 2 (1905); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 371 (1906).

3. **A. Australis, Brun.** l. c. pp. 109, 110. n. 3 (1905). Arizona.

4. **A. Curtipennis, Brun.** l. c. p. 109 (1905). Colorado.

*5. **A. Occidentalis, Brun.** l. c. p. 109. n. 4 (1905); Bull. Agric. Exper. Stat. Colorado, xciv. p. 58 (1904). id.

6. **A. Arenosus, Hancock,** Ent. News, xvii. p. 253 (1906). Illinois.

Genus 239. **Aulocara.** (*Type* no. 2.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 266 (1876); Guide N. Amer. Orth. p. 31 (1897); Psyche, viii. pp. 238, 239 (1898); Proc. Amer. Acad. xxxv. p. 54 (1899); Brun. Biol. Centr.-Amer., Orth. ii. pp. 34, 110 (1902, 1905); Caud. Canad. Ent. xxxv. p. 302 (1903).

Œdocara, Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 289; Sauss. Mém. Soc. Genève, xxviii. pp. 41, 78 (1884).

1. **A. Rufum, Scudd.** Proc. Amer. Acad. xxxv. pp. 54, 55 (1899). Colorado. Kansas.

Heliastus Guanieri, Caud. Proc. U.S. Nat. Mus. xxvi. p. 794. n. 80, pl. 55. f. 3 (1903).

2. **A. Elliotti, Thomas,** (*Stauronotus E.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 82; Syn. Acrid. N. Amer. p. 139 (1873). Colorado.

Œdocara Elliotii, Sauss. l. c. p. 79. n. 1 (1884).

A. Elliotti, Brun. Canad. Ent. xvii. p. 10 (1885); Biol. Centr.-Amer., Orth. ii. pp. 110, 111. n. 1 (1905); Scudd. Proc. Amer. Acad. xxxv. pp. 55, 56 (1899); Caud. Proc. U.S. Nat. Mus. xxvi. p. 785. n. 32 (1903).

A. Cœruleipes, Scudd. Bull. U.S. Surv. Territ. ii. p. 266 (1876).

A. Decens, Scudd. l. c. p. 267 (1876).

Œdocara Strangulatum, Scudd. Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 289.

Œdocara Strangulum, Sauss. l. c. p. 79. n. 2 (1884).	
3. **A. Femoratum, Scudd.** Proc. Amer. Acad. xxxv. pp. 54, 55 (1899); Brun. Biol. Centr.-Amer., Orth. ii. p. 111. n. 2 (1905); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 372 (1906).	Montana, Colorado, Arizona, Mexico.
4. **A. Parallelum, Scudd.** l. c. pp. 55, 57 (1899); Rehn, l. c. pp. 372, 373, ff. 6, 7 (1906).	Utah, Colorado.
5. **A. Brevipenne, Brun.** Biol. Centr.-Amer., Orth. ii. p. 111. n. 3 (1905). *Zapata Brevipennis* (♂ nec ♀), *Brun.* l. c. p. 103. n. 1 (1904).	Mexico.

Genus 240. **Ligurotettix.** (*Type* no. 1.)

McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 257 (1897); Scudd. Guide N. Amer. Orth. p. 26 (1897); Psyche, viii. p. 239 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 34, 112 (1902, 1905).

1. **L. Coquilleti, McNeill,** l. c. p. 258, pl. 5. ff. 24, 24 *a–c* (1897).	California, Arizona.
2. **L. Kunzei, Caud.** Proc. Ent. Soc. Washington, v. p. 162 (1903).	Arizona.

Genus 241. **Goniatron.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 112 (1905).

1. **G. Planum, Brun.** l. c. p. 113. n. 1, pl. 1. ff. 20, 20 *a*, *b* (1905).	Mexico.

Genus 242. **Calephorus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 97 (May 1853); Syn. Eur. Orth. p. 8 (1854).

Oxycoryphus, Fisch. Orth. Eur. p. 311 (1853); Bol. Ortópt. Españ. pp. 101, 106 (1876); An. Sci. Españ. v. pp. 307, 312 (1876); Ann. Sci. Nat. Porto, iv. pp. 213, 223 (1897); Brunn. Prodr. Eur. Orth. pp. 83, 92 (1882); Ann. Mus. Genova, xxxiii. p. 120 (1893); Finot, Orth. France, pp. 40, 46 (1883); Faune France, Orth. pp. 100, 103 (1890).

*1. **C. Compressicornis, Latr.** (*Acrydium C.*) Hist. Nat. Crust. Ins. xii. p. 155. n. 12 (1804). *Oxycoryphus Compressicornis, Fisch.* l. c. p. 311. n. 1, pl. 16. ff. 4, 4 *a, b* (1853); Bol. ll. cc. p. 106. n. 1, pl. 3. f. 21 (1876); p. 312. n. 1, pl. 12. f. 21 (1876); p. 223. n. 1 (1897); Brunn. l. c. p. 93. n. 1, pl. 4. f. 23 A–C (1882); Finot, ll. cc. p. 46 (1883); p. 103, pl. 4. f. 60 (1890). *Gryllus Dubius, Ramb.* Faun. Andal. ii. p. 90. n. 16, pl. 7. ff. 4, 5 (1839). *C. Elegans, Fieb.* ll. cc. iii. p. 97. n. 1 (1853); p. 8. n. 1 (1854). *C. Dubius, Fieb.* ll. cc. iii. p. 98. n. 2 (1853), iv. p. 177. n. 2 (1854); p. 9. n. 2 (1854). *Tryxalis Tereticornis, Brullé*, Webb, Hist. Nat. Canar., Ins. p. 76. n. 24 (1838).	S. France, Spain, Canaries, N. & W. Africa, Syria.
2. **C. Venustus, Walk.** (*Oxycoryphus V.*) Zoologist, (2) v. p. 2302 (1870).	Cairo.
3. **C. (??) Tibialis, Walk. (*Oxycoryphus T.*) Cat. Derm. Salt. B. M. iv. p. 787. n. 9 (1870); Thom. Syn. Acrid. N. Amer. p. 204 (1873).	Mexico.

Genus 243. **Lobopoma.**

Karsch, Stett. Ent. Zeit. lvii. p. 253 (1896).

*1. **L. Ambages, Karsch,** l. c. n. 15, f. 5 (1896).	E. Africa.

Genus 244. **Phlæoba.** (*Type* no. 1.)

Stål. Eugenies Resa, Orth. p. 340 (1860); Recens. Orth. i. pp. 92, 107 (1873); Bihang Vet.-Akad. Handl. iv. (5) p. 21 (1876); Brunn. Ann. Mus. Genova, xxxiii. p. 121 (1893).

*1. **P. Fumosa, Serv.** (*Opsomala F.*) Ins. Orth. p. 593. n. 11 (1839). *Gomphocerus* (*Phlæoba*) *Rusticus, Stål*, Eugenies Resa, Orth. p. 340. n. 95 (1860). ***Opomala Javanica, Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 52 (1871).	Java.
*2. **P. Antennata, Brunn.** l. c. p. 125. n. 2, pl. 5. f. 49 (1893).	Burma, Sing., &c.

3. **P. Tenebrosa, Walk. (*Opomala T.*) l. c. p. 53 (1871).	Yunnan.
*4. **P. Infumata, Brunn.** l. c. p. 124. n. 1 (1893).	Burma.
5. **P. Fumida, Walk. (*Xiphocera F.*) l. c. iii. p. 528. n. 24 (1870). ‖*Xiphocera Fumosa, Walk.* (*nec Serv.*) l. c. iii. p. 528. n. 23 (1870); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 199, 293 (1902).	Corea, Hongkong.
6. **P. Walhousei, Kirb. (n. n.). *Xiphocera Fumida*, var., *Walk.* l. c. v. Suppl. p. 54 (1871).	S. India.
7. **P. Panteli, Bol.** Ann. Soc. Ent. France, lxx. p. 589 (1902).	Madura.
8. **P. Angustidorsis, Bol.** l. c. p. 590 (1902).	Kodaikanal.
9. **P. Galeata, Walk. (*Opomala G.*) l. c. iii. p. 513. n. 29 (1870).	Hongkong.
10. **P. Simplex, Walk. (*Stenobothrus S.*) l. c. v. Suppl. p. 82 (1871).	Bombay.

Genus 245. **Zygophlæoba.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 591 (1902).

1. **Z. Sinuatocollis, Bol.** l. c. (1902).	S. India.
2. **Z. Truncaticollis, Bol.** l. c. (1902).	id.

Genus 246. **Phlæobida.**

Bol. Ann. Soc. Ent. France, lxx. p. 592 (1902).

1. **P. Angustipennis, Bol.** l. c. pp. 592, 593, pl. 9. f. 30 (1902).	S. India.

Genus 247. **Paraphlæoba.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. pp. 592, 593 (1902).

1. **P. Platyceps, Bol.** l. c. p. 593, pl. 9. f. 29 (1902).	Kodaikanal.
2. **P. Carinata, Bol.** l. c. pp. 593, 594 (1902).	Madura.
3. **P. Simoni, Bol.** ll. cc. (1902).	Ceylon.

Genus 248. **Duronia.** (*Type* no. 2.)

Stål, Bihang Vet.-Akad. Handl. iv. (5) p. 21 (1876); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 54 (1893).

Paracomacris, *Karsch*, Ent. Nachr. xxvi. pp. 275, 276 (1900); Bol. Mém. Soc. Ent. Belg. xvi. p. 99 (1908).

Pseudocomacris, *Bol.* l. c. note (1908).

1. **D. Stenoptera, Schaum,** (*Chrysochraon Stenopterus*) Ber. Akad. Wiss. Berlin, 1853, p. 779. n. 18; Peters, Reise Mossamb. v. p. 133, pl. 7 A. f. 4 (1862).	Mozambique.
2. **D. Deceptor, Karsch** (*Paracomacris D.*) Ent. Nachr. xxvi. p. 275 (1900). ‖ *Chrysochraon Semicarinatus*, *Stål* (*nec Gerst.*), l. c. p. 21 (1876). *Duronia Semicarinata*, *Karsch*, Berlin. Ent. Zeitschr. xxxviii. p. 73. n. 21 (1893).	

Genus 249. **Rodunia.** (*Type* no. 1.)

Bol. Mém. Soc. Ent. Belg. xiv. p. 99 note (1908).

1. **R. Basalis, Walk. (*Opomala B.*) Cat. Derm. Salt. B. M. iii. p. 510. n. 20 (1870). *Phlæoba Chloronota*, *Stål*, Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 1 (1876). ‖ *Duronia Viridula*, *Karsch* (*nec Beauv.*), Berlin. Ent. Zeitschr. xxxviii. p. 74. n. 22 (1893).	S. & E. Africa.
2. **R. Interlineata, Walk. (*Opomala I.*) l. c. p. 510. n. 21 (1870). *Phlæoba Interlineata*, *Kirb.* Trans. Ent. Soc. Lond. 1902, p. 66. n. 22. *Phlæoba Viridula*, var. *Liturata*, *Bol.* J. Sci. Lisboa, (2) i. p. 98 (1889).	Natal, Nyasa Land.
*3. **R. Angustata, Bol.** (*Phlæoba A.*) l. c. p. 97. n. 67 (1889).	Braganza, Nyasa.
*4. **R. Sanguinolenta, Bol.** (*Phlæoba S.*) l. c. p. 96. n. 66 (1889).	Caconda, Nyasa.
5. **R. Læta, Bol.** (*Phleoba L.*) An. Soc. Españ. xix. p. 310 (1890).	Ashanti, Madag.
6. **R. Rufescens, Kirb. (*Phlæoba R.*) Proc. Zool. Soc. Lond. 1902. p. 95. n. 10.	Baringo.

*7. **R. Schulthessi Kirb.** (n. n.). ‖*Phlœoba Antennata, Schulth.* (*nec Brunn.*) Ann. Mus. Genova, xxxix. p. 185, pl. 2. f. 8 (1898).	Arabia, Somali.
8. **R. Producta, Walk. (*Stenobothrus Productus*) l. c. iv. p. 763. n. 60 (1870). *Duronia Pooensis, Bol.* Mem. Soc. Españ. i. p. 221 (1905).	W. Africa.
9. **R. Tricarinata, Bol.** (*Duronia T.*) An. Soc. Españ. xix. p. 312 (1890).	Ashanti.
10. **R. Insipida, Karsch,** (*Duronia I.*) Stettin. Ent. Zeit. lvii. p. 252. n. 13 (1906).	E. Africa.
11. **R. Duria, Karsch,** (*Duronia D.*) l. c. n. 14 (1906).	W. Africa.
12. **R. Mossambicensis, Brancs.** (*Phlœoba M.*) Jahresb. Ver. Trencs. Com. xvii.–xviii. p. 249. pl. 8. f. 1 (1897).	Mozambique.
13. **R. Inclyta, Walk. (*Stenobothrus Inclytus*) l. c. v. Suppl. p. 83 (1871).	Hab. —— ?
14. **R. Recta, Walk. (*Stenobothrus Rectus*) l. c. (1871).	Hab. —— ?
15. **R. Tricolor, Karny,** (*Phlœoba T.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. (1) p. 368. n. 97, pl. 3. f. 50 (1907).	Soudan.
16. **R. Elegans, Karny,** (*Phlœoba E.*) l. c. pp. 368, 369. n. 98, pl. 3. f. 51 (1907).	Gondokoro.
17. **R. Pharaonis, Karny,** (*Phlœoba P.*) ll. cc. n. 99, pl. 3. f. 52 (1907). *Phlœoba Pharaonis*, var. *Aterrima, Karny,* l. c. p. 370 (1907).	Soudan.

Genus 250. **Duroniella.** (*Type* no. 2.)

Bol. Mém. Soc. Ent. Belg. xiv. p. 100 note (1908).

‖*Duronia, Jacobs. & Bianchi* (*nec Stal*), Prem. i Lozhn. Ross. Imp. pp. 165, 176, 215 (1904).

1. **D. Savignyi, Krauss,** (*Duronia S.*) Verh. zool.-bot. Ges. Wien, xl. p. 259 (1890); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 176, 215 (1904). [Savigny, Hist. Égypte, Orth. pl. 6. f. 9.]	Egypt.
*2. **D. Lucasii, Bol.** (*Phleoba* (*Duronia*) *L.*) An. Soc. Españ. x. p. 502 (1881). *Duronia Laura, Borm.* Ann. Mus. Genov. xxii. p. 103. n. 16. fig. (1885).	Algeria, Tunis, Egypt. Syria.

Duronia Fracta, Krauss, l. c. p. 260 (1890); Jacobs. & Bianchi, l. c. pp. 176, 215 (1904).	
3. **D. Kalmyka, Adel.** (*Duronia K.*) Mater. Faun. Flor. Ross. Imp. vi. p. 84. n. 6 (1906).	Turgai.

Genus 251. **Comacris.**

Bol. An. Soc. Españ. xix. p. 312 (1890); Brunn. Ann. Mus. Genova, xxxiii. p. 119 (1893).

1. **C. Semicarinatus, Gerst.** (*Chrysochraon S.*) Arch. Naturg. xxxv. p. 218. n. 60 (1869); Von der Decken, Reisen in Ost-Afrika, Ins. p. 39. n. 60 (1873).	Zanzibar.
C. Sansibaricus, Bol. l. c. p. 313 (1890).	

Genus 252. **Diablepia.**

Kirb. Trans. Ent. Soc. Lond. 1902, p. 68.

1. **D. Viridis, Kirb.** l. c. p. 69. n. 28 A (1902).	Pretoria.

Genus 253. **Orthochtha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 177 note (1891); xxxviii. pp. 53, 62 (1893).

*1. **O. Dasycnemis, Gerst.** (*Chrysochraon D.*) Arch. Naturg. xxxv. p. 217. n. 59 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 38. n. 59, pl. 3. f. 2 (1873).	Zanzibar. Abyssinia.
2. **O. Bisulcata, Krauss,** (*Phlaeoba B.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 52. n. 2 (1877).	Senegal.
3. **O. Brachycnemis, Karsch,** l. c. xxxviii. p. 62. n. 9, p. 63. f. 4 (1893).	Adeli.
4. **O. Grossa, Bol.** Mém. Soc. Ent. Belge, xvi. p. 98. n. 64 (1908).	W. Africa.

Genus 254. **Cymochtha.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 68 (1893).

1. **C. Nigricornis, Karsch,** l. c. p. 69. n. 16, f. 7 (1893). — Adeli.

Genus 255. **Zacompsa.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 74 (1893).

1. **Z. Festa, Karsch,** l. c. p. 74. n. 23, p. 73. f. 11 (1893). — Adeli.

Genus 256. **Chirista.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 75 (1893).

1. **C. (?) Socia, Stål,** (*Gomphocerus* (*Epacromia*) *Socius*) Eugenies Resa, Orth. p. 342. n. 100 (1860). — Cape.
   Epacromia Socia, Stål, Recens. Orth. i. p. 112. n. 3 (1873).

2. **C. Compta, Walk. (*Stenobothrus Comptus*) Cat. Derm. Salt. B. M. iv. p. 762. n. 59 (1870). — W. & E. Africa.
   Duronia Virgula, Bol. An. Soc. Españ. xix. p. 310 (1890).
   C. Virgula, Bol. Mem. Soc. Españ. i. p. 221 (1905); Mém. Soc. Ent. Belg. xvi. p. 101. n. 70 (1908).
   Gymnobothrus Varians, Karsch, l. c. xxxvi. p. 178. n. 4 (1891).
   C. Varians, Karsch, l. c. xxxviii. p. 76. n. 24, p. 73. f. 12 (1893).

3. **C. Virgata, Karsch,** l. c. pp. 76, 77. n. 25 (1893). — Adeli.

4. **C. Flavolineata, Karsch,** ll. cc. n. 26 (1893). — id.

5. **C. Manca, Karsch,** l. c. pp. 76, 78. n. 27 (1893). — id.

6. **C. Flexuosa, Schulth.** (*Duronia F.*) Ann. Mus. Genova, xxxix. p. 186. n. 1, pl. 2. f. 9 (1898).	Somali.
7. **C. Interrupta, Karsch,** Stettin. Ent. Zeit. lvii. p. 264. n. 26 (1896).	Zanzibar.

Genus 257. **Holopercna.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 176 (1891).

*1. **H. Gerstaeckerii, Bol.** (*Duronia G.*) An. Soc. Españ. xix. p. 311 (1890). *H. Cœlestis, Karsch,* l. c. xxxvi. p. 177. n. 2 (1891).	Ashanti, Gaboon, Cameroons.

Genus 258. **Paracinema.** (*Type* no. 1.)

Fisch. Orth. Eur. pp. 296, 312 (1853); Stål, Recens. Orth. i. pp. 91, 103 (1873); Bol. Or.ópt. Españ. pp. 100, 104 (1876); An. Soc. Españ. v. pp. 306, 310 (1876); Ann. Sci. Nat. Porto, iv. pp. 213, 223 (1897); Brunn. Prodr. Eur. Orth. pp. 83, 96 (1882); Finot, Orth. France, pp. 41, 48 (1883); Faune France, Orth. pp. 100, 106 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 237 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 177, 217 (1902).

*1. **P. Tricolor, Thunb.** (*Gryllus Tricolor*) Mém. Acad. Pétersb. v. p. 254 (1815); ix. pp. 398, 419. n. 72 (1824). *P. Tricolor, Stål,* l. c. p. 103. n. 1 (1873); Bol. ll. cc. p. 105. n. 1, pl. 2. f. 17 (1876); p. 311. n. 1, pl. 11. f. 17 (1876); Mem. Soc. Españ. i. p. 223 (1905); Mém. Soc. Ent. Belge, xvi. p. 100. n. 68 (1908); Brunn. l. c. p. 97. n. 1, pl. 4. f. 26 (1882); Finot, ll. cc. p. 48 (1883); p. 106 (1889); Tümpel, l. c. pp. 216, 238 (1900); Jacobs. & Bianchi, l. c. pp. 177, 217 (1902). *Gryllus Bisignatus, Charp.* Hor. Ent. p. 133 (1825); Ramb. Faun. Andal. ii. p. 92. n. 17 (1839); Herr.-Schäff. Panz. Faun. Germ. fasc. clvii. pl. 20 (1838?). *Œdipoda Bisignata, Serv.* Ins. Orth. p. 738. n. 23 (1839); Charp. Orth. pl. 53 (1845).	S. Europe, W. Asia, Africa, Madagascar

Acridium Bisignatum, Costa, Faun. Nap., Ortott. p. 33. n. 15, pl. v. f. 3 A, *b*, *c* (1836).
P. Bisignatum, Fisch. l. c. p. 313. n. 1, pl. 16. ff. 5, 5 *a*, *b* (1853).
Mecostethus Bisignatus, Fieb. Lotos, iii. p. 99. n. 1 (1853), iv. p. 179. n. 1; Syn. Eur. Orth. p. 10. n. 1 (1854).
Acridium Viridulum, Costa, l. c. p. 35. n. 16, pl. 5. f. 4 A, *b*, *c* (1836).
Œdipoda Virescens, Luc. Expl. Alg. iii. p. 37. n. 62, iv. pl. 4. f. 4 (1849).
Gryllus Sylvestris, Thunb. ll. cc. p. 255 (1815); ix. pp. 398, 420. n. 73 (1824).
P. Sylvestre, Stål, l. c. p. 103. n. 2 (1873).

2. **P. Luculenta, Karsch,** Stett. Ent. Zeit. lvii. p. 254. n. 16, f. 6 (1896). Togo.
3. **P. Superba, Bol.** Mem. Soc. Españ. i. p. 223 (1905). E. Africa.
4. **P. Terminale, Bol.** Mém. Soc. Ent. Belge, xvi. p. 100. n. 69 (1908). W. Africa.

Genus 259. **Ceracris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 790 (1870).

** 1. **C. Nigricornis, Walk.** l. c. p. 791. n. 1 (1870). Darjeeling.
2. **C. Versicolor, Brunn.** (*Duronia V.*) Ann. Mus. Genova, xxxiii. p. 126. n. 1 (1893). Burma.
3. **C. Deflorata, Brunn.** (*Duronia D.*) l. c. n. 2 (1893). id.

Genus 260. **Mecostethus.** (*Type* no. 1.)

Fieb. Kelch, Orth. Oberschles. p. 1 (1852); Lotos, iii. p. 99 (1853); Syn. Eur. Orth. p. 10 (1854).
Parapleurus, Fisch. Orth. Eur. pp. 297, 363 (1853); Friv. Értek. Termész. Kör. i. (12) pp. 136, 168 (1867); Stål, Recens. Orth. i. p. 91 (1873); Bol. Ortópt. Españ. p. 101 (1876); An. Soc. Españ. v. p. 307 (1876); Brunn. Prodr. Eur.

Orth. pp. 83, 95 (1882); Finot, Orth. France, pp. 41. 47 (1853); Faune France, Orth. pp. 100, 105 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214. 216, 238 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 176, 216 (1902). (*Nom. spec.*; *type* no. 1.)

*1. **M. Alliaceus, Germ.** (*Gryllus A.*) Faun. Ins. Eur. xi. pl. 19 (1817). *Parapleurus Alliaceus*, *Brunn.* l. c. p. 96. n. 1, pl. 4. f. 25 A, B (1882); Finot, ll. cc. p. 47 (1883); p. 105, pl. 4. ff. 62, 63, 63 bis (1889); Tümpel, l. c. p. 238, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 176, 217, pl. 4 (1902). *Gryllus Parapleurus*, *Hagenb.* Symb. Ins. Helvet. p. 34, f. 21 (1822); Charp. Hor. Ent. p. 152 (1825). *Gomphocerus Parapleurus*, *Burm.* Handb. Ent. ii. p. 651. n. 18 (1838). *Œdipoda Parapleura*, *Serv.* Ins. Orth. p. 739. n. 24 (1838); Fisch.-Waldh. Orth. Ross. p. 303. n. 21, pl. 23. ff. 1, 2 (1846). *Parapleurus Typus*, *Fisch.* l. c. p. 364. n. 1, pl. 16. ff. 1, 1 *a*, *b* (1853); Friv. l. c. p. 168. n. 1 (1867).	Central & E. Europe, Asia.
2. **M. Fasciatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 127. n. 1 (1893).	Burma.
3. **M. Fastigiatus, Rehn,** (*Parapleurus F.*) Proc. Acad. Nat. Sci. Philad. liv. p. 629 (1902).	Japan.

Genus 261. **Chrysochraon.** (*Type* no. 1.)

Fisch. Orth. Eur. pp. 296, 307 (1853); Friv. Értek. Termesz. Kör. i. (12) pp. 135, 138 (1867); Stål, Recens. Orth. i. p. 93 (1873); Bol. Ortópt. Españ. p. 101 (1876); An. Soc. Españ. v. p. 307 (1876); Ann. Sci. Nat. Porto, iv. pp. 213, 223 (1897); Brunn. Prodr. Eur. Orth. pp. 84. 97 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 41, 48 (1883); Faune France, Orth. pp. 100, 106 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 238 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 177, 218 (1902).

*1. **C. Dispar, Germ.** (*Podisma D.*) Faun. Ins. Eur. fasc. 17, pl. 7 (1835?); Fisch.-Waldh. Orth. Ross. p. 249. n. 1, pl. 31. f. 5 (1846).	Central Europe, Tomsk, Amur.

Acridium Dispar, Bris. Bull. et Ann. Soc. Ent. France, (2) vi. pp. xxxviii, liv, 423 (1848).

C. Dispar, Fisch. l. c. p. 308. n. 1, pl. 16. ff. 6, 6* (1853) ; Friv. l. c. p. 139. n. 1 (1867) ; Brunn. l. c. p. 98. n. 1, pl. 4. f. 27 A–D (1882) ; Finot, ll. cc. pp. 48, 49 (1883) ; p. 107, pl. 4. ff. 65–67 (1889) ; Tümpel, l. c. pp. 216, 238 (1900) ; Jacobs. & Bianchi, l. c. pp. 177, 218 (1902).

Chorthippus Dispar, Fieb. Lotos, iii. p. 118. n. 38 (1853) ; Syn. Eur. Orth. p. 18. n. 38 (1854).

Gryllus Platypterus, Ocsk. Nova Acta Acad. Leop.-Carol. xvi. (2) p. 960 (1832).

Œdipoda Smilacea, Fisch.-Waldh. l. c. p. 363, pl. 33. ff. 13, 14 (1846).

Acridium Smilaceum, Bris. Bull. Soc. Ent. France, (2) v. p. lxxxvi (1847), (2) vi. p. xxxviii (1848).

‖ *Gomphocerus Parallelus, Burm.* (*nec Zett.*) Handb. Ent. ii. p. 650. n. 16 (1838).

Acridium Decurtatum, Herr.-Schäff. Nomencl. Ent. ii. p. 9 (1840).

*2. **C. Brachypterus, Ocsk.** (*Gryllus B.*) Nova Acta Acad. Leop.-Car. xiii. (1) p. 409 (1826). Europe, Siberia Amur.

C. Brachypterus, Fisch. l. c. p. 309. n. 2, pl. 16. ff. 7, 7*, 7**, 7 *a*, *b* (1853) ; Friv. l. c. p. 139. n. 2 (1867) ; Brunn. l. c. pp. 98, 99. n. 2 (1882) ; Finot, ll. cc. p. 49 (1883) : pp. 107, 108 (1889) ; Tümpel, l. c. pp. 216, 238, pl. 16 (1900) ; Jacobs. & Bianchi, l. c. pp. 177, 218, pl. 4 (1902).

Acridium Smaragdulum, Herr.-Schäff. l. c. p. 9 (1840).

Acridium Abbreviatum, Herr.-Schäff. l. c. (1840).

Podisma Longicrus, Fisch.-Waldh. l. c. p. 251. n. 5 (1846).

Œdipoda Longicrus, Fisch.-Waldh. l. c. pl. 22. ff. 3, 4 (1846).

Chorthippus Ocskayi, Fieb. ll. cc. p. 118. n. 39 (1853) ; p. 18. n. 39 (1854).

Œdipoda Leucoptera, Fisch.-Waldh. l. c. p. 362, pl. 33. f. 12 (1846).

Œdipoda Homoptera, Eversm. Addit. Fisch.-Waldh. Orth. Ross. p. 14. n. 14, pl. A. f. 8 (1848). *C. Brachypterus*, var. *Intermedia, Bol.* Ann. Sc. Nat. Porto, iv. p. 224 (1897); Jacobs. & Bianchi, l. c. p. 218 (1902).	
3. **C. Japonicus, Bol.** Ann. Mus. Genova, xxxix. p. 82. n. 32 (1898); Jacobs. & Bianchi, l. c. p. 219 (1902).	Japan.
4. **C. Clavatus, Ostr.** Zool. Anz. iv. p. 597 (1881).	Turkestan.
5. **C. Poppiusi, Miram,** Öfvers. Finska Vet. Soc. Förh. xlix. (6) p. 3 (1907).	N. Russia, Siberia.
6. **C. Levipes, Karsch,** Stettin. Ent. Zeit. lvii. p. 255. n. 18 (1896).	Kilimanjaro.

Genus 262. **Podismopsis.**

Zub. Hor. Soc. Ent. Ross. xxxiv. p. 2 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 177, 219 (1902).

1. **P. Altaica, Zub.** l. c. p. 2. n. 3 (1900). *Chrysochraon Altaicus, Jacobs. & Bianchi,* l. c. pp. 177, 219 (1902).	Altai.

Genus 263. **Rhabdoplea.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 69 (1893).

1. **R. Munda, Karsch,** l. c. pp. 70, 71. n. 17, f. 8 (1893).	Adeli.
2. **R. Mira, Karsch,** ll. cc. n. 18, f. 9 (1893).	id.
3. **R. Angustula, Karsch,** l. c. pp. 70, 72. n. 19, f. 9, pt. (1893).	id.

Genus 264. **Coryphosima.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 72 (1893).

1. **C. Brevicornis, Karsch,** l. c. pp. 72, 73. n. 20, f. 10 (1893).	Adeli.

Genus 265. **Amesotropis**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 54, 66 (1893).

1. **A. Valga, Karsch,** l. c. p. 67. n. 15, f. 6 (1893).	Adeli.

Genus 266. **Phlocerus.**

Fisch.-Waldh. Notice sur le Phlocerus, p. 15 (1833); Silbermann's Rev. Ent. ii. p. 250 (1834); Orth. Ross. p. 343 (1846); Serv. Ins. Orth. p. 748 (1839); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 184, 239 (1902).

1. **P. Menetriesii, Fisch.-Waldh.** ll. cc. p. 15, plate (1833); p. 252, pl. 31 (1834); p. 345. n. 1, pl. 17. ff. 1, 1 *a–e* (1846); Serv. l. c. p. 749. n. 1 (1839); Jacobs. & Bianchi, l. c. pp. 184, 239 (1902).	Caucasus.

Genus 267. **Gymnobothrus.** (*Type* no. 1.)

Bol. Jorn. Sci. Lisb. (2) i. p. 100 (1889);
Brunn. Ann. Mus. Genova, xxxiii. p. 122 (1893).

*1. **G. Linea-alba, Bol.** l. c. p. 100. n. 75 (1889). ** *Calantops Vittata, Kirb.* Trans. Ent. Soc. Lond. 1902, p. 106. n. 111.	Angola &c.
2. **G. Anchietæ, Bol.** l. c. p. 101. n. 76 (1889).	Angola.
3. **G. Scapularis, Bol.** l. c. n. 77 (1889).	Lorenzo Marques.
4. **G. Cruciatus, Bol.** l. c. n. 78 (1889).	Angola.
5. **G. Oberthuri, Bol.** An. Soc. Españ. xix. p. 315 (1890)	Unyanyembe.
6. **G. Indicus, Bol.** Ann. Soc. Ent. France, lxx. p. 596, pl. 9. f. 31 (1902).	S. India; Madura.

Genus 268. **Madurea.**

Bol. Ann. Soc. Ent. France, lxx. p. 596 (1902).

1. **M. Cephalotes, Bol.** l. c. p. 597. pl. 9. f. 32 (1902).	Madura.

Genus 269. **Ochrilidia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 92, 104 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 22 (1876): Brunn. Prodr. Eur. Orth. pp. 83, 91 (1882); Bol. Ortópt. Españ. p. 100 (1876); An. Soc. Españ. v. p. 306 (1876).

Brachycrotaphus, *Krauss*, Sitzungsb. Akad. Wiss. Wien. lxxvi. (1) p. 47 (1877). (*Type* no. 1.)

1. **O. Tryxalicera, Fisch.** (*Opomala T.*) Orth. Eur. p. 305. n. 1, pl. 15. f. 8 (1853). *Ochrilidia Tryxalicera*, *Stål*, Recens. Orth. i. p. 104. n. 1 (1873); Brunn. l. c. p. 91. n. 1 (1882); Karny, Sitz. Akad. Wiss. Wien, cxvi. p. 100. n. 94 (1907). *Ochrilidia (Opomala) Tryxalicera*, *Krauss*, Verh. zool.-bot. Ges. Wien, xxxviii. p. 571. n. 6 (1888). *Platypterna Tryxalidocera*, *Jacobs. & Bianchi*, Prem. i Lozhn. Ross. Imp. pp. 176, 216 (1902). *Brachycrotaphus Steindachneri*, *Krauss*, l. c. p. 48. n. 1, pl. 2. ff. 15, 15 A (1877).	Sicily, Turkey, Nubia, Senegal, Syria.
2. **O. Buettneri, Karsch,** (*Brachycrotaphus Büttneri*) Stettin. Ent. Zeit. lvii. pp. 261, 262. n. 24, ff. 9, 9 *b* (1896).	W. Africa, Togo.
3. **O. Stuhlmanni, Karsch,** (*Brachycrotaphus S.*) l. c. p. 262. n. 25, f. 9 *a* (1896).	iid.
4. **O. Longiceps, Bol.** Ann. Soc. Ent. France, lxx. p. 595 (1902).	S. India: Madura.

Genus 270. **Platypterna.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 98 (1853); Syn. Eur. Orth. p. 9 (1854); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 176, 215 (1902).

1. **P. Tibialis, Fieb.** ll. cc. p. 98. n. 1 (1853); p. 9. n. 1 (1854); Jacobs. & Bianchi, l. c. pp. 176, 216 (1902). *Ochrilidia Tibialis*, *Brunn.* Prodr. Eur. Orth. p. 91. n. 2, pl. 4. f. 22 A–C (1882).	N. Africa, Spain, Greece, Asia Minor, Syria.

2. **P. Longicornis, Fieb.** (*Opsomala L.*) ll. cc. p. 98. n. 2 (1853); p. 9. n. 2 (1854).	Greece, Egypt.
3. **P. Boscæ, Caz.** (*Ochrilidia B.*) An. Soc. Españ. xv. p. 112 (1886).	Spain.
4. **P. Pruinosa, Brunn.** (*Ochrilidia P.*) l. c. pp. 91, 92. n. 3 (1882). *Platypterna Pruinosa, Jacobs. & Bianchi,* l. c. pp. 176, 216 (1902).	Rhodes, Palestine.
5. **P. Gracilis, Krauss,** Verh. zool.-bot. Ges. Wien, lii. p. 236. n. 11, f. 2 (1902).	Algerian Sahara.
6. **P. Filicornis, Krauss,** l. c. p. 237. n. 12, f. 3 (1902).	id.
7. **P. (?) Brevipes, Stål,** (*Ochrilidia B.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 47 n. 1 (1876).	Damaraland.
8. **P. Costulata, Caz.** (*Ochrilidia C.*) l. c. p. 114 (1886).	Angola.
9. **P. Latipes, Bol.** Mem. Soc. Españ. i. p. 222 (1905).	Fernando Po.
10. **P. Bitæniata, Bol.** (*Ochrilidia B.*) Mém. Soc. Ent. Belg. xvi. p. 97. n. 61 (1907).	Congo (?).

Genus 271. **Eleutherotheca.** (*Type* no. 2.)

Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. (1) p. 560 (1907).

1. **E. Elegans, Karny,** l. c. pp. 360, 361. n. 1. pl. 3. f. 49 (1907).	Kordofan, Gondokoro.
2. **E. Concolor, Karny,** l. c. p. 361. n. 2, pl. 3. f. 48 (1907).	Mongalla, Sudan.

Genus 272. **Pnorisa.** (*Type* no. 1.)

Gomphocerus (*Pnorisa*), *Stål*, Eugenies Resa, Orth. p. 341 (1860).

Pnorisa, *Stål*, Recens. Orth. i. pp. 93, 107 (1873): Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 47 (1876); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 53, 64 (1893): Brunn. Ann. Mus. Genova, xxxiii. p. 122 (1893).

*1. **P. Squalus, Stål,** (*Gomphocerus* (*Pnorisa*) *S.*) Eugenies Resa, Orth, p. 341. n. 97 (1860).	S. Africa.

P. Squalus, *Stål*, Recens. Orth. i. p. 107. n. 1 (1873); Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 1 (1876).

P. Squalus, var. *Bitæniata*, *Bol.* Jorn. Sci. Lisb. (2) i. p. 99. n. 72 (1889).

2. **P. Capensis, Walk. (*Stenobothrus* C.) Cat. Derm. Salt. B. M. iv. p. 764. n. 62 (1870). S. Africa.

*3. **P. Tricarinata, Stål,** Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 48. n. 2 (1876); Karsch, Stettin. Ent. Zeit. lvii. p. 257. f. 8 (1896). Ovambo.

4. **P. Bifoveolata, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 65. no. 12 (1893). Adeli.

5. **P. Invenusta, Karsch,** l. c. n. 13 (1893). id.

6. **P. Vittigera, Karsch,** l. c. pp. 65, 66. n. 14 (1893). id.

7. **P. Fungosa, Bol.** l. c. p. 99. n. 73 (1889). Angola.

8. **P. Grossa, Bol.** l. c. p. 100. n. 74 (1889). Caconda.

Genus 273. **Rhaphotittha.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 256 (1896).

1. **R. Levis, Karsch,** l. c. p. 257. n. 19 (1896) Delagoa Bay.

2. **R. Subtilis, Karsch,** l. c. n. 20 (1896). Zanzibar.

3. **R. Milanjica, Karsch,** l. c. p. 258. n. 21 (1896). Nyasa.

Genus 274. **Dnopherula.**

Karsch, Stettin. Ent. Zeit. lvii. p. 259 (1896).

1. **D. Callosa, Karsch,** l. c. n. 22 (1896). Nyasa.

Genus 275. **Ogmothela.**

Karsch, Stettin. Ent. Zeit. lvii. p. 260 (1896).

1. **O. Rimulata, Karsch,** l. c. n. 23 (1896). Mombasa.

Genus 276. **Dociostaurus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 118 (June 1853); Syn. Eur. Orth. p. 18 (1854).

Stauronotus, Fisch. Orth. Eur. pp. 297, 351 (Nov. 1853); Friv. Értek. Termész. Kör. i. (12) pp. 135, 161 (1867); Stål, Rec. Orth. i. pp. 94, 111 (1873); Bol. Ortópt. Españ. pp. 101, 134 (1876); An. Soc. Españ. v. pp. 307, 341 (1876); Ann. Sci. Nat. Porto, iv. p. 214 (1897), v. p. 13 (1898); Brunn. Prodr. Eur. Orth. pp. 84, 135 (1882); Ann. Mus. Genova, xxxiii. p. 123 (1893); Finot, Orth. France, pp. 42, 65 (1883); Faune France, Orth. pp. 101, 134 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 218, 245 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 184, 239 (1902). (*Type* no. 1.)

*1. **D. Maroccanus, Thunb.** (*Gryllus M.*) Mém. Acad. Pétersb. v. p. 244 (1815), ix. pp. 399, 425. n. 91 (1824). *Stauronotus Maroccanus, Stål*, l. c. p. 111. n. 1 (1873); Bol. ll. cc. p. 135. n. 1, pl. 3. f. 20, pl. 1. f. 1 (1876); p. 341. n. 1, pl. 12. f. 20, pl. 6. f. 1 (1876); v. p. 13. n. 1 (1898); Brunn. Prodr. Eur. Orth. p. 136. n. 1 (1882); Finot, l. c. p. 65 (1883); p. 135 (1889); Jacobs. & Bianchi, l. c, pp. 184, 240, pl. 10 (1902). *Gryllus Cruciatus, Charp.* Hor. Ent. p. 137 (1825). *Acrydium Crúciatum, Costa*, Faun. Nap., Acrid. p. 37. n. 17, pl. 5. f. 1 A, *b*, *c* (1836). *Œdipoda Cruciata, Brullé*, Expéd. Morée, Ins. p. 92. n. 63, pl. 30. f. 2 (1832). *Dociostaurus Cruciata, Fieb.* ll. cc. p. 118. n. 1 (1853); p. 18. n. 1 (1854). *Stauronotus Cruciatus, Fisch.* l. c. p. 352. n. 1, pl. 17. ff. 11, 11 *a–d* (1853). *Œdipoda Vastator, Fisch.-Waldh.* Orth. Ross. p. 312. n. 30, pl. 14. f. 1 (1846).	S. Europe, N. Africa, Madeira, W. & Centr. Asia.
Var. *Gryllus Crucigerus, Ramb.* Faun. Andal. ii. p. 86. n. 13 (1838). *Stauronotus Crucigerus, Fisch.* l. c. p. 356. n. 5 (1853).	Malaga.

2. **D. Hauensteini, Bol.** (*Stauronotus H.*) Rev. Biol. Nord France, v. p. 480 (1893); Giglio-Tos, Boll. Mus. Torino, ix. (191) p. 2 (1894); Krauss, Zool. Jahrb. Syst. ix. p. 562. n. 9, pl. 8. f. 3 (1896); Jacobs. & Bianchi, l. c. pp. 184, 240 (1902).	Asia Minor, Syria. Transcaucasia.
3. **D. Kraussi, Ingen.** (*Stauronotus K.*) Hor. Soc. Ent. Ross. xxxi. p. 63, pl. 7 (1897); Jacobs. & Bianchi, l. c. pp. 184, 241 (1902).	S. Russia, Siberia.
4. **D. Brevicollis, Eversm.** (*Œdipoda B.*) Addit. Fisch.-Waldh. Orth. Ross. p. 11, pl. A. f. 4 (1848).	Madrid, S.E. Europe, Asia Minor, Siberia.
Stauronotus Brevicollis, Friv. l. c. p. 162. n. 1, pl. 6. f. 10 (1867); Bol. Ann. Sci. Nat. Porto, v. pp. 13, 14. n. 2 (1898); Brunn. l. c. pp. 136, 137. n. 2, pl. 5. f. 30 A, B (1882); Krauss, l. c. p. 561. n. 8 (1896); Tümpel, l. c. pp. 218, 245, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 184, 241, pl. 5 (1902).	
‖ *Stauronotus Cruciatus, Eversm.* (*nec Charp.*) Bull. Mosc. xxxii. (1) p. 137 (1859).	
‖ *Stauronotus Genei, Türk,* (*nec Ocsk.*) Wien. Ent. Mon. iv. p. 86. n. 3 (1860).	
Stauronotus Annulipes, Türk, l. c. vi. p. 81 (1862).	
Stauronotus Brevicollis, var. *Hispanicus, Bol.* l. c. p. 14 (1898).	
5. **D. Histrio, Fisch.-Waldh.** (*Œdipoda H.*) Orth. Ross. p. 311. n. 29, pl. 32. f. 6 (1846).	Tauria, Siberia.
*6. **D. Crassiusculus, Pantel,** (*Stauronotus C.*) An. Soc. Españ. xv. p. 237, pl. 2. f. 1 (1886); Bol. l. c. pp. 13, 14. n. 3 (1898); Navás, Bol. Soc. Españ. ii. p. 335. n. 3 (1902).	Spain.
7. **D. Anatolicus, Krauss,** (*Stauronotus A.*) l. c. p. 560. n. 7, pl. 8. f. 1 (1896); Jacobs. & Bianchi, l. c. pp. 184, 241 (1902); Adel. Hor. Soc. Ent. Ross. xxxviii. p. 49. n. 9 (1907).	Transcaucasia, Asia Minor, Syria.
Stauronotus Anatolicus, var. *Castaneopicta, Krauss,* l. c. p. 561. n. 7*a*, pl. 8. ff. 2, 2 A, B (1896); Adel. l. c. p. 51. n. 10, pl. 1. f. 2 (1907).	
Stauronotus Anatolicus, var. *Castaneopictus, Jacobs. & Bianchi,* l. c. p. 242 (1902).	

*8. **D. Genei, Ocskay,** (*Gryllus G.*) Acta Acad. Leop.-Carol. xvi. (2) p. 961 (1832). *Stauronotus Genei, Fisch.* l. c. p. 355. n. 4 (1853); Bol. Ortópt. Españ. pp. 135, 137. n. 2 (1876); An. Soc. Españ. v. pp. 341, 343. n. 2 (1876); Ann. Sci. Nat. Porto, v. pp. 13, 14. n. 4 (1898); Brunn. Prodr. Eur. Orth. pp. 136, 137. n. 3 (1882); Finot, ll. cc. p. 65 (1883); p. 136, pl. 7. f. 97 (1889); Jacobs. & Bianchi, l. c. pp. 184, 242 (1902).	S. Europe, N. Africa, W. Asia.
9. **D. Albicornis, Eversm.** (*Stauronotus A.*) Addit. Fisch.-Waldh. Orth. Ross. p. 10. n. 6, pl. A. f. 3 (1848); Bull. Soc. Nat. Mosc. xxxii. (1) p. 137 (1859). *Stauronotus Albicornis, Brunn.* l. c. pp. 136, 138. n. 4 (1882); Jacobs. & Bianchi, l. c. pp. 185, 242 (1902).	S. Russia, Siberia.
10. **D. Australis, Bol.** (*Stauronotus A.*) Jorn. Sci. Lisb. (2) i. p. 102. n. 79 (1889).	Caconda.
11. **D. Apicalis, Walk. (*Stenobothrus A.*) Cat. Derm. Salt. B. M. v. Suppl. p. 80 (1871).	Bombay.
***12. **D. Turbatus, Walk.** (*Stenobothrus T.*) l. c. p. 81 (1871).	id.

Genus 277. **Eremogryllus.**

Krauss, Verh. zool.-bot. Ges. Wien. lii. p. 238 (1902).

1. **E. Hammadæ, Krauss,** l. c. p. 239. n. 14. ff. 4–6 (1902).	Algeria.

Genus 278. **Notopleura.**

Krauss, Verh. zool.-bot. Ges. Wien. lii. p. 240 (1902).

1. **N. Saharica, Krauss,** l. c. n. 15, ff. 7–9 (1902).	Algeria.

Genus 279. **Gomphocerus.** (*Type* no. 7.)

Thunb. Mém. Acad. Pétersb. v. p. 221 (1815); Sam. Ent. Comp. p. 219 (1819); Steph. Ill. Brit. Ent., Mand. vi.

pp. 19, 29 (1835); Serv. Ann. Sci. Nat. xxii. p. 290 (1831); Ins. Orth. p. 745 (1839); Burm. Handb. Ent. ii. pp. 602, 645 (1838); Fisch.-Waldh. Orth. Ross. pp. 228, 334 (1846); Stål, Recens. Orth. i. pp. 93, 108 (1873); Thomas, Synops. Acrid. N. Amer. p. 95 (1873); Bol. Ortópt. Españ. pp. 101, 107 (1876); An. Soc. Españ. v. pp. 307, 313 (1876), vii. p. 425 (1878); Ann. Sci. Nat. Porto, iv. p. 214 (1897), v. p. 12 (1898); Brunn. Prodr. Eur. Orth. pp. 84, 128 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 42, 62 (1883); Faune France. Orth. pp. 101, 131 (1889); McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 265 (1897); Burr, Brit. Orth. pp. 33, 39 (1897); Lugg. Orthopt. Minnesota, pp. 204, 220 (1897); Auriv. Ent. Tidskr. xxi. pp. 240, 244 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 214, 218, 243 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 182, 235 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 92 (1902, 1904).

*1. **G. Sibiricus, Linn.** (*Gryllus Locusta S.*) Syst. Nat. (ed. xii.) i. (2) p. 701. n. 51 (1767).

S. & Centr. Europe, W., Centr., & E. Asia.

Gryllus Locusta Sibericus, Stoll, Spectres, Saut. p. 23, pl. 10 *b*. f. 35 (1813).

Gryllus Sibiricus, Pall. Reise, i. p. 467. n. 48 (1771); Panz. Faun. Germ. fasc. 23, pl. 20 (1794); Charp. Hor. Ent. p. 167 (1825).

Acrydium Sibiricum, Oliv. Enc. Méth., Ins. vi. p. 226. n. 48 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 160. n. 20 (1801).

Gomphocerus Sibiricus, Thunb. l. c. p. 222 (1815); Steph. l. c. p. 32. n. 7 (1835); Serv. ll. cc. p. 290. n. 1 (1831); p. 746. n. 1 (1839); Burm. l. c. p. 649. n. 9 (1838); Motsch. Bull. Mosc. 1840, pp. 171, 172, pl. 4. ff. *c*, *c'*; Fisch.-Waldh. l. c. p. 336. n. 1, pl. 17. f. 2 (1846); Stål, l. c. p. 108. n. 3 (1873); Bol. ll. cc. pp. 110, 114. n. 2, pl. 3. ff. 2, 3 (1876); v. pp. 316, 320. n. 2, pl. 12. ff. 2, 3 (1876), vii. p. 426. n. 2 (1878); v. p. 12. n. 1 (1898); Brunn. Prodr. Eur. Orth. p. 129. n. 1 (1882); Finot, ll. cc. p. 63 (1883); p. 131 (1889); Burr, l. c. p. 39, pl. 3. f. 8 (1897); Tümpel, l. c. pp. 218, 244 (1900); Jacobs. & Bianchi, l. c. pp. 183, 235, pl. 10 (1902).

Stenobothrus (*Gomphocerus*) *Sibiricus, Fisch.* Orth. Eur. p. 350. n. 27, pl. 17. ff. 8, 8 *a* (1853).	
Chorthippus Sibiricus, Fieb. Lotos, iii. p. 101. n. 2 (1853), iv. p. 180. n. 2 (1854); Syn. Eur. Orth. p. 12. n. 2 (1854).	
Gryllus Clavimanus, Pall. Spic. Zool. ix. p. 21, pl. 1. f. 11 (1772).	
2. **G. Caucasicus, Motsch.** l. c. p. 171, pl. 4. ff. 6, 6′ (1840); Fisch.-Waldh. l. c. p. 339. n. 3 (1846); Jacobs. & Bianchi, l. c. p. 235 (1902).	Caucasus.
Chorthippus Caucasicus, Fieb. ll. cc. p. 101. n. 3 (1853), p. 180. n. 3 (1854); p. 12. n. 3 (1854).	
G. Sibiricus, var. *Caucasicus, Adel.* Ann. Mus. Zool. Pétersb. xii. p. 129. n. 10 (1907).	
3. **G. Reuteri, Miram,** Œfvers. Finska Vet. Soc. Förh. xlix. (6) p. 6 (1907).	Jenissei.
4. **G. Przewalskii, Zub.** Ann. Mus. Zool. Pétersb. i. p. 150 (1896); Jacobs. & Bianchi, l. c. pp. 183, 235 (1902).	Mongolia.
5. **G. Barbipes, Fisch.-Waldh.** l. c. p. 339. n. 3 (1846); Jacobs. & Bianchi, l. c. p. 236 (1902).	Lake Baikal.
6. **G. Variegatus, Fisch.-Waldh.** l. c. p. 341. n. 5, pl. 26. f. 5 (1846); Jacobs. & Bianchi, l. c. pp. 183, 236 (1902).	French Alps, Caucasus, Siberia.
G. Livoni, Azam, Ann. Soc. Ent. France, lxii. p. 190 (1893).	
*7. **G. Rufus, Linn.** (*Gryllus Locusta R.*) Syst. Nat. (ed. x.) i. p. 433. n. 57 (1758).	Europe, Siberia.
Gryllus Rufus, Linn. Faun. Suec. p. 239. n. 876 (1761); Latr. l. c. iii. p. 284 (1803); Charp. Hor. Ent. p. 168 (1825); Zett. Ins. Lapp. p. 249. n. 6 (1840).	
Acrydium Rufum, Oliv. l. c. p. 230. n. 66 (1791); Latr. l. c. xii. p. 160. n. 21 (1804); Wesm. Bull. Acad. Sci. Brux. v. p. 596. n. 7 (1838).	
Gomphocerus Rufus, Thunb. l. c. p. 221 (1815); Sam. l. c. p. 219 (1819); Steph. l. c. p. 30. n. 1, pl. 28. f. 6 (1835); Serv. ll. cc. p. 290. n. 2 (1831); p. 747. n. 2 (1839); Burm. l. c. p. 649. n. 11 (1838); Fisch.-Waldh. l. c. p. 337. n. 2, pl. 17.	

f. 3 *a*, *b* (1846) ; Borck, Skand. Rätv. Ins. p. 135. n. 12 (1848) ; Stål, l. c. p. 108. n. 1 (1873) ; Finot, ll. cc. p. 63 (1883) ; pp. 131, 132, pl. 7. f. 95 (1889); Burr, l. c. p. 39, pl. 3. f. 9 (1897) ; Auriv. l. c. p. 245. n. 2 (1900) ; Tümp. l. c. pp. 218, 244, pl. 18 (1900) ; Jacobs. & Biañchi, l. c. pp. 183, 236, pl. 5 (1902).	
Chorthippus Rufus, Fieb. ll. cc. p. 101. n. 4 (1853), p. 180. n. 4 (1854); p. 12. n. 4 (1854).	
Stenobothrus (*Gomphocerus*) *Rufus, Fisch.* l. c. p. 348. n. 25, pl. 17. ff. 9, 9 *a* (1853).	
Stenobothrus Rufus, Friv. Értek. Termész. Kör. i. (12) p. 158. n. 19 (1867).	
Acrydium Clavicorne, De Geer, Mém. Ins. iii. p. 482. n. 10, pl. 23. f. 13 (1773).	
8. **G. Escalerai, Bol.** Ann. Soc. Ent. Belg. xliii. p. 590 (1899) ; Jacobs. & Bianchi, l. c. pp. 183, 237 (1902).	Asia Minor.
9. **G. Dispar, Fisch.-Waldh.** l. c. p. 340. n. 4 (1846) ; Jacobs. & Bianchi, l. c. p. 237 (1092).	Caucasus.
Chorthippus Dispar, Fieb. ll. cc. p. 101. n. 5 (1853), p. 180. n. 5 (1854); p. 12. n. 5 (1854).	
*10. **G. Antennatus, Fieb.** (*Chorthippus A.*) ll. cc. iii. p. 101. n. 6 (1853); p. 12. n. 6 (1854).	Austria-Hungary, S. Russia.
Stenobothrus Antennatus, Friv. l. c. p. 159. n. 20, pl. 6. f. 9 (1847).	
G. Antennatus, Tümp. l. c. pp. 218, 244, pl. 18 (1900) ; Jacobs. & Bianchi, l. c. pp. 183, 237, pl. 5 (1902).	
G. Deserticola, Eversm. Bull. Mosc. xxxii. p. 136 (1859).	
‖*Stauronotus Genei, Türk, (nec Oesk.)* Wien. Ent. Mon. iv. p. 86. n. 3 (1860).	
11. **G. Palpalis, Zub.** Hor. Soc. Ent. Ross. xxxiv. p. 13. n. 24 (1900) ; Jacobs. & Bianchi, l. c. pp. 183, 238 (1902).	Siberia, Mongolia.
*12. **G. Maculatus, Thunb.** l. c. p. 221 (1815) ; Stål, l. c. p. 108. n. 2 (1873); Bol. Ortópt. Españ. pp. 110, 114. n. 1, pl. 3. f. 1 (1876) ; An. Soc. Españ. v. pp. 316, 320. n. 1, pl. 12. f. 1 (1876), vii. p. 426. n. 5	Europe, W., Centr., & E. Asia.

(1878); Ann. Sci. Nat. Porto, v. p. 12. n. 2 (1898); Brunn. l. c. pp. 129, 132. n. 4 (1882); Finot, l. c. pp. 63, 64 (1883); pp. 131, 133 (1889); Burr, l. c. pp. 39, 40, pl. 3. f. 10 (1897); Auriv. l. c. p. 245. n. 1 (1900); Tümp. l. c. pp. 218, 244, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 183, 238, pl. 5 (1902).

‖ *Gryllus Biguttulus, Panz.* (*nec Linn.*) Faun. Ins. Germ. fasc. 33, pl. 6 (1796).

‖ *Gryllus Rufus, Zett.* (*nec Linn.*) Orth. Suec. p. 99. n. 13 (1821).

Gryllus Biguttatus, Charp. Hor. Ent. p. 166 (1825); Phil. Orth. Berol. p. 39. n. 18 (1830); Germ. Faun. Ins. Eur. fasc. xx. pls. 22, 23 (1838).

Gomphocerus Biguttatus, Serv. ll. cc. p. 290. n. 3 (1831); p. 748. n. 3 (1839); Burm. Handb. Ent. ii. p. 649. n. 10 (1838); Steph. l. c. p. 30. n. 2 (1835); Fisch.-Waldh. l. c. p. 342. n. 6, pl. 17. f. 4 (1846); Borck, l. c. p. 136. n. 13 (1848).

Acrydium Biguttatum, Wesm. l. c. p. 595. n. 6 (1838).

Stenobothrus (*Gomphocerus*) *Biguttatus, Fisch.* l. c. p. 346. n. 24, pl. 17. ff. 10, 10 *a* (1853).

Stenobothrus Antennatus, Friv. l. c. p. 159. n. 20, pl. 6. f. 9 (1867).

Chorthippus Antennatus, Fieb. Lotos, iii. p. 101. n. 6 (1853); Syn. Eur. Orth. p. 12. n. 6 (1854).

Gomphocerus Annulatus, Fisch.-Waldh. Bull. Mosc. vi. p. 388. n. 3 (1833).

Var. *Gomphocerus Elegans, Steph.* l. c. p. 31. n. 3 (1835).

Var. *Gomphocerus Ericetarius, Steph.* l. c. n. 4 (1835).

Var. *Gomphocerus Calidoniensis, Steph.* l. c. p. 32. n. 5 (1835).

‖ *Œdipoda Pulla, Fisch.-Waldh.* (*nec Phil.*) l. c. p. 329. n. 43, pl. 22. f. 9 (1846).

Stenobothrus Saussurii, Seaone, Mitth. Schw. Ent. Ges. v. p. 486 (1879).

13. **G. Pallidus, Brunn.** l. c. pp. 129, 134. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 183, 239 (1902). S. Russia, Siberia.

14. **G. Brevipennis, Bris.** (*Acridium Brevipenne*) Bull. Soc. Ent. France, (2) vi. p. lxxxiii (1848). *Stenobothrus* (*Gomphocerus*) *Brevipennis, Fisch.* l. c. p. 349. n. 26 (1853). *Gomphocerus Brevipennis, Bol.* ll. cc. pp. 110, 115. n. 3 (1876); pp. 316, 321. n. 3 (1876); p. 426. n. 6 (1878); p. 12. n. 3 (1898); Finot, ll. cc. pp. 62, 64 (1883); pp. 131, 134 (1889).	Pyrenees.
15. **G. (?) Evanescens, Stål,** (*Gomphocerus* (*Stenobothrus*) *Evanescens*) Eugenies Resa, Orth. p. 342. n. 99 (1860). *Gomphocerus Evanescens, Stål,* Recens. Orth. i. p. 111. n. 13 (1873).	Hong Kong.
16. **G. Clepsydra, Scudd.** Dawson's Rep. Geol. 49th Parallel, p. 344 (1875); Wheeler's Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 288. n. 26; McNeill, l. c. pp. 265, 266. n. 2, pl. 6. ff. 27, 27 *a*, *b* (1897); Brun. l. c. pp. 92, 93. n. 1 (1904).	N. America.
17. **G. Clavatus, Thom.** l. c. p. 96 (1873); Glov. Ill. N. Amer. Orth. pl. 16. f. 8 (1874); Brun. Publ. Nebraska Acad. Sci. iii. p. 22 (1893); Biol. Centr.-Amer., Orth. ii. pp. 92, 93. n. 2 (1904); McNeill, l. c. p. 265. n. 1 (1897); Lugg. l. c. pp. 220, 221. f. 76 (1897); Caud. Proc. U.S. Nat. Mus. xxvi. p. 783 (1903).	id.
18. **G. Carpenterii, Thom.** Bull. U.S. Geol. Surv. Territ. i. p. 65 (1874); Wheeler's Rep. Expl. W. 100th Merid. v. Zool. pp. 871, 901, pl. 44. f. 5 (1875); Glover, Ill. N. Amer. Orth. pl. 16. f. 2 (1874); Scudd. Appalachia, viii. p. 305, pl. 41. ff. 1, 2 (1898). *Stenobothrus Carpenterii, Thom.* Proc. Davenport Soc. i. p. 251. n. 5 (1876). *G. Charpenterii, Brun.* Biol. Centr.-Amer., Orth. ii. p. 93. n. 3 (1904).	Rocky Mountains.
19. **G. Meridionalis, Brun.** l. c. n. 4 (1904).	Mexico.
20. **G. Semicolor, Burm.** Handb. Ent. ii. p. 651. n. 19 (1838).	Brazil.

Genus 280. **Meloscirtus.**

Brunn. P. U.S. Nat. Mus. xxx. pp. 622, 634 (1906).

1. **M. Australis, Brun.** l. c. p. 635 (1906). | Paraguay.

Genus 281. **Stenobothrus.** (*Type* no. 6.)

Fisch. Orth. Eur. pp. 296, 313 (1853); Friv. Értek. Termész. Kör. i. (12) pp. 135, 140 (1867); Thomas, Syn. Acrid. N. Amer. pp. 50, 80 (1873); Bol. An. Soc. Españ. vii. p. 426 (1878); Ann. Sci. Nat. Porto, iv. pp. 214, 224 (1897); Brunn. Prodr. Eur. Orth. pp. 84, 100 (1882); Ann. Mus. Genova, xxxiii. p. 122 (1893); Finot, Orth. France, pp. 42, 49 (1883); Faune France, Orth. pp. 101, 108 (1889); Burr, Brit. Orth. pp. 33, 34 (1897); McNeill, Proc. Davenport Acad. Sci. vi. pp. 198, 259 (1897); Lugg. Orthopt. Minnesota, pp. 204, 217 (1897); Auriv. Ent. Tidskr. xxi. pp. 240, 241 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 239 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 165, 177, 219, 220 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 32, 91 (1902, 1904).

*1. **S. Crassipes, Charp.** (*Gryllus C.*) Hor. Ent. p. 174 (1825); Ocskay, Nova Acta Acad. Nat. Cur. xiii. p. 407 (1826). *Œdipoda Crassipes, Fisch.-Waldh.* Orth. Ross. p. 328. n. 42 (1846). *Chorthippus Crassipes, Fieb.* Lotos, iii. p. 117. n. 31 (1853), iv. p. 182. n. 31 (1854); Syn. Eur. Orth. p. 17. n. 31 (1854). *S. Crassipes, Fisch.* l. c. p. 324. n. 8 (1853); Friv. l. c. p. 145. n. 5 (1867); Brunn. l. c. pp. 101, 103. n. 1 (1882); Tümp. l. c. pp. 216, 243 (1900); Jacobs. & Bianchi, l. c. pp. 177, 220 (1902). *Gomphocerus Crassipes, Bol.* An. Soc. Españ. vii. p. 426. n. 7 (1878).	Austria-Hungary, Bosnia, Servia, Caucasus, Palestine.
*2. **S. Stigmaticus, Ramb.** (*Gryllus S.*) Faune Andal. ii. p. 93. n. 19 (1839). *S. Stigmaticus, Fisch.* l. c. p. 327. n. 10, pl. 17. ff. 2, 2 *a* (1853); Friv. l. c.	S. & Central Europe, W. Asia.

p. 149. n. 9 (1867) ; Brunn. l. c. pp. 101, 106. n. 4, pl. 5. f. 28 B (1882) ; Finot, ll. cc. pp. 50, 55 (1883) ; pp. 109, 113, pl. 5. f. 70 (1889) ; Pant. An. Soc. Españ. xv. p. 267 (1886) ; Bol. Ann. Sci. Nat. Porto, iv. pp. 225, 228. n. 4 (1897) ; Tümp. l. c. pp. 217, 242, pl. 16 (1900) ; Jacobs. & Bianchi, l. c. pp. 178, 220, pl. 4 (1902).

Gomphocerus Stigmaticus, *Bol.* Ortópt. Españ. p. 111 (1876) ; An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 14 (1878).

Gomphocerus (*Stenobothrus*) *Stigmaticus*, *Bol.* ll. cc. p. 119. n. 8, pl. 3. f. 9 (1876) ; v. p. 325. n. 8, pl. 12. f. 9 (1876).

Chorthippus Ramburi, *Fieb.* Kelch, Orth. Oberschles. p. 5 (1852) ; Lotos, iii. p. 116. n. 26 (1853) ; Syn. Eur. Orth. p. 16. n. 26 (1854).

Acridium Parvulus et *Parvulum*, *Herr.-Schäff.* Nomencl. Ent. ii. pp. 10, 11 (1840).

3. **S. Zubowskyi, Bol.** Ann. Soc. Ent. Belg. xliii. p. 588 (1899) ; Jacobs. & Bianchi, l. c. pp. 178, 221 (1902).

Asia Minor.

4. **S. Nigromaculatus, Herr.-Schäff.** (*Acridium Nigromaculatum*) Nomencl. Ent. ii. Orth. pp. 10, 11 (1840).

S. & E. Europe, Asia Minor, Siberia.

Gomphocerus Nigromaculatus, *Bol.* Ortópt. Españ. p. 110 (1876) ; An. Soc. Españ. v. p. 316 (1876), vii. p. 427. n. 11 (1878).

Gomphocerus (*Stenobothrus*) *Nigromaculatus*, *Bol.* Ortópt. Españ. p. 117. n. 6, pl. 3. ff. 5–7 (1876) ; An. Soc. Españ. v. p. 323. n. 6, pl. 12. ff. 5–7 (1876).

S. Nigromaculatus, *Friv* l. c. p. 148. n. 8, pl. 6. f. 7 (1867) ; Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 477. n. 28, pl. 1. ff. 4, 4 A–C (1878) ; Brunn. l. c. pp. 101, 105. n. 3, pl. 5. f. 28 *a* (1882) ; Finot, ll. cc. pp. 50, 54 (1883) ; pp. 109, 112 (1889) ; Tümpel, l. c. pp. 217, 242 (1900) ; Jacobs. & Bianchi, l. c. pp. 178, 221 (1902).

S. Lineatus, var., *Fisch.* l. c. p. 326 (1853).

‖ *Acridium Stigmaticum*, *Bris.* (*nec Ramb.*) Ann. Soc. Ent. France, (2) vi. p. 416 (1848).

‖ *Chorthippus Stigmaticus, Fieb.* Kelch, Orthopt. Oberschles. p. 4 (1852); Fieb. Lotus, iii. p. 116. n. 25 (1853); Syn. Eur. Orth. p. 15. n. 25 (1854).

Œdipoda Luteicornis, Fisch.-Waldh. l. c. p. 330. n. 44 (1846).

S. Luteicornis, Eversm. Bull. Mosc. xxxii. (1) p. 134 (1859).

5. **S. Istriana, Krauss,** (*S. Nigromaculatus*, var. *Istriana*) l. c. p. 479, pl. 1. ff. 5, 5 *a*, *b* (1878); Brunn. l. c. p. 106 (1882); Jacobs. & Bianchi, l. c. p. 221 (1902). — Hungary, Istria, Bosnia, Croatia.

*6. **S. Lineatus, Panz.** (*Gryllus L.*) Faun. Ins. Germ. fasc. xxxiii. f. 9 (1796); Latr. Hist. Nat. Crust. Ins. xii. p. 159 (1804); Charp. l. c. p. 156 (1825); Phil. Orth. Berol. p. 35. n. 12 (1830); Ramb. l. c. p. 92. n. 18 (1839). — Europe, Siberia.

Œdipoda Lineata, Germ. Faun. Ins. Eur. fasc. 20, pls. 18, 19 (1838); Fisch.-Waldh. l. c. p. 319. n. 35 (1846).

Acrydium Lineatum, Wesm. Bull. Acad. Sci. Brux. v. p. 595. n. 4, plate, f. 5 *a–c* (1838).

Locusta Lineata, Steph. Ill. Brit. Ent., Mand. vi. p. 26. n. 17 (1835).

Chorthippus Lineatus, Fieb. Lotos, iii. p. 115. n. 24 (1853); Syn. Eur. Orth. p. 15. n. 24 (1854).

Gomphocerus Lineatus, Burm. l. c. p. 648. n. 4 (1838); Bol. Ortópt. Españ. p. 110 (1876); An. Soc. Españ. v. p. 316 (1876), vii. p. 426. n. 10 (1878).

Gomphocerus (Stenobothrus) Lineatus, Bol. ll. cc. p. 116. n. 5, pl. 3. f. 8 (1876), v. p. 322. n. 5, pl. 12. f. 8 (1878).

S. Lineatus, Fisch. l. c. p. 325. n. 9, pl. 17. ff. 1, 1 *a* (1853); Türk, Wien. Ent. Mon. ii. p. 375. n. 8 (1858); Friv. l. c. p. 146. n. 6 (1867); Brunn. l. c. pp. 101, 104. n. 2 (1882); Finot, ll. cc. pp. 50, 54 (1883); pp. 109, 111, pl. 5. ff. 68, 69 (1889); Bol. Ann. Sci. Nat. Porto, iv. pp. 225, 226. n. 1 (1897); Burr, l. c. p. 35, pl. 3. f. 2 (1897); Tümpel, l. c. pp. 217, 241, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 178, 221, pl. 4 (1902).

S. Lineatus, var. *Violacea. Shug.* Hor. Soc. Ent. Ross. xxxviii. p. 117. n. 19 (1907).	
Gryllus Locusta Tenellus, *Stoll*, Spectres, Saut. p. 27, pl. 12 *b*. f. 45 (1813).	
Acridium Megacephalum, *Seidl*, Weitenweber, Beitr. Natur- u. Heilk. i. p. 219 (1837).	
7. **S. Fischeri, Eversm.** (*Œdipoda F.*) Addit. Fisch.-Waldh. Orth. Ross. p. 11. n. 8, pl. A. f. 5 (1848).	Spain, Austria, S. Russia, Asia Minor.
S. Luteicornis, *γ. Fischeri*, *Eversm.* Bull. Mosc. xxxii. (1) p. 135 (1859).	
S. Fischeri, *Bol.* Ann. Sci. Nat. Porto, iv. pp. 225, 227. n. 3 (1897); Jacobs. & Bianchi, l. c. pp. 178, 222 (1902).	
S. Nigrogeniculatus, *Krauss*, l. c. p. 477. n. 28, pl. 1. ff. 4, 4 A–C (1878); Brunn. l. c. pp. 101, 107. n. 5 (1882); Tümp. l. c. pp. 217, 241, pl. 16 (1900); Jacobs. & Bianchi, l. c. pl. 4 (1902).	
**S. Fischeri*, var. *Glaucescens*, *Bol.* l. c. p. 227 (1897).	
8. **S. Eurasius, Zub.** Ann. Mus. Zool. Pétersb. iii. p. 75. n. 9 (1898); Jacobs. & Bianchi, l. c. pp. 178, 222 (1902).	Vienna, S. Russia, Siberia.
9. **S. Newskii, Zub.** Hor. Soc. Ent. Ross. xxxiv. p. 9. n. 19 (1900).	Altai.
S. Newskyi, *Jacobs. & Bianchi*, l. c. pp. 178, 223 (1902).	
10. **S. Werneri, Adel.** Hor. Soc. Ent. Ross. xxxviii. p. 43. n. 6, pl. 1. f. 1 (1907).	Transcaucasia.
11. **S. Pyrenæus, Saulcy,** Bull. Soc. Metz, (2) xvii. p. 83 (1887).	Pyrenees.
12. **S. Brœlemanni, Azam,** (*S. Brölemanni*) Bull. Soc. Ent. France, 1906, p. 128.	id.
*13. **S. Rubicundus, Germ.** (*Gryllus R.*) Reise Dalm. p. 256 (1817).	Central & & S.E. Europe.
S. Rubicundus, *Jacobs. & Bianchi*, l. c. pp. 178, 179. f. 26, p. 223 (1902).	
Gryllus Miniatus, *Charp.* Hor. Ent. p. 155 (1825); Germ. Faun. Ins. Eur. fasc. 20, pls. 16, 17 (1838).	
Gomphocerus Miniatus, *Burm.* l. c. p. 648. n. 6 (1838); Stål, Recens. Orth. i. p. 109. n. 6 (1873); Bol. An. Soc. Españ. vii. p. 427. n. 12 (1878).	

Chorthippus Miniatus, *Fieb.* Lotos, iii. p. 115. n. 23 (1853), iv. p. 181. n. 23 (1854); Syst. Eur. Orth. p. 15. n. 23 (1854). *S. Miniatus*, *Fisch.* l. c. p. 339. n. 21, pl. 17. ff. 3, 3 *a* (1853); Friv. l. c. p. 149. n. 10 (1867); Brunn. l. c. pp. 101, 108. n. 8, pl. 5. f. 28 c (1882); Finot, ll. cc. pp. 50, 55 (1883); pp. 109, 113, pl. 5. f. 71 (1889); Tümp. l. c. p. 216. f. 83, pp. 217, 241, pl. 16 (1900); Jacobs. & Bianchi, l. c. p. 4 (1902).	
14. **S. Carbonarius, Eversm.** (*Œdipoda Carbonaria*) Addit. Fisch.-Waldh. Orth. Ross. p. 12. n. 9, pl. A. f. 6 (1846). *S. Carbonarius*, *Fisch.* l. c. p. 337. n. 18 (1853); Eversm. Bull. Mosc. xxxii. (1) p. 133 (1859); Jacobs. & Bianchi, l. c. pp. 178, 224 (1902).	Sarepta, Kirghis Steppes.
15. **S. Festivus, Bol.** An. Soc. Españ. xvi. p. 94 (1887); Ann. Sci. Nat. Porto, iv. pp. 226, 228 (1897).	Spain.
16. **S. Grammicus, Cazurro,** An. Soc. Españ. xvii. p. 457 (1888); Bol. Ann. Sci. Nat. Porto, iv. pp. 226, 228. n. 5 (1897).	id.
*17. **S. Bolivarii, Brunn.** (*Gomphocerus B.*) Bol. Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 17 (1878). *Gomphocerus* (*Stenobothrus*) *Bolivarii*. *Bol.* ll. cc. p. 121. n. 10, pl. 3. f. 10 (1876); v. p. 327. n. 10, pl. 12. f. 10 (1876). *S. Bolivari*, *Brunn.* l. c. pp. 101, 107. n. 6 (1882); Pant. An. Soc. Españ. xv. p. 266 (1886); Bol. Ann. Sci. Nat. Porto, iv. pp. 226, 229. n. 8 (1897).	id.
18. **S. (?) Discoidalis, Eversm.** (*Œdipoda D.*) Addit. Fisch.-Waldh. Orth. Ross. p. 13. n. 11 (1846); Jacobs. & Bianchi, l. c. p. 234 (1902). *Stenobothrus* (*Œdipoda*) *Discoidalis*, *Fisch.* l. c. p. 346 (1853).	Ural.
19. **S. (?) Lorata, Fisch.-Waldh.** (*Œdipoda L.*) l. c. p. 307. n. 25 (1846); Jacobs. & Bianchi, l. c. p. 234 (1902).	S. Russia.
20. **S. (?) Macrocera, Fisch.-Waldh.** (*Œdipoda* (?) *M.*) l. c. p. 331. n. 45 (1846); Jacobs. & Bianchi, l. c. p. 234 (1902).	Tiflis.

21. **S. Limosus, Walk.** Zoologist, (2) v. p. 2302 (1870).	Hor Tamanib.
22. **S. Lætus, Walk.** l. c. (1870).	Cairo.
23. **S. Ornatus, Walk. Cat. Derm. Salt. B. M. iv. p. 764. n. 63 (1870).	Madagascar
24. **S. Mundus, Walk. l. c. v. Suppl. p. 79 (1871).	Bombay.
25. **S. Decisus, Walk. l. c. p. 80 (1871).	id.
26. **S. Epacromoides, Walk. l. c. p. 81 (1871).	id.
27. **S. Luteipes, Walk. l. c. p. 82 (1871).	id.
28. **S. Vittifrons, Walk. l. c. iv. p. 765. n. 67 (1870).	Australia.
29. **S. Lativittatus, Walk. l. c. p. 766. n. 68 (1870).	id.
30. **S. Propinquus, Walk. l. c. n. 69 (1870); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1106 (1903).	id.
31. **S. Subrufescens, Walk. l. c. v. Suppl. p. 83 (1871).	Hab. —— ?
32. **S. Umbrifer, Walk. l. c. p. 84 (1871).	Hab. —— ?
33. **S. Chilensis, Sauss. Rev. Zool. (2) xiii. p. 318 (1861).	Chile.
34. **S. Biroi, Kuthy, Ann. Mus. Hungar. v. p. 554 (1907).	Crete.

Genus 282. **Ramburiella.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 393 (1906).

‖*Ramburia, Bol.* (*nec Rob.-Desv.*) Actas Soc. Españ., May 1897, p. 168; Ann. Sci. Nat. Porto, iv. p. 215 (Oct. 1897), v. p. 16 (1898).

1. **R. Hispanica, Ramb.** (*Gryllus Hispanicus*) Faune Andal. ii. p. 88. n. 15, pl. 7. ff. 6, 7 (1838).	Spain, S. France, Algeria.
Œdipoda Hispanica, Serv. Ins. Orth. p. 733. n. 18 (1839).	
Stenobothrus Hispanicus, Fisch. Orth. Eur. p. 316. n. 2, pl. 16. ff. 9, 9 *a* (1853).	
Gomphocerus Hispanicus, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 31 (1878).	
Gomphocerus (*Stenobothrus*) *Hispanicus, Bol.* ll. cc. p. 132. n. 21 (1876); v. p. 338. n. 21 (1876).	

Stethophyma Hispanicum, *Brunn.* Prodr. Eur. Orth. p. 139. n. 1 (1882); Finot, Orth. France, p. 66 (1883); Faune France, Orth. p. 137 (1889). *Ramburia Hispanica*, *Bol.* Ann. Sci. Nat. Porto, v. p. 16. n. 1 (1898).	
2. **R. Signata, Fisch.-Waldh.** (*Œdipoda S.*) Orth. Ross. p. 286. n. 9, pl. 16. f. 6 (1846); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 245 (1902).	Kharkoff.

Genus 283. **Staurorhectus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 25 (1897); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 33 (1906); Proc. U.S. Nat. Mus. xxx. p. 376 (1906).

*1. **S. Longicornis, Giglio-Tos,** l. c. p. 26 (1897); Rehn, ll. cc. p. 33 (1906); p. 376 (1906).	Bolivia, Argentina, Paraguay.
2. **S. Variegatus, Rehn,** (*S. Longicornis Variegatus*) Proc. U.S. Nat. Mus. xxx. pp. 376, 377 (1906).	Brazil, Matto Grosso.
3. **S. Glaucipes, Rehn,** Proc. Acad. Nat. Sci. Philad. lviii. pp. 34–36. ff. 9, 10 (1906); Proc. U.S. Nat. Mus. xxx. p. 376.	Paraguay.
4. **S. Brevipennis, Rehn,** Proc. U.S. Nat. Mus. xxx. pp. 376, 377 (1906).	Matto Grosso.

Genus 284. **Amblyscapheus.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 622, 632 (1906).

1. **A. Lineatus, Brun.** l. c. p. 633 (1906).	Paraguay.

Genus 285. **Isonyx.**

Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 36 (1906).

1. **I. Paraguayensis, Rehn,** l. c. pp. 36–39. ff. 11–13 (1906).	Paraguay.

Genus 286. **Borellia.**

Rehn, Proc. U.S. Nat. Mus. xxx. p. 379 (1906).

1. **B. Carinata, Rehn,** l. c. (1906). | Matto Grosso.

Genus 287. **Stereotettix.**

Rehn, Proc. U.S. Nat. Mus. xxx. p. 381 (1906).

1. **S. Paralogistes, Rehn,** l. c. (1906). | Brazil.

Genus 288. **Stethophyma.** (*Type* no. 1.)

Fisch. Orth. Eur. p. 297 (1853).

Stetheophyma, *Fisch.* l. c. p. 357 (1853) ; Friv. Értek. Termész. Kör. i. (12) pp. 136, 165 (1867) ; Stål, Recens. Orth. i. pp. 93, 108 (1873); Bol. Ortópt. Españ. pp. 101, 139 (1876) ; An. Soc. Españ. v. pp. 307, 345 (1876).

Mecostethus, pt., *Fieb.* Kelch, Orth. Oberschles. p. 1 (1852) ; Lotos, iii. p. 99 (1853) ; Syn. Eur. Orth. p. 10 (1854) ; Brunn. Prodr. Eur. Orth. pp. 83, 94 (1882) ; Ann. Mus. Genova, xxxiii. p. 123 (1893) ; Finot, Orth. France, pp. 40, 47 (1883) ; Faune France, Orth. pp. 100, 104 (1889) ; Bol. Ann. Sci. Nat. Porto, iv. p. 215 (1897), v. p. 18 (1898) ; Burr, Brit. Orth. p. 33 (1897) ; Auriv. Ent. Tidskr. xxi. pp. 240, 241 (1900) ; Tümpel, Geradfl. Mitteleuropas, pp. 214, 216, 237 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 186, 247 (1902).

*1. **S. Grossum, Linn.** (*Locusta Gryllus Grossus*) Syst. Nat. (ed. x.) i. p. 433. n. 58 (1758). | Europe, Siberia.

Gryllus Grossus, *Linn.* Faun. Suec. (ed. 2) p. 239. n. 877 (1761) ; Panz. Faun. Ins. Germ. fasc. 33, pl. 7 (1796); Zett. Orth. Suec. p. 80. n. 4 (1821); Charp. Hor. Ent. p. 151 (1825); Phil. Orth. Berol. p. 32. n. 7 (1830).

Acrydium Grossum, *Latr.* Hist. Nat. Crust. Ins. xii. p. 155. n. 13 (1804).

Œdipoda Grossa, *Serv.* Ins. Orth. p. 741. n. 26 (1839) ; Fisch.-Waldh. Orth. Ross. p. 304. n. 22, pl. 23. f. 5 (1846).

Mecostethus Grossus, Fieb. ll. cc. p. 1. n. 2 (1852); p. 99. n. 4 (1853); p. 10. n. 4 (1854); Brunn. Prodr. Eur. Orth. p. 94. n. 1, pl. 4. f. 24 A, B (1882); Finot. ll. cc. p. 47 (1883); p. 104, pl. 4. f. 61 (1889); Burr, l. c. p. 33, pl. 3. f. 1 (1897); Auriv. l. c. p. 241. n. 1 (1900); Tümpel, l. c. pp. 216, 237, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 186, 248, pl. 4 (1902).

Stetheophyma Grossum, Fisch. l. c. p. 357. n. 1, pl. 16. ff. 3, 3 *a* (1853); Friv. l. c. p. 165. n. 1 (1867); Bol. Ortópt. Españ. p. 140. n. 1 (1876); An. Soc. Españ. v. p. 346. n. 1 (1876).

Acrydium Rubripes, De Geer, Mém. Ins. iii. p. 477. n. 5 (1773).

Gryllus Locusta Germanicus, Stoll, Spectres, Saut. p. 41, pl. 23 *b*. f. 89 (1813).

Gryllus Flavipes, Gmel. Syst. Nat. i. (4) p. 2088. n. 230 (1788); Don. Brit. Ins. xi. p. 87, pl. 391 (1806).

Locusta Flavipes, Steph. Ill. Brit. Ent., Mand. vi. p. 21. n. 5 (1835).

2. **S. Bolivari, Kuthy,** Ann. Mus. Hungar. v. p. 431 (1907). — Asia Minor.

Genus 289. **Pallasiella** (Kirb. n. n.). (*Type* no. 1.)

‖*Stethophyma, Bol.* (*nec Fisch.*) Actas Soc. Españ., May 1897, p. 169.

1. **P. Turcomana, Fisch.-Waldh.** (*Œdipoda T.*) Orth. Ross. pl. 13. f. 2 (1846). — S.E. Europe, W. & Central Asia.

Stauronotus Turcomanus, Eversm. Bull. Mosc. xxxii. (1) p. 138 (1859).

Chorthippus Turcomanus, Fieb. Lotos, iii. p. 101. n. 8 (1853), iv. p. 180. n. 8 (1854); Syn. Eur. Orth. p. 12. n. 8 (1854).

Stethophyma Turcomanum, Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 304, pl. 16. f. 21 (1861); Prodr. Eur. Orth. pp. 139, 140. n. 2 (1882).

Œdipoda Truchmana, Fisch.-Waldh. l. c. p. 313. n. 31 (1846).

Arcyptera Truchmana, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 185, 243 (1902).

Stenobothrus Formosus, Becker, Bull. Mosc. xxxvii. (1) p. 488 (1864).

2. **P. Carvalhoi, Bol.** (*Arcyptera C.*) Ann. Soc. Españ. xix. p. 316 (1890). — E. Africa.

Genus 290. **Arcyptera.** (*Type* no. 1.)

Serv. Ins. Orth. p. 743 (1839); Fisch.-Waldh. Orth. Ross. p. 332 (1846); Friv. Értek. Termész. Kör. i. (12) pp. 135, 162 (1867); Bol. Syn. Eur. Orth. pp. 101, 137 (1876); An. Soc. Españ. v. pp. 307, 343 (1876); Actas Soc. Españ., May 1897, p. 168; Ann. Sci. Nat. Porto, iv. p. 214 (1897), v. p. 14 (1898); Prov. Faune Canad. ii. p. 44 (1883); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 185, 242 (1902).

Arcyoptera, Agass. Nomencl. Zool. Ind. Univ. p. 32 (1846); Fieb. Lotos, iii. p. 99 (1853), iv. p. 178 (1854); Syn. Eur. Orth. p. 10 (1854).

Stetheophyma, pt., *Fisch.* Orth. Eur. p. 357 (1853); Thom. Syn. Acrid. N. Amer. pp. 98, 210 (1873).

Stethophyma, pt., *Fisch.* l. c. p. 297 (1853); Brunn. Prodr. Eur. Orth. pp. 84, 138 (1882); Ann. Mus. Genova, xxxiii. p. 123 (1893); Finot, Orth. France, pp. 42, 66 (1883); Faune France, Orth. pp. 101, 136 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 214, 219, 245 (1900).

||*Mecostethus, McNeill (nec Fieb.),* Proc. Davenport Acad. Sci. vi. pp. 198, 253 (1897).

1. **A. Fuscus, Pall.** (*Gryllus Locusta F.*) Reise, ii. p. 727. n. 77 (1773). — S. Europe, Siberia.

Stetheophyma Fuscum, Eversm. Bull. Mosc. xxxii. (1) p. 138 (1859).

Stethophyma Fuscum, Brunn. l. c. pp. 139, 141. n. 3 (1882); Finot, ll. cc. pp. 66, 67 (1883); p. 137, pl. 7. ff. 98, 99 (1889); Porch. Hor. Soc. Ent. Ross. xx. p. 117, pl. 12. f. 1 (1886); Tümp. l. c. pp. 219, 245 pl. 18 (1900); Jacobs. & Bianchi, l. c. pl. 5 (1902).

Arcyptera Fusca, Bol. Ann. Sci. Nat. Porto, v. p. 15. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 185, 243 (1902).

Gryllus Locusta Variegatus, Sulz. Gesch. Ins. p. 84, pl. 9. f. 4 (1776).

Gryllus Variegatus, Herbst, Fuessly, Archiv, p. 194. n. 4. pl. 53. f. 3 (1786).

Arcyoptera Variegata, Fieb. ll. cc. p. 99. n. 1 (1853), p. 178. n. 1 (1854); p. 10. f. 1 (1854).

Arcyptera Variegata, Friv. l. c. p. 164. n. 2 (1867) ; Bol. Ortópt. Españ. p. 136. n. 1 (1876) ; An. Soc. Españ. v. p. 344. n. 1 (1876).

Stetheophyma Variegatum, Fisch. l. c. p. 358. n. 2, pl. 16. ff. 2, 2 *a–c* (1853) ; Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 305, pl. 16. f. 22 (1861).

Stetheophyma Variegata, Thom. Syn. Acrid. N. Amer. p. 210 (1873).

Gryllus Versicolor, Gmel. Syst. Nat. i. (4) p. 2082. n. 170 (1788).

Gryllus Cothurnatus, Creutz. Ent. Versuche, p. 129. n. 20, pl. 3. f. 32 *a–c* (1799) ; Charp. Hor. Ent. p. 171 (1825).

Œdipoda Cothurnata, Serv. Ins. Orth. p. 743. n. 28 (1839).

Arcyptera Cothurnata, Fisch.-Waldh. l. c. p. 333, pl. 22. ff. 1, 2 (1846).

Gomphocerus Cothurnatus, Burm. Handb. Ent. ii. p. 647. n. 2 (1838).

Gryllus Locusta Nympha, Stoll, Spectres, Saut. p. 23, pl. 10 *b*. f. 36 (1813).

Arcyoptera Stollii, pt., *Fieb.* Lotos, iii. p. 99. n. 2 (1883) ; Syn. Eur. Orth. p. 10. n. 2 (1854).

*2. **A. Tornosi, Bol.** C. R. Soc. Ent. Belg. xxviii. p. civ (1884) ; An. Soc. Españ. xvi. p. 97, pl. 4. f. 9 (1887) ; An. Sci. Nat. Porto, v. pp. 15, 16. n. 2 (1898). Spain, Portugal.

*3. **A. Brevipennis, Brunn.** (*Stetheophyma Variegatum,* var. *genubus posticis pallidis* et var. *Brevipennis*) Verh. zool.-bot. Ges. Wien, xi. pp. 305, 306 (1861). Italy, S.E. Europe.

Stethophyma Brevipenne, Krauss, Sitz. Akad. Wiss. Wien, Math-nat. Cl. lxxviii. (1) p. 483. n. 44, pl. 1. ff. 3, 3 A (1879) ; Brunn. Prodr. Eur. Orth. pp. 139, 142. n. 4, pl. 5. f. 31 A–D (1882) ; Tümp. l. c. pp. 219, 246 (1900).

Arcyptera Brevipennis, Jacobs. & Bianchi, l. c. pp. 185, 244 (1902).

4. **A. Labiatum, Brullé,** (*Podisma Labiata*) Expl. Morée, Ins. p. 95. n. 68, pl. 30. f. 6 (1832). Greece, Asia Minor,

Stauronotus Labiatus, Fisch. l. c. p. 354. n. 3, pl. 17. ff. 13, 13 *a* (1853).	Transcaucasia.
Arcyoptera Labiata, Fieb. Lotos, iv. p. 179. n. 3 (1854).	
Stethophyma Labiatum, Brunn. Prodr. Eur. Orth. pp. 139, 143. n. 5 (1882).	
Arcyptera Labiata, Jacobs. & Bianchi, l. c. pp. 185, 244 (1902).	
Arcyoptera Tibialis, Fieb. l. c. iii. p. 99. n. 3 (1853); Syn. Eur. Orth. p. 10. n. 3 (1854).	
*5. **A. Flavicosta, Fisch.** (*Stauronotus F.*) l. c. p. 353. n. 2, pl. 17. ff. 12, 12 *a* (1853); Türk, Wien. Ent. Mon. ii. p. 376. n. 19 (1861).	S. Europe, Siberia.
Arcyptera Flavicosta, Friv. l. c. p. 163. n. 1, pl. 6. f. 11 (1867); Bol. Ortópt. Españ. pp. 138, 139. n. 2 (1876); An. Soc. Españ. v. pp. 344, 345. n. 2 (1876); Ann. Sci. Nat. Porto, v. pp. 15, 16. n. 3 (1878); Jacobs. & Bianchi, l. c. p. 166. f. 23, pp. 185, 244 (1902).	
S. Flavicosta, var. *Crassiuscula, Zub.* Ann. Mus. Pétersb. iii. p. 35. n. 39 (1898).	
S. Flavicosta, var. *Turgaica, Adel.* Mater. Faun. Flor. Ross. Imp. vi. p. 85. n. 10 (1906).	
‖ *Gryllus Cruciatus, Phil. (nec Charp.)* Orth. Berol. p. 34. n. 11 (1830).	
Gomphocerus Cruciatus, Burm. Handb. Ent. ii. p. 647. n. 3 (1838).	
Œdipoda Cruciata, Fisch.-Waldh. l. c. p. 315. n. 32, pl. 10. f. 6 (1846).	
Arcyoptera Stollii, pt., *Fieb.* Lotos, iii. p. 99. n. 2 (1853); Syn. Eur. Orth. p. 10. n. 2 (1854).	
6. **A. Kheili, Azam,** Bull. Soc. Ent. France, p. 82 (1900).	France.
7. **A. Magister, Rehn,** (*Mecostethus M.*) Proc. Acad. Nat. Sci. Philad. liv. p. 631 (1902).	Japan.
8. **A. Amabile, Krauss,** (*Stethophyma A.*) l. c. lxxvi. (1) p. 55. n. 1, pl. 1. ff. 8, 8 A (1877).	Senegal.
9. **A. (?) Morio, Fabr.** (*Gryllus M.*) Mant. Ins. i. p. 238. n. 32 (1787); Ent. Syst. ii. p. 56. n. 38 (1793).	Africa.

10. **A. Lineata, Scudd.** Bost. Journ. Nat. Hist. vii. p. 462. n. 1 (1862); Prov. l. c. p. 44 (1883). *Stetheophyma Lineata*, *Thomas*, Syn. Acrid. N. Amer. p. 98 (1873). *Mecostethus Lineatus*, *Morse*, Psyche, vii. p. 327. n. 13, pl. 7. ff. 13, 13 *a*, *b* (1896); McNeill, Proc. Davenport Acad. Sci. vi. p. 254. n. 1, pl. 5. ff. 22, 22 *a*, *b* (1897).	United States, Canada.
11. **A. Gracilis, Scudd.** l. c. p. 463. n. 3 (1862). *Stetheophyma Gracilis*, *Thomas*, l. c. p. 99 (1873). *Mecostethus Gracilis*, *Morse*, l. c. p. 327. n. 14, pl. 7. f. 14 (1896); McNeill, l. c. pp. 254, 255. n. 2 (1897).	iid.
12. **A. Platyptera, Scudd.** l. c. p. 463. n. 2 (1862). *Stetheophyma Platyptera*, *Thomas*, l. c. p. 99 (1873). *Mecostethus Platypterus*, *Morse*, l. c. p. 327. n. 15, pl. 7. ff. 15, 15 *a*, *b* (1896); McNeill, l. c. pp. 254, 255. n. 3 (1897).	New England.
13. **A. Doranii, Goding,** (*Stetheophyma D.*) Ent. Amer. vi. p. 13 (1890).	Tennessee.

Genus 291. **Omocestus.** (*Type* no. 14.)

Bol. An. Soc. Españ. vii. p. 427 (1878); Ann. Sci. Nat. Porto, iv. p. 229 (1897); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 179, 224 (1902).

*1. **O. Amœnus, Bris.** (*Acridium Amœnum*) Bull. Soc. Ent. France, (2) viii. p. lvi (1850). ‖*Œdipoda Cruentata*, *Luc. pt.* (*nec Brullé*) Expl. Alg. iii. p. 38. n. 65 (1849).	Algeria.
2. **O. Bonneti, Bol.** (*Stenobothrus B.*) Le Nat. vii. p. 116 (1885); An. Soc. Españ. xvi. p. 93 (1887).	Tunis.
*3. **O. Hæmorrhoidalis, Charp.** (*Gryllus H.*) Hor. Ent. p. 165 (1825). *Œdipoda Hæmorrhoidalis*, *Fisch.-Waldh.* Orth. Ross. p. 326. n. 40, pl. 16. f. 1 (1846). *Stenobothrus Hæmorrhoidalis*, *Fisch.* Orth. Eur. p. 334. n. 15, pl. 16. ff. 17, 17*a* (1853);	S. & Centr. Europe, Siberia.

Friv. Értek. Termész. Kör. i. (12) p. 155. n. 16 (1867); Brunn. Prodr. Eur. Orth. pp. 102, 114. n. 13 (1882); Finot, Orth. France, pp. 52, 57 (1883); Faune France, Orth. pp. 109, 117, pl. 6. f. 79 (1889); Bol. Ann. Sci. Nat. Porto, iv. pp. 230, 232. n. 8 (1897); Tümpel, Geradfl. Mitteleuropas, pp. 218, 240, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225, pl. 5 (1902).

Gomphocerus Hæmorrhoidalis, Bol. Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 18 (1878).

Gomphocerus (*Stenobothrus*) *Hæmorrhoidalis, Bol.* Ortópt. Españ. p. 120. n. 9 (1876); An. Soc. Españ. v. p. 326. n. 9 (1876).

Chorthippus Hæmorrhoidalis, Fieb. Lotos, iii. p. 103. n. 15 (1853); Syn. Eur. Orth. p. 14. n. 15 (1854).

Stenobothrus Hæmorrhoidalis, var. *Nebulosa, Brunn.* l. c. p. 115 (1882); Bol. Ann. Sci. Nat. Porto, iv. pp. 230, 232. n. 8 (1897).

4. **O. Raymondi, Yers.** (*Stenobothrus R.*) Ann. Soc. Ent. France, (4) iii. p. 289, pl. 7. f. 7 *a–c* (1863); Pant. An. Soc. Españ. xv. p. 268 (1886), xxv. p. 89 (1896); Bol. l. c. iv. p. 230 (1897), v. p. 1. n. 9 (1898).

S. France, Spain, Algeria.

Gomphocerus Raymondi, Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876).

Gomphocerus (*Stenobothrus*) *Raymondi, Bol.* ll. cc. p. 122. n. 11 (1876); p. 328. n. 11 (1876).

Stenobothrus Hæmorrhoidalis, var. *Raymondi, Brunn.* l. c. p. 115 (1882); Finot, ll. cc. p. 57 (1883); p. 118 (1889).

5. **O. Petræus, Bris.** (*Acridium Petræum*) l. c. (3) iii. p. cxiv (1855).

S. & Central Europe, Siberia, Asia Minor, Syria.

Stenobothrus Petræus, Friv. l. c. p. 156. n. 17, pl. 6. ff. 8, 8*a*, 9 (1867); Brunn. l. c. pp. 102, 115. n. 14 (1882); Finot, ll. cc. pp. 52, 58 (1883); pp. 110, 118 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 230 (1897), v. p. 1. n. 10 (1898); Tümp. l. c. pp. 218, 241 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225 (1902).

6. **O. Minuta, Brullé,** (*Œdipoda M.*) Expl. Morée, Ins. p. 94. n. 67, pl. 30. f. 5 (1832).	Morea.
7. **O. Simonyi, Krauss,** (*Stenobothrus S.*) Zool. Anz. xv. p. 166. n. 25 (1892).	Canaries.
*8. **O. Minutissimus, Bol.** (*Gomphocerus* (*Omocestus*) *M.*) An. Soc. Esp. vii. p. 424 (1878). *Gomphocerus Minutissimus, Bol.* l. c. p. 428. n. 21 (1878); Brunn. l. c. p. 116 (1882). *Stenobothrus Minutissimus, Pant.* An. Soc. Españ. xxv. p. 87. n. 23 (1896); Bol. Ann. Sci. Nat. Porto, iv. p. 230 (1897), v. p. 1. n. 11 (1898).	Spain.
9. **O. Uhagonii, Bol.** (*Gomphocerus U.*) Ortópt. Españ. p. 111 (1876); An. Soc. Españ. v. p. 317 (1876), vii. p. 427. n. 13 (1878). *Gomphocerus* (*Stenobothrus*) *Uhagonii, Bol.* ll. cc. p. 118. n. 7, pl. 3. f. 12 (1876); v. p. 324. n. 7, pl. 12. f. 12 (1876). *Stenobothrus Uhagonii, Brunn.* l. c. pp. 101, 108. n. 7 (1882); Bol. Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 12 (1898).	id.
*10. **O. Ventralis, Zett.** (*Gryllus V.*) Orth. Suec. p. 89. n. 8 (1821). *Acridium Ventrale, Bris.* Ann. Soc. Ent. France, (2) vi. p. 419 (1848). *Gryllus Rufipes, Zett.* l. c. p. 90. n. 9 (1821); Charp. Hor. Ent. p. 161 (1825). *Gomphocerus Rufipes, Borck,* Skand. Rätv. Ins. p. 124. n. 7, pl. 4. ff. 4, 5 (1848); Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876), vii. p. 427. n. 16 (1878). *Gomphocerus* (*Stenobothrus*) *Rufipes, Bol.* ll. cc. p. 124. n. 13, pl. 3. f. 11 (1876); v. p. 330. n. 13, pl. 12. f. 11 (1876). *Acridium Rufipes, Herr.-Schäff.* Nomencl. Ent. ii. p. 11 (1840). *Locusta Rufipes, Steph.* Ill. Brit. Ent., Mand. vi. p. 25. n. 14 (1835). *Œdipoda Rufipes, Fisch.-Waldh.* Orth. Ross. p. 324. n. 38 (1846). *Stenobothrus Rufipes, Fisch.* l. c. p. 331. n. 12 *a*, pl. 16. ff. 16, 16 *a* (1853); Friv. l. c. p. 151. n. 12 (1867); Brunn. l. c. pp. 102, 113. n. 12 (1882); Finot, ll. cc.	Europe, Asia Minor, Siberia, Algeria.

pp. 51, 56 (1883); pp. 109, 116, pl. 5. ff. 77, 78 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 13 (1898); Burr, Brit. Orth. pp. 35, 36, pl. 3. ff. 4, 4 *a, b* (1897); Auriv. Ent. Tidskr. xxi. pp. 242, 244. n. 7 (1900); Tümpel, l. c. pp. 218, 240, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 179, 225, pl. 4 (1902).

||*Acrydium Viridulum, Wesm.* (*nec Linn.*) Bull. Acad. Belg. v. p. 595. n. 2, plate, f. 3 *a, b* (1838).

Chorthippus Zetterstedtii, Fieb. Lotos, iii. p. 116. n. 27 (1853); Syn. Eur. Orth. p. 16. n. 27 (1854).

Acridium Abdominale, Herr.-Schäff. l. c. p. 11 (1840).

Œdipoda Cruentata, Brullé, l. c. p. 93. n. 65, pl. 30. f. 3 (1832).

Œdipoda Geniculata, Brullé, l. c. p. 94, n. 66. pl. 30. f. 4 (1832).

||*Locusta Miniata, Steph.* (*nec Charp.*) l. c. p. 25. n. 16 (1835).

11. **O. Chloodes, Karny,** (*Chorthippus* (*Omocestus*) *C.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 96 (1907). Soudan.

12. **O. Lucasii, Bris.** (*Acridium L.*) Bull. Soc. Ent. France, (2) viii. p. lxiii (1850). Algeria.

Stenobothrus Lucasii, Borm. Ann. Mus. Genova, xxii. pp. 105, 106. n. 19, fig. (1885).

||*Œdipoda Biguttula*, pt., *Luc.* (*nec Linn.*) Expl. Alg. iii. p. 39. n. 67 (1849).

*13. **O. Panteli, Bol.** (*Stenobothrus P.*) An. Soc. Españ. xvi. p. 95 (1887); Ann. Sci. Nat. Porto, iv. p. 231 (1897), v. p. 2. n. 14 (1898). Spain, Portugal.

||*Gomphocerus Stigmaticus*, pt., *Bol.* (*nec Ramb.*) An. Soc. Españ. vii. p. 427. n. 14 (1878); Pant. An. Soc. Españ. xv. p. 267 (1886).

Stenobothrus Panteli, var. *Meridionalis, Bol.* Ann. Sci. Nat. Porto, v. p. 3 (1898).

*14. **O. Viridulus, Linn.** (*Gryllus Locusta V.*) Syst. Nat. (ed. x.) i. p. 433. n. 55 (1758). N. & Centr. Europe, Siberia, Amur.

Gryllus Viridulus, Linn. Faun. Suec. (ed. ii.) p. 238. n. 874 (1761); Thunb. Mém. Acad.

Pétersb. v. p. 252 (1815), ix. pp. 398, 420. n. 75 (1824); Zett. l. c. p. 86. n. 7 (1821); Ins. Lapp. p. 247. n. 3 (1840); Charp. Hor. Ent. p. 159 (1825); Phil. Orth. Berol. p. 36. n. 13 (1830); Borck, l. c. p. 122. n. 6 (1848).

Œdipoda Viridula, Fisch.-Waldh. l. c. p. 322. n. 37 (1846).

Gomphocerus Viridulus, Burm. Handb. Ent. ii. p. 648. n. 5 (1838); Stål, Recens. Orth. i. p. 109. n. 7 (1873); Bol. Ortópt. Españ. p. 112 (1876); An. Soc. Españ. v. p. 318 (1876), vii. p. 427. n. 15 (1878).

Stenobothrus Viridulus, Fisch. l. c. p. 329. n. 12, pl. 16. ff. 15, 15 *a* (1853); Friv. l. c. p. 152. n. 13 (1867); Brunn. l. c. pp. 102, 111. n. 11, pl. 5. f. 28 E (1882); Finot, ll. cc. pp. 51, 56 (1883); pp. 109, 116, pl. 5. figs. 75, 76 (1889); Burr, l. c. p. 35, pl. 3. f. 3 (1897); Auriv. l. c. pp. 242, 243. n. 6, p. 244. f. 11 *b* (1900); Bol. Ann. Sci. Nat. Porto, iv. p. 232 (1897), v. p. 3. n. 15 (1898); Tümpel, l. c. pp. 218, 240, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 179, 224, pl. 4 (1902).

Chorthippus Viridulus, Fieb. Lotos, iii. p. 116. n. 28 (1853), iv. p. 181. n. 28 (1854); Syn. Eur. Orth. p. 16. n. 28 (1854).

Gomphocerus (Stenobothrus) Viridulus, Bol. Ortópt. Españ. p. 123. n. 12 (1876); An. Soc. Españ. v. p. 329. n. 12 (1876).

Locusta Viridula, Steph. l. c. p. 24. n. 11 (1835).

Gryllus Rubicundus, Gmel. Syst. Nat. i. (4) p. 2070. n. 125 (1788).

Locusta Rubicunda, Steph. l. c. p. 24. n. 12 (1835).

Locusta Aprica, Steph. l. c. n. 13 (1835).

Acrydium Rufomarginatum, De Geer, Mém. Ins. iii. p. 481. n. 8 (1773).

Acrydium Nigroterminatum, De Geer, l. c. p. 481. n. 9 (1773).

Gryllus Dimidiatus, Thunb. Mém. Acad. Pétersb. v. p. 250 (1815), ix. pp. 398, 420. n. 76 (1824).

Gryllus Marginalis, *Thunb.* ll. cc. p. 252 (1815), pp. 398, 421. n. 78 (1824).

15. **O. Antigai, Bol.** (*Stenobothrus A.*) Ann. Sci. Nat. Porto, iv. p. 232 (1897), v. p. 3. n. 16 (1898). Barcelona.

Genus 292. **Stauroderus.** (*Type* no. 1.)

Bol. Ann. Sci. Nat. Porto, iv. p. 224 (1897), v. p. 4 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 179. 225 (1902).

*1. **S. Scalaris, Fisch.-Waldh.** (*Œdipoda S.*) Orth. Ross. p. 317. n. 34, pl. 16. f. 5 (1846). Europe.

‖ *Gryllus Morio*, *Charp.* (*nec Fabr.*) Hor. Ent. p. 170, pl. 2. f. 1 (1825).

Chorthippus Morio, *Fieb.* Lotos, iii. p. 115. n. 22 (1853), iv. p. 181. n. 22 (1854); Syn. Eur. Orth. p. 15. n. 22 (1854).

Stenobothrus Morio, *Brunn.* Syn. Eur. Orth. p. 109. n. 9 (1882); Finot, Orth. France, pp. 51, 55 (1883); Faune France, Orth. pp. 109, 114, pl. 5. f. 72 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 4, 6. n. 17 (1898); Auriv. Ent. Tidskr. xxi. pp. 242, 243. n. 1, f. 10 (1) (1900); Tümpel, Geradfl. Mitteleuropas, pp. 217, 242, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 179, 226, pl. 4 (1902).

Gomphocerus Melanopterus, *Borck*, Skand. Rätv. Ins. p. 120. n. 5, pl. 4. f. 7 (1848); Stål, Recens. Orth. i. p. 109. n. 4 (1873); Bol. Ortópt. Españ. p. 110 (1876); An. Soc. Españ. v. p. 316 (1876), vii. p. 426. n. 8 (1878).

Stenobothrus Melanopterus, *Fisch.* Orth. Eur. p. 340. n. 22, pl. 17. ff. 4, 4 *a* (1853); Friv. Értek. Termész. Kör. i. (12) p. 150. n. 11 (1867).

Gomphocerus (*Stenobothrus*) *Melanopterus*, *Bol.* Ortópt. Españ. p. 116. n. 4, pl. 3. f. 4 (1876); An. Soc. Españ. v. p. 322. n. 4, pl. 12. f. 4 (1876).

2. **S. Apricarius, Linn.** (*Gryllus Locusta A.*) Syst. Nat. (ed. x.) p. 433. n. 54 (1758). N. & Central Europe, Siberia.

Gryllus Apricarius, *Linn.* Faun. Suec. (ed. ii.) p. 238. n. 873 (1761); Zett. Orth. Suec. p. 91. n. 10 (1821); Charp. Hor. Ent. p. 169 (1825); Phil. Orth. Berol. p. 38. n. 16, pl. 2. ff. 7, 8 (1830).

Gomphocerus Apricarius, *Borck*, Skand. Rätv. Ins. p. 127. n. 8 (1848): Stål. Recens. Orth. i. p. 109. n. 5 (1873); Bol. An. Soc. Españ. vii. p. 426. n. 9 (1878).

Œdipoda Apricaria, *Fisch.-Waldh.* l. c. p. 325. n. 39 (1846).

Chorthippus Apricarius, *Fieb.* Lotos, iii. p. 103. n. 16 (1853); Syn. Eur. Orth. p. 14. n. 16 (1854).

Stenobothrus Apricarius, *Fisch.* l. c. p. 333. n. 14, pl. 17. ff. 6, 6 *a* (1853); Friv. l. c. p. 154. n. 15 (1867); Brunn. l. c. pp. 102, 110. n. 10, pl. 5. f. 28 D, D 1, 2 (1882); Finot, ll. cc. pp. 51, 56 (1883); pp. 109, 115, pl. 5. ff. 72, 74, 74 bis (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 4, 7. n. 18 (1898); Auriv. l. c. pp. 242, 243. n. 2 (1900); Tümpel, l. c. pp. 217, 242 (1900); Jacobs. & Bianchi, l. c. pp. 179, 226 (1902).

Stenobothrus Finoti, *Saulcy*. Bull. Soc. Metz, (2) xvii. p. 82 (1887); Finot, Faune France, Orth. pp. 110, 121, pl. 6. ff. 82, 82 bis, ter, 4° (1889).

3. **S. Hammarstroemi, Miram,** (*Stenobothrus H.*) Œfv. Finska Vet. Soc. Förh. xlix. (6) p. 5 (1907). — Yenisei.

4. **S. Lesinensis, Krauss,** (*Stenobothrus L.*) Wien. Ent. Zeit. vii. p. 117 (1888): Jacobs. & Bianchi, l. c. pp. 180, 226 (1902). — Dalmatia.

5. **S. Sangiorgii, Finot,** (*Stenobothrus S.*) Bull. Soc. Ent. France, 1902, pp. 53–56, figs. 1–4; Jacobs. & Bianchi, l. c. pp. 180, 227 (1902). — Cephalonia.

6. **S. Horvathi, Bol.** (*Stenobothrus H.*) Zichy, 3ter Asiat. Forschungsreise, ii. p. 231 (1901); Jacobs. & Bianchi, l. c. pp. 180, 227 (1902). — Mongolia.

7. **S. Azami, Bol.** (*Stenobothrus A.*) Bull. Soc. Ent. France, 1901, p. 189; Jacobs. & Bianchi, l. c pp. 180, 227 (1902). — Cyprus.

8. **S. Ingenitzkyi, Zub.** (*Stenobothrus I.*) Ann. Mus. Pétersb. iii. p. 82. n. 16 (1898); Jacobs. & Bianchi, l. c. pp. 180, 228 (1902). — Central Asia.

9. **S. Ehnbergi, Miram,** (*Stenobothrus E.*) l. c. xlix. (6) p. 5 (1907).	Yenisei.
*10. **S. Pullus, Phil.** (*Gryllus P.*) l. c. p. 38. n. 17, pl. 2. f. 9 (1830).	S. & Central Europe.
Stenobothrus Pullus, Herm. Verh. Mitth. Siebenb. xxi. p. 34, plate (1871); Brunn. l. c. pp. 102, 117. n. 16, pl. 5. f. 28 F (1882); Bol. An. Soc. Españ. vii. p. 428. n. 22 (1878); Tümp. l. c. pp. 218, 243 (1900); Jacobs. & Bianchi, l. c. pp. 180, 228 (1902).	
Œdipoda Geniculata, Fisch.-Waldh. l. c. p. 327. n. 41, pl. 17. ff. 10, 11 (1846).	
Gomphocerus Abruptipennis, Borck, l. c. p. 134. n. 11, pl. 4. f. 6 (1848).	
Stenobothrus Abruptipennis, Fisch. l. c. p. 337. n. 17, pl. 16. f. 19 (1853).	
11. **S. Binotatus, Charp.** (*Gryllus B.*) Hor. Ent. p. 158 (1825).	France, Spain. Portugal.
Gomphocerus Binotatus, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428. n. 25 (1878).	
Gomphocerus (Stenobothrus) Binotatus, Bol. ll. cc. pp. 127. n. 16 (1876); v. p. 333. n. 16 (1876).	
Stenobothrus Binotatus, Fisch. l. c. p. 338. n. 20 (1853); Brunn. l. c. pp. 102, 116. n. 15 (1882); Finot, ll. cc. pp. 52, 58 (1883); pp. 110, 119 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 5, 7. n. 19 (1898).	
12. **S. Saulcyi, Krauss,** (*Stenobothrus S.*) Verh. zool.-bot. Ges. Wien, xxxviii. p. 573, pl. 15. ff. 4, 4 *a*, *b* (1888); Finot, Faune France, Orth. pp. 110, 120 (1889); Bol. l. c. pp. 5, 7. n. 20 (1878).	S. France, N. Spain.
Stenobothrus Saulcyi, var. *Daimei, Azam,* Ann. Soc. Ent. France, lxii. p. 189. n. 33 (1893).	Basses-Alpes.
13. **S. Cazurroi, Bol.** (*Stenobothrus C.*) l. c. pp. 5, 8. n. 21 (1898).	Spain.
14. **S. Hyalinus, Yers.** (*Stenobothrus H.*) Ann. Soc. Ent. France, (4) iii. p. 286. pl. 7. f. 6 *a–d* (1863).	id.
15. **S. Apicalis, Herr-Schäff.** (*Acridium Apicale*) Nomencl. Ent. ii. p. 10 (1840).	Spain, Portugal, Greece
Stenobothrus Apicalis, Fisch. l. c. p. 333. n. 13. pl. 17. ff. 5, 5 *a*, *b* (1853); Brunn.	

l. c. pp. 103, 117. n. 17 (1882); Bol. l. c. pp. 6, 9. n. 22 (1878); Jacobs. & Bianchi, l. c. pp. 181, 229 (1902).	
Gomphocerus Apicalis, Bol. Orthópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428. n. 26 (1878).	
Gomphocerus (*Stenobothrus*) *Apicalis*, Bol. ll. cc. p. 127. n. 17, pl. 3. ff. 13, 14 (1876); v. p. 333. n. 17, pl. 12. ff. 13, 14 (1876).	
Chorthippus Kollarii, Fieb. Lotos, iii. p. 102. n. 10 (1853); Syn. Eur. Orth. p. 13. n. 10 (1854).	
*16. **S. Vagans, Eversm.** (*Œdipoda V.*) Addit. Fisch.-Waldh. Orth. Ross. p. 12. n. 10 (1848).	Central & S. Europe, Siberia, Amur.
Stenobothrus Vagans, Fisch. l. c. p. 328. n. 11, pl. 16. ff. 14, 14*a* (1853); Friv. l. c. p. 153. n. 14 (1867); Brunn. l. c. pp. 103, 118. n. 18 (1882); Finot, Orth. France, pp. 53, 58 (1883); Faune France, Orth. pp. 110, 120, pl. 6. f. 81 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 6, 9. n. 23 (1878); Tümpel, Geradfl. Mitteleuropas, pp. 218, 243, pl. 16 (1900); Jacobs. & Bianchi, l. c. pp. 181, 229, pl. 4 (1902).	
Gomphocerus Vagans, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 428. n. 23 (1878).	
Gomphocerus (*Stenobothrus*) *Vagans, Bol.* ll. cc. p. 126. n. 15 (1876); v. p. 332. n. 15 (1876).	
Gomphocerus Subsinuatus, Fisch. Jahresh. Mannh. Ver. Naturh. xv. p. 42 (1849).	
17. **S. Nigrovittatus, Krauss,** (*Stenobothrus Epacromioides,* var. *Nigrovittata*) Zool. Anz. xv. p. 166. n. 25 (1892).	Tenerife, Senegal.
‖ *Stenobothrus Epacromioides, Krauss* (*nec Walk.*), Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 54. n. 1 (1877).	
18. **S. Xanthus, Karny,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. pp. 363, 364. n. 91 (1907).	Gondokoro.
19. **S. Wernerianus, Karny,** ll. cc. n. 92 (1907).	id.
S. Wernerianus, var. *Ustulata, Karny,* l. c. p. 365 (1907).	Kordofan.

20. **S. Ypsilon, Karny,** l. c. pp. 363. 365. n. 93 (1907).	Gondokoro.
21. **S. Simplex, Eversm.** (*Stenobothrus S.*) Bull. Mosc. xxxii. (1) p. 133 (1859); Brunn. l. c. pp. 103, 119. n. 19 (1882); Jacobs. & Bianchi, l. c. pp. 181, 229 (1902).	S.E.Europe, Asia Minor, Syria, Siberia.
22. **S. Cognatus, Fieb.** (*Stenobothrus C.*) Lotos, iii. p. 103. n. 12 (1853); Syn. Eur. Orth. p. 14. n. 12 (1854). *Stenobothrus Cognatus, Brunn.* l. c. pp. 103, 119. n. 20 (1882); Jacobs. & Bianchi, l. c. pp. 181, 229 (1902); Adel. Ann. Mus. Zool. Pétersb. xii. p. 124. n. 8 (1907). *Stenobothrus Cognatus,* var. *Fallax, Zub.* Hor. Soc. Ent. Ross. xxxiv. p. 7. n. 9 (1900); Jacobs. & Bianchi, l. c. p. 230 (1902).	Sarepta, Caucasus, Siberia, Amur.
23. **S. Dubius, Zub.** (*Stenobothrus D.*) Ann. Mus. Zool. Pétersb. iii. p. 85. n. 20 (1898); Jacobs. & Bianchi, l. c. pp. 181, 230 (1902).	id.
24. **S. Latipennis, Bol.** (*Stenobothrus L.*) Ann. Mus. Genova, xxxix. p. 83. n. 33 (1898); Jacobs. & Bianchi, l. c. pp. 181, 230 (1902).	Corea, Japan.
25. **S. Æthalinus, Zub.** (*Stenobothrus Æ.*) Hor. Soc. Ent. Ross. xxxii. p. 600 (1898); Jacobs. & Bianchi, l. c. pp. 181, 231 (1902). ‖*Stenobothrus Fuliginosus, Zub.* (*nec Ivan.*) Ann. Mus. Zool. Pétersb. i. p. 87 (1896).	Tomsk.
*26. **S. Bicolor, Charp.** (*Gryllus B.*) Hor. Ent. p. 161 (1825); Phil. Orth. Berol. p. 36. n. 14 (1830). *Stenobothrus Bicolor, Bris.* Ann. Soc. Ent. France, (3) iv. p. 748, note (1856); Brunn. l. c. pp. 103, 120. n. 21, pl. 5. f. 28 G, G 1 (1882); Finot, Orth. France, pp. 53, 59 (1883); Faune France, Orth. pp. 110, 122, pl. 6. ff. 83, 83 bis (1889); Krauss, Verh. zool.-bot. Ges. Wien, xxxvi. pp. 141–147, pl. 5. ff. 5, 5 A–E (1886); Burr, Brit. Orth. pp. 35, 37, pl. 3. f. 5 (1897); Bol. Ann. Sci. Nat. Porto, v. pp. 6, 10. n. 25 (1898); Auriv. Ent. Tidskr. xxi. pp 242–244. n. 9, f. 10 (3), f. 11 c (1900); Tümpel, l. c. pp. 218, 242, pl. 16 (1900); Jacobs. & Bianchi,	Europe, N. Africa, Asia Minor, Siberia, Mongolia, Corea, Japan, Burma.

l. c. pp. 181, 231, pl. 4 (1902): Adel. Ann. Mus. Zool. Pétersb. xii. p. 127. n. 9 (1907).

Œdipoda Bicolor, *Fisch.-Waldh.* l. c. p. 310. n. 28 (1846).

Gryllus Mollis, *Charp.* l. c. p. 164 (1825).

Locusta Mollis, *Steph.* Ill. Brit. Ent., Mand. vi. p. 27. n. 19 (1835).

‖ *Locusta Biguttula*, *Steph.* (*nec Linn.*) l. c. p. 26. n. 18 (1836).

Locusta Vittata, *Steph.* l. c. p. 25. n. 15 (1836).

‖ *Locusta Hæmorrhoidalis*, *Steph.* (*nec Charp.*) l. c. p. 27. n. 20 (1836).

Locusta Rhomboidea, *Steph.* l. c. p. 28. n. 21 (1836).

Locusta Varipes, *Steph.* l. c. n. 22 (1836).

‖ *Locusta Venosa*, *Steph.* (*nec Linn.*) l. c. n. 23 (1836).

*27. **S. Biguttulus, Linn.** (*Gryllus Locusta B.*) Syst. Nat. (ed. x.) i. p. 433. n. 56 (1758).

Europe,
N. Africa,
N. Asia.

Gryllus Biguttulus, *Linn.* Faun. Suec. (ed. ii.) p. 239. n. 875 (1761): Thunb. Mém. Pétersb. v. p. 253 (1815). ix. pp. 399, 427. n. 98 (1824); Zett. Orth. Suec. p. 94. n. 11 (1821); Charp. Hor. Ent. p. 163 (1825): Phil. Orth. Berol. p. 37. n. 15 (1830): Ramb. Faune Andal. ii. p. 94. n. 20 (1838).

Acrydium Biguttulum, *De Geer*, Mém. Ins. iii. p. 479. n. 6 (1773); Oliv. Enc. Méth. vi. p. 229. n. 61 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 158. n. 17 (1804); Wesm. Bull. Acad. Sci. Brux. v. p. 595. n. 5, pl. 1. f. 6 *a*, *b* (1838).

Acridium Biguttulum, *Costa*, Faun. Nap. Ort. p. 29. n. 13, pl. 4. f. 1 A, *b*, *c*. *d* (1836).

Œdipoda Biguttula, *Serv.* Ann. Sci. Nat. xxii. p. 289. n. 10 (1831); Ins. Orth. p. 742. n. 27 (1839): Fisch.-Waldh. Orth. Ross. p. 320. n. 36 (1846).

Stenobothrus Biguttulus, *Eversm.* l. c. xxxii. (1) p. 135 (1859); Friv. l. c. p. 157. n. 18 (1867); Brunn. l. c. pp. 103, 121. n. 22 (1882); Finot, ll. cc. pp. 53, 59 (1883); pp. 111, 123, pl. 6. ff. 84, 85

(1889) : Krauss, l. c. pp. 141–147. pl. 5. ff. 4, 4 A–E (1886); Bol. Ann. Sci. Nat. Porto. v. pp. 6, 9. n. 24 (1898) : Auriv. l. c. pp. 242–244. n. 8, f. 10 (1) (1900) ; Tümp. l. c. pp. 218, 213 (1900) : Jacobs. & Bianchi, l. c. pp. 182, 232 (1902).

Gryllus Mutabilis, *Panz.* Syst. Nomencl. Schäffer's Abbild. p. 211 (1804).

Œdipoda Mutabilis, *Fisch.-Waldh.* l. c. p. 316. n. 23 (1846).

Chorthippus Variabilis, *Fieb.* Kelch, Orth. Oberschles. p. 1. n. 4 (1852) ; Lotos, iii. p. 102. n. 11 (1853) : Syn. Eur. Orth. p. 13. n. 11 (1854).

Stenobothrus Variabilis, *Fisch.* l. c. p. 342. n. 23, pl. 17. ff. 7, 7 *a–d* (1853) ; Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl lxxviii. (1) p. 481. n. 36 (1879).

Gryllus Lunulatus, *Scop.* Ent. Carn. p. 110. n. 328 (1763).

Gryllus Notatus, *Thunb.* ll. cc. v. p. 249 (1815) ; pp. 399, 426. n. 95 (1824).

Gryllus Brunneus, *Thunb.* ll. cc. p. 256 (1815) ; pp. 397, 415. n. 56 (1824).

Gomphocerus Arvalis, *Burm.* Handb. Ent. ii. p. 649. n. 12 (1838).

Gryllus Aureolus, *Zett.* Orth. Suec. p. 97. n. 12 (1821).

Gomphocerus Aureolus, *Seidl.* Weitenweber, Beitr. Naturk. Heilwiss. i. p. 137 (1837); Borck, Skand. Rätv. Ins. p. 132. n. 10 (1848).

Gomphocerus Biguttulus, *Bol.* Ortópt. Españ. p. 112 (1876) ; An. Soc. Españ. v. p. 318 (1876), vii. p. 428. n. 24 (1878).

Gomphocerus (*Stenobothrus*) *Biguttulus*, *Bol.* ll. cc. p. 125. n. 14 (1876) ; v. p. 331. n. 14 (1876).

28. **S. (?) Campestris, Stål,** (*Gomphocerus* (*Stenobothrus*) *C.*) Eugenies Resa, Orth. p. 341. n. 98 (1860). Rio Janeiro.

29. **S. (?) Costistriga, Walk. (*Epacromia C.*) Cat. Derm. Salt. B. M. iv. p. 767. n. 4 (1870). Santarem.

Genus 293. **Meloscirtus.**

Brun. Proc. U.S. Nat. Mus. xxx. p. 634 (1906).

1. **M. Australis, Brun.** l. c. p. 635 (1906).	Paraguay.

Genus 294. **Chorthippus.** (*Type* no. 3.)

Fieb. Kelch, Orth. Oberschles. p. 1 (1852); Lotos, iii. p. 100 (1853); Syn. Eur. Orth. p. 11 (1854); Bol. An. Soc. Españ. vii. p. 428 (1878); Ann. Sci. Nat. Porto, iv. p. 224 (1897), v. p. 10 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 182, 232 (1902); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 362 (1907).

*1. **C. Jucundus, Fisch.** (*Stenobothrus J.*) Orth. Eur. p. 315. n. 1. pl. 16. ff. 8, 8 *a* (1853); Brunn. Prodr. Eur. Orth. pp. 103, 123. n. 23 (1882); Finot, Orth. France, pp. 53, 60 (1883); Faune France, Orth. pp. 111, 124, pl. 6. f. 86 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 26 (1898). *Gomphocerus Jucundus, Bol.* Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 32 (1878). *Gomphocerus (Stenobothrus) Jucundus, Bol.* ll. cc. p. 133. n. 22, pl. 3. ff. 17–19 (1876); v. p. 339. n. 22, pl. 12. ff. 17–19 (1876).	S. France, Spain.
*2. **C. Pulvinatus, Fisch.-Waldh.** (*Œdipoda Pulvinata*) Orth. Ross. p. 305. n. 23, pl. 23. f. 4 (1846). *Chorthippus Pulvinatus, Fieb.* Lotos, iii. p. 117. n. 33 (1853), iv. p. 182. n. 33 (1854); Syn. Eur. Orth. p. 17. n. 33 (1853). *Stenobothrus Pulvinatus, Eversm.* Bull. Mosc. xxxii. (1) p. 132 (1859); Brunn. l. c. pp. 103, 123. n. 24 (1882); Finot, ll. cc. pp. 53, 60 (1883); pp. 111, 125, pl. 6. ff. 87, 88 (1889); Bol. l. c. pp. 10, 11. n. 27 (1898); Tümpel, Geradfl. Mitteleuropas, pp. 217, 239 (1900); Jacobs. & Bianchi, l. c. pp. 182, 232 (1902). *Acridium Declivum, Bris.* Ann. Soc. Ent. France, (2) vi. p. 420 (1848). *Stenobothrus Declivus, Fisch.* l. c. p. 317. n. 3, pl. 10. ff. 10, 10 *a–c* (1853); Friv. l. c. p. 141. n. 1, pl. 6. ff. 4, 4 *a* (1867).	Central & S. Europe, Siberia, N. Africa.

Gomphocerus Declivus, Bol. Ortópt. Españ. p. 113 (1876); An. Soc. Españ. v. p. 319 (1876), vii. p. 429. n. 30 (1878).

Gomphocerus (Stenobothrus) Declivus, Bol. ll. cc. p. 131. n. 20 (1876); v. p. 337. n. 20 (1876).

Œdipoda Albolineata, Luc. Expl. Alg. iii. p. 38. n. 66, iv. pl. 4. f. 6 (1849).

*3. **C. Albomarginatus, De Geer,** (*Acrydium Albomarginatum*) Mém. Ins. iii. p. 480. n. 7 (1773). Europe, N.&W.Asia.

Stenobothrus Albomarginatus, Auriv. Ent. Tidskr. xxi. pp. 242–244. f. 10 (2). f. 11 *a* (1900); Jacobs. & Bianchi, l. c. p. 182. f. 29, p. 232 (1902).

Stenobothrus Elegans, var. *Fuliginosus, Ivan.* Trud. Chark. Univ. xxi. p. 336 (1883).

Stenobothrus Albomarginatus, var. *Fuliginosus, Jacobs. & Bianchi,* l. c. p. 233 (1902).

Gryllus Elegans, Charp. Hor. Ent. p. 153 (1825); Phil. Orth. Berol. p. 33. n. 9 (1830); Ramb. Faun. Andal. ii. p. 87. n. 14 (1838).

Œdipoda Elegans, Germ. Faun. Ins. Eur. fasc. xx. pls. 20, 21 (1838); Fisch.-Waldh. l. c. p. 308. n. 26, pl. 22. f. 5 (1846).

Gomphocerus Elegans, Borck, Skand. Rätv. Ins. p. 112. n. 2, pl. 4. ff. 1, 2 (1848); Bol. ll. cc. p. 113 (1876); v. p. 319 (1876), vii. p. 429. n. 29 (1878).

Stenobothrus (Gomphocerus) Elegans, Bol. ll. cc. p. 130. n. 19 (1876); v. p. 336. n. 19 (1876).

Chorthippus Elegans, Fieb. ll. cc. iii. p. 117. n. 32 (1853); p. 17. n. 32 (1854).

Locusta Elegans, Steph. Ill. Brit. Ent., Mand. vi. p. 22. n. 6 (1835).

Stenobothrus Elegans, Fisch. l. c. p. 318. n. 4, pl. 1 *b.* ff. 11, 11 *a, b* (1853); Friv. l. c. p. 142. n. 2, pl. 6. f. 1 (1867); Brunn. l. c. pp. 103, 125. n. 25, pl. 5. f. 28 II, II 1 (1882); Finot. ll. cc. pp. 51, 61 (1883); pp. 111, 126, pl. 7. ff. 89, 90 (1889); Burr, Brit. Orth. pp. 35, 37, pl. 3. f. 6 (1897); Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 28 (1898); Tümpel, l. c. pp. 218, 240 (1900).

Locusta Tricarinata, Steph. l. c. p. 23. n. 10 (1835).	
Gryllus Blandus, Fisch.-Waldh. l. c. p. 309 (1846).	
Œdipoda Dichroa, Eversm. l. c. p. 132 (1859).	
4. **C. Chlorophanus, Fisch.-Waldh.** (*Œdipoda Chlorophana*) l. c. pl. 16. ff. 2, 3 (1846).	Siberia (?).
*5. **C. Dorsatus, Zett.** (*Gryllus D.*) Orth. Suec. p. 82. n. 5 (1821); Charp. Hor. Ent. p. 153 (1825); Phil. Orth. Berol. p. 32. n. 8 (1830).	Europe, W. Asia, Siberia.
Acrydium Dorsatum, Wesm. Bull. Acad. Brux. v. p. 595. n. 3, pl. 1. f. 4 *a*, *b* (1838).	
Œdipoda Dorsata, Fisch.-Waldh. l. c. p. 306. n. 24 (1846).	
Chorthippus Dorsatus, Fieb. Kelch, Orth. Oberschles. p. 2. n. 14 (1852); Lotos, iii. p. 117. n. 29 (1853); Syn. Eur. Orth. p. 16. n. 29 (1854).	
Gomphocerus Dorsatus, Borck, Skand. Rätv. Ins. p. 115. n. 3 (1848); Bol., Bol. Soc. Españ. vii. p. 429. n. 28 (1878).	
Stenobothrus Dorsatus, Fisch. l. c. p. 320. n. 5, pl. 16. ff. 12, 12 *a* (1853); Friv. l. c. p. 143. n. 3 (1867); Brunn. l. c. pp. 103, 126. n. 26 (1882); Finot, ll. cc. pp. 54, 61 (1883); pp. 111, 127, pl. 7. ff. 91, 92 (1889); Bol. Ann. Sci. Nat. Porto, v. pp. 10, 11. n. 29 (1898); Auriv. l. c. pp. 242, 243. n. 4 (1900); Tümpel, l. c. pp. 218, 239 (1900); Jacobs. & Bianchi, l. c. pp. 182, 233 (1902).	
Œdipoda Moderata, Eversm. Addit. Fisch.-Waldh. Orth. Ross. p. 14. n. 13, pl. A. f. 7 (1848).	
Stenobothrus Moderatus, Eversm. Bull. Mosc. xxxii. (1) p. 132 (1859).	
*6. **C. Parallelus, Zett.** (*Gryllus P.*) l. c. p. 85. n. 6 (1821); Charp. l. c. p. 171 (1825); Phil. l. c. p. 34. n. 10, pl. 2. f. 3 (1830).	Europe, N.&W. Asia.
Gomphocerus Parallelus, Borck, l. c. p. 116. n. 4, pl. 4. f. 3 (1848).	
Œdipoda Parallela, Fisch.-Waldh. l. c. p. 309. n. 27 (1846); Serv. Ins. Orth. p. 744. n. 29 (1839).	

Locusta Parallela, Steph. l. c. p. 23. n. 8 (1835).

Stenobothrus Parallelus, Brunn. l. c. pp. 103, 127. n. 27 (1882) ; Finot, l. c. pp. 54, 62 (1883) ; pp. 111, 129, pl. 7. f. 94 (1889) ; Burr, l. c. pp. 35, 38, pl. 3. f. 7 (1897) ; Bol. l. c. p. 11. n. 30 (1898) ; Auriv. l. c. pp. 242, 243. n. 5 (1900) ; Tümpel, l. c. pp. 217, 239 (1900) ; Jacobs. & Bianchi, l. c. pp. 182, 233 (1902).

Gryllus Montanus, Charp. l. c. p. 173 (1825).

Locusta Montana, Steph. l. c. p. 23. n. 9 (1835).

Gomphocerus Montanus, Burm. l. c. p. 650. n. 15 (1838) ; Borck, l. c. p. 119, note (1848).

Stenobothrus Parallelus, var. *Montanus*, *Finot*, ll. cc. p. 62 (1883) ; p. 129 (1889).

Podisma Tenuis, Brullé, Expéd. Morée, Ins. p. 96. n. 69, pl. 30. f. 7 (1832).

Podisma Dimidiata, Brullé, l. c. n. 70, pl. 30. f. 8 (1832).

Chorthippus Pratorum, Fieb. ll. cc. pp. 2, 5. n. 15 (1852); p. 117. n. 30 (1853); p. 16. n. 30 (1854).

Stenobothrus Pratorum, Fisch. l. c. p. 321. n. 6, pl. 16. ff. 13, 13 *a–d* (1853) ; Friv. l. c. p. 144. n. 4 (1867).

Gomphocerus Pratorum, Bol. Ortópt. Españ. p. 113 (1876) ; An. Soc. Españ. v. p. 319 (1876) ; vii. p. 429. n. 27 (1878).

Gomphocerus (*Stenobothrus*) *Pratorum, Bol.* ll. cc. p. 129. n. 18, pl. 3. ff. 15, 16 (1876) ; p. 335. n. 18, pl. 12. ff. 15, 16 (1896).

Var. *Stenobothrus Nigrolineatus, Ivan.* l. c. p. 338 (1883).

7. **C. Longicornis, Latr.** (*Acrydium Longicorne*) Hist. Nat. Crust. Ins. xii. p. 159. n. 19 (1804). — France. Belgium.

Gryllus Longicornis, Hagenb. Symb. Faun. Ins. Helvet. p. 36, ff. 22, 23 (1822) ; Finot, Faune France, Orth. pp. 111, 128, pl. 7. f. 93 (1889) ; Jacobs. & Bianchi, l. c. pp. 182, 234 (1902).

8. **C. Acutus, Morse,** (*Stenobothrus A.*) Psyche, x. p. 115 (1903). — Nevada.

*9. **C. Curtipennis, Harr.** (*Locusta* (*Chloëaltis*) *C.*) Rep. Ins. Mass. p. 149. n. 15 (1841); (ed. iii.) p. 184. n. 15, pl. 3. f. 1 (1862).	Northern U. States, Canada.
Stenobothrus Curtipennis, Scudd. Journ. Boston Soc. N. H. vii. p. 456. n. 1 (1862); Glov. Ill. N. Amer. Orth. pl. 6. f. 15, pl. 7. f. 10, pl. 10. f. 4, pl. 12. f. 18 (1872); Thom. Syn. Acrid. N. Amer. p. 91 (1873); Prov. Faun. Ent. Canad. ii. pp. 42, 43. n. 1 (1877); McNeill, Proc. Davenport Acad. Sci. vi. p. 260. n. 1 (1897).	
S. Longipennis, Scudd. l. c. p. 457. n. 3 (1862); Glov. l. c. pl. 5. f. 15 (1872); Prov. l. c. pp. 42, 43. n. 2 (1873).	
10. **C. Coloradensis, McNeill,** (*Stenobothrus C.*) l. c. pp. 260, 262. n. 2, pl. 5. ff. 25 *a*, *b* (1897).	Colorado.
11. **C. Oregonensis, Scudd.** (*Stenobothrus O.*) Proc. Amer. Acad. xxxv. p. 50 (1899).	Oregon, California.
12. **C. Occipitalis, Thom.** (*Stenobothrus O.*) l. c. p. 81 (1873); Glover, l. c. pl. 17. f. 13 (1874).	Colorado.

Genus 295. **Platybothrus.** (*Type* no. 1.)

Scudd. Psyche, viii. pp. 237, 239 (1898).

1. **P. Brunneus, Thom.** (*Stenobothrus B.*) Rep. U.S. Geol. Surv. Wyoming, p. 280 (1871); Syn. Acrid. N. Amer. p. 93 (1873); Glov. l. c. pl. 18. f. 12 (1874); McNeill, Proc. Davenport Acad. Sci. vi. pp. 260, 263. n. 3 (1897).	Western States.
2. **P. Alticola, Rehn,** Ent. News, xvii. p. 284 (1906).	Utah.
3. **P. Olivaceus, Morse,** (*Stenobothrus O.*) Psyche, vi. p. 477 (1893).	Connecticut.
4. **P. Sordidus, McNeill,** (*Stenobothrus S.*) l. c. pp. 260, 263. n. 4, pl. 5. f. 25 *c* (1897).	Idaho.

Genus 296. **Aulacobothrus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 597 (1902).

1. **A. Strictus, Bol.** l. c. p. 598 (1902). Kodaikanal.
2. **A. Socius, Bol.** l. c. p. 599 (1902). id., Madura.
3. **A. Infernus, Bol.** l. c. (1902). Kodaikanal.
4. **A. Tæniatus, Bol.** l. c. p. 600 (1902). id. (?).

Genus 297. **Primnia.**

Stål, Recens. Orth. i. pp. 94, 113 (1873).

1. **P. Sanctæ-Helenæ, Stål,** (*Acridium (Tinaria) S.*) Eugenies Resa, Orth. p. 338. n. 92 (1860). St. Helena.
   P. Sanctæ-Helenæ, Stål, Recens. Orth. i. p. 113. n. 1 (1873).

Genus 298. **Tinaria.** (*Type* no. 1.)

Acridium (Tinaria), Stål, Eugenies Resa, Orth. p. 338 (1860).
Tinaria, Stål, Recens. Orth. i. pp. 94, 113 (1873).

*1. **T. Calcarata, Stål,** (*Acridium (Tinaria) Calcaratum*) Eugenies Resa, Orth. p. 338. n. 91 (1860). St. Helena.
   Acridium Calcaratum, Stål, l. c. pl. 5. f. 8 (1860).
   T. Calcarata, Stål, Recens. Orth. i. p. 113. n. 1 (1873).
   Stenobothrus Annulicornis, Walk. Melliss, St. Helena, p. 169 (1875).
2. **T. Undulifera, Walk.** (*Stenobothrus Undulifer*) l. c. p. 170 (1875). id.
*3. **T. Vittifera, Walk.** (*Stenobothrus Vittifer*) l. c. p. 170 (1875). id.
4. **T. Viridipes, Walk. (*Stenobothrus V.*) l. c. p. 169 (1875). id.
5. **T. Obumbrata, Walk.** (*Œdipoda O.*) l. c. p. 168 (1875). id.

Genus 299. **Æolopus.** (*Type* no. 2.)

Aiolopus, Fieb. Lotos, iii. p. 100 (May 1853) ; Syn. Eur. Orth. p. 11 (1854).

Epacromia, Fisch. Orth. Eur. pp. 296, 360 (Nov. 1853) ; Friv. Értek. Termész. Kör. i. (12) pp. 135, 166 (1867) ; Stål, Rec. Orth. i. pp. 99, 111 (1873) ; Bol. Ortópt. Españ. pp. 101, 141 (1876) ; An. Soc. Españ. v. pp. 307, 347 (1876) : Ann. Sci. Nat. Porto. iv. p. 215 (1897) ; v. p. 16 (1898) : Brunn. Prodr. Eur. Orth. pp. 84, 144 (1882) ; Ann. Mus. Genova, xxxiii. pp. 123, 128 (1893) ; Finot, Orth. France, pp. 41, 67 (1883) : Faune France, Orth. pp. 100, 139 (1889) ; Tümpel, Geradfl. Mitteleuropas, pp. 214, 219, 246 (1900) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 166, 185, 245 (1902). (*Type* no. 2.)

*1. **Æ. Strepens, Latr.** (*Acrydium S.*) Hist. Nat. Crust. Ins. xii. p. 154. n. 11 (1804). *Aiolopus Strepens, Fieb.* Lotos, iii. p. 100. n. 2 (1853), iv. p. 179. n. 2 (1854) ; Syn. Eur. Orth. p. 11. n. 2 (1854). *Epacromia Strepens, Bol.* ll. cc. p. 142. n. 2 (1876) : v. p. 348. n. 2 (1876) ; v. p. 17. n. 4 (1898) : Brunn. Prodr. Eur. Orth. p. 145. n. 1 (1882) ; Finot, ll. cc. pp. 67, 68 (1883) : p. 140. pl. 7. f. 100 (1889) ; Tümpel, l. c. pp. 219, 246, pl. 18 (1900) ; Jacobs. & Bianchi. l. c. pp. 185, 246, pl. 5 (1902). | *Gryllus Thalassinus*, ♂. *Charp.* (*nec Fabr.*) l. c. p. 138. pl. 4. f. 3 (1825) : Ramb. Faune Andal. ii. p. 85. n. 11 (1838). || *Acridium Thalassinum*, pt., *Brullé*, Berthelot & Webb, Hist. Nat. Canar. ii. (2) p. 78. n. 30. pl. 5. f. 8 (1842). || *Œdipoda Thalassina*, pt., *Serv.* Ins. Orth. p. 740. n. 25 (1839). || *Epacromia Thalassina, Fisch.* l. c. p. 361. n. 1 (1853). *Acridium Vittatum, Brullé*, l. c. p. 78. n. 31, pl. 5. f. 7 (1842).	S. Europe, N. Africa, Asia Minor.
*2. **Æ. Thalassinus, Fabr.** (*Gryllus T.*) Spec. Ins. i. p. 367. n. 31 (1781) ; Rossi, Faun. Etr. i. p. 270. n. 654 (1790) ; Charp. (♀ nec ♂) l. c. p. 138. pl. 2. f. 6 (1825) ; Ramb. (pt.) l. c. p. 85. n. 11 (1838).	Europe, N. Africa, W. Asia.

Acrydium Thalassinum, Oliv. Encycl. Méth., Ins. vi. p. 225. n. 43 (1791) ; Latr. Hist. Nat. Crust. Ins. xii. p. 156. n. 14 (1804).

Gomphocerus Thalassinus, Burm. Handb. Ent. ii. p. 647. n. 1 (1838).

Œdipoda Thalassina, Serv. l. c. p. 740. n. 25 (1839) ; Fisch.-Waldh. Orth. Ross. p. 301. n. 20, pl. 23. f. 6 (1846).

Epacromia Thalassina (pt.), *Fisch.* l. c. p. 361. n. 1 (1853) ; Friv. l. c. p. 166. n. 1 (1867) ; Bol. ll. cc. p. 141. n. 1 (1876) ; v. p. 347. n. 1 (1876) ; v. p. 17. n. 3 (1898) ; Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. (1) p. 486. n. 47 (1879); Brunn. l. c. pp. 145, 146. n. 2 (1882) ; Finot, ll. cc. p. 68 (1883) ; pp. 140, 141, pl. 7. ff. 101, 102 (1889) ; Tümpel, l. c. pp. 219, 246, pl. 18 (1900) ; Jacobs. & Bianchi, l. c pp. 186, 246, pl. 5 (1902).

Aiolopus Thalassinus, Fieb. Lotos, iii. p. 100. n. 1 (1853) ; Syst. Eur. Orth. p. 11. n. 1 (1854).

Gryllus Prasinus, Thunb. Mém. Acad. Pétersb. v. p. 239 (1815), ix. p. 402 (1824).

Gryllus Presinus, Thunb. l. c. ix. p. 393. n. 5 (1824).

Epacromia Thalassina, var., *Stål*, Recens. Orth. i. p. 112. n. 2 (1873) ; Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 49. n. 1 (1876).

Epacromia Thalassina, var. *Approximans*, *Ret.* Ber. Senckenb. Ges. 1889, p. 219.

Acrydium Grossum, Costa, Faun. Nap., Ortott. p. 25. n. 11, pl. 3. f. 4 A, *b*, *c*, *d* (1836).

Œdipoda Pulverulenta, Fisch.-Waldh. l. c. p. 299. n. 18, pl. 32. f. 2 (1846).

Aiolopus Pulverulentus, Fieb. Lotos, iii. p. 100. n. 4 (1853), iv. p. 179. n. 4 (1854) ; Syn. Eur. Orth. p. 11. n. 1 (1854).

Gryllus Flavovirens, Herr.-Schäff. Panzer, Faun. Ins. Germ. fasc. 157. pl. 19 (1840).

Acridium Lutum, Brullé, Berthelot & Webb, Hist. Nat. Canar., Ins. p. 77, pl. 5. f. 10 (1842).

Epacromia Angustifemur, Ghil. Bull. Ent. Ital. i. p. 179 (1869).

3. **Æ. Tergestinus, Charp.** (*Gryllus T.*) l. c. p. 139 (1825). *Aiolopus Tergestinus, Fieb.* ll. cc. p. 100. n. 3 (1853), p. 179. n. 3 (1854); p. 11. n. 3 (1854). *Epacromia Tergestina, Krauss*, l. c. p. 487. n. 48 (1879); Brunn. l. c. pp. 145, 147. n. 3, pl. 5. f. 32 A, B (1882); Finot, Faune France, Orth. pp. 139, 142 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 17. n. 2 (1898); Tümpel, l. c. pp. 219, 246, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 186, 247, pl. 5 (1902). ‖*Epacromia Thalassina, Fisch.*, var. (*nec Fabr.*) l. c. p. 361. n. 1, pl. 17. ff. 14, 14 *a*, *b* (1853). *Epacromia Tergestina*, var. *Viridis, Mab.* Ann. Soc. Ent. France, lxxv. p. 41 (1906).	S. France, Switzerland, S.E. Europe, Central Asia, China.
4. **Æ. Platypygia, Pant.** (*Epacromia P.*) An. Soc. Españ. xv. p. 241, pl. 2. f. 2 (1886); Bol. Ann. Sci. Nat. Porto, v. pp. 16, 17. n. 1 (1898).	Spain.
*5. **Æ. Tamulus, Fabr.** (*Gryllus T.*) Ent. Syst. Suppl. p. 195 (1798). *Epacromia Tamulus, Jacobs. & Bianchi*, l. c. pp. 186, 247 (1902). *Acridium* (*Gomphocerus*) *Tamulus, De Haan*, Temminck, Verhandel., Orth. p. 162 (1842). *Gryllus Dorsalis, Thunb.* Mém. Acad. Pétersb. v. p. 229 (1815), ix. pp. 394, 405. n. 18 (1824). *Epacromia Dorsalis, Stål*, Recens. Orth. i. p. 111. n. 1 (1873). *Gomphocerus Tricoloripes, Burm.* Handb. Ent. ii. p. 649. n. 13 (1838).	Persia, Burma, Japan, Australia, Java, Celebes.
6. **Æ. Rufostriatus, Kirb. (*Epacromia Rufostriata*) Proc. Zool. Soc. Lond. 1888, p. 550; Mon. Christmas I. p. 152. n. 23, pl. 13. f. 2 (1900).	Christmas Island.
7. **Æ. Affinis, Bol.** (*Epacromia A.*) Ann. Soc. Ent. France, lxx. p. 600 (1902).	Madura.
8. **Æ. Lurida, Brancs.** (*Epacromia L.*) Jahresh. Ver. Trencs. Comm. xvii.–xviii. p. 250 (1897).	Zambesi.
9. **Æ. Sansibara, Karsch,** (*Epacromia S.*) Stettin. Ent. Zeit. lvii. p. 264. n. 27 (1896).	Zanzibar.

Genus 300. **Chortoicetes.** (*Type* no. 18.)

Brunn. Ann. Mus. Genova, xxxiii. p. 123 (1893).

1. **C. Fallax, Karny,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 359. n. 87 (1907).	Gondokoro, Zanzibar.
2. **C. Acutangulus, Karny,** l. c. n. 88 (1907).	Soudan.
3. **C. Plena, Walk.** (*Epacromia P.*) Cat. Derm. Salt. B. M. iv. p. 769. n. 8 (1870).	S. Africa.
Acridium (*Œdipoda*) *Caliginosum*, var. *b*, *De Haan*, Temminck, Verhandel., Orth. p. 162 (1842).	
4. **C. Interruptus, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 232. n. 31 A.	Pretoria.
5. **C. Pallida, Walk. (*Epacromia P.*) l. c. p. 772. n. 12 (1870).	W. Africa.
*6. **C. Temporalis, Stål,** (*Epacromia T.*) Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 49. n. 2 (1876).	id.
7. **C. Minusculus, Walk. (*Stenobothrus M.*) l. c. p. 703. n. 61 (1870).	S. Africa.
8. **C. Prasina, Walk. (*Epacromia* (?) *P.*) l. c. p. 770. n. 9 (1870).	id.
9. **C. Rodericensis, Butl. (*Epacromia R.*) Ann. Nat. Hist. (4) xvii. p. 410 (1876); Phil. Trans. clxviii. (extra vol.) p. 518, pl. 54. ff. 3, 3 *a* (1879).	Rodriguez.
10. **C. Obscurella, Blanch.** (*Œdipoda O.*) Voy. Pôle Sud, Zool. iv. p. 375 (1853).	Banda.
Œdipoda Obscura, *Blanch.* l. c. pl. 3. f. 10 (1853).	
11. **C. Guineensis, Blanch.** (*Œdipoda G.*) l. c. p. 375, pl. 3. f. 11 (1853).	New Guinea.
12. **C. Oceanica, Walk. (*Epacromia O.*) l. c. p. 779. n. 26 (1870).	Sandwich Isles (?).
13. **C. Australis, Walk. (*Hyalopteryx* (?) *A.*) l. c. p. 788. n. 4 (1870); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1110, pl. 1. f. 4 (1903).	Australia.
14. **C. Pusilla, Walk. (*Epacromia P.*) l. c. p. 778. n. 24 (1870).	id.
Chortoicetes Pusilla, *Frogg.* l. c. p. 1106 (1903).	

C. Jungi, *Brancs.* Jahresh. Ver. Trencs. Com. xix.–xx. p. 70 (1897).	
15. **C. Frater, Brancs.** l. c. p. 71 (1897).	Yorktown.
16. **C. Affinis, Rehn,** Bull. Amer. Mus. Nat. Hist. xxiii. pp. 445–447, f. 3 (1907).	N. S. Wales.
17. **C. Pusillulus, Rehn,** l. c. p. 447, f. 4 (1907).	Victoria.
18. **C. Terminifera, Walk. (*Epacromia T.*) l. c. p. 777. n. 22 (1870).	Australia
C. Terminifera, *Frogg.* l. c. pp. 1108 (1903).	
C. Yorketownensis, *Brancs.* l. c. xvii.–xviii. p. 249, pl. 8. f. 2 (1895).	
C. Yorketownensis, var. *Fuscus*, *Brancs.* l. c. p. 250 (1895).	

Genus 301. **Brancsikellus.**

Berg, Com. Mus. Buenos Aires, i. p. 78 (1899).
‖*Acamptus*, *Brancs.* (*nec Leconte*) Jahresh. Ver. Trencs. Com xix.–xx. p. 71 (1897).

1. **B. Gracilis, Brancs.** (*Acamptus G.*) l. c. p. 72 (1897).	Madagascar

SUBFAM. VI.

LOCUSTINÆ.

Genus 302. **Arphia.** (*Type* no. 32.)

Stal, Recens. Orth. i. pp. 113, 119 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 42, 64 (1884), xxx. (1) p. 14 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 296, 312 (1894); Lugger, Orthopt. of Minnesota, pp. 224, 226 (1897); Scudd. Guide N. Amer. Orth. p. 33 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 252, 254 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 114, 119 (1905).

Tomonotus, pt., *Sauss.* Rev. Zool. (2) xiii. pp. 320, 321 (1861); Thomas, Acrid. N. Amer. pp. 104, 211 (1873).

1. **A. Carinata, Scudd.** (*Œdipoda C.*) Trans. Amer. Ent. Soc. ii. p. 306 (1869).	Western United States
Tomonotus Carinatus, *Thomas*, l. c. p. 106 (1873).	

Arphia Carinata, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 65, 67. n. 1 (1884); Lugg. l. c. p. 229 (1897); Brun. l. c. pp. 120, 124. n. 1 (1905).	
2. **A. Crepusculum, Sauss.** l. c. pp. 65, 67. n. 2 (1884); Brun. l. c. pp. 120, 124. n. 2 (1905).	Texas. Nebraska.
*3. **A. Xanthoptera, Burm.** (*Œdipoda X.*) Handb. Ent. ii. p. 643. n. 12 (1838).	N. America.
Tomonotus Xanthopterus, Thomas, l. c. p. 105 (1873).	
Arphia Xanthoptera, Sauss. l. c. pp. 65, 67. n. 3 (1884); Beut. l. c. pp. 297, 312. pl. 8. f. 11 (1894); Lugg. l. c. p. 228 (1897); Blatchl. l. c. pp. 255, 256. n. 39, f. 49 (1903); Brun. l. c. pp. 120, 124. n. 3 (1905).	
4. **A. Difficilis, Brun.** ll. cc. n. 4 (1905).	Mexico.
5. **A. Granulata, Sauss.** l. c. pp. 65, 67. n. 4 (1884); Brun. l. c. pp. 120, 125. n. 5 (1905).	Florida.
6. **A. Fallax, Sauss.** l. c. pp. 66, 69. n. 8 (1884); Brun. l. c. pp. 120, 125. n. 6 (1905).	id., Guatemala.
7. **A. Truculenta, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 522 (1904); Brun. l. c. pp. 120, 125. n. 7 (1905).	Mexico.
8. **A. Aurantipennis, Brun.** ll. cc. n. 8 (1905).	id.
9. **A. Saussureana, Brun.** Proc. U.S. Nat. Mus. xii. p. 63 (1890); Biol. Centr.-Amer., Orth. ii. pp. 120, 126. n. 9 (1905).	California.
10. **A. Imperfecta, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 121, 126. n. 10 (1905).	Mexico.
11. **A. Nietana, Sauss.** (*Tomonotus Nietanus*) Rev. Zool. (2) xiii. p. 321 (1861); Thomas, l. c. p. 212 (1873).	id.
Arphia Nietana, Sauss. Ann. Soc. Genève, xxviii. (9) pp. 66, 70. n. 12 (1884).	
12. **A. Calida, Brun.** l. c. pp. 121, 127. n. 12 (1905).	id.
13. **A. Ovaticeps, Sauss.** l. c. xxx. (1) p. 165. n. 2 (1888); Brun. l. c. pp. 121, 127. n. 13 (1905).	Colorado, Mexico.
‖ *A. Tenebrosa, Sauss. (nec Scudd.)* l. c. xxviii. (9) pp. 65, 68. n. 7 (1884).	

*14. **A. Pseudonietana, Thomas** (*Tomonotus Pseudonietanus*) Proc. Acad. Nat. Sci. Philad. 1870, p. 82. *A. Pseudonietana, Caud.* Proc. U.S. Nat. Mus. xxvi. p. 786. n. 36 (1903); Brun. l. c. pp. 121, 127. n. 14 (1905). *Œdipoda Tenebrosa, Scudd.* Hayden, Final Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 20 (1872); Glover, Ill. N. Amer. Orth. pl. 9. f. 2 (1872). *Tomonotus Tenebrosus, Thomas*, Syn. Acrid. N. Amer. p. 107 (1873); Wheeler's Rep. Expl. W. 100th Merid. v. Zool. p. 874, pl. 43. f. 3 (1875). *Arphia Tenebrosa, Sauss.* l.c. xxx. (1) p. 165. n. 1 (1888); Lugger, l. c. pp. 230–232, ff. 81, 82 (1897). *A. Sanguinaria, Stål*, Recens. Orth. i. p. 119. n. 2 (1873); Sauss. l. c. xxviii. (9) pp. 65, 68. n. 6 (1884).	Nebraska, S.W. States, Mexico.
15. **A. Crassa, Brun.** l. c. pp. 121, 128. n. 15 (1905).	Arizona, New Mex.
16. **A. Conspersa, Scudd.** Proc. Bost. Soc. Nat. Hist. xvii. p. 514. n. 38 (1875); Sauss. l. c. xxviii. (9) pp. 66, 70. n. 10 (1884); Brun. l. c. pp. 121, 128. n. 16 (1905).	Mexico.
17. **A. Townsendi, Brun.** l. c. pp. 122, 129. n. 17 (1905).	California, Ariz., Mex.
18. **A. Aberrans, Brun.** ll. cc. n. 18 (1905); Caud. P. U.S. Nat. Mus. xxviii. p. 467 (1905).	Arizona.
19. **A. Canora, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 564 (1904); Brun. l. c. pp. 122, 130. n. 19 (1905).	id., Utah, New Mexico.
20. **A. Arcta, Scudd.** Bull. U.S. Geol. Surv. Territ. ii. p. 263. n. 17 (1876); Sauss. l. c. pp. 66, 69. n. 9 (1884); Lugg. l. c. p. 233 (1897); Brun. l. c. pp. 122, 130. n. 20 (1905).	Arizona, New Mexico, &c.
21. **A. Pulchripennis, Brun.** l. c. pp. 122, 131. n. 21 (1905).	California.
22. **A. Teporata, Scudd.** Ann. Rep. Chief of Engineers, 1876, p. 508. n. 31; Sauss. l. c. p. 72 (1884); Brun. l. c. pp. 122, 131. n. 22 (1905).	Texas, New Mexico.

23. **A. Pallidipennis, Brun.** l. c. pp. 122, 131. n. 23 (1905).	Mexico.
24. **A. Luteola, Scudd.** Proc. Bost. Soc. Nat. Hist. xvii. p. 515. n. 39 (1875); Sauss. l. c. xxviii. (9) pp. 66, 71. n. 14 (1884); Brun. l. c. pp. 122, 132. n. 24 (1905).	Texas.
A. Simplex, var. *a*, *Sauss.* l. c. p. 71 (1884).	
25. **A. Decepta, Brun.** l. c. pp. 123, 132. n. 25 (1905).	Mexico.
A. Simplex, var. *c*, *Sauss.* l. c. p. 71 (1884).	
26. **A. Simplex, Scudd.** l. c. p. 514. n. 37 (1875); Sauss. l. c. pp. 66, 70. n. 13 (1884); Brun. l. c. pp. 123, 132. n. 26 (1905).	id., Texas, Nebraska, &c.
27. **A. Infernalis, Sauss.** l. c. pp. 66, 70. n. 11 (1884); Brun. l. c. pp. 123, 133. n. 27 (1905).	Texas.
28. **A. Ramona, Rehn,** Canad. Ent. xxxiv. p. 142 (1902); Brun. l. c. pp. 123, 133. n. 28 (1905).	California.
A. Simplex, var. *b*, *Sauss.* l. c. p. 71 (1884).	
29. **A. Koebelei, Brun.** l. c. pp. 123, 133. n. 29 (1905).	id.
*30. **A. Frigida, Scudd.** Dawson's Rep. Geol. 49th Parallel, p. 344. n. 10 (1875); Brun. l. c. pp. 123, 134. n. 30 (1905).	N.W. and Arctic America.
31. **A. Behrensi, Sauss.** l. c. pp. 66, 71. n. 16 (1884); Brun. l. c. pp. 123, 134. n. 31 (1905).	California, Mexico.
*32. **A. Sulphurea, Fabr.** (*Gryllus Sulphureus*) Spec. Ins. i. p. 369. n. 39 (1781).	N. America.
Acrydium Sulphureum, *Oliv.* Encycl. Méth. vi. p. 227. n. 51 (1791).	
Acridium Sulphureum, *Beauv.* Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 2 (1805).	
Œdipoda Sulphurea, *Burm.* Handb. Ent. ii. p. 643. n. 13 (1838); Scudd. Bost. Journ. Nat. Hist. vii. p. 470. n. 6 (1862); Glover, Ill. N. Amer. Orth. pl. 5. f. 6 (1872).	
Locusta Sulphurea, *Harr.* Rep. Ins. Mass. p. 143. n. 3 (1841), ed. 3, p. 177. n. 3, pl. 1. f. 6 (1862).	
Tomonotus Sulphureus, *Thomas*, Acrid. N. Amer. p. 105 (1873).	
Œdipoda (*Arphia*) *Sulphurea*, *Prov.* Faune Ent. Can. ii. p. 39. n. 3 (1883).	

A. Sulphurea, Stål, l. c. p. 119. n. 1 (1873); Sauss. l. c. pp. 66, 71. n. 15 (1884); Beut. l. c. pp. 296, 312, pl. 8. f. 10 (1894); Lugger, l. c. pp. 226–228, f. 78 (1897); Blatchley, l. c. p. 255. n. 38 (1903); Brun. l. c. pp. 123, 134. n. 32 (1905).	
33. **A. Differentialis, Riley,** (*Œdipoda Differentiale*) Rep. Ins. Missouri, v. p. 14, f. 8 (1873).	Missouri (?).
34. **A. Hesperiphila, Rehn,** Canad. Ent. xxxiv. p. 143 (1902).	California.

Genus 303. **Chortophaga.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 43, 72 (1884), xxx. (1) p. 15 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 295, 312 (1894); Lugg. Orthopt. Minnesota, pp. 225, 233 (1897); Scudd. Guide N. Amer. Orth. p. 33 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 257 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 135 (1905).

|| *Tragocephala, Harr.* (*nec Dupont*) Rep. Ins. Mass. p. 146 (1841), (ed. 3) p. 181 (1862); Scudd. Proc. Bost. Soc. Nat. Hist. vii. p. 461 (1862), xvii. p. 480 (1875); Thomas, Syn. Acrid. N. Amer. p. 100 (1873); Stål, Recens. Orth. i. pp. 114, 119 (1873); Prov. Faune Ent. Can. ii. pp. 31, 41 (1883).

*1. **C. Viridifasciata, De Geer,** (*Acrydium Viridifasciatum*) Mém. Ins. iii. p. 498. n. 15, pl. 42. f. 6 (1773).	N. America, Mexico.
Locusta (Tragocephala) Viridifasciata, Harr. ll. cc. p. 147. n. 11 (1841), p. 182. n. 11, pl. 3. f. 2 (1862).	
Tragocephala Viridifasciata, Scudd. ll. cc. p. 461. n. 2 (1862), p. 481. n. 1 (1875); Glov. Ill. N. Amer. Orth. pl. 5. f. 9 (1872), pl. 18. f. 10 (1874); Thomas, l. c. p. 103, pl. 1. f. 3 (1872); Stål. l. c. p. 119. n. 1 (1873); Riley, Rep. Ins. Missouri, viii. p. 149, f. 46 (1876); Prov. l. c. pp. 41, 42. n. 2 (1883).	
C. Viridifasciata, Sauss. l. c. xxxviii. (9) p. 72. n. 1 (1884); Beut. l. c. pp. 295, 312, pl. 8. f. 9 (1894); Lugg. l. c. p. 234 (1897); Blatchl. l. c. p. 258. n. 40, f. 50 (1903); Brun. l. c. p. 135. n. 1 (1905).	

Gryllus Virginianus, *Fabr.* Syst. Ent. p. 291. n. 21 (1775).

Acrydium Virginianum, *Oliv.* Encycl. Méth. vi. p. 225. n. 44 (1791).

Œdipoda Virginiana, *Burm.* Handb. Ent. ii. p. 645. n. 18 (1838).

C. Viridifasciata, form *Virginiana*, *Lugg.* l. c. pp. 234, 235, ff. 83, 84 (1897).

Gryllus Locusta Chrysomelas, *Gmel.* Syst. Nat. i. (4) p. 2086. n. 212 (1788).

Acrydium Marginatum, *Oliv.* l. c. p. 229. n. 60 (1791).

Acridium Hemipterum, *Beauv.* Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 3 (1805).

Var. *Locusta* (*Tragocephala*) *Infuscata*, *Harr.* ll. cc. p. 147. n. 10 (1841), p. 181. n. 10 (1862).

Tragocephala Infuscata, *Scudd.* Bost. Journ. Nat. Hist. vii. p. 461. n. 1 (1862); Glov. l. c. pl. 10. f. 10 (1872); Prov. l. c. p. 41. n. 1 (1883); Thomas, l. c. p. 102 (1873).

Tragocephala Viridifasciata, var. *Infuscata*, *Thomas*, l. c. pl. 1. f. 7 (1873).

C. Viridifasciata, var. *Infuscata*, *Beut.* l. c. pp. 295, 312 (1894); Lugg. l. c. pp. 234–237, f. 85 (1897).

Tomonotus Zimmermanni, *Sauss.* Rev. Zool. (2) xiii. p. 320 (1861).

Var. *Locusta* (*Tragocephala*) *Radiata*, *Harr.* ll. cc. p. 148. n. 12 (1841), p. 181. n. 10 (1862).

2. **C. Meridionalis, Brun.** l. c. pp. 135, 136. n. 2 (1905). Costa Rica.

3. **C. Brevipennis, Scudd.** (*Tragocephala B.*) Proc. Boston Soc. Nat. Hist. xvii. p. 483. n. 2 (1875). California.

   C. Brevipennis, *Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 72, 73. n. 2 (1884); Brun. l. c. pp. 135, 136. n. 3 (1905).

4. **C. Cubensis, Scudd.** (*Tragocephala C.*) l. c. pp. 480, 483. n. 3 (1875). Cuba.

   C. Cubensis, *Sauss.* l. c. pp. 72, 74. n. 3 (1884); Brunn. l. c. pp. 135, 137. n. 4 (1905).

Genus 304. **Chimarocephala.** (*Type* no. 1)

Scudd., Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 288 (1876); Guide N. Amer. Orth. p. 34 (1897); Sauss. Ann. Soc. Genève, xxviii. (9) pp. 43, 74 (1884), xxx. (1) p. 15 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 137 (1905); Caud. Proc. Ent. Soc. Washington, vii. p. 123 (1905).

1. **C. Pacifica, Thomas,** (*Tragocephala P.*) Syn. Acrid. N. Amer. p. 101 (1873); Glov. Ill. N. Amer. Orth. pl. 16. f. 9 (1874); Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 484. n. 4 (1875). — California.
   C. Behrensi, Sauss. l. c. xxviii. (9) p. 75. n. 2 (1884); Brun. l. c. p. 137. n. 2 (1905).
   C. Pacifica, var. *Incisa, Caud.* l. c. p. 124 (1905).
   ‖*C. Pacifica, Sauss. (nec Thom.)* l. c. p. 75. n. 1 (1884); Brun. l. c. p. 137. n. 1 (1905).
   C. Pacifica, var. *Obtusa, Caud.* l. c. p. 124 (1905).
2. **C. Otomita, Sauss.** (*Tomonotus Otomitus*) Rev. Zool. (2) xiii. p. 322 (1861); Thomas, l. c. p. 212 (1873). — Mexico.
   C. Otomita, Sauss. Mém. Soc. Genève, xxviii. (9) p. 75. n. 3 (1884); Brun. l. c. pp. 137, 138. n. 3 (1905).

Genus 305. **Encoptolophus.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 478 (1885); Guide N. Amer. Orth. p. 34 (1897); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 43, 76 (1884), xxx. (1) p. 15 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 296, 312 (1894); Lugg. Orthopt. Minnesota, p. 237 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 260 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 138 (1905).

*1. **E. Sordidus, Burm.** (*Œdipoda Sordida*) Handb. Ent. ii. p. 643. n. 14 (1838); Glov. Ill. N. Amer. Orth. pl. 10. f. 11 (1872); Thomas, Syn. Acrid. N. Amer. p. 116 (1873). — N. America.

Tragocephala Sordida, Stål, Recens. Orth. i. p. 119. n. 2 (1873). *E. Sordidus, Scudd.* Proc. Boston Soc. Nat. Hist. xvii. p. 479. n. 1 (1875); Sauss. l. c. xxviii. (9) p. 77. n. 1 (1884); Beut. l. c. pp. 296, 312, pl. 10. f. 2 (1894); Lugg. l. c. pp. 237, 238, f. 86 (1897); Blatchl. l. c. pp. 260, 261. n. 41, f. 51 (1903); Brun. l. c. pp. 138, 139. n. 1 (1905). *Œdipoda Sordida, Prov.* Faun. Ent. Canad. ii. p. 39. n. 6 (1883). ‖ *Œdipoda* (*Encoptolopha*) *Pellucida, Prov.* (*nec Scudd.*) l. c. p. 41. n. 6 (1883). *Locusta Nebulosa, Harr.* Rep. Ins. Mass. p. 146. n. 9 (1841), (ed. 3) p. 181. n. 9 (1862); Emmons, Agric. of N. York, v. p. 146, pl. 9. f. 7 (1854).	
2. **E. Coloradensis, Brun.** Bull. Agric. Exper. Stat. Colorado, xcix. p. 58 (1904); Biol. Centr.-Amer., Orth. ii. pp. 138, 140. n. 2 (1905). *E. Coloradensis, Rehn,* Proc. Acad. Nat. Sci. Philad. lviii. pp. 374, 375. ff. 8, 9 (1906).	Colorado.
3. **E. Costalis, Scudd.** (*Œdipoda C.*) Bost. Journ. Nat. Hist. vii. p. 473. n. 14 (1862); Thomas, l. c. p. 112 (1873). *Tragocephala Costalis, Stål,* l. c. p. 119. n. 3 (1873). *E. Costalis, Scudd.* Proc. Boston Soc. Nat. Hist. xvii. p. 480. n. 2 (1875); Sauss. l. c. p. 77. n. 2 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 138, 140. n. 3 (1905).	Southern United States, Mexico.
4. **E. Parvus, Scudd.** l. c. pp. 479, 480. n. 3 (1875); Sauss. l. c. pp. 77, 78. n. 3 (1884); Brun. l. c. pp. 138, 140. n. 4 (1905).	Texas, Mexico.
5. **E. Montanus, Brun.** l. c. pp. 139, 140. n. 5 (1905). ‖ *E. Sordidus, Cooley* (*nec Burm.*), Bull. Agric. Exper. Stat. Mont. li. p. 238, pl. 6. f. 4 (1901).	Montana.
6. **E. Fuliginosus, Brun.** l. c. pp. 139, 141. n. 6 (1905).	Mexico.
7. **E. Herbaceus, Brun.** ll. cc. n. 7, pl. 2. f. 13 (1905).	id.

8. **E. Californicus, Brun.** l. c. pp. 139, 142. n. 8 (1905).	California.
9. **E. Texensis, Brun.** ll. cc. n. 9 (1905).	S.W.States, Mexico.
10. **E. Subgracilis, Caud.** Proc. Ent. Soc. Washington, v. p. 163 (1903); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 566 (1904); Brun. l. c. pp. 139, 143. n. 10 (1905).	Arizona, California, Mexico.
11. **E. Pallidus, Brun.** N. Amer. Faun. vii. p. 266 (1893); Biol. Centr.-Amer., Orth. ii. pp. 139, 143. n. 11 (1905).	California.

Genus 306. **Tetramerotropis.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 15, 25 (1888).

1. **T. Cruciata, Sauss.** l. c. p. 26. n. 1, pl. 1. ff. 2, 2 *a*, *b* (1888).	Darnley I.

Genus 307. **Hippopedon.**

Sauss. Rev. Zool. (2) xiii. p. 322 (1861); Mém. Soc. Genève, xxviii. (9) pp. 44, 80 (1884), xxx. (1) p. 16 (1888); Thomas, Syn. Acrid. N. Amer. p. 218 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 143 (1905).

1. **H. Saltator, Sauss.** l. c. (2) xiii. p. 323 (1861), xxviii. (9) p. 80. n. 1 (1884); Thomas, l. c. p. 218 (1873); Brun. l. c. p. 143. n. 1 (1905).	Mexico.

Genus 308. **Camnula.**

Stal. Recens. Orth. i. pp. 114, 120 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 45, 81 (1884); Lugger, Orthopt. Minnesota, p. 238 (1897); Scudd. Guide N. Amer. Orth. p. 34 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 261 (1903); Brun. Biol. Centr.-Amer., Orth. ii. p. 143 (1905).

Cammula, *Sauss.* l. c. xxx. (1) p. 16 (1888).

Camnulla, *Brun.* l. c. p. 115 (1905).

*1. **C. Pellucida, Scudd.** (*Œdipoda P.*) Bost. Journ. Nat. Hist. vii. p. 472. n. 12 (1862); Glov. Ill. N. Amer. Orth. pl. 12. f. 20 (1872); Thom. Syn. Acrid. N. Amer. p. 137 (1873); Prov. Faun. Ent. Canad. ii. p. 39. n. 5 (1883).	California, Arizona, New Mexico.

C. Pellucida, Scudd. Hitchcock, Geol. N. Hampshire, i. p. 378. n. 37 (1874): Sauss. l. c. xxviii. (9) p. 81. n. 1 (1884): Lugg. l. c. pp. 238–240, ff. 87, 88 (1897); Blatchl. l. c. pp. 262, 263, f. 52*a–c* (1903); Brun. Nebraska State Board Agric. Rep. Ent. pp. 108, 123, ff. 25, 26 (1897); U.S. Dept. Agric. Bull. Ent. xxviii. pp. 33–36, f. 18 (1893); Biol. Centr.-Amer., Orth. ii. p. 144. n. 1 (1905).

Œdipoda (Camnula) Pellucida, Prov. l. c. p. 40. n. 5 (1883).

C. Tricarinata, Stål, l. c. p. 120. n. 1 (1873).

Œdipoda Atrox, Scudd. Final Rep. U.S. Geol. Surv. Nebraska, p. 253 (1872); Glov. l. c. pl. 8. f. 3 (1872); Thom. l. c. p. 136 (1873).

Stenobothrus Obionus, Thom. Rep. U.S. Geol. Surv. Wyoming, pp. 266, 279 (1871).

Tragocephala Obiona, Thom. Syn. Acrid. N. Amer. p. 100 (1873); Glov. l. c. pl. 17. f. 2 (1874).

Genus 309. **Hippiscus.** (*Type* no. 6.)

Sauss. Rev. Zool. (2) xiii. p. 398 (1861); Mém. Soc. Genève, xxviii. (9) pp. 45, 82, 83 (1884), xxx. (1) p. 16 (1888); Stal, Recens. Orth. i. pp. 115, 121 (1873); Thomas, Syn. Acrid. N. Amer. p. 200 (1873); Scudd. Psyche, vi. pp. 265, 266, 274 (1892); Guide N. Amer. Orth. p. 34 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 144 (1905); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 297, 312 (1894); Lugger, Orthopt. Minnesota, pp. 225, 240 (1897); Blatchl. Rep. Indiana Dept. Geol. pp. 253, 263 (1903).

*1. **H. Rugosus, Scudd.** (*Œdipoda Rugosa*) Bost. Journ. Nat. Hist. vii. p. 469. n. 4 (1862); Glover, Ill. N. Amer. Orth. pl. 12. f. 8 (1872); Thomas, l. c. p. 132 (1873). — United States.

Hippiscus Rugosus, Sauss. l. c. xxviii. (1) pp. 83, 85. n. 2 (1884); Scudd. Psyche, vi. pp. 268, 287 (1892); Lugger, l. c. p. 240 (1897); Morse, Psyche, viii. p. 81.

n. 22, pl. 2. f. 22 (1897); Blatch. l. c. pp. 264, 270. n. 46, p. 271. f. 56 (1903); Brun. l. c. pp. 146, 152. n. 5 (1905).	
Var. *H. Variegatus, Scudd.* l. c. pp. 268, 301 (1892); Lugg. l. c. p. 247, f. 94 (1897); Blatch. l. c. p. 272 (1903).	
2. **H. Immaculatus, Morse,** Psyche, xiii. p. 119 (1906); Furth. Res. N. Amer. Acrid. p. 34 (1907).	Texas.
3. **H. Compactus, Scudd.** l. c. pp. 268, 288 (1892).	Carolina, Maryland.
4. **H. Citrinus, Scudd.** Canad. Ent. xxxiii. p. 88 (1901).	Alabama.
*5. **H. Suturalis, Scudd.** Psyche, vi. pp. 268, 301 (1892).	Illinois.
‖ *H. Rugosus, McNeill (nec Scudd.)*, Psyche, vi. p. 63. n. 54 (1891).	
6. **H. Ocelote, Sauss.** (*Œdipoda* (*Hippiscus*) *O.*) Rev. Zool. (2) xiii. p. 398 (1861).	Mexico.
H. Ocelote, Thomas, l. c. p. 200 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 83, 84. n. 1 (1884), xxx. (1) p. 26. n. 1 (1888); Scudd. Psyche, vi. pp. 268, 302 (1892); Brun. l. c. pp. 146, 153. n. 6 (1905).	
*7. **H. Transtrigatus, Walk.** (*Œdipoda Transtrigata*) Cat. Derm. Salt. B. M. iv. p. 733. n. 36 (1870); Thom. l. c. p. 217 (1873).	id.
8. **H. Sierra, Rehn,** Ent. News, xviii. p. 350 (1906).	California.

Genus 310. **Sticthippus.** (*Type* no. 1.)

Scudd. Psyche, vi. pp. 269, 317 (1892);
Brun. Biol. Centr.-Amer., Orth. ii. p. 147 (1905).

1. **S. Californicus, Scudd.** (*Hippiscus* (*Sticthippus*) *C.*) l. c. pp. 269, 317 (1892).	California.
Hippiscus Californicus, Brun. l. c. pp. 147, 154. n. 9 (1905).	
2. **S. Marmoratus, Scudd.** (*Hippiscus* (*Sticthippus*) *M.*) l. c. pp. 269, 318 (1892).	id.

Genus 311. **Cratypedes.** (*Type* no. 1.)

Scudd. Bull. U.S. Surv. Territ. ii. p. 267 (1876) : Thomas, Proc. Davenport Acad. Sci. i. p. 257 (1876).

1. **C. Neglectus, Thomas,** (*Œdipoda Neglecta*) Proc. Acad. Nat. Sci. Philad. 1870, p. 81 ; Syn. Acrid. N. Amer. p. 128 (1873) ; Wheeler's Rep. Expl. W. 100th Merid. v. p. 881, pl. 44. f. 3 (1875). *Arphia Neglecta, Thomas,* Proc. Davenport Acad. Sci. i. p. 254. n. 11 (1876). *Hippiscus (Xanthippus) Neglectus, Scudd.* Psyche, vi. pp. 273, 360 (1892). *Xanthippus Neglectus, Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 90, 94. n. 10 (1884). *Hippiscus Neglectus, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 151, 156. n. 24 (1905). *C. Putnami, Thomas,* l. c. p. 257. n. 18, pl. 36. f. 6 (1876) ; Rep. U.S. Ent. Comm. ii. p. 257 (1880) ; Canad. Ent. xii. p. 223 (1880). *Hippiscus Lineatus, Scudd.* Proc. Boston Soc. N. H. xix. p. 31. n. 65 (1877) ; Sauss. l. c. pp. 83, 87. n. 5 (1884).	Western United States.
2. **C. (?) Australis, Brun.** (*Hippiscus A.*) l. c. pp. 151, 157. n. 25 (1905).	Mexico.
3. **C. (?) Montanus, Thomas,** (*Œdipoda Montana*) Rep. U.S. Geol. Surv. Montana, p. 462 (1872) ; Synops. Acrid. N. Amer. p. 129 (1873) ; Glover, Ill. N. Amer. Orth. pl. 12. f. 12 (1872). *Hippiscus Montanus, Sauss.* l. c. xxx. (1) p. 170. n. 1 (1888) ; Brun. l. c. pp. 151, 158. n. 26 (1905). *Hippiscus (Xanthippus) Montanus, Scudd.* Psyche, vi. pp. 273, 361 (1892).	Western N. America.
4. **C. (?) Croceus, Scudd.** (*Hippiscus C.*) Canad. Ent. xxxiii. p. 91 (1901).	Idaho.

Genus 312. **Pardalophora.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) p. 83 (1884).

*1. **P. Phœnicoptera, Burm.** (*Œdipoda P.*) Handb. Ent. ii. p. 643. n. 8 (1838). *Hippiscus Phœnicopterus, Sauss.* l. c. pp. 84, 87. n. 6 (1884) ; Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 298, 312, pl. 9. f. 4 (1894) ; Scudd. Psyche. vi. pp. 267, 274 (1897) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264, 267. n. 44 (1903) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 145, 152. n. 1 (1905). *Œdipoda Discoidea*, pt., *Serv.* Ins. Orth. p. 724. n. 5 (1839) ; Thomas, Syn. Acrid. N. Amer. p. 133 (1873). *Ædipoda Discoidea, Glover*, Ill. Orth. N. Amer. pl. 3. ff. 3, 7 (1872). *Hippiscus Discoideus, Stål*, Recens. Orth. p. 121. n. 1 (1873) ; Brun. Bull. Washb. Coll. i. p. 132. n. 49 (1886).	Southern & Middle United States.
2. **P. Pantherina, Scudd.** (*Hippiscus Pantherinus*), l. c. pp. 267, 285 (1892); Brun. Biol. Centr.-Amer., Orth. ii. pp. 146, 152. n. 2 (1905).	Texas.
3. **P. Haldemanii, Scudd.** (*Œdipoda H.*) Final Rep. U.S. Geol. Surv. Nebraska, p. 251. n. 21 (1872) ; Glov. l. c. pl. 13. f. 3 (1872). *Hippiscus Haldemanii, Scudd.* Psyche, vi. pp. 267, 286 (1892) ; Lugger, Orth. Minnesota, p. 246. f. 93 (1897) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264, 268–270. n. 45, f. 55 (1903) ; Brun. l. c. pp. 146, 152. n. 3 (1905). ‖ *Œdipoda Paradoxa, Glov.* (*nec Thom.*) l. c. pl. 18. f. 14 (1874). ‖ *Hippiscus Nanus, Sauss.* (*nec Thom.*) l. c. pp. 83, 86. n. 4 (1884). ‖ *Œdipoda Neglecta, Thom.* (*nec olim*) Key Illin. Orth. p. 3 (1875) ; Bull. Illin. Mus. Nat. Hist. i. p. 64. n. 26 (1876).	United States.
4. **P. Saussurei, Scudd.** (*Hippiscus S.*) Psyche, vi. pp. 268, 302 (1892) ; Brun. l. c. pp. 147, 153. n. 7 (1905). ‖ *Œdipoda Haldemanii, Thom.* (*nec Scudd.*) Syn. Acrid. N. Amer. p. 130 (1873).	Texas.

Hippiscus Haldmanni, Sauss. l. c. pp. 83. 85. n. 3 (1884).	
5. **P. Texana, Scudd.** (*Hippiscus Texanus*) l. c. pp. 267, 286 (1892); Brun. l. c. pp. 146. 152. n. 4 (1905).	Texas.
*6. **P. Tuberculata, Beauv.** (*Acridium Tuberculatum*; *nec Fabr.*) Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 1 (1905).	N. America, Mexico.
Hippiscus Tuberculatus, Sauss. l. c. xxviii. (9) pp. 84, 87. n. 7 (1884), xxx. (1) p. 27. n. 7 (1888); Scudd. l. c. pp. 269. 303 (1892); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 297, 312. pl. 10. f. 3 (1894); Lugg. Orthopt. Minnesota, pp. 243, 245, ff. 89–91 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 264–267. n. 43, ff. 53, 54 (1903); Brun. Ann. Rep. Nebrasca State Board Agric. 1896, p. 131, f. 31 (1897); Biol. Centr.-Amer., Orth. ii. pp. 147, 153. n. 8 (1905).	
Œdipoda Obliterata, Burm. Handb. Ent. ii. p. 643. n. 9 (1838); Thom. Rep. U.S. Ent. Comm. ii. p. 257 (1880); Canad. Ent. xii. p. 222 (1880).	
Locusta Corallina, Harr. Rep. Ins. Mass. p. 142. n. 2 (1841), (ed. 3) p. 176. n. 2 (1862).	
‖*Œdipoda Phœnicoptera, Glov.* (*nec Burm.*) l. c. pl. 5. f. 4 (1872).	
Œdipoda Phœnicoptera, Thom. Syn. Acrid. N. Amer. p. 135 (1873).	
Hippiscus Phœnicopterus, Thom. Rep. Ent. Illin. ix. pp. 95, 117, f. 18 (1880).	

Genus 313. **Xanthippus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 46, 88 (1884), xxx. (1) p. 16 (1888); Scudd. Psyche, vi. pp. 269. 318 (1892); Brun. Biol. Centr.-Amer., Orth. ii. p. 147 (1905).

*1. **X. Corallipes, Hald.** (*Œdipoda C.*) Stansbury, Exped. Utah, p. 371, pl. 10. f. 2 (1852); Thom. Syn. Acrid. N. Amer. p. 130 (1873).	Utah, Texas, New Mexico, Arizona.
Œdipoda Corallipes, Glov. Ill. N. Amer. Orth. pl. 3. f. 8 (1872).	

Hippiscus Corallipes, Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 264. n. 20 (1876); Brun. l. c. pp. 148, 154. n. 10 (1905). *X. Corallipes, Sauss.* l. c. xxviii. (9) pp. 89, 90. n. 1 (1884). *Hippiscus (Xanthippus) Corallipes, Scudd.* Psyche, vi. pp. 270, 318 (1892). Larva. *Ephippigera Trivavensis, Hald.* l. c. p. 371, pl. 10. f. 3 (1852). *Ephippigera Tschivavensis, Thom.* l. c. p. 250 (1873).	
2. **X. Zapotecus, Sauss.** l. c. pp. 89, 91. n. 3 (1884). *Hippiscus (Xanthippus) Zapotecus, Scudd.* l. c. pp. 270, 319 (1892). *Hippiscus Zapotecus, Brun.* l. c. pp. 148, 154. n. 11 (1905).	Western United States, Mexico.
3. **X. Conspicuus, Scudd.** (*Hippiscus (Xanthippus) C.*) l. c. pp. 270, 319 (1892). *Hippiscus Conspicuus, Brun.* l. c. pp. 149, 154. n. 12 (1905).	Kansas, New Mexico, Mexico.
4. **X. Eremitus, Scudd.** (*Hippiscus (Xanthippus) E.*) l. c. pp. 271, 320 (1892). *Hippiscus Eremitus, Brun.* l. c. pp. 149, 155. n. 13 (1905).	Arizona.
*5. **X. Pardalinus, Sauss.** (*Œdipoda Pardalina*) Rev. Zool. (2) xiii. p. 324 (1861); Thom. Syn. Acrid. N. Amer. p. 213 (1873). *Xanthippus Pardalinus, Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 89, 90. n. 2 (1884). *Hippiscus (Xanthippus) Pardalinus, Scudd.* l. c. pp. 271, 333 (1892). *Hippiscus Pardalinus, Brun.* l. c. pp. 149, 155. n. 14 (1905).	Southern United States, Mexico, W. India, Venezuela.
6. **X. Maculatus, Scudd.** (*Hippiscus (Xanthippus) M.*) l. c. pp. 271, 333 (1892). *Hippiscus Maculatus, Brun.* l. c. pp. 149, 155. n. 15 (1905).	Colorado, Arizona, Mexico.
7. **X. Tigrinus, Scudd.** (*Hippiscus (Xanthippus) T.*) l. c. pp. 271, 334 (1892). *Hippiscus Tigrinus, Lugger*, Orth. Minnesota, pp. 241, 242, f. 92 (1897); Brun. l. c. pp. 150, 155. n. 16 (1905).	Nebraska to Arizona.
8. **X. Leprosus, Sauss.** l. c. pp. 89, 92. n. 5 (1884).	New Mexico.

Hippiscus (*Xanthippus*) *Leprosus*, *Scudd.* l. c. pp. 271, 334 (1892). Montana, Nevada.
Hippiscus Leprosus, *Brun.* l. c. pp. 150, 155. n. 17 (1905).

9. **X. Paradoxus, Thom.** (*Œdipoda Paradoxa*) Rep. U.S. Geol. Surv. Territ. v. Montana, p. 457 (1872), vi. p. 720 (1873); Syn. Acrid. N. Amer. p. 132 (1873). S.W. United States.
Hippiscus (*Xanthippus*) *Paradoxus*, *Scudd.* l. c. pp. 271, 335 (1892).
Hippiscus Paradoxus, *Brun.* l. c. pp. 150, 156. n. 18 (1905).

10. **X. Affrictus, Scudd.** (*Hippiscus* (*Xanthippus*) *A.*) l. c. pp. 272, 336 (1892). id.
Hippiscus Affrictus, *Brun.* l. c. pp. 150, 156. n. 19 (1905).

11. **X. Toltecus, Sauss.** l. c. pp. 89, 91. n. 4 (1884). Utah, Wyoming, Montana, Mexico.
Hippiscus (*Xanthippus*) *Toltecus*, *Scudd.* l. c. pp. 272, 347 (1892).
Hippiscus Toltecus, *Brun.* l. c. pp. 150, 156. n. 20 (1905).

12. **X. Altivolus, Scudd.** (*Hippiscus* (*Xanthippus*) *A.*) l. c. pp. 272, 347 (1892). Colorado.
Hippiscus Altivolans, *Rehn*, Proc. Acad. Nat. Sci. Philad. lviii. p. 376, f. 10 (1906).

13. **X. Cupidus, Scudd.** (*Hippiscus* (*Xanthippus*) *C.*) l. c. pp. 272, 348 (1892). Arizona, Colorado.
Hippiscus Cupidus, *Rehn*, l. c. lvi. p. 566 (1904); Brun. l. c. pp. 150, 156. p. 21 (1905).

14. **X. Pumilus, Scudd.** (*Hippiscus* (*Xanthippus*) *P.*) l. c. pp. 272, 349 (1892). iid., New Mexico.
Hippiscus Pumilus, *Brun.* l. c. pp. 150, 156. n. 22 (1905).

15. **X. Albulus, Scudd.** (*Hippiscus* (*Xanthippus*) *A.*) l. c. pp. 273, 350, 359 (1892). Arizona.
Hippiscus Albulus, *Brun.* l. c. pp. 151, 156. n. 23 (1905).

16. **X. Latefasciatus, Scudd.** (*Hippiscus* (*Xanthippus*) *L.*) l. c. pp. 273, 359 (1892). Manitoba to Missouri.

17. **X. Obscurus, Scudd.** (*Hippiscus* (*Xanthippus*) *O.*) ll. cc. (1892). British Columbia.

18. **X. Glaucipes, Scudd.** (*Hippiscus G.*) Canad. Ent. xxxiii. p. 89 (1901). California.

19. **X. Lateritius, Sauss.** l. c. pp. 90, 92. n. 6 (1884).
Hippiscus (Xanthippus) Lateritius, Scudd. Psyche, vi. pp. 274, 361 (1892). — Nevada.

20. **X. Calthulus, Sauss.** l. c. pp. 90, 93. n. 7 (1884).
Hippiscus (Xanthippus) Calthulus, Scudd. l. c. pp. 274, 361 (1892). — id., California.

21. **X. Validus, Scudd.** (*Hippiscus V.*) Canad. Ent. xxxiii. p. 90 (1901). — Idaho.

22. **X. Croceus, Scudd.** (*Hippiscus C.*) l. c. p. 91 (1901). — id.

23. **X. Griseus, Scudd.** (*Hippiscus (Xanthippus) G.*) Psyche, vi. pp. 274, 362 (1892). — Utah.

24. **X. Vitellinus, Sauss.** l. c. pp. 90, 94. n. 9 (1884).
Hippiscus (Xanthippus) Vitellinus, Scudd. l. c. pp. 274, 362 (1892). — Nevada, Oregon, Idaho.

25. **X. Aurilegulus, Scudd.** (*Hippiscus (Xanthippus) A.*) ll. cc. (1892). — California.

26. **X. Stigmosus, Scudd.** (*Hippiscus (Xanthippus) S.*) l. c. pp. 274, 363 (1892). — id., Nevada.

Genus 314. **Leprus.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 398 (1861); Mém. Soc. Genève, xxviii. (9) pp. 46, 95 (1884), xxx. (1) pp. 16, 20, 29 (1888); Thomas, Syn. Acrid. N. Amer. p. 219 (1873); Scudd. Guide N. Amer. Orth. p. 34 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 115, 158 (1905).

1. **L. Elephas, Sauss.** (*Œdipoda (Leprus) E.*) Rev. Zool. (2) xiii. p. 398 (1861).
Leprus Elephas, Thom. l. c. p. 219 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) p. 95. n. 1 (1884); Brun. l. c. pp. 158, 159. n. 1 (1905). — Mexico, Texas.

*2. **L. Corpulentus, Sauss.** l. c. xxviii. (9) pp. 95, 96. n. 2 (1884), xxx. (1) p. 29. n. 2 (1888); Brun. l. c. pp. 158, 159. n. 2 (1905). — Mexico.

3. **L. Intermedius, Sauss.** l. c. xxviii. (9) pp. 95, 96. n. 3 (1884); Brun. l. c. pp. 158, 159. n. 3 (1905). — California.

4. **L. Wheeleri, Thomas** (*Œdipoda W.*) Rep. Expl. W. 100th Merid. v. p. 879, pl. 44. f. 1 (1875). *Leprus Wheeleri, Sauss.* l. c. xxx. (1) p. 169. n. 10 (1888); Cockerell, Ent. News, xiii. p. 305 (1902); Brun. l. c. pp. 158, 159. n. 4 (1905).	Colorado, New Mexico.
5. **L. Interior, Brun.** l. c. pp. 158, 160. n. 5 (1905); Rehn, Proc. Acad. Nat. Sci. Philad. lviii. p. 377 (1906).	Utah.
*6. **L. Cyaneus, Cockerell,** l. c. p. 305 (1902); Caud. Proc. U.S. Nat. Mus. xxvi. p. 788. n. 46 (1903); Brun. l. c. pp. 159, 160. n. 6 (1905). ‖*Leprus Wheeleri, Towns.* (*nec Thom.*) Ins. Life, vi. p. 31 (1893); Scudd. Psyche, ix. p. 75 (1900).	Colorado, New Mexico, Texas.
7. **L. Glaucipennis, Scudd.** l. c. p. 76 (1900); Cockerell, l. c. p. 307 (1902); Brun. l. c. pp. 159, 160. n. 7 (1905).	California, Mexico.

Genus 315. **Papipappus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 48, 101 (1884); Brun. 2nd Rep. Locust Comm. B. Aires, p. 43 (1900).
Pappipapus, Sauss. l. c. xxx. (1) p. 16 (1888).

1. **P. Clarazianus, Sauss.** l. c. p. 101. n. 1, pl. 1. f. 13 (1884).	Patagonia.

Genus 316. **Pappus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 48, 100 (1884), xxx. (1) p. 17 (1888); Brun. 2nd Rep. Locust Comm. B. Aires, p. 43 (1900).

1. **P. Patagonus, Sauss.** l. c. xxviii. (9) p. 100. n. 1 (1884).	Patagonia.

Genus 317. **Tristira.** (*Type* no. 3.)

Brunn. Com. Mus. Nac. B. Aires, i. p. 235 (1900).
‖*Phrynotettix, Sauss.* (*nec Glover*) Mém. Soc. Genève, xxviii. (9) pp. 47, 99 (1884), xxx. (1) pp. 17, 29 (1888); Brun. 2nd Rep. Locust Comm. B. Aires, p. 43 (1900).

1. **T. Rana, Sauss.** (*Phrynotettix R.*) ll. cc. p. 99. n. 1 (1884). xxx. (1) p. 29. n. 1, pl. 2. ff. 7, 7 *a–c* (1888).	Chile.
2. **T. Peruviana, Sauss.** (*Phrynotettix P.*) l. c. xxx. (1) pp. 29, 30, pl. 2. ff. 8. 8 *a*, *b* (1888).	Peru.
3. **T. Magellanicus, Brun.** (*Phrynotettix M.*) l. c. p. 44 (1900).	Magellan, Fuegia.
T. Bergi, Brunn. l. c. p. 236, fig. (Oct. 1900).	

Genus 318. **Agymnastus.**

Scudd. Canad. Ent. xxix. p. 75 (1897) ;
Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 160 (1905).

1. **A. Ingens, Scudd.** (*Leprus I.*) Proc. Boston Soc. Nat. Hist. xix. p. 32. n. 67 (1877).	California.
Agymnastus Ingens, Scudd. Canad. Ent. xxix. p. 75 (1897) ; Brun. l. c. p. 161. n. 1 (1905).	
Xanthippus (?) Ingens, Sauss. Mém. Soc. Genève, xxviii. (9) p. 93. n. 8 (1884).	

Genus 319. **Tropidolophus.**

Thomas, Syn. Acrid. N. Amer. p. 138 (1873) ; Sauss. Mém. Sci. Genève, xxviii. (9) pp. 49, 104 (1884), xxx. (1) p. 17 (1888); Scudd. Guide N. Amer. Orth. p. 35 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 161 (1905).
Cyrtolopha, Stål, Recens. Orth. i. p. 118 note (1873).

1. **T. Formosus, Say,** (*Gryllus F.*) Amer. Ent. ii. pl. 34. f. 2 (1825) ; Glov. Ill. N. Amer. Orth. pl. 9. f. 5 (1872).	Arkansas, S.W. States, Mexico.
T. Formosus, Thom. l. c. p. 138 (1873) ; Sauss. ll. cc. xxviii. (9) p. 104. n. 1. (1884), xxx. (1) p. 166. n. 3 (1888) ; Brun. l. c. p. 161. n. 1 (1905).	

Genus 320. **Ostracina.**

Sauss. Mém. Soc. Gèneve, xxx. (1) pp. 16, 27 (1888).

1. **O. Terrea, Sauss.** l. c. p. 27. n. 1 (1888).	Cape.

Genus 321. **Psophus.**

Fieb. Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 22 (1854); Stal, Recens. Orth. pp. 115, 121 (1873); Bol. Ortóp. Españ. pp. 146, 148 (1876): An. Soc. Españ. v. pp. 352. 354 (1876); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 18 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 174 (1882); Finot, Orth. France, pp. 44, 76 (1883); Faune France, Orth. pp. 101, 156 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 49, 102 (1884), xxx. (1) p. 17 (1888); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 249 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186. 249 (1902).

*1. **P. Stridulus, Linn.** (*Gryllus Locusta S.*) Syst. Nat. (ed. x.) i. p. 432. n. 50 (1858).

Europe, Siberia, Mongolia.

[Rösel, Ins. Belust. ii. front.; Locust. Germ. p. 130, pl. 21. f. 1–3.]

Gryllus Stridulus, *Linn.* Faun. Suec. (ed. 2) p. 238. n. 872 (1761); Scop. Ent. Carn. p. 110. n. 326 (1763); Panz. Faun. Ins. Germ. fasc. 87, pl. 12 (1805); Zett. Orth. Suec. p. 76. n. 2 (1821); Phil. Orth. Berol. p. 29 (1821); Charp. Hor. Ent. p. 150 (1825).

Acrydium Stridulum, *Latr.* Hist. Nat. Crust. Ins. xii. p. 151. n. 4 (1804).

Acridium Stridulum, *Hahn*, Icon. Orth. pl. B. f. 5 (1836).

Œdipoda Stridula, *Burm.* Handb. Ent. ii. p. 644. n. 15 (1838); Serv. Ins. Orth. p. 732. n. 16 (1839); Fisch.-Waldh. Orth. Ross. p. 283. n. 6, pl. 13. f. 1, pl. 21. f. 5 (1846); Borck, Skand. Rätv. Ins. p. 93. n. 1, pl. 3. f. 3 (1848); Fieb. ll. cc. p. 122. n. 2 (1853); p. 22. n. 2 (1854).

Pachytylus Stridulus, *Fisch.* Orth. Eur. p. 399. n. 4, pl. 18. f. 15 (1853); Friv. Értek. Termész. Kör. i. (12) p. 182. n. 4 (1867).

Psophus Stridulus, *Bol.* ll. cc. p. 148. n. 1 (1876); v. p. 354. n. 1 (1876); v. p. 18. n. 1 (1898); Brunn. l. c. p. 175. n. 1, pl. 6. f. 40 A, B (1882); Finot, ll. cc. p. 76 (1883); p. 157, pl. 8. f. 109 (1889); Sauss. l. c.

xxviii. (9) p. 102. n. 1 (1884); Tümp. l. c. pp. 219, 250, pl. 19 (1900); Jacobs. & Bianchi, l. c. pp. 186, 249, pls. 6 & 10 (1902).

Acrydium Rubripenne, De Geer, Mém. Ins. iii. p. 472. n. 2. (1773).

Acrydium Fuliginosum, Oliv. Encycl. Méth., Ins. vi. p. 223. n. 36 (1791).

Genus 322. **Pyrgodera.**

Pyrgodera, Fisch.-Waldh. Orth. Ross. p. 272 (1846); Fieb. Lotos, iii. p. 122 (1853): Syn. Eur. Orth. p. 21 (1854); Bol. Ortópt. Españ. pp. 146, 151 (1876); An. Soc. Españ. v. pp. 352, 357 (1876); Brunn. Prodr. Eur. Orth. pp. 85, 174 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 49, 103 (1884), xxx. (1) p. 17 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 250 (1902).

Pygodera, Fisch.-Waldh. l. c. p. 228 (1846).

*1. **P. Armata, Fisch.-Waldh.** (*Acrydium Armatum*) Entom. Russ. i. p. 37. n. 1; Orth. pl. 1. f. 1 *a, b* (1820). — S.E. Russia, Caucasus, Siberia, Persia, Asia Minor, Syria.

P. Armata, Fisch.-Waldh. Orth. Ross. p. 273. n. 1, pl. 21. ff. 1, 2 (1846); Krauss, Zool. Jahrb. Syst. ix. p. 563. n. 14, pl. 8. f. 4 (1896); Jacobs. & Bianchi, l. c. pp. 186. 250 (1902).

Œdipoda Armata, Fieb. ll. cc. p. 122. n. 1 (1853): p. 22. n. 1 (1854).

Pachytylus (Pyrgodera) Armatus, Fisch. Orth. Eur. p. 401. n. 4. pl. 18. f. 16 (1853).

Pyrgodera Cristata, Eversm. Bull. Mosc. xxxii. (1) p. 139 (1859); Brunn. l. c. p. 174. n. 1, pl. 6. f. 39 A, B (1882); Sauss. l. c. xxviii. (9) p. 103. n. 1 (1884).

Genus 323. **Brunnerella.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 17, 31 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 250 (1902).

1. **B. Mirabilis, Sauss.** l. c. p. 31. n. 1, pl. 2. f. 1 (1888); Jacobs. & Bianchi, l. c. pp. 186, 250 (1902). — Armenia.

Genus 324. **Humbe.** (*Type* no. 8.)

Bol. J. Sci. Lisboa, viii. p. 117 (1881); Karsch, Ent. Nachr. xxvi. p. 276 (1900).

Humbella, *Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 50, 105 (1884), xxx. (1) pp. 17, 32 (1888).

*1. **H. Tenuicornis, Schaum,** (*Pachytylus T.*) Monatsber. Akad. Berl. 1853, p. 779. n. 20; Peters, Reise Mossamb. v. Zool. p. 137. n. 20 pl. 7 A. f. 6 (1862). E., W., & S. Africa.
Humbella Tenuicornis, *Sauss.* ll. cc. p. 106. n. 1 (1884), p. 32 (1888).
Humbe Tenuicornis, *Karsch*, l. c. p. 277 (1900).
Humbe Tenuicornis, var. *Minor*, *Sauss.* l. c. xxx. (1) p. 33. n. 1 (1888).
Pachytylus (*Œdaleus*) *Punctifrons*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 50. n. 2 (1876).

*2. **H. Gracilis, Schulth.** (*Chlæbora G.*) Zool. Jahrb. Syst. viii. p. 74. n. 2, pl. 4. f. 3 *a*, *b* (1894). Somali.

*3. **H. Flava, Linn.** (*Gryllus Locusta Flavus*) Syst. Nat. (ed. x.) i. p. 433. n. 53 (1758); Mus. Ludov. Ulr. p. 149. n. 39 (1764); Thunb. Mém. Acad. Pétersb. v. p. 232 (1815), ix. pp. 395, 410. n. 37 (1824). W. Africa.
Œdipoda Flava, *Burm.* Handb. Ent. ii. p. 643. n. 10 (1838).
Pachytylus (*Œdaleus*) *Flavus*, *Stål*, Recens. Orth. i. p. 125. n. 6 (1873).
Humbella Flava, *Sauss.* ll. cc. xxviii. (9) pp. 106, 107. n. 2 (1884), xxx. (1) p. 32 (1888).

4. **H. Hyalodes, Karsch,** Stett. Ent. Zeit. lvii. p. 265. n. 28 (1896); Ent. Nachr. xxvi. p. 277 (1900). Zanzibar.

*5. **H. Kelleri, Schulth.** (*Chlæbora K.*) l. c. p. 73. n. 1, pl. 4. f. 2 *a*, *b* (1894). Somali.

*6. **H. Thalassina, Kirb.** (*Chlæbora T.*) Proc. Zool. Soc. Lond. 1902. p. 96. Ruwenzori.

7. **H. Miniatipennis, Karsch,** ll. cc. p. 265. n. 29 (1896); p. 276 (1900). Zanzibar.

8. **H. Pachytyloide[s], Bol.** l. c. p. 117. n. 10 (1881). Angola.

Humbella Pachytyloides, Sauss. ll. cc. pp. 106, 107. n. 3 (1884), p. 32 (1888).

9. **H. Procera, Gerst.** (*Œdaleus* (*Humbella*) *Procerus*) Mitth. Nat. Ver. Neuvorpomm. xx. p. 48. n. 43 (1889). Gold Coast.

*10. **H. Galinieri, Reiche & Fairm.** (*Œdipoda* (*G.*) Voy. Abyss. iii. p. 432. n. 2, Zool. pl. 28 f. 3 (1847). Abyssinia, Arabia, Transvaal.
Pycnodictya Galinieri, Sauss. ll. cc. pp. 145, 146. n. 2 (1884), p. 50. n. 2 (1888).

Genus 325. **Chlœbora.** (*Type* no. 6.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 132 (1884), xxx. (1) pp. 18, 19, 33 (1888).

1. **C. Grossa, Sauss.** ll. cc. xxviii. (9) p. 132. n. 1 (1884), xxx. (1) p. 33. n. 1 (1888); Bol. Ann. Soc. Ent. France, lxx. p. 604 (1902). India.

2. **C. Bramina, Sauss.** ll. cc. p. 132. n. 2 (1884), p. 33. n. 2 (1888). id. (?).

3. **C. Crassa, Walk. (*Œdipoda* (*C.*) Cat. Derm. Salt. B. M. iv. p 741. n. 74 (1870). Bengal.
C. Crassa, Sauss. l. c. xxx. (1) p. 33. n. 3 (1888).

4. **C. Grandidieri, Sauss.** l. c. pp. 33, 34. n. 4 (1888). Madagascar.

Genus 326. **Scintharista.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 121 (1884), xxx. (1) pp. 17, 33 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 186, 251 (1902).

1. **S. Brunneri, Sauss.** l. c. xxviii. (9) p. 121. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 186, 251 (1902). Persia, Armenia.

Genus 327. **Quiroguesia.** (*Type* no. 1.)

Bol. An. Soc. Españ. xv. p. 515 (1886); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 19 (1898); Sauss. Mém. Soc. Genève, xxx. (1) pp. 18, 34 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 251 (1902).

1. **Q. Notabilis, Walk. (*Œdipoda N.*) Cat. Derm. Salt. B. M. iv. p. 745. n. 85 (1870).
‖ *Acridium Miniatum, Brullé* (*nec Pall.*). Webb & Berthelot, Hist. Nat. Iles Canar., Ins. p. 78. n. 34, pl. 5. f. 13 (1842).
Œdipoda Brullei, Sauss. l. c. xxviii. (9) pp. 148, 153. n. 8 (1884).
Q. Brullei, Sauss. l. c. xxx. (1) p. 35. n. 2 (1902) ; Jacobs. & Bianchi, l. c. pp. 187, 252 (1902).
Spain, Canaries, Algeria.

2. **Q. Blanchardiana, Sauss. (*Q. Brullei*, var. *Blanchardiana*) l. c. xxx. (1) p. 35 (1888) ; Jacobs. & Bianchi, l. c. p. 252 (1902).
Aden, Muscat, Massowa, Somali, India.

3. **Q. Forbesi, Burr, (*Dissosteira F.*) Bull. Liverpool Mus. ii. p. 44 (1899) ; Nat. Hist. Sokotra, p. 418. n. 17, pl. 25. f. 1 (1903).
Socotra.

Genus 328. **Pternoscirta.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève. xxxviii. (9) pp. 52, 127 (1884), xxx. (1) p. 18 (1888) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 252 (1902).
‖ *Prionidia, Stal* (*nec Leach*), Recens. Orth. i. pp. 116, 127 (1873).

1. **P. Cinctifemur, Walk. (*Acridium C.*) Ann. Nat. Hist. (3) iv. p. 223 (1859).
***Œdipoda Saturata, Walk.* Cat. Derm. Salt. B. M. iv. p. 740. n. 72 (1870).
Pternosticta Saturata, Sauss. l. c. xxx. (1) p. 36 (1888).
Pternosticta Humbertiana, Sauss. l. c. xxviii. (9) p. 127. n. 1 (1884).
Ceylon.

*2. **P. Caliginosa, De Haan,** (*Acridium* (*Œdipoda*) *Caliginosum*) Temminck, Verhandel., Orth. p. 161. n. 30, pl. 21. f. 11 (1842).
Pternosticta Caliginosa, Sauss. l. c. pp. 127, 128. n. 2 (1884) ; Jacobs. & Bianchi, l. c. pp. 187, 252 (1902).
India, Malacca.

3. **P. Bimaculata, Thunb.** (*Gryllus Bimaculatus*) Mém. Acad. Pétersb. v. p. 239 (1815), ix. pp. 397, 417. n. 64 (1824). *Prionidia Bimaculata, Stål*, l. c. p. 127. n. 1 (1873). *Pternoscirta Bimaculata, Sauss.* l. c. pp. 127, 129. n. 3 (1884).	Hab. —— ?
4. **P. Villosa, Thunb.** (*Gryllus Villosus*) ll. cc. p. 249 (1815), pp. 398, 421. n. 79 (1824). *Prionidia Villosa, Stål*, l. c. p. 128. n. 2 (1873). *Pternoscirta Villosa, Sauss.* l. c. pp. 127, 129. n. 4 (1884).	China.

Genus 329. **Mioscirtus.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 18, 175 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 253 (1902).

Microscirtus, Sauss. l. c. p. 36 (1888).

1. **M. Varentzowi, Zub.** Hor. Soc. Ent. Ross. xxx. p. 186. n. 12 (1896); Jacobs. & Bianchi, l. c. pp. 187, 253 (1902).	Transcaspia.
*2. **M. Wagneri, Eversm.** (*Œdipoda W.*) Bull. Mosc. xxxii. (1) p. 145. pl. 1. f. 3 (1859); Brunn. Prodr. Eur. Orth. pp. 159, 161. n. 2 (1882). *Scintharista Wagneri, Sauss.* l. c. xxviii. (9) pp. 121, 122. n. 3 (1884). *Microscirtus Wagneri, Sauss.* l. c. xxx. (1) p. 36 (1888). *Mioscirtus Wagneri, Jacobs. & Bianchi*, l. c. pp. 187, 253 (1902).	South Russia, Siberia, Algeria.

Genus 330. **Morphacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 790 (1870), *immature*.

Cosmorhyssa, Stål, Recens. Orth. i. pp. 116, 121 (1873): Sauss. Mém. Soc. Genève, xxviii. (9) pp. 50, 123 (1884), xxx. (1) pp. 18, 37 (1888): Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 167, 187, 253 (1902). (*Type* no. 1.)

*1. **M. Sanguinea, Thunb.** (*Gryllus Sanguineus*) Mém. Acad. Pétersb. v. p. 231 (1815), ix. pp. 394, 404. n. 14 (1824).	E. & S. Africa. Madagascar.

‖ *Gryllus Fasciatus, Thunb.* (*nec Fabr.*) ll. cc. p. 230 (1815), pp. 394, 403. n. 11 (1824).	
Cosmorhyssa Fasciata, Stål, l. c. p. 121. n. 1 (1873); Sauss. ll. cc. p. 124. n. 1 (1884), p. 37. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).	
***M. Adusta, Walk.* l. c. p. 790. n. 1 (1870), *immature.*	
Œdipoda Strigata, Serv. Ins. Orth. p. 726 n. 7 (1839).	
*2. **M. Sulcata, Thunb.** (*Gryllus Sulcatus*) ll. cc. p. 234 (1815), pp. 396, 410. n. 39 (1824).	W. Africa, S. Africa (eadem ?).
Cosmorhyssa Sulcata, Stål, l. c. p. 122. n. 2 (1873).	
*3. **M. Citrina, Kirb.** (n. n.).	Syria.
‖ *Cosmorhyssa Sulcata, Sauss.* (*nec Thunb.*) ll. cc. p. 124. n. 2 (1884), p. 37. n. 2 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).	
4. **M. Costata, Sauss.** (*Cosmorhyssa C.*) l. c. xxx. (1) p. 37. n. 3 (1888).	Cape.
5. **M. (?) Venusta, Fieb.** (*Œdipoda V.*) Lotos, iii. p. 123. n. 7 (1853); Syn. Eur. Orth. p. 23. n. 7 (1854); Brunn. Prodr. Eur. Orth. pp. 159, 161. n. 3 (1882).	Greece, Crete.
Scintharista Venusta, Sauss. l. c. xxviii. (9) pp. 121, 122. n. 2 (1884).	
Microscirtus Venusta, Sauss. l. c. xxx. (1) p. 36 (1888).	
Mioscirtus Venustus, Jacobs. & Bianchi, l. c. pp. 187, 253 (1902).	

Genus 331. **Lerina.**

Bol. Ann. Soc. Ent. France, lxx. p. 602 (1902).

1. **L. Œdipodioides, Bol.** l. c. p. 603 (1902)	Madura.

Genus 332. **Dittopternis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 52, 125 (1884), xxx. (1) pp. 19, 44 (1888).

*1. **D. Ceylonica, Sauss.** ll. cc. pp. 125, 126. n. 2 (1884), p. 44. n. 1 (1888).	Ceylon.

2. **D. Venusta, Walk. (*Œdipoda V.*) Cat. Derm. Salt. B. M. iv. p. 740. n. 73 (1870). *D. Venusta, Sauss.* l. c. xxx. (1) p. 44. n. 2 (1888). *Œdipoda Inficita*, var. *β*, *Walk.* l. c. p. 742 (1870).	India. Ceylon.
3. **D. Zebrata, Sauss.** l. c. xxviii. (9) pp. 125, 126. n. 3 (1884), xxx. (1) p. 44. n. 4 (1888).	id. (?).
4. **D. Cruciata, Sauss.** l. c. xxx. (1) pp. 44, 45. n. 5 (1888).	Australia.
5. **D. Cœrulea, Schulth.** Bull. Soc. Vaud. xxxv. p. 203. n. 1, pl. 7. f. 1 (1899).	Delagoa Bay.
6. **D.** (?) **Rosacea, Kirb.** Ann. Nat. Hist. (7) x. p. 240. n. 1 (1902).	Transvaal.

Genus 333. **Heteropternis.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 117, 128 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) p. 129 (1884), xxx. (1) pp. 19, 45 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 188, 258 (1902).

Heteroptermis, Sauss. l. c. xxviii. (9) p. 53 (1884).

1. **H. Respondens, Walk. (*Acrydium R.*) Ann. Nat. Hist. (3) iv. p. 223 (1859). *H. Pyrrhoscelis, Stål*, Recens. Orth. i. p. 128. n. 1 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 129, 130. n. 1 (1884), xxx. (1) p. 46. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 188, 258 (1902). *Acridium* (*Œdipoda*) *Caliginosum*, var. *a*, *De Haan*, Temminck, Verhandel., Orth. p. 162 (1842). *H. Pyrrhoscelis*, var. *Sinensis*, *Sauss.* l. c. xxx. (1) p. 46 (1888); Jacobs. & Bianchi, l. c. pp. 188, 258 (1902).	Java, Ceylon, Malacca, Burma, China, Sumatra, India.
*2. **H. Obscurella, Blanch.** (*Œdipoda O.*) Voy. Pôle Sud, Zool. iv. p. 375 (1853). *H. Obscurella*, *Sauss.* ll. cc. xxviii. (9) pp. 129, 130. n. 2 (1884), xxx. (1) pp. 46, 47. n. 2 (1888). ‖*Œdipoda Obscura*, *Blanch.* (*nec Fabr.*) l. c. Atlas. Ins. Orth. pl. 3. f. 10 (1853).	Banda, Australia, New Guinea, Borneo, Ceram, Amboina.

3. **H. Guineensis, Blanch.** (*Œdipoda G.*) l. c. p. 375, Atlas, Ins. Orth. pl. 3. f. 11 (1853).	New Guinea.
*4. **H. Pudica, Serv.** (*Œdipoda P.*) Ins. Orth. p. 733. n. 17 (1839). *H. Pudica, Sauss.* ll. cc. pp. 129, 130. n. 3 (1884), xxx. (1) pp. 46, 48. n. 5 (1888).	Cape. Mauritius. Abyssinia.
*5. **H. Couloniana, Sauss.** (*Dittopternis C.*) l. c. xxviii. (9) p. 125. n. 1 (1884). *H. Couloniana, Sauss.* l. c. xxx. (1) pp. 46, 48. n. 4 (1888).	W. Africa.
6. **H. Vittata, Kirb. Trans. Ent. Soc. Lond. 1902, p. 75. n. 42.	Zomba.
7. **H. (?) Savignyi, Krauss,** Verh. zool.-bot. Ges. Wien, xl. p. 262 (1890). [Sav. Hist. Égypte, Orth. pl. 6. f. 16.]	Egypt.
8. **H. Thoracica, Walk. (*Epacromia T.*) Cat. Derm. Salt. B. M. iv. p. 769. n. 7 (1870).	Sierra Leone.
9. **H. Partita, Walk. (*Epacromia P.*) l. c. p. 780. n. 27 (1870).	Hab. —— ?
10. **H. Hyalina, Sauss.** l. c. xxx. (1) pp. 46, 47. n. 3 (1888). *Acridium* (*Œdipoda*) *Caliginosum*, var. *b*, *De Haan*, Temminck, Verhandel., Orth. p. 162 (1842).	E. & W. Africa.
*11. **H. Junodiana, Schulth.** Bull. Soc. Vaud. xxxv. p. 204. n. 1, pl. 7. f. 5 (1899). *Epacromia Caliginosa*, var. (?), *Walk.* l. c. p. 771. n. 11 (1870).	Delagoa Bay, Natal.
12. **H. Guttifera, Kirb.** Ann. Nat. Hist. (7) x. p. 240. n. 2 (1902).	Barberton.
13. **H. Saussurei, Kirb.** l. c. n. 3 (1902).	Zoutpansberg.
14. **H. Pallida, Kirb.** l. c. p. 241. n. 4 (1902).	Barberton.

Genus 334. **Celes.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 53, 131 (1884), xxx. (1) p. 19 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 188, 259 (1902).

*1. **C. Variabilis, Pall.** (*Gryllus V.*) Reise, i. p. 467. n. 52 (1771). *Œdipoda Variabilis, Fisch.-Waldh.* Orth. Ross. pl. 15. f. 3 (1846); Sieb. Stett.	S. & E. Europe, N. & W. Asia.

Ent. Zeit. xiii. p. 29 (1852); Fisch. Orth. Eur. p. 410. n. 6, pl. 18. f. 8 (1853); Friv. Értek. Termész. Kör. i. (12) p. 187. n. 5 (1867); Brunn. Prodr. Eur. Orth. p. 159. n. 1, pl. 5. f. 36 A, B (1882); Finot, Orth. France, pp. 71, 72 (1883); Faune France, Orth. pp. 147, 148 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 219, 247, pl. 18 (1900).

Ctyphippus Variabilis, Bol. Ortópt. Españ. pp. 151, 152. n. 1 (1876); An. Soc. Españ. v. pp. 357, 358. n. 1 (1876).

Celes Variabilis, Sauss. Mém. Soc. Genève, xxviii. (9) p. 131. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 188, 259, pl. 5 (1902).

Gryllus Rhodoptilus, Charp. Hor. Ent. p. 146, pl. 3. f. 1 (1825).

Gryllus Subcœrulipennis, Charp. l. c. p. 145, pl. 3. f. 7 (1825).

Œdipoda Subcæruleipennis, Fisch.-Waldh. l. c. p. 289. n. 12, pl. 15. f. 4 (1846).

Gryllus Nigricans, Koll. Beitr. Landesk. Oesterr. iii p. 82 (1833).

Acrydium Affine, Fisch.-Waldh. Entom. Russ. i. p. 41. n. 4, pl. 1. f. 4 (1820).

Œdipoda Affinis, Kitt. Bull. Mosc. xxii. (4) p. 467. n. 51, pl. 8. f. 5 (1849).

Œdipoda Pallasii, Fieb. Lotos, iii. p. 124. n. 10 (1853); Syn. Eur. Orth. p. 24. n. 10 (1854).

Œdipoda Parnassica, Stein, Mitth. Münch. Ent. Ver. iii. p. 137 (1879).

2. **C. Skalozubovi, Adel.** Faun. Prem. Tobolsk. Gub. xv. p. 10. n. 28 (1906). — Tobolsk.

Genus 335. **Pseudoceles.**

Bol. Ann. Soc. Ent. Belg. xliii. p. 593 (1899); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 189, 259 (1902).

1. **P. Œdipodioides, Bol.** l. c. p. 593 (1899); Jacobs. & Bianchi, l. c. pp. 189, 260 (1902). — Asia Minor.

Genus 336. **Ptetica.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 133 (1884), xxx. (1) p. 19 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 189, 260 (1902).

1. **P. Cristulata, Sauss.** l. c. xxviii. (9) p. 133. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 189, 260 (1902). Turkestan.

Genus 337. **Conistica.**

Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884).

*1. **C. Saucia, Stål,** (*Œdipoda S.*) Recens. Orth. i. p. 130. n. 5 (1873). S. Africa.
Dissosteira Saucia, Sauss. l. c. pp. 135, 141. n. 10 (1884).
‖*Acrydium Obscurum, De Geer* (*nec Linn.*), Mém. Ins. iii. p. 492. n. 8, pl. 41. f. 4 (1773); Oliv. Enc. Méth. vi. p. 226. n. 47 (1791).
‖*Œdipoda Obscura, Serv.* Ins. Orth. p. 729. n. 12 (1839).

Genus 338. **Pycnodictya.**

Stål, Recens. Orth. i. pp. 116, 121 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 55, 144 (1884), xxx. (1) pp. 20, 49 (1888).

*1. **P. Obscura, Linn.** (*Gryllus Locusta Obscurus*) Syst. Nat. (ed. x.) i. p. 433. n. 52 (1758); Mus. Ludov. Ulr. p. 147. n. 37 (1764). S. Africa.
Gryllus Obscurus, Fabr. Spec. Ins. i. p. 368. n. 35 (1781); Thunb. Mém. Acad. Pétersb. v. p. 230 (1815), ix. pp. 391, 404. n. 13 (1824).
P. Obscura, Stål, l. c. p. 121. n. 1 (1873); Sauss. ll. cc. p. 145. n. 1 (1884), p. 49. n. 1 (1888).
Œdipoda Rosacea, Serv. Ins. Orth. p. 728. n. 11 (1839).

2. **P. (?) Citripennis, Sauss.** l. c. xxx. (1) p. 167. n. 7 (1888). Sierra Leone.

Genus 339. **Œdaleus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 126 (1853); Syn. Eur. Orth. p. 25 (1854); Stal, Recens. Orth. i. p. 123 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 110, 115 (1884), xxx. (1) pp. 18, 37, 40 (1888); Finot, Faune France, Orth. pp. 101, 155 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 216, v. p. 18 (1897–8); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 187, 254, 255 (1902).

*1. **Œ. Nigrofasciatus, De Geer,** (*Acrydium Nigrofasciatum*) Mém. Ins. iii. p. 493. n. 9, pl. 41. f. 5 (1773); Latr. Gen. Crust. Ins. xii. p. 157. n. 16 (1804). — S. Europe. Africa.

Gryllus Nigrofasciatus, *Charp.* Hor. Ent. p. 140 (1825).

Œdipoda Nigrofasciata, *Burm.* Handb. Ent. ii. p. 645. n. 19 (1838); Fisch.-Waldh. Orth. Ross. p. 276. n. 1, pl. 14. f. 4 (1846); Fieb. ll. cc. p. 126. n. 20 (1853); p. 26. n. 20 (1854).

Pachytylus (Œdaleus) Nigrofasciatus, *Bol.* Ortópt. Españ. p. 150. n. 2 (1876); An. Soc. Españ. v. p. 356. n. 2 (1876); Stål, l. c. p. 126. n. 7 (1873).

Œdaleus Nigrofasciatus, *Sauss.* ll. cc. pp. 110, 116. n 8 (1884), p. 40. n. 6 (1888); Finot, Faune France, Orth. p. 155 (1889); Bol. Ann. Sci. Nat. Porto, v. p. 18. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 188, 255 (1902); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 632 (1902).

Pachytylus Nigrofasciatus, *Fisch.* Orth. Eur. p. 397. n. 3, pl. 18. ff. 14, 14*a* (1853); Friv. Értek. Termész. Kör. i. (12) p. 181. n. 3, pl. 7. ff. 5, 5*a* (1867); Brunn. Prodr. Eur. Orth. p. 169. n. 1, pl. 6. f. 38 A–C (1882); Finot, Orth. France, pp. 73, 74 (1889); Tümpel, Geradfl. Mitteleuropas, pp. 219, 249, pl. 19 (1900); Jacobs. & Bianchi, l. c. pl. 6 (1902).

‖ *Gryllus Flavus*, pt., *Fabr.* (*nec Linn.*) Syst. Ent. p. 292. n. 24 (1775); Cyr. Spec. Ent. Neap. p. 7, pl. 9. f. 7 (1792); Ramb. Faun. Ins. Andal. ii. p. 82, f. 7 (1839).

‖ *Acridium Flavum, Costa,* Faun. Ins. Nap., Orth. p. 11, pl. 1. f. 4 A, *b*, *c*, *d* (1836).	
Acrydium Decorum, Germ. Faun. Ins. Eur. fasc. xii. pl. 17 (1826).	
Œ. Nigrofasciatus, var. *Gracilis, Sauss.* l. c. xxviii. (9) p. 116 (1888); Jacobs. & Bianchi, l. c. p. 255 (1902).	
2. **Œ. Plenus, Walk. (*Epacromia Plena*) Cat. Derm. Salt. B. M. iv. p. 769. n. 8 (1870).	S. Africa.
*3. **Œ. Caffer, Sauss.** (*Œ. Nigrofasciatus*, var. *Caffer*) l. c. xxx. (1) p. 41 (1888).	id.
4. **Œ. Arcuatus, Thunb. (*Gryllus A.*) Mém. Acad. Pétersb. ix. pp. 395, 409. n. 36 (1824).	id.
‖ *Gryllus Locusta Flavus*, var., *Stoll* (*nec Linn.*), Spectres, Saut. p. 27, pl. 12 *b*. f. 44 (1813).	
*5. **Œ. Citrinus, Sauss.** (*Œ. Nigrofasciatus*, var. *Citrinus*) l. c. p. 41 (1888).	id.
*6. **Œ. Australis, Sauss.** (*Œ. Nigrofasciatus*, var. *Australis*) l. c. (1888).	Australia.
*7. **Œ. Infernalis, Sauss.** l. c. xxviii. (9) p. 110. n. 8, p. 116. n. 9 (1884), xxx. (1) p. 42. n. 7 (1888); Jacobs. & Bianchi, l. c. pp. 188, 255 (1902).	Japan, China, Amur.
8. **Œ. Inornatus, Schulth.** Ann. Mus. Genova, xxxix. p. 187. n. 2, pl. 2. ff. 10, 10 *a* (1898).	Somali.
9. **Œ. Instillatus, Burr,** Proc. Zool. Soc. Lond. 1900, p. 39.	id.
*10. **Œ. Senegalensis, Krauss,** (*Pachytylus S.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 56. n. 1, pl. 1. ff. 9, 9 A (1877).	Africa, S. & W. Asia, Australia.
Œ. Senegalensis, Sauss. ll. cc. pp. 110, 117. n. 10 (1884); pp. 40, 42. n. 8 (1888); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1105, plate, f. 5 (1903).	
** *Ctypohippus Arenivolans, Butl.* Proc. Zool. Soc. Lond. 1881, p. 85.	
11. **Œ. Mlokoziewiztcki, Bol.** (*Pachytylus M.*) C. R. Soc. Ent. Belg. xxviii. p. cv (1884).	Transcausia, Transbaikal.
Œ. Mlokosewitchi, Bol. An. Soc. Españ. xvi. p. 98 (1887); Jacobs. & Bianchi l. c. p. 256 (1902).	

Œ. Mlokozievetsi, Sauss. l. c. xxx. (1) pp. 40, 42. n. 9 (1888).

Œ. Mlokosiewiczi, Jacobs. & Bianchi, l. c. p. 188 (1902).

*12. **Œ. Abruptus, Thunb.** (*Gryllus A.*) l. c. v. p. 233 (1815), ix. pp. 396, 412. n. 45, pl. 14. f. 5 (1824). — China, India.

Pachytylus (Œdaleus) Abruptus, Stål, l. c. p. 127. n. 8 (1873).

Œ. Abruptus, Sauss. l. c. xxviii. (9) p. 110. n. 10, p. 117. n. 11 (1884), xxx. (1) p. 40 (1888).

13. **Œ. Inclytus, Walk. (*Epacromia Inclyta*) l. c. p. 773. n. 14 (1870). — Madagascar

Œ. Madecassus, Sauss. l. c. xxviii. (9) p. 110. n. 6, p. 115. n. 7 (1884).

14. **Œ. Virgula, Voll.** (*Œdipoda V.*) Pollen & Van Dam, Faune Madag., Ins. p. 11. n. 8, pl. 2. f. 2 (1877). — id.

Œdaleus Nigrofasciatus, var. *Virgula, Sauss.* l. c. xxx. (1) p. 40 (1888).

15. **Œ. Carvalhoi, Bol.** Jorn. Sci. Lisb. (2) i. p. 103. n. 86 (1889). — Delagoa Bay.

Genus 340. **Gastrimargus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 109, 110 (1884), xxx. (1) p. 37 (1888): Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).

*1. **G. Virescens, Thunb.** (*Gryllus V.*) Mém. Acad. Pétersb. v. p. 245 (1815), ix. pp. 396, 411. n. 40, pl. 14. f. 4 (1824). — S. Africa.

***Pachytylus Determinatus, Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 72 (1871).

Œdaleus Verticalis, Sauss. ll. cc. pp. 109, 111. n. 1 (1884), p. 38 (1888).

*2. **G. Assimilis, Thunb.** (*Gryllus A.*) ll. cc. p. 246 (1815), pp. 396, 411. n. 41 (1824). — id.

Œdaleus Crassicollis, Sauss. l. c. xxx. (1) p. 38. n. 1 (1888).

*3. **G. Marmoratus, Thunb.** (*Gryllus M.*) ll. cc. pp. 232 (1815), pp. 395, 410. n. 38, pl. 14. f. 3 (1824). — id.

Pachytylus (Œdaleus) Marmoratus, Stål, Recens. Orth. i. p. 123. n. 3 (1873).

Œdaleus Marmoratus, *Sauss.* l. c. xxviii. (9) pp. 109, 112. n. 2 (1884), xxx. (1) p. 39. n. 3 (1888); Jacobs. & Bianchi, l. c. pp. 187, 254 (1902).	
‖*Gryllus Locusta Flavus*, *Stoll* (*nec Linn.*), Spectres, Saut. p. 25, pl. 11 *b*. f. 41 (1813).	
‖*Locusta Flava*, *Dunc.* Introd. Ent. p. 258, pl. 16. f. 2 (1840).	
*4. **G. Wahlbergii, Stål,** (*Pachytylus* (*Œdaleus*) *W.*) l. c. p. 124. n. 4 (1873).	S. & E. Africa, Madagascar
Œdaleus Wahlbergi, *Sauss.* l. c. xxviii. (9) pp. 109, 113. n. 2 bis (1884).	
‖*Œdaleus Acutangulus*, *Sauss.* (*nec Stål*) l. c. pp. 109, 114. n. 3 (1884), xxx. (1) p. 39. n. 4 (1888).	
*5. **G. Africanus, Sauss.** (*Œdaleus Marmoratus*, var. *Africana*) l. c. xxx. (1) p. 39 (1888).	S. & E. Africa.
*6. **G. Acutangulus, Stål,** (*Pachytylus* (*Œdaleus*) *A.*) l. c. p. 125. n. 5 (1873).	Caffraria, Transvaal.
G. Acutangulus, *Kirb.* Trans. Ent. Soc. Lond. 1902, p. 72. n. 37.	
7. **G. Dohrnianus, Sauss.** (*Œdaleus* (*Gastrimargus*) *D.*) l. c. p. 166. n. 4 (1888).	Transvaal.
*8. **G. Vitripennis, Sauss.** (*Œdaleus V.*) l. c. p. 38. n. 2 (1888).	S. & E. Africa.
*9. **G. Transversus, Thunb.** (*Gryllus T.*) ll. cc. p. 233 (1815), pp. 396, 412. n. 44 (1824).	China, India, &c.
Œdipoda Citrina, *Burm.* Handb. Ent. ii. p. 645. n. 20 (1838).	
Œdaleus Marmoratus, var. *Minor*, *Sauss.* l. c. p. 39 (1888).	
*10. **G. Musicus, Fabr.** (*Gryllus M.*) Syst. Ent. p. 290. n. 15 (1775).	Australia.
Acrydium Musicum, *Oliv.* Encycl. Méth. vi. p. 222. n. 32 (1791).	
Œdipoda Musica, *Serv.* Ins. Orth. p. 720. n. 1 (1889); McCoy, Prodr. Zool. Vict. xi. p. 41, pl. 110 (1885).	
Gryllus Pictus, *Leach*, Zool. Misc. i. p. 57, pl. 25 (1814).	
‖*Locusta Danica*, *Frogg.* (*nec Linn.*) Agric. Gaz. N. S. Wales, xiv. p. 1101, pl. 1. f. 1 (1903); Austral. Ins. p. 41, f. 23 (1907).	

*11. **G. Sundaicus, Sauss.** (*Œdaleus Marmoratus stirps Sundaicus*) l. c. xxviii. (9) p. 113 (1884), xxx. (1) p. 39 (1888). *Œdaleus Marmoratus*, var. *Grandis*, *Sauss.* l. c. xxx. (1) p. 39 (1888).	China, Java, Singapore, &c.
12. **G. Sarasini, Sauss.** (*Œdaleus S.*) l. c. xxviii. (9) p. 110. n. 4, p. 114. n. 5 (1884).	New Caledonia.
13. **G. Subfasciatus, De Haan,** (*Acridium* (*Œdipoda*) *Subfasciatum*) Temminck, Verhandel., Orth. pp. 159, 161. n. 2. pl. 21. f. 12 (1842). *Œdaleus Subfasciatus*, *Sauss.* l. c. p. 110. n. 7, p. 115. n. 6 (1884), xxx. (1) p. 39. n. 5 (1888).	Pelew Isl.

Genus 341. **Locusta.** (*Type* no. 6.)

Linn. Syst. Nat. (ed. x.) p. 431 (1758); Schrank, Enum. Ins. Austr. p. 246 (1781); Sam. Comp. p. 218 (1819).

Gryllus, *Fabr.* Syst. Ent. p. 287 (1775).

‖*Acrydium*, *Latr.* (*nec Geoffr.*) Hist. Nat. Crust. Ins. iii. p. 282 (1802), xii. p. 149 (1804).

Pachytylus, *Fieb.* Kelch, Grundl. Kenntn. Orthopt. p. 5 (1852); Lotos, iii. p. 121 (1853); Syn. Eur. Orth. p. 21 (1854); Fisch. Orth. Eur. p. 392 (1853); Friv. Értek. Termész. Kör. i. (12) p. 178 (1867); Stal, Recens. Orth. i. pp. 116, 122 (1873); Bol. Ortópt. Españ. pp. 146, 149 (1876); An. Soc. Españ. v. pp. 352, 355 (1876); Ann. Sci. Nat. Porto, iv. p. 216, v. p. 18 (1897–8); Brunn. Prodr. Eur. Orth. pp. 85, 168 (1882; Finot, Orth. France, pp. 44, 73 (1883); Faune France, Orth. pp. 102, 153 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 118 (1884), xxx. (1) pp. 18, 43 (1888); Burr, Brit. Orth. pp. 33, 41 (1897); Auriv. Entom. Tidskr. xxi. pp. 241, 246 (1900); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 249 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 168, 188, 256 (1902). (*Type* no. 6.)

†*1. **L. Pardalina, Walk.** (*Pachytylus Pardalinus*) Cat. Derm. Salt. B. M. iv. p. 725. n. 7 (1870). *Pachytylus Sulcicollis*, *Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 50. n. 1 (1876); Sauss. ll. cc. pp. 118, 120. n. 2 (1884), p. 43 (1888). *Pachytylus Capensis*, *Sauss.* ll. cc. pp. 118, 119. n. 1 (1884), p. 43. n. 1 (1888).	S. Africa.

*2. **L. Minor, Sauss.** (*Pachytylus M.*) Abhandl. Senckenb. Ges. xxi. p. 631 (1899).	Zanzibar, Deelfontein.
*3. **L. Migratoroides, Reiche & Fairm.** (*Œdipoda M.*) Ferret & Galinier, Voy. Abyss. iii. p. 430. n. 1, pl. 28. f. 12 (1847). *Pachytylus Migratoroides, Sauss.* l. c. xxviii. (9) pp. 119, 120. n. 3 (1884); Hutt. Trans. N. Zealand Inst. xxx. pp. 149, 150 (1897). *Pachytylus Migratorioides, Jacobs. & Bianchi,* l. c. pp. 188, 256 (1902).	Africa, Asia, Oceania.
4. **L. Capito, Sauss.** (*Pachytylus Migratoroides,* var. *Capito*) l. c. pp. 119, 120. n. 4 (1884).	Madagascar.
*5. **L. Australis, Sauss.** (*Pachytylus A.*) ll. cc. n. 5 (1884). *L. Australis, Frogg.* Agric. Gaz. N. S. Wales, xiv. p. 1106 (1903).	Tongatabu, Fiji.
*6. **L. Migratoria, Linn.** (*Gryllus Locusta Migratorius*) Syst. Nat. (ed. 10) i. p. 432. n. 45 (1758); Mus. Ludov. Ulr. p. 140. n. 31 (1864). *Gryllus Migratorius, Linn.* Faun. Suec. (ed. 2) p. 238. n. 871 (1761); Scop. Ent. Carn. p. 108. n. 323 (1763); Fabr. Syst. Ent. p. 289. n. 12 (1775); Don. Brit. Ins. viii. pl. 270 (1799); Thunb. Mém. Acad. Pétersb. v. p. 243 (1815), ix. pp. 397, 417. n. 63 (1824); Zett. Orth. Suec. p. 74. n. 1 (1821); Phil. Orthopt. Berol. p. 27. n. 1 (1830). *Acrydium Migratorium, De Geer,* Mém. Ins. iii. p. 466. n. 1, pl. 23. f. 1 (1773); Oliv. Encycl. Méth. vi. p. 220. n. 24 (1791). *Œdipoda Migratoria, Serv.* Ann. Sci. Nat. xxii. p. 288. n. 1 (1831); Ins. Orth. p. 737. n. 22 (1838); Fisch.-Waldh. Orth. Ross. p. 292. n. 14, pl. 12. f. 1 (1846); Borck, Skand. Rätv. Ins. p. 100. n. 4, pl. 3. f. 5 (1848). *Locusta Migratoria, Steph.* Ill. Brit. Ent., Mand. vi. p. 20. n. 1; Dunc. Jardine's Nat. Libr., Introd. Ent. p. 256, pl. 15. f. 1 (1840). *Pachytylus Migratorius, Fieb.* Lotos, iii.	Europe.

p. 121. n. 1 (1853); Syn. Eur. Orth. p. 21. n. 1 (1854); Fisch. l. c. p. 393. n. 1, pl. 18. ff. 12, 12*a* (1853); Friv. l. c. p. 179. n. 1 (1867); Brunn. l. c. pp. 169, 171. n. 2 (1882); Finot, ll. cc. p. 74 (1883); p. 153, pl. 8. f. 107 (1889); Sauss. l. c. xxviii. (9) pp. 119, 120. n. 6 (1884); Burr, l. c. p. 41, pl. 4. f. 4 (1897); Auriv. l. c. p. 246. n. 1 (1900); Tümp. l. c. pp. 219, 249, pl. 19 (1900); Jacobs. & Bianchi, l. c. pp. 188, 257, pl. 6 (1902).

‖ *Acridium Plorans, Costa* (*nec Charp.*), Faun. Nap., Ort. p. 7, pl. 1. f. 1 A, *b–d* (1836).

‖ *Œdipoda Tatarica, Motsch.* (*nec Oliv.*) Bull. Mosc. 1840, pp. 172, 197. pl. 4. f. *d*.

*7. **L. Danica, Linn.** (*Gryllus Locusta Danicus*) Syst. Nat. (ed. xii.) i. p. 702. n. 57 (1767).

Europe.
Asia.
Africa;
America
(*introduced*)

Pachytylus Danicus, Auriv. Ent. Tidskr. xxi. pp. 246, 247. n. 2 (1900); Bol. Ann. Sci. Nat. Porto, v. p. 18. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 188, 257 (1902).

Gryllus Discolor, Thunb. Mém. Acad. Pétersb. v. pp. 237 (1815), ix. pp. 398, 422. n. 81 (1824).

Gryllus Orientalis, Thunb. l. c. ix. pp. 400, 428. n. 103 (1824).

Gryllus Cinerascens, Fabr. Spec. Ins. i. p. 369. n. 38 (1781).

Acrydium Cinerascens, Oliv. l. c. p. 227. n. 50 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 154. n. 10 (1804).

Œdipoda Cinerascens, Hutt. Cat. N. Zealand Dipt., Orth., Hym. p. 93 (1881); Huds. Man. N. Zeal. Ent. p. 115, pl. 17. f. 3 (1892).

Acrydium Emigratorium, Latr. l. c. p. 150. n. 3 (1804).

Gryllus Locusta Erythropthalmus, Stoll, Spectres, Saut. p. 35, pl. 18*b*. f. 70 (1813).

‖ *Gryllus Migratorius, Ramb.* (*nec Linn.*) Faun. Andal. ii. p. 81. n. 6 (1838).

‖ *Œdipoda Migratoria, Burm.* Handb. Ent. i. p. 644. n. 17 (1838).

Pachytylus Cinerascens, Fieb. ll. cc. p. 121. n. 2 (1853); p. 21. n. 2 (1854); Fisch. l. c. p. 395. n. 2, pl. 18. ff. 13, 13 *a–e* (1853); Friv. l. c. p. 180 (1867); Bol. Ortópt. Españ. p. 149. n. 1, pl. 1. f. 2 (1876); An. Soc. Españ. v. p. 355. n. 1, pl. 6. f. 2 (1876); Brunn. l. c. pp. 169, 172. n. 3 (1882); Finot, ll. cc. pp. 74, 75, pl. 1. ff. 1–3 (1883); pp. 153, 154, pl. 8. f. 108, pl. 13. ff. 161–163 (1889); Sauss. l. c. xxviii. (9) pp. 119, 120. n. 7. (1884), xxx. (1) p. 43. n. 7 (1888); Burr, l. c. p. 42, pl. 3. f. 11 (1897); Hutt. Trans. N. Zealand Inst. xxx. p. 149 (1898).

Pachytylus Cinarascens, Tümp. l. c. pp. 219, 249 (1900).

Gryllus Migratorius, var. *Viridescens, Charp.* Hor. Ent. p. 133 (1825).

Locusta Christii, Curt. Brit. Ent. xiii. pl. 608 (1836).

||*Acridium Thalassinum, Costa* (*nec Fabr.*), Faun. Nap., Ort. p. 9. n. 4, pl. 1. f. 3 *a–d* (1836).

***Pachytylus Brasiliensis, Walk.* Cat. Derm. Salt. B. M. iv. p. 724. n. 4 (1870).

Genus 342. **Dissosteira.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 291 (1876); Guide N. Amer. Orth. p. 35, (1897); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 134 (1884), xxx. (1) p. 20 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 298, 312 (1894); Lugger, Orthopt. Minnesota, pp. 225, 248 (1897); Blatchl. Rep. Dept. Geol. Indiana, xxvii. pp. 253, 272 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 161 (1905).

*1. **D. Carolina, Linn.** (*Gryllus Locusta Carolinus*) Syst. Nat. (ed. x.) i. p. 433. n. 51 (1758); Stoll, Spectres, Saut. p. 34, pl. 18 *b*. f. 68 (1813); Catesby, Nat. Hist. Carol. ii. p. 89, pl. 89 (1743). N. America.

Acrydium Carolinum, De Geer, Mém. Ins. ii. p. 491. n. 7, pl. 41. ff. 2, 3 (1773); Oliv. Enc. Méth., Ins. vi. p. 225. n. 46 (1791).

Gryllus Carolinus, Fabr. Syst. Ent. p. 291. n. 22 (1775); Thunb. Mém. Acad. Pétersb. v. p. 239 (1815), ix. pp. 397, 415. n. 58 (1824).

Acridium Carolinianum, Beauv. Ins. Afr. Amér. p. 147, Orth. pl. 4. f. 6 (1805); Hahn, Icon. Orth. pl. A. f. 3 (1835).

Œdipoda Carolina, Serv. Ins. Orth. p. 722. n. 3 (1838); Burm. Handb. Ent. ii. p. 643. n. 11 (1838); Stål, Recens. Orth. i. p. 129. n. 1 (1873); Thom. Syn. Acrid. N. Amer. pp. 109, 117 (1873).

Locusta Carolina, Harr. Rep. Ins. Mass. p. 142. n. 1 (1841), (ed. 3) p. 176. n. 1, pl. 3. f. 3 (1862).

Ædipoda Carolina, Glov. Ill. N. Amer. Orth. pl. 5. f. 3 (1872).

Œdipoda (Dissosteira) Carolina, Prov. Ent. Canad. ii. pp. 38, 39. n. 1 (1883).

D. Carolina, Sauss. l. c. xxviii. (9) pp. 134, 137. n. 3 (1884); Beut. l. c. pp. 298, 312, pl. 10. f. 6 (1894); Lugg. l. c. pp. 248, 249. f. 95 (1897); Blatchl. l. c. p. 273. n. 47, f. 57 (1903); Brun. Biol. Centr.-Amer., Orth. ii. p. 162. n. 1 (1905).

*2. **D. Longipennis, Thomas,** Rep. Geol. Surv. Montana, p. 463 (1872); Syn. Acrid. N. Amer. pp. 109, 116 (1873); Sauss. l. c. pp. 134, 137. n. 1 (1884); Brun. Rep. Nebraska State Board Agric., Rep. Ent. pp. 108, 124–127. f. 27 (1897); U.S. Dept. Agric. Bull. Ent. xxviii. pp. 36–39. ff. 19, 20 (1893); Biol. Centr.-Amer., Orth. ii. pp. 134, 137. n. 1 (1905). — Southern States.

Œdipoda Nebrascensis, Brun. Canad. Ent. viii. p. 123 (1876).

*3. **D. Spurcata, Sauss.** l. c. pp. 134, 137. n. 2 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 162, 163. n. 3 (1905). — Western United States.

‖ *Œdipoda Obliterata, Thomas (nec Germ.)*, Canad. Ent. xii. p. 221 (1880).

‖ *D. Obliterata, Brun.* U.S. Dept. Agric. Bull. Ent. xxviii. p. 39. f. 21 (1893).

*4. **D. Venusta, Stål,** (*Œdipoda V.*) Eugenies Resa, Orth. p. 344. n. 103 (1861); Thom. — California.

Syn. Acrid. N. Amer. pp. 109, 111 (1873); Brun. Rep. U.S. Ent. Comm. iii. p. 57 (1883).
D. Venusta, Sauss. l. c. pp. 135, 138. n. 4 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 162, 163. n. 4 (1905).

5. **D. Pictipennis, Brun.** ll. cc. n. 5 (1905). — California.

6. **D. Planipennis, Brun.** l. c. pp. 162, 164. n. 6 (1905). — Southern California.

Genus 343. **Spharagemon.** (*Type* no. 6.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 467 (1875): Guide N. Amer. Orth. p. 35 (1897); Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 300, 312 (1894); Morse, Proc. Boston Soc. Nat. Hist. xxvi. p. 220 (1894); Psyche, vii. p. 287 (1895); Lugger, Orthopt. Minnesota, pp. 225, 249 (1897); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 253, 275 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 164 (1905).

1. **S. Crepitans, Sauss.** (*Dissosteira Bollii*, var. *Crepitans*) l. c. p. 140 (1884). — Georgia, Florida.
S. Crepitans, Morse. Psyche, vii. pp. 289, 290. ff. 1, 1 *a*, *b* (1895).

*2. **S. Bolli, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. pp. 468, 469. n. 2 (1875); Morse, Proc. Boston Soc. Nat. Hist. xxvi. pp. 227, 234. ff. 6, 7 (1894); Psyche, vii. pp. 289, 290. ff. 2, 2 *a*, *b* (1895), viii. pp. 37, 88. n. 26, pl. 2. ff. 26, 26 *a–c* (1897); Lugg. l. c. p. 253. f. 98 (1897); Blatchl. l. c. pp. 275, 276. n. 48, f. 58 (1903): Brun. l. c. pp. 164, 165. n. 1 (1905). — N. America.
S. Bollii, Beut. l. c. pp. 300, 312. ff. 10, 11, pl. 10. f. 1 (1894).
Dissosteira Bollii, Sauss. l. c. pp. 135, 140. n. 8 (1884).
|| *Œdipoda Æqualis, Thomas* (*nec Say*), Syn. Acrid. N. Amer. p. 114 (1873).
Var. *S. Balteatum, Scudd.* l. c. pp. 468, 469. n. 3 (1875).
Dissosteira Bollii, var. *Balteata, Sauss.* l. c. p. 140 (1884).

3. **S. Robustum, Morse,** Psyche, vii. pp. 290, 291 (1895); Brun. l. c. pp. 164, 165. n. 2 (1905).	Mexico.
4. **S. Inornatum, Morse,** l. c. pp. 290, 291 (1895); Brun. l. c. pp. 164, 165. n. 3 (1905).	New Mexico.
5. **S. Humile, Morse,** l. c. p. 292 (1895).	Colorado.
*6. **S. Æquale, Say,** (*Gryllus Æqualis*) Journ. Acad. Nat. Sci. Philad. iv. p. 307 (1825).	N. America.
Locusta Æqualis, Harr. Rep. Ins. Mass. p. 144. n. 5 (1841), (ed. 3) p. 178. n. 5 (1862).	
Œdipoda Æqualis, Scudd. Bost. Journ. Nat. Hist. vii. p. 470. n. 7 (1862); Thomas, Syn. Acrid. N. Amer. p. 114 (1873).	
S. Æquale, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 468. n. 1 (1875); Beut. l. c. pp. 301, 312. ff. 14, 15, pl. 9. f. 5 (1894); Morse, Proc. Boston Soc. Nat. Hist. xxvi. p. 225 (1894); Psyche, vii. pp. 289, 293. ff. 3, 3 *a* (1895); Brun. l. c. p. 165. n. 4 (1905).	
Dissosteira Æqualis, Sauss. l. c. pp. 135, 139. n. 7 (1884).	
7. **S. Belfragii, Stål,** (*Œdipoda B.*) Recens. Orth. i. p. 129. n. 2 (1873).	Illinois.
*8. **S. Saxatile, Morse,** ll. cc. pp. 229, 234. ff. 4, 5 (1894); vii. pp. 289, 294. ff. 4, 4 *a* (1895), viii. pp. 36, 88. n. 25, pl. 2. ff. 25, 25 *a* (1897); Beut. l. c. pp. 300, 312. ff. 12, 13 (1894).	Eastern United States.
S. Saxatile, var. *Planum*, *Morse*, Psyche, xi. p. 13 (1904).	
*9. **S. Cristatum, Scudd.** l. c. pp. 468, 470. n. 6 (1875); Morse, Psyche, vii. pp. 289, 295. ff. 5, 5 *a* (1895); Brun. l. c. pp. 165, 166. n. 5 (1905).	Southern U. States, Mexico.
Dissosteira Cristata, Sauss. l. c. pp. 135, 138. n. 5 (1884).	
10. **S. Texense, Sauss.** (*Dissosteira Texensis*) l. c. pp. 135, 140. n. 9 (1884).	Texas.
*11. **S. Collare, Scudd.** (*Œdipoda Collaris*) Final Rep. U.S. Geol. Surv. Nebraska, p. 250 (1871); Thomas, Syn. Acrid. N. Amer. p. 113 (1873).	N. America.

S. Collare, *Scudd.* Proc. Boston Soc. Nat. Hist. xvii. p. 470. n. 6 (1875); Morse, Proc. Boston Soc. Nat. Hist. xxvi. pp. 234, 235. f. 9 (1894); Psyche, vii. pp. 289, 295, 296. ff. 6, 6 *a* (1895); Lugg. l. c. pp. 250–253 (1897); Brun. l. c. pp. 165, 166. n. 6 (1905).

Dissosteira Collaris, *Sauss.* l. c. pp. 135, 139. n. 6 (1884).

Var. *Œdipoda Utahensis*, *Thomas*, Wheeler, Rep. Explor. W. 100th Merid. v. p. 883, pl. 44. f. 2 (1875).

Dissosteira Utahensis, *Sauss.* l. c. xxx. (1) p. 167. n. 6 (1888).

S. Collare, race *Utahense*, *Morse*, Psyche, vii. p. 297 (1895).

Var. *S. Scudderi*, *Morse*, Proc. Boston Soc. Nat. Hist. xxvi. p. 225 (1894).

S. Collare, race *Scudderi*, *Morse*, Psyche, vii. p. 297 (1895); Lugg. l. c. pp. 251, 252. ff. 96, 97 (1897).

S. Collare Scudderi, *Morse*, l. c. viii. pp. 36, 88. n. 24, pl. 2. ff. 24, 24 *a* (1897).

Var. *S. Collare*, race *Angustipenne*, *Morse*, l. c. vii. p. 298 (1895).

Var. *Œdipoda Wyomingiana*, *Thomas*, Rep. Geol. Surv. Montana, p. 462 (1872); Syn. Acrid. N. Amer. p. 113 (1873).

S. Wyomingianum, *Scudd.* l. c. pp. 468. 470. n. 4 (1875); Blatchl. l. c. pp. 275, 277. n. 49 (1903).

S. Collare, race *Wyomingianum*, *Morse*, Psyche, vii. p. 298 (1895).

S. Oculatum, *Morse*, Proc. Boston Soc. Nat. Hist. xxvi. pp. 232, 234. f. 8 (1894).

Var. *S. Collare*, race *Pallidum*, *Morse*, Psyche, vii. p. 299 (1895).

Genus 344. **Scirtetica.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) p. 135 (1884); Brun. Biol. Centr.-Amer., Orth. ii. p. 166 (1905).

Scirtettica, *Beut.* Bull. Amer. Mus. Nat. Hist. vi. pp. 303, 313 (1894); Brun. l. c. p. 116 (1905).

1. **S. Marmorata, Harr.** (*Locusta M.*) Rep. Ins. Mass. p. 145. n. 7 (1841), (ed. 3) p. 179. n. 7, f. 81 (1862). — United States.
   Œdipoda Marmorata, Thomas, Syn. Acrid. N. Amer. pp. 110, 111 (1873).
   Dissosteira Marmorata, Sauss. l. c. pp. 135, 141. n. 11 (1884).
   Scirtettica Marmorata, Beut. l. c. pp. 303, 313, pl. 10. f. 4 (1894); Brun. l. c. pp. 166, 167. n. 1 (1905).
   Scirtetica Marmorata, Morse, Psyche, viii. pp. 37, 89, pl. 2. ff. 27, 27 *a*, *b* (1897).

*2. **S. Picta, Scudd.** (*Trimerotropis P.*) Proc. Boston Soc. Nat. Hist. xix. p. 31. n. 66 (1876). — Georgia, Florida.
   Dissosteira Picta, Sauss. l. c. pp. 135, 141. n. 12 (1884).

3. **S. Occidentalis, Brun.** (*Œdipoda* (?) *O.*) Proc. U.S. Nat. Mus. xii. p. 77, pl. 1. f. 7 (1889). — California.
   S. Occidentalis, Brun. N. Amer. Fauna, vii. p. 267 (1893).

Genus 345. **Microtes.**

Scudd. Canad. Ent. xxxii. p. 329 (1900);
Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 167 (1905).

1. **M. Nubila, Scudd.** l. c. p. 330 (1900); Brun. l. c. p. 167. n. 1 (1905). — California.

Genus 346. **Lactista.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 54, 142 (1884), xxx. (1) p. 20 (1888); Brun. Biol. Centr.-Amer., Orth. pp. 116, 167 (1905).

1. **L. Gibbosus, Sauss.** l. c. xxviii. (9) pp. 142, 143. n. 1 (1884); Brun. l. c. p. 168. n. 1 (1905). — California, Mexico.
   Arphia Hesperiphila, Rehn, Canad. Ent. xxxiv. p. 143 (1902).

2. **L. Oslari, Caud.** Proc. U.S. Nat. Mus. xxviii. p. 468 (1905); Brun. l. c. p. 168. n. 2 (1905).	Colorado, Arizona, New Mexico.
3. **L. Inermus, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 96 (1900).	Mexico.
4. **L. Punctata, Stål,** (*Œdipoda Punctata*) Recens. Orth. i. p. 130. n. 3 (1873). *L. Punctatus, Sauss.* l. c. pp. 142, 143. n. 2 (1884); Rehn, Trans. Amer. Ent. Soc. xxvii. p. 227 (1901); Proc. Acad. Nat. Sci. Philad. lvi. p. 526 (1904): Brun. l. c. p. 168. n. 3, pl. 2. ff. 11, 11 *a* (1905).	id., Guatemala, Costa Rica.
5. **L. Pulchripennis, Sauss.** l. c. p. 143. n. 3 (1884); Brun. l. c. pp. 168, 169. n. 4 (1905).	Costa Rica, Colombia, Brazil.
6. **L. Pellepidus, Sauss.** l. c. pp. 143, 144. n. 4 (1884); Brun. l. c. pp. 168, 169. n. 5 (1905).	Yucatan.

Genus 347. **Tomonotus.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 320 (1861); Mém. Soc. Genève, xxviii. (9) pp. 47, 96 (1884), xxx. (1) pp. 16, 20 (1888): Thomas, Syn. Acrid. N. Amer. p. 211 (1873); Scudd. Guide N. Amer. Orth. p. 35 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 116, 169 (1905).

1. **T. Mexicanus, Sauss.** ll. cc. (2) xiii. p. 321 (1861); xxviii. (9) p. 97. n. 1 (1884); Thomas, l. c. p. 211 (1873); Brun. l. c. p. 170. n. 1 (1905).	Mexico.
*2. **T. Ferruginosus, Brun.** Proc. U.S. Nat. Mus. xxviii. p. 470. f. 4 (1905); Biol. Centr.-Amer., Orth. ii. p. 170. n. 2 (1905).	id., Arizona, Lower California.
3. **T. Orizabæ, Sauss.** Mém. Soc. Genève, xxviii. (9) pp. 97, 98. n. 2 (1884); Brun. Biol. Centr.-Amer., Orth. ii. pp. 170, 171. n. 3 (1905). ‖ *Œdipoda Mexicana, Sauss.* Rev. Zool. (2) xiii. p. 397 (*nec* p. 321) (1861): Thomas. l. c. p. 214 (1873).	Texas, Mexico, Guatemala, Costa Rica.
*4. **T. Aztecus, Sauss.** (*Œdipoda Azteca*) l. c. p. 397 (1861); Thomas, l. c. p. 215 (1873).	Texas, Mexico, New Mexico.

T. Aztecus, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 97, 99. n. 3 (1884); Caud. Sci. Bull. Mus. Brooklyn Inst. i. p. 112. n. 29 (1904).

‖ *Lactista Pellepidus, Scudd.* (*nec Sauss.*) Proc. Davenport Acad. Sci. ix. p. 31, pl. 3. f. 1 (1902).

5. **T. Boscanus, Rehn,** (*Lactista B.*) Proc. Acad. Nat. Sci. Philad. lv. p. 721 (1903). Texas.

6. **T. Theresiæ, Brunn.** Berl. Ent. Zeitschr. xl. p. 277 (1895). North Dacota.

Genus 348. **Œdipoda.** (*Type* no. 4.)

Serv. Ann. Sci. Nat. xxii. p. 287 (1831); Ins. Orth. p. 718 (1839); Burm. Handb. Ent. ii. p. 640 (1838); Fisch.-Waldh. Orth. Ross. pp. 228, 275 (1846); Fisch. Orth. Eur. pp. 297, 401 (1853); Borck, Skand. Rätv. Ins. p. 92 (1846); Fieb. Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 21 (1854); Stål, Recens. Orth. i. pp. 117, 129 (1873); Friv. Ertek. Termész. Kör. i. (12) pp. 135, 183 (1868); Bol. Ortópt. Españ. p. 147 (1876); An. Soc. Españ. v. p. 353 (1876); Ann. Sci. Nat. Porto, iv. p. 216 (1897), v. p. 19 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 158 (1882); Finot, Orth. France, pp. 43, 71 (1883); Faune France, Orth. pp. 101, 147 (1889); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 55, 146 (1884), xxx. (1) pp. 20, 50 (1888); Burr, Brit. Orth. pp. 33, 43 (1897); Auriv. Ent. Tidskr. xxi. pp. 241, 245 (1900); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 247 (1900); Jacobs. & Bianchi, l. c. pp. 168, 189, 260 (1902).

Eusternum, Wesm. Bull. Acad. Brux. v. p. 596 (1838). (*Type* no. 4.)

Ctypohippus, Fieb. Kelch, Orthopt. Oberschlesiens, p. 2 (1852); Lotos, iii. p. 122 (1853); Syn. Eur. Orth. p. 22 (1854). (*Type* no. 4.)

Ctyphippus, Bol. Ortópt. Españ. pp. 146, 151 (1876); An. Soc. Españ. v. pp. 352, 357 (1876); Stal, Bihang Svensk. Akad. Handl. iv. (5) p. 25 (1876).

*1. **Œ. Miniata, Pall.** (*Gryllus Miniatus*) Reise, i. p. 467. n. 49 (1771). Europe, W. Asia, India.

Œ. Miniata, Friv. l. c. p. 187. n. 4 (1868); Brunn. l. c. pp. 159, 162. n. 4 (1882); Finot, ll. cc. pp. 71, 72 (1883);

pp. 147, 149, pl. 7. f. 105 (1889); Sauss. l. c. xxviii. (9) pp. 148, 149. n. 1 (1884); Bol. Ann. Sci. Nat. Porto, v. p. 20. n. 1 (1898); Tümp. l. c. pp. 219, 247, pl. 18 (1900); Jacobs. & Bianchi, l. c. pp. 189, 261, pl. 5 (1902).

Ctyphippus Cærulescens, var. *Miniatus*, *Krauss*, Verh. zool.-bot. Ges. Wien, xxix. p. 61 (1879).

‖*Acrydium Stridulum*, *Fourcr.* (*nec Linn.*) Ent. Paris. i. p. 181. n. 3 (1785); Oliv. Encycl. Méth., Ins. vi. p. 223. n. 35 (1791).

‖*Gryllus Obscurus*, *Petagna* (*nec Linn.*), Inst. Ent. i. p. 318. n. 9, pl. 10. f. 19 (1792).

Acrydium Germanicum, *Latr.* Gen. Crust. Ins. xii. p. 151. n. 5 (1804).

Acridium Germanicum, *Herr.-Schäff.* Nomencl. Ins. Orth. p. 7 (1840).

Gryllus Germanicus, *Charp.* Hor. Ent. p. 147, pl. 4. f. 2 (1825); Phil. Orth. Berol. p. 29. n. 4 (1830).

Œdipoda Germanica, *Serv.* Ins. Orth. p. 725. n. 6 (1838); Fisch.-Waldh. l. c. p. 278. n. 2, pl. 22. f. 7 (1846).

Gryllus Fasciatus, *Ahrens*, Faun. Ins. Eur. fasc. 1, pl. 15 (1812).

Œdipoda Fasciata, *Burm.* l. c. p. 642. n. 6 (1838); Fisch. l. c. p. 411. n. 7, pl. 18. ff. 9–11 (1853).

Œdipoda Fabricii, *Fieb.* Lotos, iii. p. 124. n. 8 (1853); Syn. Eur. Orth. p. 23. n. 8 (1854).

Œ. Miniata, var. *Flava*, *Sauss.* l. c. p. 149 (1884).

Œ. Miniata, var. *Decolor*, *Sauss.* l. c. (1884).

Œ. Miniata, var. *Cærulea*, *Sauss.* l. c. p. 150 (1884).

*2. **Œ. Fuscocincta, Luc.** Expl. Alg. iii. p. 31. n. 53, iv. Orth. pl. 3. f. 5 *a–c* (1849); Brunn. l. c. pp. 159, 166. n. 8 (1882); Sauss. l. c. p. 150. n. 2 (1884); Finot, Faune France, Orth. pp. 118, 152 (1889); Bol. l. c. p. 20 (1898). — S. France, Sicily, Sardinia, Algeria, Tunis, Canaries.

Œ. Nigrocincta, *Sauss.* l. c. p. 118. n. 2 (1884).

Œ. Sicula, Fieb. ll. cc. p. 123. n. 4 (1853); p. 22. n. 4 (1854).	
Œ. Fuscocincta, var. *Iberica, Bol.* Actas Soc. Españ. 1897, p. 169; Ann. Sci. Nat. Porto, v. p. 21. n. 5 (1898).	
3. **Œ. Fedtschenki, Sauss.** l. c. p. 150. n. 3 (1884), xxx. (1) p. 168. n. 8 (1888).	Turkestan.
*4. **Œ. Cærulescens, Linn.** (*Gryllus Locusta C.*) Syst. Nat. (ed. 10) i. p. 432. n. 48 (1758); Mus. Ludov. Ulr. p. 145. n. 36 (1764).	Europe, N. Africa, W. Asia.
Gryllus Cærulescens, Scop. Ent. Carn. p. 109. n. 325 (1763); Panz. Faun. Ins. Germ. fasc. 87, pl. 12 (1805); Phil. Orth. Berol. p. 30. n. 5 (1830).	
Locusta Cærulescens, Steph. Ill. Brit. Ent., Mand. vi. p. 21. n. 3 (1835).	
Gryllus Cærulescens, Fabr. Syst. Ent. p. 292. n. 23 (1775); Charp. Hor. Ent. p. 147 (1825); Ratzeb. Forstinsekt. iii. p. 275, pl. 14. f. 2 (1844).	
Acrydium Cærulescens, Oliv. Encycl. Méth. vi. p. 226. n. 49 (1791); Latr. l. c. p. 153. n. 8 (1804); Wesm. l. c. p. 596. n. 8 (1838).	
Acridium Cærulescens, Hahn, Icon. Orth. pl. B. f. 8 (1836); Herr.-Schäff. l. c. p. 8 (1840); Blanch. Hist. Nat. Ins. iii. p. 43. n. 8, pl. 11. f. 3 (1840).	
Gryllus Locusta Cærulescens, Stoll, Spectres, Saut. p. 41, pl. 23 *b*. f. 90 (1813).	
Œdipoda Cærulescens, Serv. Ins. Orth. p. 735. n. 20 (1838); Burm. l. c. p. 642. n. 5 (1838); Fisch.-Waldh. l. c. p. 287. n. 10, pl. 15. f. 2 (1846); Borck, l. c. p. 98 (1848); Fieb. ll. cc. p. 123. n. 5 (1853); p. 23. n. 5 (1854); Friv. l. c. p. 186. n. 3 (1868); Brunn. l. c. pp. 159, 164. n. 6 (1882); Finot, Orth. France, pp. 71, 72 (1883); Faune France, Orth. pp. 148, 151, pl. 7. f. 106 (1889); Sauss. l. c. xxviii. (9) pp. 148, 151. n. 4 (1888); Bol. Ann. Sci. Nat. Porto, v. p. 20. n. 2 (1898); Auriv. l. c. pp. 245, 246. n. 2 (1900); Tümp. l. c. pp. 219, 247, pl. 19	

(1900); Jacobs. & Bianchi, l. c. pp. 189, 262, pl. 6 (1902).	
Œdipoda Cærulescens, *Burr*, l. c. p. 43, pl. 4. f. 5 (1897).	
Ctyphippus Cœrulescens, *Bol.* Ortópt. Españ. pp. 151, 152. n. 2 (1876); An. Soc. Españ. v. pp. 357, 358. n. 2 (1876).	
‖ *Œdipoda Fasciata*, pt., *Fisch.* (*nec Ahrens*) l. c. p. 411. n. 7, pl. 18. f. 9 (1853).	
Acrydium Cæruleipenne, *De Geer*, Mém. Ins. iii. p. 473. n. 3 (1773).	
Acridium Sebetium, *Costa*, l. c. p. 24. n. 10, pl. 3. ff. A, *b–d* (1836).	
Œ. Cærulescens, varr. *Cruciata*, *Marginata*, *Collaris*, *Ferrugata* et *Ornata*, *Karny*, Berlin. Ent. Zeitschr. lii. p. 36 (1907).	
Œ. Cærulescens, var. *Sulfurescens*, *Sauss.* l. c. p. 152 (1884).	
Var. *Œ. Rufa*, *Ivanov*, Trud. Charkoff Univ. xxi. p. 355 (1888).	
Var. *Ctyphippus Assumptio*, *Santos*, Jorn. Sci. Lisb. ix. p. 258. n. 61 (1884).	
*5. **Œ. Canariensis, Krauss,** Zool. Anz. xv. p. 167. n. 35 (1892).	Tenerife.
*6. **Œ. Salina, Pall.** (*Gryllus Salinus*) Reise, ii. p. 727. n. 78 (1771).	S. Europe, N. Africa,
Acrydium Salinum, *Fisch.* Entom. Russ. i. p. 39. n. 3, Orth. pl. 1. f. 3 (1820).	W. Asia.
Œ. Salina, *Sieb.* Stett. Ent. Zeit. xiii. p. 27 (1852); Jacobs. & Bianchi, l. c. pp. 189, 261 (1902).	
Œ. Gratiosa, *Serv.* l. c. p. 727. n. 9 (1838); Fieb. ll. cc. p. 124. n. 9 (1853); p. 24. n. 9 (1854); Brunn. l. c. pp. 159, 164 n. 5 (1882); Sauss. l. c. p. 148. n. 5, p. 152. n. 6 (1884); Finot, Faun. France, Orth. pp. 147, 151 (1889); Bol. l. c. pp. 20, 21. n. 4 (1898).	
‖ *Acridium Germanicum*, *Costa* (*nec Latr.*), Faun. Nap., Ortott. p. 17, pl. 2. ff. 4 A, *b–d* (1836).	
‖ *Œ. Germanica*, *Fisch.-Waldh.* Orth. Ross. p. 278. n. 2, pl. 22. f. 7 (1846).	
‖ *Œ. Fasciata*, pt. & var. *c*, *Fisch.* l. c. pp. 411, 413. n. 7. pl. 18. f. 11 (1853).	

*7. **Œ. Mauritanica, Luc.** Expl. Algér. Zool. iii. p. 32. n. 55, iv. Orth. pl. 4. ff. 2, 2 *a* (1849).	Algeria.
*8. **Œ. Charpentieri, Fieb.** ll. cc. p. 123. n. 6 (1853); p. 23. n. 6 (1854); Brunn. l. c. pp. 159, 166. n. 7 (1882); Sauss. l. c. xxx. (1) p. 50. n. 2 (1888); Finot, l. c. pp. 147, 148 (1889); Bol. l. c. pp. 20, 21. n. 3 (1898); Azam, Bull. Soc. Ent. France, 1898, p. 61.	S. Europe, Egypt, Syria.
Œ. Cærulescens, var. *a, Sauss.* l. c. xxviii. (9) p. 151 (1884).	
‖*Gryllus Cyanopterus, Ramb.* (*nec Charp.*), Faun. Andal. ii. p. 84. n. 10 (1838).	
Œ. Collina, Pant. An. Soc. Españ. xv. p. 246 (1886).	
Œ. Collina, var. *Sulphurans, Pant.* l. c. (1886).	
9. **Œ. Ledereri, Sauss.** l. c. xxx. (1) p. 51. n. 3 (1888); Jacobs. & Bianchi, l. c. pp. 189, 262 (1902).	Syria.
‖*Œ. Charpentieri, Sauss.* (*nec Fieb.*) l. c. xxviii. (9) p. 148. n. 6, p. 152. n. 5 (1884).	
10. **Œ. Schochii, Sauss.** l. c. pp. 148, 153. n. 7 (1884); Jacobs. & Bianchi, l. c. pp. 189, 262 (1902).	W. Asia.
Œ. Schochii, var. *Caucasica, Sauss.* l. c. p. 153 (1884).	
11. **Œ. Tincta, Walk.** Zoologist, (2) v. p. 2301. n. 39 (1870).	Arabia.
12. **Œ. Variegata, Walk.** l. c. n. 40 (1870).	id., Egypt.
13. **Œ. (?) Liturata, Le Guill.** (*Œdipoda L.*) Rev. Zool. 1841, p. 295. n. 21.	Fiji.
14. **Œ. (?) Maculata, Le Guill.** (*Œdipoda M.*) l. c. n. 22 (1841).	Mankassar.
15. **Œ. (?) Pellarini, Le Guill.** (*Œdipoda P.*) l. c. n. 23 (1841).	Australia.

Genus 349. **Meristopteryx.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 20, 52 (1888).

1. **M. Rotundata, Walk. (*Œdipoda R.*) Cat. Derm. Salt. B.M. iv. p. 743. n. 76 (1870).	N. Bengal.
M. Rotundata, Sauss. l. c. p. 53. n. 1, pl. 2. f. 3 (1888).	

Genus 350. **Derotmema.** (*Type* no. 3.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 293 (1876); Guide N. Amer. Orth. p. 36 (1897); Proc. Amer. Acad. xxxv. p. 387 (1900); Sauss. Mém. Soc. Genève, xxviii. (9) p. 154 (1884), xxx. (1) p. 21 (1888); McNeill, Proc. U.S. Nat. Mus. xxiii. p. 394 (1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 171 (1905).

‖ *Trachyrrhachis, Sauss.* (*nec Scudd.*) l. c. xxviii. (9) p. 56 (1884).

1. **D. Laticinctum, Scudd.** Proc. Amer. Acad. Sci. xxxv. pp. 388, 389. n. 1 (1900); Brun. l. c. p. 172. n. 1 (1905).	New Mexico, Arizona.
2. **D. Delicatulum, Scudd.** l. c. pp. 388, 390. n. 2 (1900); Brun. l. c. p. 172. n. 2 (1905).	California, Arizona.
3. **D. Cupidineum, Scudd.** Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 293. n. 43 (1876); Proc. Amer. Acad. Sci. xxxv. pp. 388, 391. n. 3 (1900); Sauss. l. c. xxviii. (9) pp. 155, 156. n. 3 (1884); Brun. l. c. p. 172. n. 3 (1905).	New Mexico, Colorado, Utah, Wyoming.
*4. **D. Saussureanum, Scudd.** Proc. Amer. Acad. Sci. xxxv. pp. 388, 391. n. 4 (1900); Brun. l. c. pp. 172, 173. n. 4 (1905).	California, Arizona.
*5. **D. Haydenii, Thomas,** (*Œdipoda H.*) Rep. U.S. Surv. Montana, p. 460 (1871); Syn. Acrid. N. Amer. p. 120 (1873); Glover, Ill. N. Amer. Orth. pl. 15. f. 4 (1874); Sauss. l. c. xxx. (1) p. 171. n. 5 (1888).	Colorado.
D. Haydeni, Brun. Ann. Rep. Nebraska Board Agric. 1896, p. 132 (1897); Biol. Centr.-Amer., Orth. ii. pp. 172, 173. n. 5 (1905); Scudd. l. c. pp. 388, 392. n. 5 (1900); McNeill, l. c. p. 449, pl. 21. f. 6 (1901).	
D. Haydeni, var. *Flavum, Scudd.* Proc. Davenport Acad. Sci. ix. p. 32 (1902).	
D. Brunnerianum, Sauss. l. c. xxviii. (9) p. 155. n. 1 (1884).	

Genus 351. **Tmetodera.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) p. 154 note (1884); Scudd. Proc. Amer. Acad. Sci. xxxv. pp. 388, 392 (1900).

1. **T. Rileyanum, Sauss.** (*Derotmema R.*) l. c. pp. 155, 156. n. 2 (1884); Scudd. l. c. pp. 388, 392. n. 6 (1900).	Idaho, Utah, Wyoming, Colorado.
2. **T. Lentiginosum, Scudd.** (*Derotmema L.*) l. c. pp. 389, 393. n. 7 (1900).	Colorado.

Genus 352. **Trilophidia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 117, 131 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 56, 157 (1884), xxx. (1) pp. 21, 54 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 189, 263 (1902).

*1. **T. Cristella, Stål,** (*Œdipoda C.*) Eugenies Resa, Orth. p. 344. n. 105 (1860).	Java, Manila, India, Singapore, China, Borneo.
T. Cristella, Stål, Recens. Orth. i. p. 131. n. 1 (1873); Sauss. l. c. xxviii. (9) pp. 157, 158. n. 2 (1884); Jacobs. & Bianchi, l. c. pp. 189, 263 (1902).	
***Epacromia Aspera, Walk.* Cat. Derm. Salt. B. M. iv. p. 775. n. 17 (1870).	
*2. **T. Vulnerata, De Haan,** (*Acridium* (*Œdipoda*) *Vulneratum*) Temminck, Verhandel., Orth. pp. 161, 162. n. 31, pl. 21. f. 13 (1846).	Japan, China, Java.
3. **T. Annulata, Thunb.** (*Gryllus Annulatus*) Mém. Acad. Pétersb. v. p. 234 (1815), ix. pp. 395, 409. n. 33 (1824).	China, Japan, Java, Philippines, S. Leone (eadem?).
T. Annulata, Stål, Recens. Orth. i. p. 131. n. 2 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 51. n. 1 (1876); Sauss. l. c. xxviii. (9) p. 157. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 189, 263 (1902).	
T. Annulata, var. *Japonica, Sauss.* l. c. xxx. (1) p. 54 (1888).	
T. Annulata, var. *Mongolica, Sauss,* l. c. (1888).	
Gryllus Bidens, Thunb. l. c. v. p. 235 (1815), ix. pp. 398, 422. n. 82 (1824).	
*4. **T. Ceylonica, Sauss.** (*T. Annulata,* var. *Ceylonica*) l. c. xxviii. (9) p. 158 (1884).	Ceylon.
5. **T. Varia, Walk. (*Epacromia V.*) l. c. iv. p. 774. n. 16 (1870), v. Suppl. p. 85 (1871).	China.

6. **T. Nigricans, Walk. (*Epacromia N.*) l. c. iv. p. 776. n. 21 (1870).	Sarawak.
7. **T. Antennata, Krauss,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 57. n. 2, pl. 1. ff. 10, 10 A (1877); Sauss. l. c. pp. 157, 158. n. 3 (1884).	Senegal.
8. **T. Cinnabarina, Brancs.** Jahresh. Ver. Trencs. Com. xv.–xvi. p. 187 (1893).	Nossi-Bé.

Genus 353. **Tmetonota.** (*Type* no. 2.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 56, 159 (1884), xxx. (1) pp. 21, 54 (1888).

1. **T. Abrupta, Walk. (*Œdipoda A.*) Cat. Derm. Salt. B. M. iv. p. 739. n. 71 (1870). *Caloptenus Cristulifer*, var. (?), *Walk.* l. c. p. 691. n. 30 (1870). *T. Tuberculosa*, *Sauss.* l. c. xxx. (1) pp. 55, 56. n. 1 (1888).	Natal.
*2. **T. Rugosa, Stål,** (*Trilophidia R.*) Recens. Orth. i. p. 132. n. 3 (1873). *Tmetonota Rugosa*, *Sauss.* l. c. xxviii. (9) p. 159. n. 1 (1884), xxx. (1) pp. 55, 56. n. 2 (1888).	Caffraria, Orange River.
*3. **T. Verrucosa, Sauss.** l. c. xxx. (1) pp. 55, 56. n. 3 (1888).	Cape.
4. **T. Scabra, Sauss.** l. c. pp. 55, 57. n. 4 (1888).	id.
5. **T. Terrosa, Sauss.** ll. cc. n. 5 (1888).	id.

Genus 354. **Thalpomena.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 58, 184 (1884), xxx. (1) pp. 21, 23 (1888).

*1. **T. Algeriana, Luc.** (*Œdipoda A.*) Expl. Alg. iii. p. 34. n. 56, iv. Orth. pl. 4. f. 5 (1849). *T. Algeriana*, *Sauss.* l. c. xxviii. (9) pp. 184, 185. n. 1 (1884).	Algeria.
2. **T. Maderæ, Serv.** (*Œdipoda M.*) Ins. Orth. p. 730. n. 13 (1839).	Madeira.
3. **T. Persa, Sauss.** l. c. pp. 184, 185. n. 2 (1884).	Persia.
4. **T. Ledereri, Sauss.** ll. cc. n. 3 (1884).	W. Asia.

Genus 355. **Wernerella.** (*Type* no. 1.)

Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. p. 355 (1907).

*1. **W. Picteti, Krauss,** (*Thalpomena P.*) Zool. Anz. xv. p. 167. n. 34 (1892). *W. Picteti, Karny*, l. c. p. 356. n. 2 (1907).	Teneriffe.
2. **W. Aurora, Karny,** l. c. n. 1 (1907).	Soudan.

Genus 356. **Psinidia.** (*Type* no. 1.)

Stal, Recens. Orth. i. pp. 117, 133 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 56, 154, 160 (1884), xxx. (1) p. 21 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 302, 313 (1894); Scudd. Guide N. Amer. Orth. p. 36 (1897); Lugger, Orthopt. Minnesota, pp. 226, 256 (1897); McNeill, Proc. U.S. Nat. Mus. xxiii. p. 393 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 254, 283 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 178 (1905).

*1. **P. Fenestralis, Serv.** (*Œdipoda F.*) Ins. Orth. p. 726. n. 8 (1838); Thomas, Syn. Acrid. N. Amer. pp. 109, 118 (1873). *P. Fenestralis, Stål*, l. c. p. 133. n. 1 (1873); Sauss. l. c. xxviii. (9) pp. 160, 161. n. 1 (1884); Beut. l. c. pp. 303, 313, pl. 8. f. 3 (1894); Morse, Psyche, viii. pp. 37, 111. n. 28, pl. 2. f. 28 (1897); Lugger, l. c. pp. 256, 257. f. 100 (1897); Blatchl. l. c. p. 284. n. 53, f. 60 (1903); Brun. l. c. p. 178. n. 1 (1905). Var. *Locusta Eucerata, Harr.* Rep. Ins. Mass. p. 145. n. 8 (1841), (ed. 3) p. 180. n. 8 (1862). *Ædipoda Eucerata, Glover*, Ill. N. Amer. Orth. pl. 3. ff. 1, 2, pl. v. f. 13 (1872). *Œdipoda Eucerata, Glov.* l. c. pl. 6. f. 23 (1872); Thom. l. c. pp. 110, 119 (1873).	United States.

Genus 357. **Diraneura.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 208 (1896).

1. **D. Bivenosa, Scudd.** (*Œdipoda B.*) l. c. xii. p. 339. n. 22 (1869).	Ecuador.

Genus 358. **Metator.**

McNeill, Proc. U.S. Nat. Mus. xxiii. pp. 394, 398 (1901).

*1. **M. Pardalinus, Sauss.** (*Psinidia Pardalina*) Mém. Soc. Genève, xxviii. (9) pp. 161, 162. n. 2 (1884). Colorado.
M. Pardalinus, Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lviii. p. 381 (1906).
M. Pardalina, McNeill, l. c. pp. 398, 449, pl. 21. f. 3 (1901).
Var. *Psinidia Maculosa*, Sauss. l. c. pp. 161, 162. n. 3 (1884).

Genus 359. **Trachyrhachys.** (*Type* no. 4.)

Scudd. Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 291 (1876).
Trachyrhachis, Sauss. Mém. Soc. Gèenve, xxviii. (9) pp. 154, 160, 162 (1884); Brun. Biol. Centr.-Amer., Orth. ii. p. 173 (1905).
Trachyrrhachis, Sauss. l. c. xxx. (1) pp. 21, 58 (1888).
Mestobregma, Scudd. Bull. U.S. Geol. Surv. ii. p. 264 (1876); Guide N. Amer. Orth. p. 36 (1897); Lugg. Orthopt. Minnesota, pp. 226, 254 (1897); McNeill, Proc. U.S. Nat. Mus. xxiii. p. 294 (1901); Blatchl. l. c. pp. 254, 279 (1903); Brun. Biol. Centr.-Amer., Orth. ii. p. 117 (1905); Ent. News, xvi. p. 259 (1905). (*Type* no. 15.)

1. **T. Mexicana, Sauss.** (*Psinidia M.*) l. c. xxviii. (9) pp. 161, 164. n. 8 (1884). Mexico.
Mestobregma Mexicanum, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 527 (1904).
Trachyrhachis Mexicana, Brun. l. c. pp. 174, 175. n. 1 (1905).
2. **T. Compacta, Brun.** (*Trachyrhachis C.*) ll. cc. n. 2 (1905). New Mexico.
3. **T. Inconspicua, Brun.** (*Trachyrhachis I.*) l. c. pp. 174, 176. n. 3 (1905). Mexico.
*4. **T. Aspera, Scudd.** Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 292. n. 40 (1876). New Mexico.
5. **T. Townsendi, Brun.** (*Trachyrhachis T.*) l. c. pp. 174, 176. n. 4 (1905). Mexico.
6. **T. Occidentalis, Brun.** l. c. p. 174 (1905). San Francisco.

7. **T. Thomasi, Caud.** (*Mestobregma T.*) Proc. Ent. Soc. Washington, vi. p. 125 (1904). *Trachyrhachis Thomasi, Brun.* l. c. p. 174 (1905). ‖*Mestobregma Cinctum, Lugg.* (*nec Thomas*) l. c. pp. 254, 255. f. 99 (1897); Blatchl. l. c. pp. 279, 280. f. 59 (1903). ‖*Mestobregma Cincta, Howard,* Insect Book, pl. 37. f. 5 (1902).	Illinois, Colorado, Kentucky, Indiana.
8. **T. Cinctipennis, Brun.** l. c. p. 174 (1905).	U. States.
9. **T. Obliterata, Brun.** l. c. p. 175 (1905).	id.
10. **T. Borealis, Sauss.** (*Psinidia B.*) l. c. pp. 161, 164. n. 7 (1884). *Trachyrrhachis Borealis, Sauss.* l. c. xxx. (1) p. 59. n. 7 (1888). *Mestobregma Boreale, Caud.* Bull. U.S. Nat. Mus. xxvi. p. 789. n. 57 (1903).	Colorado.
11. **T. Texana, Sauss.** (*Psinidia Fuscifrons,* var. *Texana*) l. c. p. 163 (1884). *Trachyrhachis Texana, Brun.* l. c. pp. 175, 177. n. 5 (1905–6).	Texas, Mexico.
*12. **T. Fuscifrons, Stål,** (*Psinidia F.*) Recens. Orth. i. p. 134. n. 3 (1873); Sauss. l. c. xxviii. (9) pp. 161, 163. n. 4 (1884).	Texas.
13. **T. Capito, Stål,** (*Psinidia C.*) l. c. p. 133. n. 2 (1873); Sauss. l. c. xxviii. (9) pp. 161, 163. n. 8 (1884). *T. Capito, Sauss.* l. c. xxx. (1) p. 58. n. 5 (1888); Brun. l. c. pp. 175, 177. n. 7 (1905–6).	id.
14. **T. Nevadensis, Brun.** l. c. p. 175 (1905).	Nevada.
*15. **T. Plattei, Thomas,** (*Œdipoda P.*) Syn. Acrid. N. Amer. p. 123 (1873). *Trachyrhachis Plattei, Brun.* l. c. p. 175 (1905).	Colorado, Wyoming.
16. **T. Rubripennis, Brun.** (*Trachyrhachis R.*) l. c. pp. 175, 177. n. 8 (1905–6).	Arizona.
17. **T. Coronata, Scudd.** Wheeler's Ann. Rep. Surv. W. 100th Merid. App. JJ, p. 292. n. 41 (1876). *Trachyrhachis Coronata, Brun.* l. c. p. 175 (1905).	New Mexico.

Genus 360. **Trepidulus.** (*Type* no. 2.)

McNeill, Proc. U.S. Nat. Mus. xxiii. pp. 394, 398 (Jan. 1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 184 (1905–6).

Aræopteryx, Caud. Canad. Ent. xxxiii. p. 102 (April 1901). (*Type* no. 2.)

*1. **T. Pulchella, Brun.** (*Mestobregma P.*) Proc. U.S. Nat. Mus. xii. p. 64 (1889). *Trachyrhachis Pulchella, Brun.* Biol. Centr.-Amer., Orth. ii. p. 174 (1905).	Montana.
2. **T. Rosaceus, Scudd.** (*Mestobregma Rosaceum*) Psyche, ix. p. 91 (1900). *T. Rosaceus, McNeill,* l. c. p. 398 (1901); Brun. l. c. pp. 184, 185. n. 1 (1905). *Aræopteryx Penelope, Caud.* l. c. p. 103. n. 3 (1901).	California, Arizona.
3. **T. Gracilipes, Caud.** (*Mestobregma G.*) Proc. U.S. Nat. Mus. xxviii. pp. 471, 472. f. 5 (1905). *T. Gracilipes, Brun.* l. c. pp. 184, 185. n. 2 (1906).	Arizona.
4. **T. Hyalinus, Scudd.** (*Mestobregma Hyalinum*) l. c. pp. 91, 92 (1900). *T. Hyalinus, Brun.* l. c. pp. 184, 185. n. 3 (1906).	California.
5. **T. Kiowa, Thomas,** (*Œdipoda K.*) Rep. U.S. Geol. Surv. Montana, p. 461 (1872); Syn. Acrid. N. Amer. pp. 110, 121 (1873); Glov. Ill. N. Amer. Orth. pl. 14. f. 3 (1872). *Psinidia Kiowa, Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 161, 164, n. 6 (1884). *Mestobregma Kiowa, Thomas,* Proc. Davenport Acad. Sci. i. p. 256. n. 15 (1876); Scudd. l. c. pp. 91, 92 (1900). *Trachyrhachis Kiowa, Brun.* l. c. p. 174 (1905).	S.W. United States.

Genus 361. **Anconia.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 294 (1876) ; Guide N. Amer. Orth. p. 37 (1897) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 185 (1905–6).

1. **A. Integra, Scudd.** Wheeler's Rep. &c. p. 295. n. 46 (1876) ; Brun. l. c. pp. 185, 186. n. 1, pl. 2. ff. 12, 12 *a*, *b* (1905) ; Caud. Canad. Ent. xxxiii. p. 104 (1901).	Arizona, California,
2. **A. Grisea, Brun.** l. c. pp. 185, 186. n. 2 (1906).	California.
3. **A. Cæruleipennis, Brun.** ll. cc. n. 3 (1906).	Nevada.

Genus 362. **Ramona.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 186 (1905–6).

1. **R. Deserticola, Brun.** l. c. p. 187. n. 1 (1906).	California.

Genus 363. **Conozoa.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 154, 164 (1884), xxx. (1) pp. 22, 59 (1888) ; Scudd. Guide N. Amer. Orth. p. 37 (1887) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 268 (1902) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 117, 178 (1905, 1906).

1. **C. Behrensi, Sauss.** ll. cc. p. 165. n. 1 (1884), pp. 60, 61 (1888).	California.
*2. **C. Rogenhoferi, Sauss.** l. c. xxx. (1) pp. 60–62. n. 5, pl. 2. ff. 4, 4 *a*, *b* (1888) ; Jacobs. & Bianchi, l. c. pp. 191, 269 (1902).	Bagdad, Fao.
3. **C. Rebellis, Sauss.** l. c. pp. 60, 61. n. 4 (1888). *Trimerotropis Rebellis, McNeill*, Psyche, ix. p. 28 (1900) ; Proc. U.S. Nat. Mus. xxiii. pp. 398, 407 (1901).	California.
4. **C. Bilobata, Rehn & Heb.** (*Trimerotropis B.*) Proc. Acad. Nat. Sci. Philad. lviii. pp. 382–385. ff. 11, 12 (1906).	Colorado.

5. **C. Sulcifrons, Scudd.** (*Psinidia S.*) Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 293. n. 42 (1876). *C. Sulcifrons, Sauss.* ll. cc. pp. 165, 166. n. 2 (1884), pp. 60, 61 (1888).	S. California, Arizona.
6. **C. Amplicornis, Caud.** (*Psinidia Sulcifrons*, var. *Amplicornis*) Proc. U.S. Nat. Mus. xxvi. p. 791, pl. 55. f. 2 (1903). *C. Amplicornis, Hart*, Ent. News, xvii. p. 158 (1906).	Texas.
7. **C. Acuminata, Scudd.** Proc. Davenport Acad. Sci. ix. p. 32, pl. 2. f. 4 (1902).	New Mexico.
8. **C. Corrugata, Scudd.** l. c. p. 33 (1902).	id.
9. **C. Melleola, Scudd.** l. c. p. 34, pl. 2. f. 2 (1902).	id.
10. **C. Picturata, Scudd.** l. c. p. 34 (1902).	id.
11. **C. Wallula, Scudd.** (*Psinidia W.*) 2nd Rep. U.S. Ent. Comm. App. ii. p. 27, pl. 17. ff. 13, 14 (1880); Sauss. ll. cc. pp. 165, 166. n. 3 (1884), pp. 60, 61 (1888).	California, Oregon.
12. **C. Carinata, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. p. 38 (1907).	Arizona.

Genus 364. **Agonozoa.**

McNeill, Psyche, ix. p. 27 (1900); Proc. U.S. Nat. Mus. xxiii. p. 398 (1901).

1. **A. Hyalina, McNeill,** (*Trimerotropis H.*) ll. cc. p. 28 (1900); pp. 398, 405 (1901).	California.

Genus 365. **Circotettix.** (*Type* no. 5.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 261 (1876); Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 135 (1900); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 171 (1884). xxx. (1) p. 64 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 302, 313 (1894); Lugg. Orthopt. Minnesota. pp. 226, 260 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 183 (1905, 1906).

*1. **C. Maculatus, Scudd.** 2nd Rep. U.S. Ent. Comm. App. ii. p. 26, pl. 17. f. 10 (1880); Psyche, ix. pp. 136, 137. n. 1	Nevada, California.

(1900); Sauss. l. c. xxviii. (9) pp. 175, 176. n. 3 (1884).	
*2. **C. Carlinianus, Thom.** (*Œdipoda Carliniana*) Proc. Acad. Nat. Sci. Philad. 1870, p. 81. *C. Carlinianus, Scudd.* Psyche, ix. pp. 136, 138. n. 2 (1900). *Œdipoda Carlingiana, Thomas,* Ann. Rep. U.S. Surv. Territ. ii. pp. 265, 275 (1871); Syn. Acrid. N. Amer. pp. 109, 126 (1873). *C. Carlingiana, Thom.* Proc. Davenport Acad. Sci. i. p. 254. n. 13 (1876). *C. Carlingianus, Sauss.* l. c. pp. 175, 176 n. 2 (1884); Howard, Insect Book, pl. 38. f. 9 (1902).	Western United States.
3. **C. Thalassinus, Sauss.** l. c. pp. 175, 177. n. 5 (1884); Scudd. l. c. pp. 136, 138. n. 3 (1900).	Nevada, California.
4. **C. Lobatus, Sauss.** l. c. xxx. (1) p. 65. n. 6, pl. 2. f. 5 (1888); Scudd. l. c. pp. 136, 138. n. 4 (1900). *C. Lapidicolus, Brun.* Proc. U.S. Nat. Mus. xii. p. 75 (1890).	Colorado, Idaho.
*5. **C. Undulatus, Thom.** (*Œdipoda Undulata*) Rep. U.S. Geol. Surv. Montana, p. 460 (1871); Syn. Acrid. N. Amer. pp. 110, 125 (1873). *C. Undulatus, Sauss.* l. c. xxviii. (9) pp. 175, 177. n. 4 (1884), xxx. (1) p. 65. n. 4, pl. 2. f. 6 (1888); Scudd. l. c. pp. 137, 139. n. 5 (1900); Brun. Biol. Centr.-Amer., Orth. ii. p. 183. n. 1 (1906).	Colorado, Wyoming, New Mexico Mexico.
6. **C. Rabula, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lviii. pp. 393–397, ff. 13, 14 (1906).	Colorado.
7. **C. Shastanus, Brun.** Bull. U.S. Nat. Mus. xii. p. 76 (1889); Scudd. l. c. pp. 137, 139. n. 6 (1900).	California, Oregon.
*8. **C. Suffusus, Scudd.** (*Trimerotropis Suffusa*) Bull. U.S. Geol. Surv. Territ. ii. p. 265. n. 24 (1876); Howard, Insect-Book, pl. 38. f. 5 (1902). *C. Suffusus, Scudd.* Psyche, ix. pp. 137, 140. n. 7 (1900).	British Columbia, Western United States.
*9. **C. Verruculatus, Kirb.** (*Locusta Verruculata*) Faun. Bor.-Amer. iv. p. 250. n. 2 (1837).	British America.

Œdipoda Verruculata, Scudd. Bost. Journ. Nat. Hist. vii. p. 471. n. 8 (1862); Thom. Syn. Acrid. N. Amer. pp. 110, 115 (1873).	
Trimerotropis Verruculata, Scudd. Hitchc. Rep. Geol. N. Hampshire, i. p. 377, f. 57 (1884).	
C. Verruculatus, Sauss. l. c. xxviii. (9) p. 175. n. 1 (1884); Beut. l. c. pp. 302, 313, pl. 9. f. 6 (1894); Lugg. l. c. pp. 260, 261. f. 103 (1897); Howard, l. c. pl. 36. f. 6 (1902).	
C. Latipennis, Harr. (*Locusta L.*) Rep. Ins. Mass. p. 144. n. 6 (1841), (ed. iii.) p. 179. n. 6 (1862).	
*10. **C. Azurescens, Brun.** (*Trimerotropis A.*) l. c. p. 69 (1889); McNeill, Psyche, ix. p. 35 (1900); Proc. U.S. Nat. Mus. xxiii. pp. 404, 446 (1901).	Nebraska, Montana, Idaho.
Trimerotropis Perplexa, Brun. l. c. p. 74 (1889).	
C. Perplexus, Scudd. Psyche, ix. pp. 137, 141. n. 9 (1900).	
11. **C. Pseudofasciatus, Scudd.** (*Trimerotropis Pseudofasciata*) Wheeler's Ann. Rep. Surv. W. 100th Merid. p. 294. n. 45 (1876); Sauss. l. c. pp. 168, 172. n. 9 (1884); McNeill, ll. cc. p. 35 (1900); pp. 404, 447 (1901).	California, Colorado, New Mexico.
12. **C. Lauta, Scudd.** (*Trimerotropis L.*) Proc. Boston Soc. Nat. Hist. xviii. p. 271 (1876); McNeill, ll. cc. p. 35 (1900); pp. 404, 448 (1901).	Lower California, Guadeloupe I.
13. **C. (?) Sparsa, Thomas,** (*Œdipoda S.*) Wheeler's Rep. Expl. Surv. W. 100th Merid. v. p. 883, pl. 45. f. 6 (1875).	New Mexico.

Genus 366. **Trimerotropis.** (*Type* no. 5.)

Stal, Recens. Orth. i. pp. 118, 134 (1873); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 154 (1884), xxx. (1) pp. 22, 63 (1888); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 299, 312 (1894); Scudd. Guide N. Amer. Orth. p. 37 (1897); Lugger, Orthopt. Minnesota, pp. 226, 258 (1897); McNeill, Psyche, ix. p. 27 (1900); Proc. U.S. Mus. xxiii. p. 393 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii.

pp. 254, 280 (1903); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 43, 44 (1900); Biol. Centr.-Amer., Orth. ii. pp. 118, 179 (1905, 1906).

1. **T. Texana, Brun.** (*Conozoa T.*) P. U.S. Nat. Mus. xii. p. 65 (1889). *T. Texana, McNeill,* ll. cc. p. 28 (1900); pp. 398, 406 (1901).	Texas, New Mexico, Mexico.
2. **T. Albolineata, Brun.** (*Conozoa A.*) l. c. p. 66 (1889). *T. Albolineata, McNeill,* ll. cc. p. 28 (1900); pp. 399, 407 (1901).	California, Arizona.
3. **T. Cristata, McNeill,** ll. cc. p. 28 (1900); pp. 399, 408 (1901).	Lower Cal., Utah.
4. **T. Porrecta, McNeill,** ll. cc. p. 28 (1900); pp. 399, 409 (1901).	California.
*5. **T. Maritima, Harr.** (*Locusta M.*) Rep. Ins. Mass. p. 143. n. 4 (1841), (ed. 3) p. 178. n. 4 (1862). *Œdipoda Maritima, Scudd.* Bost. Journ. Nat. Hist. vii. p. 472. n. 9 (1862); Glov. Ill. N. Amer. Orth. pl. 12. f. 17 (1872); Thomas, Syn. Acrid. N. Amer. pp. 110, 124 (1873). *T. Maritima, Stål,* l. c. p. 135. n. 2 (1873); Sauss. l. c. xxviii. (9) pp. 168, 172. n. 10 (1884); Beut. l. c. pp. 299, 312, pl. 10. f. 5 (1894); Lugg. l. c. pp. 258, 259. ff. 101, 102 (1897); McNeill, ll. cc. p. 28 (1900); pp. 399, 410 (1901); Blatch. l. c. p. 281. n. 51 (1903).	United States.
*6. **T. Ochraceipennis, Blanch.** (*Œdipoda O.*) Gay, Faun. Chil. vi. p. 77. n. 1 [Orth. pl. 2. ff. 8, 8 *a–d*, ined.] (1852). *T. Ochraceipennis, Sauss.* l. c. pp. 168, 172. n. 11 (1884); McNeill, ll. cc. p. 28 (1900); pp. 399, 411 (1901). *Œdipoda Placida, Stål,* Eugenies Resa, Orth. p. 344. n. 104 (1860).	Chile.
7. **T. Cinerascens, Blanch.** (*Œdipoda C.*) l. c. p. 78. n. 2 (1852).	id.
8. **T. Atacamensis, Phil.** (*Œdipoda A.*) Reise Atacama, p. 173. n. 3 (1860).	Atacama.
9. **T. Signatipennis, Blanch.** (*Œdipoda S.*) l. c. p. 79. n. 3 (1852).	Chile.
10. **T. Flavipennis, Phil.** (*Œdipoda F.*) Zeitschr. Ges. Naturw. xxi. p. 240. n. 4 (1863).	id.

11. **T. Chloris, Phil.** (*Œdipoda C.*) l. c. p. 241. n. 5 (1863).	Atacama.
12. **T. Humilis, Blanch.** (*Œdipoda H.*) l. c. p. 79. n. 4 (1852).	id.
13. **T. Irrorata, Phil.** (*Œdipoda I.*) l. c. p. 241. n. 7 (1863).	id.
*14. **T. Gracilis, Thomas,** (*Œdipoda G.*) Rep. U.S. Geol. Surv. Montana, p. 461 (1872); Syn. Acrid. N. Amer. pp. 110, 121 (1873). *T. Gracilis, Sauss.* l. c. pp. 167, 171. n. 6 (1884); McNeill, ll. cc. p. 29 (1900); pp. 399, 412 (1901). *Derotmema Lichenosum, Scudd.* Proc. Amer. Acad. Sci. xxxv. pp. 389, 394. n. 8 (1900).	Western United States.
15. **T. Coquilletti, McNeill,** ll. cc. p. 29 (1900); pp. 399, 413 (1901).	California.
16. **T. (?) Bivenosa, Scudd.** (*Œdipoda B.*) Proc. Boston Soc. Nat. Hist. xii. p. 339. n. 22 (1869).	Ecuador.
17. **T. Magnifica, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. pp. 42–44. f. 4 (1907).	Arizona.

Genus 367. **Pseudotrimerotropis.** (*Type* no. 1.)

Rehn, Trans. Amer. Ent. Soc. xxvii. p. 334 (1901).
Trimerotropis, pt., *McNeill (nec Stål)*, Psyche, ix. p. 29 (1900): P. U.S. Nat. Mus. xxiii. p. 399 (1901).

*1. **P. Cincta, Thomas,** (*Œdipoda C.*) Proc. Acad. Nat. Sci. Philad. 1870, p. 80; Syn. Acrid. N. Amer. pp. 110, 122 (1873). *Trimerotropis Cincta, McNeill,* ll. cc. p. 29 (1900); pp. 400, 414 (1901).	New Mexico, Colorado, Texas, &c.
2. **P. Juliana, Scudd.** (*Trimerotropis J.*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 294 (1876); McNeill, ll. cc. p. 29 (1900); pp. 400, 415 (1901). *Trimerotropis Fontana, Thomas,* Proc. Davenport Acad. Sci. i. p. 255. n. 14, pl. 36. f. 5 (June 1876).	Utah, Montana.
*3. **P. Cæruleipes, Scudd.** (*Trimerotropis C.*) 2nd Rep. U.S. Ent. Comm. App. ii. p. 27 (1880); McNeill, ll. cc. p. 30 (1900); pp. 400, 416 (1901). *Trimerotropis Cæruleipes, Sauss.* Mem. Soc. Genève, xxx. (1) p. 172. n. 10 (1888).	California. Oregon.

*4. **P. Tessellata, McNeill,** (*Trimerotropis T.*) ll. cc. p. 30 (1900); pp. 400, 417 (1901).	Arizona.
5. **P. Cyanea, Scudd.** (*Trimerotropis C.*) Proc. Davenport Acad. Sci. ix. p. 36, pl. 2. f. 3 (1902).	New Mexico.
6. **P. Caliginosa, McNeill,** (*Trimerotropis C.*) Psyche, ix. p. 30 (1900). *Trimerotropis Calignosa, McNeill,* Proc. U.S. Nat. Mus. xxiii. pp. 400, 417 (1901).	California.
*7. **P. Albescens, McNeill,** (*Trimerotropis A.*) Psyche, ix. p. 30 (1900); Proc. U.S. Nat. Mus. xxiii. pp. 400, 418 (1901).	id.
8. **P. Bifasciata, Brun.** (*Trimerotropis B.*) Proc. U.S. Nat. Mus. xii. p. 70 (1889); McNeill, ll. cc. p. 30 (1900); pp. 400, 419 (1901).	id.
9. **P. Ferruginea, McNeill,** (*Trimerotropis F.*) ll. cc. p. 30 (1900); pp. 400, 420 (1901).	Idaho, Utah, Wyoming.
10. **P. Koebelei, Brun.** (*Conozoa K.*) l. c. p. 67 (1889). *Trimerotropis Koebelei, McNeill,* ll. cc. p. 30 (1900); pp. 401, 420 (1901).	California.
11. **P. Thalassica, Brun.** (*Trimerotropis T.*) l. c. p. 72 (1889); McNeill, ll. cc. p. 31 (1900); pp. 401, 421 (1901).	id.
*12. **P. Monticola, Sauss.** (*Trimerotropis M.*) l. c. xxviii. (9) pp. 167, 170. n. 4 (1884), xxx. (1) p. 63. n. 2 (1888); McNeill, ll. cc. p. 31 (1900); pp. 401, 422 (1901). *Trimerotropis Monticola,* var. *Huastecæ, Sauss.* l. c. xxx. (1) p. 63 (1888).	Mexico, New Mexico, Colorado.
13. **P. Campestris, McNeill,** (*Trimerotropis C.*) ll. cc. p. 31 (1900); pp. 401, 423 (1901).	Wyoming.
*14. **P. Bruneri, McNeill,** (*Trimerotropis B.*) ll. cc. p. 31 (1900); pp. 401, 423 (1901). *Hadrotettix Gracilis, Brun.* Publ. Nebraska Acad. Sci. iii. p. 25 (1893); Scudd. Psyche, ix. pp. 67, 68 (1900).	id., S. Dakota, Nebraska.
15. **P. Fascicula, McNeill,** (*Trimerotropis F.*) ll. cc. p. 31 (1900); pp. 401, 425 (1901).	New Mexico.

16. **P. Præclara, McNeill,** (*Trimerotropis P.*) ll. cc. p. 31 (1900); pp. 401, 425 (1901).	Utah, Nebraska.
17. **P. Modesta, Brun.** (*Trimerotropis M.*) Proc. U.S. Nat. Mus. xii. p. 72 (1889); McNeill, ll. cc. p. 31 (1900); pp. 401, 426 (1901).	New Mexico.
18. **P. Townsendi, Brun.** (*Trimerotropis T.*) Biol. Centr.-Amer., Orth. ii. p. 180. n. 5 (1906).	Mexico.
19. **P. Alliciens, Scudd.** (*Trimerotropis A.*) Proc. Davenport Acad. Sci. ix. p. 37, pl. 2. f. 1 (1902).	New Mexico.
20. **P. Citrina, Scudd.** (*Trimerotropis C.*) Bull. U.S. Surv. Territ. ii. p. 265. n. 23 (1876); Sauss. l. c. xxviii. (9) pp. 167–169. n. 2 (1884), xxx. (1) p. 64. n. 4 (1888); McNeill, ll. cc. p. 31 (1900); pp. 401, 426 (1901); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 281, 282. n. 52 (1903).	Southern United States.
21. **P. Latifasciata, Scudd.** (*Trimerotropis L.*) 2nd Rep. U.S. Ent. Comm. App. ii. p. 26 (1880); Sauss. l. c. xxx. (1) p. 172. n. 8 (1888); McNeill, ll. cc. p. 32 (1900); pp. 401, 428 (1901).	Utah, Idaho.
*22. **P. Laticincta, Sauss.** (*Trimerotropis L.*) l. c. xxviii. (9) pp. 167–169. n. 3 (1884); McNeill, ll. cc. p. 32 (1900); pp. 401, 428 (1901).	New Mexico, Texas, Nebraska.
23. **P. Schaefferi, Caud.** (*Trimerotropis S.*) Sci. Bull. Brooklyn Mus. i. (4) p. 112. n. 30, pl. 7 (1904).	Texas.
24. **P. Tolteca, Sauss.** (*Œdipoda T.*) Rev. Zool. (2) xiii. p. 397 (1861); Thom. Syn. Acrid. N. Amer. p. 215 (1873). *Trimerotropis Tolteca, Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 167–169. n. 1 (1884), xxx. (1) p. 63. n. 1 (1888); McNeill, ll. cc. p. 32 (1900); pp. 402, 429 (1901).	Mexico.
25. **P. Pistrinaria, Sauss.** (*Trimerotropis P.*) l. c. xxviii. (9) pp. 168, 173. n. 12 (1884); McNeill, ll. cc. p. 32 (1900); pp. 402, 430 (1901).	id., Texas.
26. **P. Melanoptera, McNeill,** (*Trimerotropis M.*) ll. cc. p. 32 (1900); pp. 402, 430 (1901).	New Mexico.

27. **P. Snowi, Rehn,** (*Trimerotropis S.*) Trans. Kansas Acad. Sci. xx. p. 223 (1905).	Arizona.
*28. **P. Californica, Brun.** (*Trimerotropis C.*) Proc. U.S. Nat. Mus. xii. p. 71 (1889); McNeill, ll. cc. p. 32 (1900): pp. 402, 432 (1901).	California.
29. **P. Strenua, McNeill,** (*Trimerotropis S.*) ll. cc. p. 32 (1900): pp. 402, 432 (1901).	Utah.
30. **P. Montana, McNeill,** (*Trimerotropis M.*) ll. cc. p. 32 (1900); pp. 402, 433 (1901).	Idaho.
31. **P. Agrestis, McNeill,** (*Trimerotropis A.*) ll. cc. p. 32 (1900); pp. 402, 433 (1901).	Nebraska.
32. **P. Rubripes, Rehn,** (*Trimerotropis R.*) Proc. Acad. Nat. Sci. Philad. lvi. p. 568 (1904).	New Mexico.
33. **P. Pacifica, Brun.** (*Trimerotropis P.*) l. c. p. 73 (1889); McNeill, ll. cc. p. 32 (1900); pp. 402, 434 (1901).	California.
34. **P. Gratiosa, Scudd.** (*Trimerotropis G.*) Canad. Ent. xxxii. p. 330 (1900).	id.
35. **P. Inconspicua, Brun.** (*Trimerotropis I.*) Bull. Agric. Exper. Stat. Colorado, xciv. p. 59 (1904).	Colorado.
*36. **P. Titusi, Caud.** (*Trimerotropis T.*) Proc. Ent. Soc. Washington, vii. p. 125 (1906).	California.
37. **P. Salina, McNeill,** (*Trimerotropis S.*) ll. cc. p. 33 (1900); pp. 402, 436 (1901).	Nebraska.
38. **P. Longicornis, Walk.** (*Trimerotropis L.*) Canad. Ent. xxxiv. pp. 2, 4. n. 6, pl. 1. ff. 1–4 (1902).	British Columbia.
39. **P. Similis, Scudd.** (*Trimerotropis S.*) 2nd Rep. U.S. Ent. Comm. App. ii. p. 27 (1880); Sauss. l. c. xxx. (1) p. 172. n. 9 (1888); McNeill, ll. cc. p. 33 (1900); pp. 403, 436 (1901).	Washington Territory, Oregon.
*40. **P. Pallidipennis, Burm.** (*Œdipoda P.*) Handb. Ent. ii. p. 641. n. 3 (1838); Thom. Syn. Acrid. N. Amer. p. 218 (1873). *Trimerotropis Pallidipennis, Sauss.* l. c. pp. 167, 168, 171. n. 7 (1884); (?) McNeill, ll. cc. p. 33 (1900); pp. 403, 437 (1901).	Mexico. S. America (eadem ?).

Œdipoda Straminea, Erichs. Schomburgk, Reisen in Brit. Guiana, iii. p. 582 (1848).	
41. **P. Collaris, McNeill,** (*Trimerotropis C.*) ll. cc. p. 33 (1900); pp. 403, 437 (1901).	Mexico.
42. **P. Fratercula, McNeill,** (*Trimerotropis F.*) ll. cc. p. 33 (1900); pp. 403, 438 (1901).	Wyoming.
*43. **P. Vinculata, Scudd.** (*Trimerotropis V.*) Proc. Bost. Soc. Nat. Hist. xviii. p. 270 (1876); 2nd Rep. U.S. Ent. Comm. App. ii. p. 27, pl. 17. f. 11 (1880); Sauss. l. c. xxx. (1) p. 171. n. 7 (1888); McNeill, ll. cc. p. 34 (1900); pp. 403, 439 (1901); Walk. l. c. pp. 2, 6. n. 7, pl. 1. ff. 5-7 (1902).	California. New Mexico.
‖ *Trimerotropis Cincta, Sauss.* (*nec Thom.*) l. c. xxviii. (9) pp. 167, 171. n. 8 (1884).	
‖ *Trimerotropis Fascicula, Rehn* (*nec McNeill*), Trans. Amer. Ent. Soc. xxvii. p. 227 (1901).	
44. **P. Huroniana, Walk.** (*Trimerotropis H.*) l. c. pp. 2, 6. n. 8, pl. 1. ff. 8-13 (1902).	Lake Huron.
45. **P. Saxatilis, McNeill,** (*Trimerotropis S.*) ll. cc. p. 34 (1900); pp. 403, 440 (1901).	Illinois. Arkansas.
Trimerotropis Verruculata, Thom. Rep. Ins. Illin. ix. p. 112 (1880).	
46. **P. Sordida, Walk.** (*Trimerotropis S.*) l. c. pp. 2, 9. n. 9, pl. 1. ff. 14-18 (1902).	Assiniboia.
47. **P. Pilosa, McNeill,** (*Trimerotropis P.*) ll. cc. p. 34 (1900); pp. 403, 440 (1901).	California.
*48. **P. Fallax, Sauss.** (*Trimerotropis F.*) l. c. xxviii. (9) pp. 167, 168, 170. n. 5 (1884); McNeill, ll. cc. p. 34 (1900); pp. 403, 442 (1901).	id.
49. **P. Nubila, McNeill,** (*Trimerotropis N.*) ll. cc. p. 34 (1900); pp. 403, 442 (1901).	New Mexico.
50. **P. Conspersa, McNeill,** (*Trimerotropis C.*) ll. cc. p. 34 (1900); pp. 404, 443 (1901).	California.
51. **P. Variegata, McNeill,** (*Trimerotropis V.*) ll. cc. p. 34 (1900); pp. 404, 443 (1901).	Southern California.

52. **P. Cœruleipennis, Brun.** (*Trimerotropis C.*) Canad. Ent. xvii. p. 10 (1885). *Trimerotropis Cœruleipennis, McNeill*, ll. cc. p. 35 (1900); pp. 404, 445 (1901).	Western United States.
*53. **P. Cyaneipennis, Brun.** (*Trimerotropis C.*) P. U.S. Nat. Mus. xii. p. 68 (1889); McNeill, ll. cc. p. 35 (1900); pp. 404, 445 (1901).	Utah, Arizona.
54. **P. Obscura, Scudd.** (*Trimerotropis O.*) Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 294. n. 44 (1876).	New Mexico.

Genus 368. **Bryodema.** (*Type* no. 4.)

Fieb. Lotos, iii. p. 129 (1853); Syn. Eur. Orth. p. 29 (1854); Brunn. Prodr. Eur. Orth. pp. 85, 167 (1882); Finot, Orth. France, p. 43 (1883); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 57, 178 (1884), xxx. (1) pp. 16, 22 (1888); Tümpel, Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 170, 190, 264 (1902).

Rhodorrhipis, Sauss. l. c. xxviii. (9) p. 179 (1884), xxx. (1) p. 67 (1888). (*Type* no. 4.)

‖*Ctyphippus, Stål* (*nec Bol.*), Recens. Orth. i. pp. 118, 134 (1873).

*1. **B. Tuberculatus, Fabr.** (*Gryllus T.*) Syst. Ent. p. 290. n. 16 (1775); Germ. Faun. Ins. Germ. fasc. 5, pl. 13 (1817); Charp. Hor. Ent. p. 150 (1825); Phil. Orth. Berol. p. 28. n. 2, pl. 2. f. 1 (1830); Ratzeb. Forstins. iii. p. 275. n. 4, pl. 14. f. 4 (1844). *Œdipoda Tuberculata, Burm.* Handb. Ent. ii. p. 641. n. 1 (1838); Fisch.-Wald. Orth. Ross. p. 280. n. 3, pl. 23. f. 7 (1846); Borck, Skand. Rätv. Ins. p. 95. n. 2 (1848); Fisch. Orth. Eur. p. 408. n. 5, pl. 18. f. 7 (1853); Auriv. Ent. Tidskr. xxi. pp. 245, 246. n. 3 (1900). *Bryodema Tuberculata, Brunn.* Prodr. Eur. Orth. p. 167. n. 1, pl. 6. f. 37 A–C (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 179, 180. n. 1 (1884), xxx. (1) p. 66. n. 1 (1888); Tümp. l. c. pp. 219, 248, pl. 19 (1900).	Europe, N.W. & E. Asia.

Bryodema Tuberculatum, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 190, 265, pl. 6 (1902).	
Gryllus Locusta Dilutus, Stoll, Spectres, Saut. p. 22, pl. 9 *b*. f. 32 (1813).	
‖ *Œdipoda Salina, Fisch.-Waldh.* (*nec Pall.*) l. c. pl. 14. f. 3 (1846).	
2. **B. Holdereri, Krauss,** Zool. Anz. xxiv. p. 236. n. 1 (1901); Jacobs. & Bianchi, l. c. pp. 190, 264 (1902).	Mongolia, Kuku-Nor.
3. **B. Brunneriana, Sauss.** l. c. xxviii. (9) pp. 179, 180. n. 3 (1884).	HongKong.
B. Brunnerianum, Jacobs. & Bianchi, l. c. pp. 190, 265 (1902).	
4. **B. Gebleri, Fisch.-Waldh.** (*Œdipoda G.*) Bull. Mosc. ix. p. 346, pl. 4. f. 1 (1836); Orth. Ross. p. 284. n. 7, pl. 21. f. 3, pl. 23. f. 3 (1846).	Ural, Altai, Dsungaria, Mongolia.
B. Gebleri, Sauss. l. c. pp. 59, 179, 182. n. 6 (1884); Zub. Ann. Mus. Zool. Pétersb. iii. p. 98. n. 54 (1898); Jacobs. & Bianchi, l. c. pp. 190, 265 (1902).	
Thrinchus Baicalensis, Fisch.-Waldh. Orth. Ross. p. 263. n. 5, pl. 26. ff. 6, 7 (1846).	
B. Baicalensis, Sauss. l. c. pp. 179, 180. n. 2 (1884).	
B. Gebleri, var. *Mongolica, Zub.* Hor. Soc. Ent. Ross. xxxiv. p. 17. n. 33 (1900); Jacobs. & Bianchi, l. c. p. 266 (1902).	
5. **B. Luctuosus, Stoll,** (*Gryllus Locusta L.*) l. c. p. 24, pl. 116. f. 37 (1813).	Mongolia.
B. Luctuosa, Zub. l. c. p. 18. n. 34 (1900).	
B. Luctuosum, Jacobs. & Bianchi, l. c. pp. 190, 266 (1902).	
B. Mongolica, Bol. Zichy, Dritte Asiat. Forschungsreise, ii. p. 233. n. 25 (1901).	
*6. **B. Barabensis, Pall.** (*Gryllus B.*) Reise, ii. p. 433. n. 79 (1771).	Siberia, Mongolia, N. China.
Œdipoda Barabensis, Fisch.-Waldh. l. c. p. 296. n. 16, pl. 14. f. 2 (1846).	
B. Barabensis, Sauss. l. c. pp. 179, 181. n. 4 (1884); Bol. l. c. p. 233. n. 24 (1901).	
B. Barabense, Jacobs. & Bianchi, l. c. pp. 190, 266 (1902).	

Œdipoda Hospes, Fisch.-Waldh. l. c. p. 295. n. 15, pl. 26. ff. 1, 2 (1846).

Œdipoda Lugubris, Fisch.-Waldh. l. c. p. 298. n. 17. pl. 32. ff. 4, 5 (1846).

Œdipoda Thunbergi, Stål, Eugenies Resa, Orth. p. 345. n. 106 (1860).

7. **B. Rhodopa, Fisch.-Waldh.** (*Œdipoda R.*) Bull. Mosc. ix. p. 348 (1836); Orth. Ross. p. 285. n. 8. pl. 21. f. 4 (1846). — Siberia, Mongolia.

Œdipoda Rhodoptera, Fisch.-Waldh. Bull. Mosc. ix. pl. 4. f. 2 (1836).

B. Barabense, var. *Rhodopus, Jacobs. & Bianchi,* l. c. pp. 190, 266 (1902).

B. Barabense, var. *Roseipennis, Krauss,* Zool. Anz. xxiv. p. 237. n. 2 (1901).

8. **B. Lugens, Krauss,** l. c. p. 238. n. 3 (1901); Jacobs. & Bianchi, l. c. pp. 190, 267 (1902). — Mongolia.

*9. **B. Inda, Sauss.** l. c. pp. 179, 181. n. 5 (1884). — India.

B. Indum, Jacobs. & Bianchi, l. c. pp. 190, 267 (1902).

Genus 369. **Compsorhipis.**

Sauss. Mitth. Schweiz. Ent. Ges. viii. p. 87 (1889).

Cosmorrhipis, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 190, 267 (1902).

‖ *Callirhipis, Sauss.* (*nec Latr.*) Mém. Soc. Genève, xxx. (1) pp. 22, 66 (1888).

1. **C. Davidiana, Sauss.** (*Callirhipis D.*) l. c. p. 67. n. 1 (1888); Bol. Zichy, Dritte Asiat. Forschungsreise, ii. p. 235. n. 26 (1901). — Mongolia, Pekin.

Cosmorrhipis Davidiana, Jacobs. & Bianchi, l. c. pp. 190, 268 (1902).

Genus 370. **Hadrotettix.** (*Type* no. 1.)

Scudd. Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ, p. 291 (1876); Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 67 (1900); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 58, 183 (1884), xxx. (1) p. 22 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 183 (1905, 1906).

*1. **H. Trifasciatus, Say,** (*Gryllus T.*) Amer. Ent. ii. pl. 34. f. 3 (1825). *Œdipoda Trifasciata, Glover,* Ill. N. Amer. Orthopt. pl. 9. f. 6 (1872); Thomas, Rep. U.S. Geol. Surv. Montana, p. 456, pl. 1. f. 6 (1872); Syn. Acrid. N. Amer. pp. 110, 127 (1873); Stål, Recens. Orth. i. p. 131. n. 7 (1873). *H. Trifasciatus, Scudd.* Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. App. JJ. p. 291. n. 39 (1876); Psyche, ix. p. 67 (1900); Sauss. l. c. xxviii. (9) p. 183 (1884); Brun. l. c. pp. 183, 184. n. 1 (1906). *Œdipoda Pruinosa, Thomas,* Proc. Acad. Nat. Sci. Philad. 1870, p. 80. *Œdipoda Hoffmanii, Thomas,* Syn. Acrid. N. Amer. p. 127 (1873); Wheeler, Rep. Geogr. Expl. W. 100th Merid. v. p. 876 (1875).	Western N. America, Mexico.
2. **H. Gracilis, Brun.** Publ. Nebraska Acad. Sci. iii. p. 25 (1893); Ann. Rep. Nebraska Board Agric. 1896, p. 134 (1897); Scudd. Psyche, ix. pp. 67, 68 (1900).	Western United States.
3. **H. Mundus, Scudd.** l. c. pp. 67, 68 (1900).	id.
4. **H. Nebulosus, Scudd.** l. c. pp. 67, 69 (1900); Brun. l. c. pp. 183, 184. n. 2 (1906).	Mexico.

Genus 371. **Acrotylus.** (*Type* no. 12.)

Fieb. Lotos, iii. p. 125 (1853); Syn. Eur. Orth. p. 25 (1854); Stål, Recens. Orth. i. pp. 118, 135 (1873); Œfvers. Vet.-Akad. Förh. xxxiii. (3) p. 52 (1876); Bol. Ortóp. Españ. pp. 147, 155 (1876); An. Soc. Españ. v. pp. 353, 361 (1876); Ann. Sci. Nat. Porto, iv. p. 217 (1897), v. p. 22 (1898); Brunn. Prodr. Eur. Orth. pp. 85, 154 (1882);

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 51, 58, 186 (1884), xxx. (1) pp. 21, 23, 68 (1888); Finot, Orth. France, pp. 44, 70 (1883); Faune France, Orth. pp. 101, 145 (1889); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 269 (1902).

*1.	**A. Crassus, Sauss.** ll. cc. p. 187. n. 1 (1884), xxx. (1) p. 68. n. 1 (1888).	E. Africa.
*2.	**A. Femoralis, Kirb.** Trans. Ent. Soc. Lond. 1902. p. 233. n. 45.	Pretoria.
3.	**A. Concinnus, Serv.** (*Œdipoda Concinna*) Ins. Orth. p. 730. n. 14 (1839).	Cape.
4.	**A. Cristulifer, Serv.** (*Calliptamus C.*) l. c. p. 692. n. 8 (1839). *Euryphymus Cristulifer, Mart.* An. Soc. Españ. xxx. pp. 261, 272 (1901).	id.
5.	**A. Zonatus, Kirb.** l. c. p. 234. n. 45 A (1902).	Pretoria.
6.	**A. Apicalis, Bol.** Mém. Soc. Ent. Belg. xvi. p. 103. n. 87 (1908).	Usambara.
*7.	**A. Hottentotus, Sauss.** l. c. xxviii. (9) pp. 187, 188. n. 2 (1884).	S. Africa.
**8.	**A. Annulatus, Kirb.** l. c. p. 235. n. 45 B (1902).	Transvaal, Natal.
**9.	**A. Repletus, Walk.** (*Epacromia Repleta*) Cat. Derm. Salt. B. M. iv. p. 770. n. 10 (1870).	W. Africa.
**10.	**A. Conturbatus, Walk.** (*Epacromia Conturbata*) l. c. p. 772. n. 13 (1870).	Cape.
*11.	**A. Deustus, Thunb.** (*Gryllus D.*) Mém. Acad. Pétersb. v. p. 238 (1815), ix. pp. 397, 416. n. 62 (1824). *A. Deustus, Stål*, l. c. p. 136. n. 4 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 53 (1876); Sauss. l. c. pp. 187, 188. n. 3 (1884). *Acridium* (*Œdipoda*) 4-*maculatum, De Haan*, Temminck, Verhandel., Orth. pp. 161, 162. n. 34, pl. 21. f. 10 (1842). *Epacromia Quadrimaculata, Walk.* l. c. p. 768. n. 5 (1870).	S. Africa.
*12.	**A. Insubricus, Scop.** (*Gryllus I.*) Del. Faun. Flor. Insubr. i. p. 64, pl. 24. f. *e* (1786); Charp. Hor. Ent. p. 149 (1825); Herr.-Schäff. Panzer, Faun. Ins. Germ. Heft clvii. pl. 17 (1838); Ramb. Faun. Andal. ii. p. 86. n. 12 (1838).	S. Europe, N. Africa, W. Asia.

Acridium (Œdipoda) Insubricum, Herr.-Schäff. Nomencl. Ent. ii. Orth. p. 7 (1840).
Acridium Insubricum, Brullé, Webb & Berthelot, Hist. Nat. Canar., Ins. p. 78. n. 35, pl. 5, ff. 11, 11 *a* (1838).
Œdipoda Insubrica, Germ. Faun. Ins. Eur. fasc. xx. pl. 15 (1817); Serv. Ins. Orth. p. 731. n. 15 (1839); Burm. Handb. Ent. ii. p. 641. n. 4 (1838); Fisch.-Waldh. Orth. Ross. p. 281. n. 4, pl. 22. f. 8 (1846); Fisch. Orth. Eur. p. 402, n. 1, pl. 18. ff. 1, 2 (1853); Friv. Ertek. Termész. Kör. i. (12) p. 183. n. 1, pl. 7. ff. 6, 6 *a* (1868); Fieb. Lotos, iv. p. 198. n. 16 (1854).
A. Insubricus, Stål, ll. cc. p. 135. n. 1 (1873); p. 53. n. 2 (1876); Bol. ll. cc. p. 156. n. 1 (1876); v. p. 362. n. 1 (1876); v. p. 22. n. 1 (1898); Brunn. l. c. p. 155. n. 1, pl. 5. f. 34 A–C (1882); Sauss. l. c. xxviii. (9) pp. 187, 188. n. 4 (1884); Finot, ll. cc. p. 70 (1883); p. 145, pl. 7. f. 104 (1889); Jacobs. & Bianchi, l. c. pp. 191, 269 (1902).
Gryllus Fasciatus, Fabr. Ent. Syst. ii. p. 58. n. 48 (1793); Coqueb. Illustr. Icon. Ins. i. p. 6, pl. 1. f. 5 A–C (1799).
Acrydium Maculatum, Oliv. Encycl. Méth., Ent. vi. p. 224. n. 42 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 152. n. 6 (1804).
Acridium Maculatum, Costa, Faun. Nap., Ortott. p. 27. n. 12, pl. 5. ff. A, *b–d* (1836).
Gryllus Maculatus, Thunb. ll. cc. p. 231 (1815); pp. 394, 403. n. 12 (1824).
‖*Œdipoda Concinna, Fieb.* (*nec Serv.*) l. c. p. 198. n. 17 (1854).
***Œdipoda Inficita, Walk.* l. c. p. 742. n. 75 (1870).
A. Patruelis, var. *Inficita, Sauss.* l. c. xxx. (1) p. 68 (1888).
A. Patruelis, pt., *Kirb.* l. c. p. 235. n. 45 c (1902).

13. **A. Versicolor, Burr,** Trans. Ent. Soc. Lond. 1898, p. 50; Jacobs. & Bianchi, l. c. pp. 191, 270 (1902); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxvi. (1) p. 357. n. 81, pl. 3. f. 46 (1907). — Rumania. N. Africa.

*14. **A. Flavescens, Stål,** Recens. Orth. i. p. 135. n. 2 (1873); Kirb. l. c. p. 236. n. 45 E (1902). *A. Angulatus, Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 52. n. 1 (1876); Sauss. l. c. xxviii. (9) pp. 187, 189. n. 5 (1884).	S. Africa, China (eadem ?).
15. **A. Saltator, Kirb.** l. c. p. 236. n. 45 F (1902).	Delagoa Bay.
16. **A. Junodi, Schulth.** Bull. Soc. Vaud. xxxv. p. 205. n. 1, pl. 7. f. 2 (1899).	id.
17. **A. Turbatus, Walk. (*Epacromia Turbata*) l. c. p. 776. n. 19 (1870). *Œ. Inficita*, var. β, *Walk.* l. c. p. 742. n. 75 (1870). *A. Humbertianus, Sauss.* l. c. pp. 187, 189. n. 6 (1884).	Ceylon.
18. **A. Cœrulans, Karny,** l. c. p. 356. n. 80, pl. 3. f. 45 (1907).	Gondokoro.
*19. **A. Patruelis, Herr.-Schäff.** (*Œdipoda P.*) Faun. Ins. Germ. fasc. clvii. pl. 18 (1838); Fieb. l. c. p. 198. n. 18 (1854); Bol. ll. cc. pp. 156, 157. n. 2 (1876); v. p. 363. n. 2 (1876); v. p. 22. n. 2 (1898); Brunn. l. c. pp. 155, 156. n. 2 (1882); Sauss. l. c. pp. 187, 190. n. 7 (1884); Finot, Faune France, Orth. pp. 145, 146 (1889); Jacobs. & Bianchi, l. c. pp. 191, 270 (1902). ‖ *Œdipoda Longipes*, var., *Gerst.* (*nec Charp.*) Von der Decken's Reisen in Ost-Afrika, iii. (2) p. 41. n. 64 (1873). *Œdipoda Insubrica*, var. γ, *Fisch.* l. c. pp. 403, 404, pl. 18. f. 3 (1853).	S. Europe, W. Asia, Africa.
20. **A. Errabundus, Finot,** Bull. Soc. Ent. France, 1893, p. xxx. n. 3.	Algeria.
*21. **A. Apricarius, Stål,** Recens. Orth. i. p. 135. n. 3 (1873); Sauss. l. c. pp. 187, 190. n. 8 (1884).	Cape, Deelfontein.
*22. **A. Furcifer, Sauss.** l. c. xxx. (1) p. 69. n. 11 (1888).	S. Africa.
*23. **A. Longipes, Charp.** (*Œdipoda L.*) Orth. pl. 54 (1845); Fisch. l. c. p. 404. n. 2, pl. 18. f. 4 (1853); Fieb. l. c. p. 199. n. 19 (1854). *A. Longipes, Stål*, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 53. n. 3 (1876); Brunn. l. c. pp. 155, 157. n. 3 (1882); Sauss.	S. Europe, Asia Minor, N. & E. Africa, Cape Verdes.

l. c. xxviii. (9) pp. 187, 191. n. 9 (1884); Tümp. l. c. pp. 219, 248 (1900); Jacobs. & Bianchi, l. c. pp. 191, 270 (1902).	
***Œdipoda Aurifera, Walk.* l. c. p. 735. n. 45 (1870); Butl. Proc. Zool. Soc. Lond. 1881, p. 85. n. 2.	
***Œdipoda Collecta, Walk.* l. c. v. Suppl. p. 85 (1871).	
24. **A. Hyalinus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 104. n. 88 (1908).	Congo.
25. **A. Blondeli, Sauss.** l. c. xxviii. (9) pp. 187, 191. n. 10 (1884).	Senegal.
26. **A. Gillettæ, Kirb. l. c. p. 237. n. 45 a (1902).	Somali, Nyasaland.
*27. **A. Inornatus, Kuthy,** Ann. Mus. Hungar. iii. p. 216 (1905).	W. & Centr. Asia, N. & E. Africa.
28. **A. Angustipennis, Kirb. (*Chrotogonus A.*) l. c. p. 77. n. 47 (1902).	Pretoria.
29. **A. Capitatus, Kirb. (*Chrotogonus C.*) l. c. p. 78. n. 48 (1902).	id.
30. **A. Johnstoni, Kirb.** (*Chrotogonus J.*) l. c. p. 81. n. 54 (1902).	Nyasaland.
31. **A. Mossambicus, Brancs.** Jahresh. Ver. Trencs. Com. xv.–xvi. p. 187, pl. 9. f. 3 (1893).	Mozambique.
32. **A. Ocellatus, Brancs.** l. c. p. 188, pl. 10. f. 16 (1893).	id.
33. **A. Variegatus, Brancs.** l. c. p. 188 (1893).	id.
34. **A. Cabaceira, Brancs.** l. c. p. 189 (1893).	id.
35. **A. Multispinosus, Brancs.** l. c. (1893).	Madagascar
36. **A. Turpis, Walk. (*Epacromia T.*) l. c. iv. p. 775. n. 18 (1870).	N. India.
37. **A. Simulatrix, Walk. (*Epacromia S.*) l. c. p. 773. n. 15 (1870).	S. India.
38. **A. Kirbyi, Frogg.** Agric. Gaz. N. S. Wales, xiv. plate, f. 3 (1904).	N. S. Wales.

Genus 372. **Blepomma.** (*Type* no. 1.)

Brancs. Jahresh. Ver. Trencs. Com. xix.–xx. p. 72 (1897).

1. **B. Ruginata, Brancs.** l. c. p. 73, pl. 3. f. 15 *a–c* (1897).	Australia, Yorktown.
2. **B. Levior, Brancs.** l. c. p. 73 (1897).	id.

Genus 373. **Hemiacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 789 (1870).

1. **H. Fervens, Walk. l. c. p. 790. n. 1 (1870).	Natal.

Genus 374. **Egnatius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 25 (1876); Brunn. Prodr. Eur. Orth. pp. 85, 158 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 58, 191 (1884), xxx. (1) pp. 23, 70 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 271 (1902).

1. **E. Apicalis, Stål,** (*Œdipoda A.*) l. c. p. 25 (1876). *E. Apicalis, Brunn.* l. c. p. 158. n. 1, pl. 5. f. 35 A, B (1882); Sauss. l. c. xxviii. (9) p. 192. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 191, 271 (1902).	Sarepta, Siberia, Palestine.
2. **E. Cœrulans, Krauss,** Jahresh. Ver. Württemb. xlix. p. xcv (1903).	Algeria.

Genus 375. **Charora.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 23, 71 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 191, 271 (1902).

Charorus, Sauss. l. c. p. 70 (1888).

1. **C. Crassivenosa, Sauss.** l. c. p. 71. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 191, 271 (1902).	Caucasus.
2. **C. Pentagrammica, Bol.** Ann. Soc. Ent. Belg. xliii. p. 592 (1899); Jacobs. & Bianchi, l. c. pp. 192, 272 (1902).	Asia Minor.

Genus 376. **Leptoscirtus.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxx. (1) pp. 23, 72 (1888); Mitth. Schweiz. Ent. Ges. viii. p. 88 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 169, 191, 270 (1902).

*1. **L. Angustus, Blanch.** (*Ommexycha Angustum*) Ann. Soc. Ent. France, v. p. 624 (1836). *L. Angustus, Jacobs. & Bianchi,* l. c. pp. 191, 271 (1902). *Chrotogonus Angustatus, Bol.* An. Soc. Españ. xiii. pp. 38, 41. n. 4 (1884). *Ommexycha Linearis, Burm.* Handb. Ent. ii. p. 657 (1838). *L. Savignyi, Sauss.* Mitth. Schweiz. Ent. Ges. viii. p. 89. n. 1 (1889). [Sav. Hist. Égypte, Ins. Orth. pl. 6. f. 1.]	Egypt, Syria.
2. **L. Unguiculatus, Sauss.** Mém. Soc. Genève, xxx. (1) pp. 72, 73. n. 2 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 89, 90. n. 2 (1889).	Senegal.
3. **L. Aviculus, Sauss.** ll. cc. pp. 72, 73. n. 1 (1888); pp. 89, 91. n. 3 (1889); Vosseler, Zool. Jahrb. Syst. xvi. p, 363 (1902).	Egypt.

Genus 377. **Egnatioides.**

Vosseler, Zool. Jahrb. Syst. xvi. p. 361 (1902).

1. **E. Striatus, Vosseler,** l. c. n. 35, pl. 17. ff. 5–7 (1902).	Algeria.

Genus 378. **Heliastus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 60, 212 (1884), xxx. (1) p. 24, 90 (1888); Scudd. Guide N. Amer. Orth. p. 37 (1897); Psyche, ix. p. 45 (1900); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 188 (1905, 1906).

*1. **H. Sumichrasti, Sauss.** (*Œdipoda S.*) Rev. Zool. (2) xiii. p. 324 (1861); Thomas, Syn. Acrid. N. Amer. p. 214 (1873). *H. Sumichrasti, Sauss.* ll. cc. p. 213. n. 1 (1884), p. 90. n. 1 (1888); Brun. l. c.	Texas, Mexico, Guatemala, Honduras.

pp. 188, 189. n. 1 (1906); Caud. Proc. U.S. Nat. Mus. xxvii. p. 951 (1904). Var. *H. Sumichrasti*, var. *Subrosea*, *Caud.* l. c. p. 952, f. 3 (1904). ***Œdipoda Speciosa*, *Walk.* Cat. Derm. Salt. B. M. iv. p. 735. n. 46 (1870); Thomas, l. c. p. 216 (1873). ***Œdipoda Tentatrix*, *Walk.* l. c. v. Suppl. p. 74 (1871); Thomas, l. c. p. 216 (1873).	
2. **H. Guatemalæ, Sauss,** l. c. xxx. (1) p. 91. n. 5 (1888); Brun. l. c. pp. 188, 189. n. 2 (1906).	Mexico. Guatemala.
3. **H. Venezuelæ, Sauss.** l. c. xxviii. (9) p. 213. n. 2 (1884); Brun. Bull. Lab. Univ. Iowa, iii. (3) p. 64. pl. 3. f. 4 (1895); Biol. Centr.-Amer., Orth. ii. pp. 188, 189. n. 3 (1906).	Nicaragua, Panama, Colombia, Venezuela.
4. **H. Costaricensis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. pp. 402–404, ff. 1–3 (1905); Brun. l. c. pp. 188, 189 n. 4 (1906).	Costa Rica.
5. **H. Benjamini, Caud.** l. c. xxviii. pp. 474, 476, f. 6 (1905); Brun. l. c. pp. 188, 190. n. 5 (1906).	Arizona.
6. **H. Aztecus, Sauss.** l. c. pp. 213, 214. n. 3 (1884); Brun. l. c. pp. 188, 190. n. 6 (1906).	Mexico.
7. **H. Aridus, Brun.** (*Thrincus* (?) *A.*) Proc. U.S. Nat. Mus. xii. pl. 1. ff. 2, 3 (1889). *Thrincus* (?) *Aridus*, *Brun.* l. c. p. 78 (1889). *H. Aridus*, *Scudd.* l. c. pp. 45, 46 (1900): Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 723 (1903); Brun. l. c. pp. 189, 190. n. 7 (1906).	id., Texas, California.
8. **H. Parviceps, Walk. (*Œdipoda P.*) l. c. p. 732. n. 29 (1870); Thomas, l. c. pp. 110, 136 (1873).	Western N. America.
9. **H. Californicus, Thomas,** (*Thrincus C.*) Bull. U.S. Surv. Territ. i. p. 66 (1874): Glov. Ill. N. Amer. Orth. pl. 17. ff. 6, 7 (1874). *H. Californicus*, *Scudd.* l. c. pp. 45, 46 (1900); Brun. l. c. pp. 189, 190. n. 8 (1906).	California, Utah, Mexico.
10. **H. Minimus, Scudd.** l. c. p. 46 (1900): Brun. l. c. pp. 189, 190. n. 9 (1906).	California.
11. **H. Obesus, Sauss.** l. c. pp. 213. 214. n. 4 (1884).	Brazil (?).

Genus 379. **Pycnostictus.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 60, 215 (1884), xxx. (1) pp. 24, 91 (1888).

1. **P. Seriatus, Sauss.** ll. cc. p. 215. n. 1 (1884), p. 91. n. 1 (1888). Australia.

Genus 380. **Urnisa.**

Stål, Eugenies Resa, Orth. pp. 343, 344 (1860) ; Sauss. Mém. Soc. Genève, xxviii. (9) p. 216 (1884), xxx. (1) pp. 24, 91 (1888).

Urnissa, Sauss. l. c. xxviii. (9) p. 61 (1884).

*1. **U. Erythrocnemis, Stål,** (*Œdipoda (Urnisa) E.*) l. c. p. 343. n. 102 (1860). Australia.
U. Erythrocnemis, Sauss. l. c. p. 217. n. 1 (1884), xxx. (1) p. 91. n. 1 (1888).
U. Erythrocnemis, var. *Rugosa, Sauss.* l. c. xxviii. (9) p. 217 (1884).
***Œdipoda Guttulosa, Walk.* Cat. Derm. Salt. B. M. iv. p. 745. n. 84 (1870).
** ♂. *Œdipoda Sobria, Walk.* l. c. p. 744. n. 83 (1870).
** ♂. *Epacromia* (?) *Grata, Walk.* l. c. p. 778. n. 23 (1870).
***Epacromia Turbida, Walk.* l. c. p. 779. n. 25 (1870).

Genus 381. **Dæmonea.**

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 61, 217 (1884), xxx. (1) p. 24 (1888).

1. **D. Arieticeps, Sauss.** l. c. xxviii. (9) p. 218. n. 1 (1884). Peru.

Genus 382. **Sphingonotus.** (*Type* no. 11.)

Sphingonothus, Fieb. Kelch, Orthopt. Oberschles. p. 2 (1852).

Sphingonotus, Fieb. Lotos, iii. p. 124 (1853) ; Syn. Eur. Orth. p. 24 (1854) ; Brunn. Prodr. Eur. Orth. pp. 84, 149 (1882); Finot, Orth. France, pp. 43, 69 (1883) ; Faune France, Orth. pp. 101, 142 (1889) ; Sauss. Mém. Soc. Genève, xxviii. (9) pp. 60, 195 (1884), xxx. (1) pp. 24, 76 (1889) ;

Bol. Ann. Sci. Nat. Porto, iv. p. 217, v. p. 23 (1897, 1898); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 248 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 192, 272 (1902); Vosseler, Zool. Jahrb. Syst. xvi. p. 369 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 118, 187 (1905, 1906).

Sphinctonotus, Fisch. Orth. Eur. i. pp. 52, 297 (401 note) (1853); Stål, Recens. Orth. i. pp. 118, 135 (1873); Bol. Ortópt. Españ. pp. 147, 153 (1876); An. Soc. Españ. v. pp. 353, 359 (1876).

1. **S. Satrapes, Sauss.** ll. cc. pp. 196, 199. n. 1 (1884), p. 76. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 192, 273 (1902).	Caucasus, Transcaucasia, Persia, Turkestan.
2. **S. Lameerei, Finot,** Ann. Soc. Ent. Belg. xlvi. p. 434 (1902).	Algeria, Egypt.
3. **S. Octofasciatus, Serv.** (*Œdipoda Octofasciata*) Ins. Orth. p. 728. n. 10 (1839). *S. Octofasciatus, Sauss.* l. c. xxx. (1) pp. 76, 79. n. 1 (1888); Finot, Ann. Soc. Ent. France, lxiv. pp. 468, 477 (1895); Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 243. n. 19 (1902); Vosseler, Zool. Jahrb. Syst. xvi. p. 379. n. 48 (1902).	Tunis.
4. **S. Zinini, Kittl.** (*Œdipoda Z.*) Bull. Mosc. xxii. (2) p. 470. n. 53, pl. 8. f. 6 (1849). *S. Zinnini, Sauss.* l. c. xxviii. (9) pp. 197, 207. n. 18 (1884). ‖*S. Octofasciatus, Jacobs. & Bianchi* (*nec Serv.*), l. c. pp. 192, 273 (1902).	W. Asia.
5. **S. Tricinctus, Walk.** (*Œdipoda Tricincta*) Zoologist, (2) v. p. 2300. n. 35 (1870).	Egypt, Arabia.
*6. **S. Terminalis, Walk.** (*Œdipoda T.*). l. c. n. 36 (1870).	Sinai, Muscat, Ili Valley.
7. **S. Obscuratus, Walk.** (*Œdipoda Obscurata*) l. c. n. 37 (1870).	Arabia.
8. **S. Callosus, Fieb.** (*Œdipoda Callosa*) Lotos, iii. p. 125. n. 12 (1853); Syn. Eur. Orth. p. 24. n. 12 (1854). *S. Callosus, Brunn.* l. c. pp. 150, 154. n. 6 (1882); Sauss. l. c. xxviii. (9) pp. 196, 199. n. 2 (1884), xxx. (1) p. 76. n. 3 (1888); Finot, Ann. Soc. Ent. France, lxiv.	Spain, Algeria, Sarepta, Syria.

pp. 468, 473 (1895) ; Jacobs. & Bianchi, l. c. pp. 192, 273 (1902).

*9. **S. Asperus, Brullé,** (*Acridium Asperum*) Hist. Nat. Canar., Ins. p. 77. n. 28 (1838).
Acridium Granulatum, Brullé, l. c. pl. 5. f. 14 (1838).

Canaries.

10. **S. Finotianus, Sauss.** (*Helioscirtus F.*) Le Nat. iii. p. 28 (1885) ; Mém. Soc. Genève, xxx. (1) pp. 74, 75. n. 2 (1888).
S. Finotianus, Vosseler, Zool. Jahrb. Syst. xvi. p. 370. n. 38 (1902).

Abyssinia.

*11. **S. Cærulans, Linn.** (*Gryllus Locusta C.*) Syst. Nat. (ed. xii.) i. (2) p. 701. n. 48 (1767).
Acrydium Cærulans, Oliv. Encycl. Méth., Ent. vi. p. 225. n. 45 (1791) ; Latr. Hist. Nat. Crust. Ins. xii. p. 152. n. 7 (1804).
Gryllus Cærulans, Cyr. Ent. Neap. p. 7, pl. 9. f. 8 (1792) ; Schrank, Enum. Ins. Austr. p. 247. n. 47 (1780) ; Charp. Hor. Ent. p. 142 (1825).
Gryllus Cærulans, Ramb. Faune Andal. ii. p 83. n. 8 (1838).
Acridium Cærulans, Hahn, Icon. Orth. Acrid. pl. B. f. 2 (1836) ; Costa, Faun. Nap., Ortott. p. 21. n. 9, pl. 3. f. 2 A, *b–d* (1836).
Œdipoda Cærulans, Burm. Handb. Ent. ii. p. 641. n. 2 (1838) ; Serv. Ins. Orth. p. 736. n. 21 (1839) ; Fisch.-Waldh. Orth. Ross. p. 288. n. 11, pl. 15. f. 1 (1846) ; Borck, Skand. Rätv. Ins. p. 98 note (1848) ; Friv. Értek. Termész. Kör. i. (12) p. 185. n. 2 (1868) ; Fisch. Orth. Eur. p. 406. n. 4 (1853).
Sphingonotus Cærulans, Fieb. ll. cc. p. 125. n. 13 (1853) ; p. 25. n. 13 (1854) ; Brunn. l. c. p. 150. n. 1 (1882) ; Finot, Orth. France, pp. 69, 70 (1883) ; Faune France, Orth. p. 143, pl. 7. f. 103 (1889) ; Sauss. ll. cc. pp. 196, 200. n. 3 (1884), pp. 77, 79. n. 5 (1888) ; Bol. Ann. Sci. Nat. Porto, v. p. 23. n. 1 (1898) ; Tümp. l. c. pp. 219, 248, pl. 19 (1900) ; Jacobs. & Bianchi, l. c. pp. 192, 273, pl. 6 (1902) ; Vosseler, l. c. p. 372. n. 40, pl. 17. f. 10 *a*, *b* (1902).

S. & Centr. Europe,
N. Africa,
W. & Centr. Asia.

S. Cœrulans, Finot, Ann. Soc. Ent. France. lxiv. pp. 468, 469 (1895); Brun. l. c. pp. 187, 188. n. 1 (1906).	
Sphinctonotus Cœrulans, Bol. Ortópt. Españ. p. 154. n. 1 (1876); An. Soc. Españ. v. p. 360. n. 1 (1876).	
Acrydium Cyaneum, Fourcr. Ent. Paris. i. p. 180. n. 1 (1785).	
S. Cœrulans, var. *Ægyptiaca*, *Sauss.* l. c. xxviii. (9) p. 200. n. 3 *a* (1884).	Egypt.
S. Cœrulans, var. *Cubensis*, *Sauss.* l. c. p. 201. n. 3 *c* (1884).	Cuba.
S. Cœrulans, var. *Carinata*, *Sauss.* l. c. xxx. (1) p. 79 (1888).	
S. Cœrulans, var. *Vitrea*, *Sauss.* l. c. (1888).	Egypt.
12. **S. Rubescens, Walk. (*Œdipoda R.*) Zoologist, (2) v. p. 2301. n. 38 (1870). *S. Cœrulans*, var. *Candidus*, *Costa*, Atti Accad. Nap. (2) i. (9) p. 50 (1888).	Arabia, Greece, Madeira, Baluchistan Sardinia.
13. **S. Suschkini, Adel.** Mater. Faun. Flor. Ross. Imp. vi. p. 5. n. 16 (1906), vii. p. 82 (1907).	Targai.
14. **S. Angustipennis, Sauss.** l. c. xxviii. (9) p. 201. n. 3 *d* (1884).	Persia.
15. **S. Pilosus, Sauss.** l. c. n. 3 *e* (1884).	id.
*16. **S. Mecheriæ, Krauss,** (*S. Cœrulans*, var. *Mecheriæ*) Jahresh. Ver. Württemb. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 534. n. 33 *a*, pl. 7. f. 4 (1896). *S. Mecheriæ, Vosseler*, Zool. Jahrb. Syst. xvi. p. 370. n. 39, pl. 17. ff. 9, 10 *a*, *b* (1902). [Sav. Descr. Égypte, Orth. pl. 7. f. 10.]	Algeria, Tunis, Somali, Fao, Socotra.
17. **S. Vosseleri, Krauss,** Verh. zool.-bot. Ges. Wien, lii. p. 242. n. 18, f. 10 (May 1902). *S. Desertorum, Vosseler*, l. c. p. 372. n. 41, pl. 17. ff. 12 *a*, *b*, 13 (Sept. 1902).	Algeria.
18. **S. Niloticus, Sauss.** l. c. xxx. (1) pp. 77, 80. n. 8 (1888); Finot, l. c. pp. 468, 470 (1895). [Sav. l. c. pl. 7. f. 2.]	Egypt.
19. **S. Grobbeni, Werner,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. cxiv. p. 418. n. 17 (1905).	id.
20. **S. Arenarius, Luc.** (*Œdipoda Arenaria*), Expl. Alg., Ins. iii. p. 35. n. 60, iv. Orth. pl. 4. ff. 1, 1 *a–h* (1849).	Algeria.

S. Arenaria, Sauss. l. c. xxviii. (9) pp. 196, 202. n. 6 (1884).	
Sphinctonotus Arenarius, Pant. An. Soc. Españ. xv. p. 271 (1886).	
Sphingonotus Arenarius, Finot, Faune France, Orth. p. 145 (1889) ; Ann. Soc. Ent. France, lxiv. pp. 468, 471 (1895) ; Sauss. l. c. xxx. (1) pp. 77, 80. n. 6 (1888).	
21. **S. Bengalensis, Sauss.** ll. cc. n. 7 (1888).	Bengal.
22. **S. Capensis, Sauss.** l. c. xxviii. (9) pp. 196, 201. n. 4 (1884), xxx. (1) p. 77. n. 9 (1888).	S. Africa.
*23. **S. Nigripennis, Serv.** (*Œdipoda N.*) l. c. p. 723. n. 4 (1839).	id.
S. Nigripennis, Sauss. ll. cc. pp. 197, 207. n. 19 (1884), pp. 76, 79. n. 4. (1888).	
24. **S. Jamaicensis, Sauss.** ll. cc. pp. 196, 202. n. 5 (1884), p. 77. n. 9 (1888) ; Brun. l. c. pp. 187, 188. n. 2 (1906).	Jamaica.
25. **S. Haitensis, Sauss.** (*Œdipoda H.*) Rev. Zool. (2) xiii. p. 323 (1861) ; Thomas, Syn. Acrid. N. Amer. p. 213 (1873).	Haiti, Cuba, Mexico.
S. Haitensis, Sauss. ll. cc. pp. 196, 202. n. 7 (1884), pp. 77, 81. n. 10 (1888) ; Brun. l. c. pp. 187, 188. n. 3 (1906).	
26. **S. Brasilianus, Sauss.** l. c. xxx. (1) pp. 77, 81. n. 12 (1888).	Brazil.
27. **S. Fuscoirroratus, Stål,** (*Œdipoda Fuscoirrorata*) Eugenies Resa, Orth. p. 345. n. 107 (1860).	Galapagos, Puna.
28. **S. Trinesiotis, Snodgr.** Proc. Washington Acad. iv. pp. 437, 439 (1902).	Galapagos.
S. Trinesiotis Chathamensis, Snodgr. l. c. pp. 437, 439 (1902).	
S. Trinesiotis Indefatigabilensis, Snodgr. l. c. pp. 437, 441 (1902).	
S. Trinesiotis Albemarlensis, Snodgr. l. c. pp. 437, 443 (1902).	
29. **S. Tetranesiotis, Snodgr.** l. c. pp. 437, 444 (1902).	id.
S. Tetranesiotis Charlesensis, Snodgr. l. c. pp. 437, 444 (1902).	
S. Tetranesiotis Barringtonensis, Snodgr. l. c. pp. 437, 445 (1902).	
S. Tetranesiotis Hoodensis, Snodgr. l. c. pp. 438, 446 (1902).	
S. Tetranesiotis Indefatigabilensis, Snodgr. l. c. pp. 438, 447 (1902).	

30. **S. Mongolicus, Sauss.** l. c. pp. 77, 82. n. 13 (1888); Jacobs. & Bianchi, l. c. pp. 192, 274 (1902).	Mongolia.
31. **S. Cyanopterus, Charp.** (*Gryllus C.*) Hor. Ent. p. 143, pl. 2. f. 3 (1825). *Œdipoda Cyanoptera, Borck*, Skand. Rätv. Ins. p. 97. n. 3, pl. 3. f. 4 (1848); Fisch. l. c. p. 405. n. 3, pl. 18. f. 5 (1853); Fieb. Lotos, iii. p. 125. n. 14 (1853), iv. p. 198. n. 14 (1854); Syn. Eur. Orth. p. 25. n. 14 (1854); Auriv. Ent. Tidskr. xxi. pp. 245, 246. n. 1 (1900). *S. Cyanopterus, Brunn.* l. c. pp. 150, 152. n. 2 (1882); Finot, ll. cc. p. 70 (1883); p. 143 (1889); Sauss. l. c. xxviii. (9) pp. 197, 202. n. 8. (1884), xxx. (1) p. 77. n. 11 (1888); Tümp. l. c. pp. 219, 249 (1900); Jacobs. & Bianchi, l. c. pp. 192, 274 (1902). ‖ *Gryllus Cærulescens, Zett.* (*nec Linn.*) Orth. Suec. p. 78. n. 5 (1821).	N. & Centr. Europe.
*32. **S. Azurescens, Ramb.** (*Gryllus A.*) Faune Andal. ii. p. 83. n. 9, pl. 7. f. 3 (1838). *Œdipoda Azurescens, Fieb.* ll. cc. p. 125. n. 11 (1853), p. 198. n. 11 (1854); p. 24. n. 11 (1854). *Sphinctonotus Azurescens, Bol.* Ortópt. Españ. pp. 154; 155. n. 2 (1876); An. Soc. Españ. v. pp. 360, 361. n. 2 (1876); Pant. An. Soc. Españ. xv. p. 271 (1886). *S. Azurescens, Brunn.* l. c. pp. 150, 152. n. 3, pl. 5. f. 33 A (1882); Finot, Faune France, Orth. pp. 143–145 (1889); Ann. Soc. Ent. France, lxiv. pp. 468, 472 (1895); Sauss. ll. cc. pp. 197, 203. n. 9 (1884), pp. 77, 82. n. 14 (1888); Bol. Ann. Sci. Nat. Porto, v. p. 23. n. 2 (1898).	Spain, N. Africa, S. France.
33. **S. Luteus, Krauss,** (*S. Azurescens*, var. *Lutea*) Jahresh. Ver. Württemb. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 535. n. 34*a*, pl. 7. f. 5 (1896); Vosseler, l. c. p. 374. n. 43 (1902). *S. Sefræ, Finot*, Bull. Soc. Ent. France, 1894, p. xii; Ann. Soc. Ent. France, lxiv. pp. 468, 476 (1895).	Algeria.
*34. **S. Scabriculus, Stål,** (*Sphinctonotus S.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 51. n. 1 (1876).	S. Africa.

S. Scabriusculus, Sauss. ll. cc. pp. 197, 201. n. 12 (1884), pp. 77, 83. n. 15 (1888).	
35. **S. Lucasii, Sauss.** (*S. Scabriusculus*, var. *Lucasii*) l. c. xxx. (1) p. 83 (1888).	N. Africa, Syria, Asia Minor.
S. Lucasi, Jacobs. & Bianchi, l. c. pp. 192, 274 (1902); Vosseler, l. c. p. 374. n. 44, (1902).	
‖*S. Scabriusculus, Finot* (*nec Sauss.*), Faune France, Orth. p. 145 (1889): Ann. Soc. Ent. France, lxiv. pp. 468, 474 (1895).	
*36. **S. Savignyi, Sauss.** ll. cc. pp. 198, 208. n. 20 (1884), p. 78. n. 16 (1888); Finot, Ann. Soc. Ent. France, lxiv. pp. 468, 472 (1895); Jacobs. & Bianchi, l. c. pp. 193, 275 (1902); Vosseler, l. c. p. 378. n. 47 (1902); Bol. Mém. Soc. Ent. Belge, xvi. p. 105. n. 91 (1908).	N. Africa.
[Sav. l. c. pl. 7. f. 13.]	
S. Savignyi, stirps *Apicalis, Sauss.* l. c. xxviii. p. 208. n. 20 *a* (1884); Jacobs. & Bianchi, l. c. p. 275 (1902).	Ladak, Turkestan, Persia.
S. Savignyi, var. *Major, Sauss.* l. c. xxx. (1) p. 84. n. 16 (1888); Jacobs. & Bianchi, l. c. p. 275 (1902).	W. Asia.
*37. **S. Canariensis, Sauss.** (*S. Savignyi*, stirps *Canariensis*) l. c. xxviii. (9) p. 208. n. 20 *b* (1884).	Cape Verdes
S. Canariensis, Sauss. l. c. xxx. (1) p. 84. n. 16 *a* (1888).	
S. Hesperidum, Sauss. l. c. p. 78. n. 15 *a* (1888).	
*38. **S. Indus, Sauss.** l. c. xxviii. (9) pp. 197, 204. n. 13 (1884), xxx. (1) p. 78. n. 17 (1888).	N. India.
39. **S. Japonicus, Sauss. l. c. xxx. (1) pp. 78, 84. n. 18 (1888); Jacobs. & Bianchi, l. c. pp. 193, 275 (1902).	Japan.
*40. **S. Longipennis, Sauss.** l. c. xxviii. (9) pp. 197, 203. n. 11 (1884), xxx. (1) pp. 78, 85. n. 18 *a* (1888).	Silhet.
41. **S. Diadematus, Vosseler,** l. c. p. 376. n. 45, pl. 17. f. 13 *a*, *b*, pl. 18. f. 2 (1902).	Algeria.
*42. **S. Balteatus, Serv.** (*Œdipoda Balteata*) l. c. p. 734. n. 19 (1839).	N. Africa, W. Asia, India.
S. Balteatus, Sauss. l. c. xxx. (1) pp. 78, 86. n. 19 (1888); Jacobs. & Bianchi, l. c. pp. 193, 275 (1902).	

S. Brunneri, Sauss. l. c. xxviii. (9) pp. 197, 206. n. 15 (1884), xxx. (1) pp. 79, 87. n. 20 (1888) ; Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	
*43. **S. Latifasciatus, Walk.** (*Œdipoda Latifasciata*) Zoologist, (2) v. p. 2299. n. 34 (1870). ‖*S. Balteatus, Sauss.* (*nec Serv.*) l. c. xxviii. (9) pp. 197, 203. n. 10 (1884), xxx. (1) pp. 78, 86. n. 19 (varr. *a*, *b solæ*) (1888) ; Finot, Ann. Soc. Ent. France, lxiv. pp. 468, 475 (1895) ; Vosseler, l. c. p. 377. n. 46 (1902). [Sav. l. c. pl. 7. f. 9.]	Egypt, Syria.
*44. **S. Amaranthinus, Sauss.** l. c. xxviii. (9) pp. 197, 206. n. 14 *b* (1884). *S. Balteatus*, var. *c*, *Sauss.* l. c. xxx. (1) p. 86 (1888).	Aden, Perim I., Socotra.
45. **S. Persa, Sauss.** l. c. xxviii. (9) pp. 197, 205. n. 14 *a* (1884), xxx. (1) pp. 78, 86. n. 19 *a* (1888) ; Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	Persia.
*46. **S. Intutus, Sauss.** l. c. xxx. (1) pp. 78, 87. n. 19 *b* (1888) ; Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	id.
47. **S. Tibialis, Pall.** (*Gryllus T.*) Reise, ii. p. 726. n. 786 (1773).	Siberia.
48. **S. Nebulosus, Fisch.-Waldh.** (*Œdipoda Nebulosa*) Orth. Ross. p. 290. n. 13, pl. 32. f. 1 (1846). *S. Nebulosus, Sauss.* l. c. xxviii. (9) pp. 197, 205. n. 14 (1884), xxx. (1) pp. 78, 87. n. 19 *c* (1888) ; Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	W. & Centr. Asia.
*49. **S. Apicalis, Sauss.** ll. cc. pp. 197, 206. n. 16 (1884), pp. 79, 87. n. 20 *a* (1888); Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	Persia, Afghanistan
50. **S. Kittaryi, Sauss.** ll. cc. pp. 197, 207. n. 17 (1884), p. 79. n. 21 (1888) ; Jacobs. & Bianchi, l. c. pp. 193, 276 (1902).	W. Asia, Palestine.
51. **S. Venustus, Stål,** (*Œdipoda Venusta*) Eugenies Resa, Orth. p. 344. n. 103 (1860) ; Thom. Syn. Acrid. N. Amer. pp. 109, 111 (1873).	California.

Genus 383. **Leptopternis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 193, 196, 198, 209 (1884), xxx. (1) pp. 24, 88 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 88, 91 (1889); Bol. Ann. Sci. Nat. Porto, iv. p. 217, v. p. 24 (1897, 1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 193, 277 (1902).

1. **L. Gracilis, Eversm.** (*Œdipoda G.*) Addit. Fisch.-Waldh. Orth. Ross. p. 10. n. 5 (1848); Bull. Mosc. xxxii. p. 144, pl. 1. f. 2 (1859). *Sphingonotus Gracilis, Sauss.* Mém. Soc. Genève, xxviii. (9) pp. 198, 210. n. 22 (1884). *L. Gracilis, Sauss.* l. c. xxx. (1) p. 88. n. 1 (1888); Mitth. Schweiz. Ent. Ges. viii. pp. 92, 93. n. 1 (1889); Zub. Hor. Soc. Ent. Ross. xxx. p. 185. n. 9 (1896); Jacobs. & Bianchi, l. c. pp. 193, 277 (1902).	Turkestan, Dsungaria, Persia, Syria.
2. **L. Imitans, Brunn.** (*Sphingonotus I.*) Prodr. Eur. Orth. pp. 150, 153. n. 4 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 211. n. 23 (1884). *L. Imitans, Sauss.* l. c. xxx. (1) p. 88. n. 2 (1888); Mitth. Schweiz. Ent. Ges. iii. pp. 92, 94. n. 2 (1889); Bol. l. c. v. p. 24. n. 1 (1898).	S. Spain.
3. **L. Maculata, Vosseler**, Zool. Jahrb. Syst. xvi. pp. 380–382, fig., pl. 17. ff. 14 *a*, *b*, 15 (1902).	Algeria, Tunis.

Genus 384. **Hyalorhipis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 210 (1884), xxx. (1) p. 88 (1888); Mitth. Schweiz. Ent. Ges. viii. p. 92 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 194, 277 (1902).

1. **H. Clausii, Kitt.** (*Œdipoda C.*) Bull. Mosc. xxii. (2) p. 473. n. 56, pl. 8. ff. 7, 8 (1849); Eversm. Bull. Mosc. xxxii. (1) p. 143, pl. 1. f. 4 (1859). *Sphingonotus Clausii, Brunn.* Prodr. Eur. Orth. pp. 150, 153. n. 5, pl. 5. f. 33 B (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 198, 211. n. 21 (1884).	S. Russia, W. Asia, Afghanistan Egypt, Syria.

Leptopternis Clausii, *Sauss.* l. c. xxx. (1) p. 88. n. 3 (1888) ; Mitth. Schweiz. Ent. Ges. viii. p. 93. n. 3 (1889) ; Zub. Hor. Soc. Ent. Ross. xxx. p. 185. n. 10 (1896) ; Jacobs. & Bianchi, l. c. pp. 194, 277 (1902).	
Œdipoda Kittaryi, *Fieb.* Lotos, iii. p. 125. n. 15 (1853) ; Syn. Eur. Orth. p. 25. n. 15 (1854).	
2. **H. Canescens, Sauss.** (*Leptopternis C.*) Mém. Soc. Genève, xxx. (1) pp. 88, 89. n. 4 (1888) ; Mitth. Schweiz. Ent. Ges. viii. pp. 93, 94. n. 3 (1889) ; Jacobs. & Bianchi, l. c. pp. 194, 278 (1902).	Egypt, Syria.
[Sav. Descr. Ægypte, Ins. Orth. pl. 7. f. 12.]	
3. **H. Rhamses, Sauss.** (*Leptopternis R.*) Mitth. Schweiz. Ent. Ges. viii. pp. 93, 94. n. 4 (1889) ; Jacobs. & Bianchi, l. c. pp. 194, 278 (1902).	iid.
[Sav. l. c. pl. 6. f. 15.]	
*4. **H. Calcarata, Vosseler** (*Leptopternis C.*) Zool. Jahrb. Syst. xvi. p. 382, pl. 18. ff. 9 *a*, *b*, 10 (1902).	Algeria, Tunis.

Genus 385. **Conipoda.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 192, 247 (1884), xxx. (1) pp. 24, 89 (1888) ; Mitth. Schweiz. Ent. Ges. viii. pp. 88, 95 (1889).

Pternoscirtus, *Sauss.* Mém. Soc. Genève, xxviii. (9) p. 59 (1884) ; nec *Pternoscirta*, *Sauss.* l. c. p. 52.

1. **C. Calcarata, Sauss.** l. c. p. 193. n. 1 (1884), xxx. (1) p. 89. n. 1 (1888) ; Mitth. Schweiz. Ent. Ges. viii. p. 96. n. 1 (1889).	Madagascar E. & W. Africa.
2. **C. Aldabræ, Sauss.** Abhandl. Senckenb. Ges. xxi. p. 632. n. 4 (1899).	Aldabra.

Genus 386. **Helioscirtus.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 59, 194 (1884), xxx. (1) pp. 23, 74 (1888) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 192, 272 (1902) ; Vosseler, Zool. Jahrb. Syst. xvi. p. 364 (1902).

1. **H. Moseri, Sauss.** ll. cc. p. 195. n. 1 (1884), p. 74, n. 1 (1888) ; Jacobs. & Bianchi, l. c. pp. 192, 272 (1902).	Simirsk, W. & Centr. Asia.

2. **H. Capsitanus, Bonnet,** (*Bryodema Capsitana*) Le Nat. ii. p. 548 (1884); Bonn. & Finot, Rev. Montp. (3) iv. p. 216 (1884) *H. Capsitanus, Sauss.* l. c. xxx. (1) pp. 74, 75. n. 3 (1888); Vosseler, l. c. p. 366–368. n. 36, fig., pl. 18. f. 8 *a*, *b* (1902).	Tunis.
3. **H. Gracilis, Vosseler,** l. c. p. 368. n. 37, fig. (1902).	id.
4. **H. Fonti, Bol.,** Bol. Soc. Españ. Hist. Nat. ii. p. 291 (1902).	Rio de Oro.

Genus 387. **Cœlopterna.**

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 43, 45 (1900); Biol. Centr.-Amer., Orth. ii. pp. 118, 191 (1905, 1906).

*1. **C. Acuminata, De Geer,** (*Acrydium Acuminatum*) Mém. Ins. iii. p. 501. n. 19, pl. 42. f. 10 (1773). *C. Acuminata, Stål,* Recens. Orth. i. p. 145. n. 1 (1873); Bol. Viaje al Pacif., Artrop. p. 51 (1884); Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 5 (1894), xii. (301) p. 3 (1897); Brun. ll. cc. p. 45 (1900); p. 191. n. 1 (1906). *C. Stålii, Scudd.* Proc. Boston Soc. Nat. Hist. xvii. p. 277. n. 34 (1875). ***Epacromia Selecta, Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 84 (1871). *C. Acuminata,* var. *Brevipennis, Giglio-Tos,* l. c. ix. (184) p. 7 (1894).	S. America, Panama.

SUBFAM. VII.

THRINCHINÆ.

Genus 388. **Thrinchus.** (*Type* no. 1.)

Fisch.-Waldh. Bull. Mosc. vi. pp. 363, 378 (1833); Orth. Ross. pp. 228, 255 (1846); Fieb. Lotos, iii. p. 128 (1853), iv. p. 202 (1854); Syn. Eur. Orth. p. 28 (1854); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 278 (1902).

Thrincus, Sauss. Mém. Soc. Genève, xxviii. (9) pp. 61, 218, 219 (1881), xxx. (1) p. 94 (1888).

*1. **T. Campanulatus, Fisch.-Waldh.** ll. cc. p. 378. n. 1 (1833); p. 257. n. 1, pl. 11. f. 1 (1846); Jacobs. & Bianchi, l. c. pp. 194, 279 (1902). *Thrincus Campanulatus, Sauss.* l. c. xxviii. (9) p. 221. n. 2 (1884). *Tmethis Campanulata, Fieb.* ll. cc. p. 128. n. 6 (1853), p. 201. n. 6 (1854); p. 28. n. 61 (1854).	Ural, W. & Centr. Asia, Afghanistan.
*2. **T. Schrenkii, Fisch.-Waldh.** Orth. Ross. p. 259. n. 2, pl. 27. f. 1 (1846); Fieb. ll. cc. p. 128. n. 1 (1853), p. 202. n. 1 (1854); p. 28. n. 1 (1854); Jacobs. & Bianchi, l. c. pp. 194, 279 (1902). *Thrincus Schrenkii, Sauss.* l. c. p. 220. n. 1 (1884).	W. Asia, Dsungaria, Persia.

Genus 389. **Strumiger.**

Zub. Hor. Soc. Ent. Ross. xxx. p. 188 (1896); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 279 (1902).

1. **S. Desertorum, Zub.** l. c. p. 189 (1896); Jacobs. & Bianchi, l. c. pp. 194, 279 (1902).	Transcaspia.

Genus 390. **Phanerocerus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 96 (1888).

1. **P. Testudo, Sauss.** l. c. p. 97. n. 1, pl. 2. ff. 9, 9 *a* (1888).	S. Australia.

Genus 391. **Lilæa.**

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 33 (1875); Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 99 (1888).

1. **L. Depressa, Stål,** l. c. p. 33. n. 1 (1875); Sauss. l. c. p. 99. n. 1 (1888).	Hab. —— ?

Genus 392. **Crypsicerus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 100 (1888).

1. **C. Cubicus, Sauss.** l. c. p. 100. n. 1 (1888).	Namaqua Land.

Genus 393. **Lathicerus.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 95, 102 (1888).

1. **L. Cimex, Sauss.** l. c. p. 103. n. 1 (1888).	S. Africa.

Genus 394. **Mecostibus.** (*Type* no. 1.)

Karsch, Stett. Ent. Zeit. lvii. p. 266 (1896).

1. **M. Sublævis, Karsch,** l. c. p. 267. n. 30 (1896).	Tanganyika
2. **M. Leprosus, Karsch,** l. c. p. 268. n. 31 (1896).	E. Africa.
3. **M. Physalus, Karsch,** l. c. n. 32 (1896).	id.

SUBFAM. VIII.

BATRACHOTETRIGINÆ.

Genus 395. **Haplotropis.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 122, 125 (1888).
Haplootropis, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 280 (1902).
Aplusotropis, *Sauss.* Spicil. Ent. ii. p. 13 (1887).

1. **H. Brunneriana, Sauss.** Mém. Soc. Genève, xxx. (1) p. 126. n. 1, pl. 2. ff. 10, 10 *a* (1888). *Haplootropis Brunneriana*, *Jacobs. & Bianchi*, l. c. pp. 194, 280 (1902).	Amur.

Genus 396. **Prionotropis.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 127 (June, 1853), iv. p. 200 (1854); Syn. Eur. Orth. p. 27 (1854).
Cuculligera, *Fisch.* Orth. Eur. pp. 297, 390 (Nov. 1853); Bol. Ortópt. Españ. pp. 147, 159 (1876); An. Soc. Españ. v. pp. 353, 365 (1876); Ann. Sci. Nat. Porto, iv. p. 217, v. p. 25 (1897, 1898); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 27 (1878); Brunn. Prodr. Eur. Orth. pp. 85,

177 (1882); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 62, 222 (1884), xxx. (1) p. 123 (1888); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 250 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 170, 194, 280 (1902). (*Type* no. 1.)

*1. **P. Hystrix, Germ.** (*Gryllus H.*) Reise Dalm. p. 252. n. 321, pl. 9. ff. 1, 2 (1817); Charp. Hor. Ent. p. 176 (1825). *Œdipoda Hystrix, Burm.* Handb. Ent. ii. p. 644. n. 16 (1838). *Acridium Hystrix, Herr.-Schäff.* Nomencl. Ent., Orth. p. 7 (1840). *P. Hystrix, Fieb.* ll. cc. p. 128. n. 1 (1853), p. 200. n. 1 (1854); p. 27. n. 1 (1854). *Cuculligera Hystrix, Fisch.* l. c. p. 391. n. 1, pl. 15. ff. 13, 13 *a–c* (1853); Stål, l. c. p. 27 (1878); Brunn. l. c. p. 178. n. 1, pl. 6. f. 41 A–C (1882); Sauss. l. c. xxviii. (9) pp. 222, 223. n. 2 (1884); Tümp. l. c. pp. 219, 250, pl. 20 (1900); Jacobs. & Bianchi, l. c. pp. 194, 281, pl. 7 (1902).	Dalmatia, Herzegovina, Istria, Croatia.
2. **P. Appula, Costa,** (*Podisma Appulum*) Faun. Nap., Ort. p. 44. n. 1, pl. 4. f. 3 A, *b–d* (1836). *Cuculligera Appula, Brunn.* l. c. p. 179. n. 2 (1882); Sauss. l. c. pp. 222, 223. n. 3 (1884); Jacobs. & Bianchi, l. c. pp. 195, 281 (1902).	S. Italy, Epirus.
*3. **P. Flexuosa, Serv.** (*Eremobia F.*) Ins. Orth. p. 709. n. 5 (1839). *Thrinchus Flexuosus, Fisch.* l. c. p. 419. n. 4 (1853). *Cuculligera Flexuosa, Brunn.* l. c. pp. 178, 179. n. 3 (1882); Sauss. l. c. pp. 222, 223. n. 1 (1884); Bol. Ann. Sci. Nat. Porto, v. p. 25. n. 1 (1898); Navás, Bol. Soc. Aragon, iii. p. 194 (1904). *Thrinchus Perezii, Bol.* An. Soc. Españ. ii. p. 234, pl. 9. f. 9 (1873). *Cuculligera Perezii, Bol.* Ortópt. Españ. p. 159. n. 1, pl. 3. ff. 22–25 (1876); An. Soc. Españ. v. p. 365. n. 1, pl. 12. ff. 22–25 (1876). *Cuculligera Flexuosa*, var. *Azurea, Navás.* l. c. p. 195 (1904).	Spain, Castile.

4. **P. Capucina, Navás,** (*Cuculligera C.*) l. c. p. 193. fig., p. 194 (1904).	Spain, Aragon.
5. **P. Maculinervis, Stål,** (*Cuculligera M.*) l. c. p. 28 (1878) ; Sauss. l. c. pp. 222, 223. n. 4 (1884) ; Bol. Ann. Soc. Ent. Belg. xliii. p. 595 (1899) ; Jacobs. & Bianchi, l. c. pp. 195, 281 (1902).	Amasia.

Genus 397. **Glyphanus.** (*Type* no. 1.)

Fieb. Lotos, iii. p. 128 (1853), iv. p. 202 (1854) ; Syn. Eur. Orth. p. 28 (1854) ; Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 26 (1876) ; Brunn. Prodr. Eur. Orth. pp. 85, 183 (1882) ; Sauss. Mém. Soc. Genève, xxviii. (9) pp. 62, 224 (1884), xxx. (1) pp. 123, 169 (1888) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 195, 281 (1902).

*1. **G. Obtusus, Fieb.** Lotos, iii. p. 129. n. 1 (1853) ; Syn. Eur. Orth. p. 28. n. 1 (1854) ; Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 303, pl. 15. f. 20 A–D (1861) ; Prodr. Eur. Orth. p. 183. n. 1, pl. 6. f. 43 (1882) ; Sauss. l. c. xxviii. (9) p. 224. n. 1 (1884) ; Jacobs. & Bianchi, l. c. pp. 195, 282 (1902).	Rumelia, Greece.
2. **G. Heldreichi, Brunn.** Prodr. Eur. Orth. pp. 183, 184. n. 2 (1882) ; Sauss. l. c. p. 224. n. 2 (1884) ; Jacobs. & Bianchi, l. c. pp. 195, 282 (1902).	Greece, Macedonia.

Genus 398. **Tmethis.** (*Type* no. 17.)

Fieb. Lotos, iii. p. 128 (1853), iv. p. 201 (1854) ; Syn. Eur. Orth. p. 27 (1854) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 195, 282 (1902).

‖*Eremobia, Serv.* (*nec Steph.*) Ins. Orth. p. 704 (1839) ; Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 26 (1876) ; Bol. Ortópt. Españ. pp. 147, 158 (1876) ; An. Soc. Españ. v. pp. 353, 364 (1876) ; Ann. Sci. Nat. Porto, iv. p. 217, v. p. 25 (1897, 1898) ; Brunn. Prodr. Eur. Orth. pp. 85, 180 (1882) ; Finot, Orth. France, pp. 42, 77 (1883) ; Faune France, Orth. pp. 101, 157 (1889) ; Ann. Soc. Ent. France, lxiv. p. 483 (1895) ; Sauss. Mém. Soc. Genève, xxviii. (9) pp. 61, 62, 224 (1884), xxx. (1) pp. 123, 126 (1888).

1. **T. Gibber, Stål,** (*Eremobia Gibbera*) l. c. p. 27 (1876) ; Sauss. ll. cc. pp. 227, 231. n. 10 (1884), p. 127. n. 1 (1888).	Syria, Armenia.

T. Gibber, Jacobs. & Bianchi, l. c. pp. 195, 282 (1902).	
2. **T. Festivus, Sauss.** (*Eremobia Festiva*) ll. cc. pp. 227, 231. n. 11 (1884), p. 127. n. 2 (1888).	Armenia, Persia.
T. Festivus, Jacobs. & Bianchi, l. c. pp. 195, 283 (1902).	
*3. **T. Cyanipennis, Sauss.** (*Eremobia C.*) ll. cc. pp. 227, 232. n. 12 (1884), p. 127. n. 3 (1888).	Khiva.
T. Cyanipennis, Jacobs. & Bianchi, l. c. pp. 195, 283 (1902).	
4. **T. Persa, Sauss.** (*Eremobia P.*) l. c. xxx. (1) pp. 127, 128. n. 5 (1888).	Persia.
T. Persa, Jacobs. & Bianchi, l. c. pp. 195, 283 (1902).	
5. **T. Grandis, Porch.** (*Eremobia G.*) Hor. Soc. Ent. Ross. xx. pp. 111, 113, pl. 12. ff. 5, 7, 9, 11 (1886); Sauss. l. c. pp. 113, 127, 128. n. 4 (1888); Jacobs. & Bianchi, l. c. pp. 281, 283 (1902).	Trans-caucasia.
*6. **T. Muricatus, Pall.** (*Gryllus M.*) Reise, i. p. 466. n. 47 (1771); Fabr. Ent. Syst. Suppl. p. 194 (1798).	S. Russia, Siberia.
Gryllus Locusta Pallasii, Stoll, Spectres, Saut. p. 25, pl. 11 *b*. f. 40 (1813).	
Acridium Muricatum, Herr.-Schäff. Nomencl. Ent., Orth. p. 7 (1840).	
Thrinchus Muricatus, Fisch.-Waldh. Bull. Mosc. vi. p. 379. n. 2 (1833); Ins. Orth. p. 260. n. 3, pl. 11. f. 2 (1846); Fisch. Orth. Eur. p. 417. n. 2, pl. 15. ff. 15, 15 *a* (1853).	
Tmethis Muricata, Fieb. ll. cc. p. 128. n. 2 (1853), p. 201. n. 2 (1854); p. 28. n. 2 (1854).	
T. Muricatus, Jacobs. & Bianchi, l. c. pp. 196, 283, pl. 10 (1902).	
Eremobia Muricata, Charp. Orth. pl. 23 (1842 ?); Brunn. Prodr. Eur. Orth. p. 181. n. 1, pl. 6. f. 42 (1882); Sauss. l. c. xxviii. (9) pp. 227, 230. n. 7 (1884), xxx. (1) p. 127. n. 6 (1888); Porch. l. c. pp. 113–117, pl. 12. ff. 2, 8, 10, 12 (1886).	
Thrinchus Turritus, Fisch.-Waldh. ll. cc. p. 379. n. 3 (1833); p. 260, pl. 11. f. 3 (1846).	

Gryllus Lugubris, Sturm, Panzer, Ins. Germ. fasc. clvi. pl. 20 (1838). *Thrinchus Muricatus*, var. *Fasciatus, Fisch.-Waldh.* l. c. p. 261 (1846). *Eremobia Muricata*, var. *Heptapotamica, Zub.* Ann. Mus. Zool. Pétersb. iii. p. 103. n. 66 (1898). *Tmethis Muricatus*, var. *Heptapotamicus, Jacobs. & Bianchi*, l.c. pp. 196, 284 (1902).	
7. **T. Serricornis, Fisch.-Waldh.** (*Thrinchus S.*) Orthopt. Ross. p. 264. n. 6 (1846).	Kirghis Steppes.
8. **T. Versicolor, Stoll,** (*Gryllus Locusta V.*) l. c. p. 34, pl. 18 *b*. f. 66 (1813).	Hab. —— ?
9. **T. Bilobus, Stål,** (*Eremobia Biloba*) Bihang Svensk. Akad. Handl. iii. (14) p. 35. n. 1 (1876); Sauss. ll. cc. pp. 227, 230. n. 8 (1884), p. 127. n. 7 (1888). *T. Bilobus, Jacobs. & Bianchi*, l. c. pp. 196, 284 (1902).	Daghestan, Armenia, Persia.
10. **T. Holtzi, Jacobs. & Bianchi,** l. c. pp. 196, 284 (1902).	Asia Minor.
11. **T. Escherichi, Krauss,** (*Eremobia E.*) Zool. Jahrb. Syst. ix. p. 565. n. 15, pl. 8. f. 5 A–D (1896). *T. Escherichi, Jacobs. & Bianchi*, l. c. pp. 196, 284 (1902).	id.
12. **T. Semenowi, Zub.** (*Eremobia S.*) Hor. Soc. Ent. Ross. xxxii. p. 581 (1898). *T. Semenowi, Jacobs. & Bianchi*, l. c. pp. 196, 284 (1902).	Transcaspia.
13. **T. Accessorius, Fisch.-Waldh.** (*Thrinchus A.*) Bull. Mosc. vi. p. 379. n. 4 (1833); Orth. Ross. p. 262. n. 4, pl. 11. f. 4 (1846). *Tmethis Accessoria, Fieb.* ll. cc. p. 128. n. 5 (1853), p. 201. n. 5 (1854); p. 28. n. 5 (1854). *Eremobia Limbata, Charp.* l. c. pl. 24 (1842 ?); Brunn. l. c. p. 181. n. 2 (1882); Sauss. ll. cc. pp. 226, 229. n. 6 (1884), p. 127. n. 8 (1888). *Thrinchus Limbatus, Fisch.-Waldh.* Orth. Ross. p. 265. n. 7 (1846); Fisch. l. c. p. 418. n. 3, pl. 15. f. 16 (1853). *Tmethis Limbata, Fieb.* ll. cc. p. 128. n. 3 (1853), p. 201. n. 3 (1854); p. 28. n. 3 (1854).	Balkans, Dobrudscha, Transcaucasia.

Tmethis Limbatus, Jacobs. & Bianchi, l. c. pp. 196, 285 (1902).	
14. **T. Tartarus, Sauss.** (*Eremobia Tartara*) ll. cc. pp. 226, 229. n. 5 (1884), p. 128. n. 13 (1888). *T. Tartarus, Jacobs. & Bianchi*, l. c. pp. 196, 285 (1902).	Turkestan.
15. **T. Fuscipennis, Redt.** (*Eremobia F.*) Wien. Ent. Zeit. viii. p. 28. n. 3 (1889); Zub. Hor. Soc. Ent. Ross. xxx. p. 187. n. 13 (1896). *T. Fuscipennis, Jacobs. & Bianchi*, l. c. pp. 196, 285 (1902).	Trans-caspia.
16. **T. Carinatus, Fabr.** (*Gryllus C.*) Syst. Ent. p. 288. n. 4 (1775). *Acrydium Carinatum, Oliv.* Encycl. Méth., Ent. vi. p. 216. n. 5 (1791). *Eremobia Carinata, Serv.* Ins. Orth. p. 706. n. 1 (1839); Sauss. ll. cc. pp. 226, 227. n. 1 (1884), pp. 127, 129. n. 9 (1888). *Tmethis Carinatus, Jacobs. & Bianchi*, l. c. pp. 197, 285 (1902).	Egypt, Arabia, Palestine.
*17. **T. Cisti, Fabr.** (*Gryllus C.*) Mant. Ins. i. p. 237. n. 29 (1787). *Acrydium Cisti, Oliv.* l. c. p. 222. n. 33 (1791); Latr. Hist. Nat. Crust. Ins. xii. p. 153. n. 9 (1804). *Thrinchus Cisti, Fisch.* l. c. p. 416. n. 1, pl. 15. ff. 14, 14 *a*, *b* (1853). *Tmethis Cisti, Fieb.* ll. cc. p. 128. n. 1 (1853), p. 201. n. 1 (1854); p. 28. n. 1 (1854). *Eremobia Cisti, Serv.* l. c. p. 707. n. 3 (1839). *Acridium Hispidulum, Beauv.* Ins. Afr. Amér. p. 200, Orth. pl. 5. f. 5 (1805). *Eremobia Pulchripennis, Serv.* l. c. p. 708. n. 4 (1839); Sauss. ll. cc. pp. 226, 228. n. 4 (1884), pp. 127, 130. n. 10 (1888). *Tmethis Pulchripennis, Jacobs. & Bianchi*, l. c. pp. 197, 286 (1902).	Egypt, Tunis, Syria.
18. **T. Olivieri, Kirb.** (n. n.). ‖*Acrydium Cisti*, pt., *Oliv.* (*nec Fabr.*) l. c. p. 222. n. 33 (1791). *Eremobia Cisti, Bol.* ll. cc. p. 158. n. 1 (1876); v. p. 364. n. 1 (1876); v. p. 25. n. 1 (1898); Brunn. l. c. pp. 181, 182. n. 3 (1882); Sauss. ll. cc. pp. 226, 228. n. 2 (1884), pp. 128, 129, 131. n. 12 (1888).	Spain ?, Algeria.

Tmethis Cisti, Jacobs. & Bianchi, l. c. pp. 197, 286 (1902).	
19. **T. Clavelii, Luc.** (*Eremobia C.*) Ann. Soc. Ent. France, (2) ix. p. 364. n. 18, pl. 8. ff. 1, 1 *a–g* (1851); Sauss. ll. cc. pp. 226, 228. n. 3 (1884), pp. 127, 130. n. 11 (1888).	Algeria, Syria.
T. Claveli, Jacobs. & Bianchi, l. c. pp. 197, 286 (1902).	
‖ *Eremobia Cisti, Finot* (*nec Fabr.*), ll. cc. p. 77 (1883); p. 158, pl. 8. f. 110 (1889); p. 484 (1895).	
Eremobia Clavelii, var. *Algerica, Sauss.* l. c. xxx. (1) p. 131 (1888).	
Eremobia Clavelii, var. *Tunensis, Sauss.* l. c. xxx. (1) p. 131 (1888); Krauss, Wien. Ent. Mon. xi. p. 148 (1892).	Tunis.
Eremobia Clavelli, var. *Gracilis, Sauss.* l. c. p. 131 (1888); Krauss, l. c. p. 148 (1892).	id.
Eremobia Claveli, var. *Laeviuscula, Krauss*, l. c. p. 149 (1892).	id,
Eremobia Claveli, var. *Mozabitica, Krauss*, Verh. zool.-bot. Ges. Wien, lii. p. 244. n. 20 *a* (1902).	Sahara.
20. **T. Continuatus, Serv.** (*Eremobia Continuata*) l. c. p. 707. n. 2 (1839); Sauss. l. c. xxviii. (9) pp. 227, 231. n. 9 (1884), xxx. (1) pp. 128, 132. n. 14 (1888).	Egypt, Syria.
T. Continuatus, Jacobs. & Bianchi, l. c. pp. 197, 286 (1902).	
21. **T. Stummeri, Kuthy,** (*Eremobia S.*) Ann. Mus. Hungar. iii. p. 217 (1905).	Ilysk.
22. **T. Suschkini, Adel.** Mater. Faun. Flor. Ross. Imp. vi. p. 5. n. 16 (1906).	Turga.

Genus 399. **Eremopeza.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxx. (1) p. 133 (1888); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 197, 286 (1902).

‖ *Eremoplana, Sauss.* (*nec Stal*) l. c. xxviii. (9) pp. 82, 232 (1884).

1. **E. Cinerascens, Stål,** (*Eremobia C.*) Bihang Svensk. Akad. Handl. iii. (14) p. 35. n. 2 (1875).	Persia.
Eremoplana Cinerascens, Sauss. l. c. p. 233. n. 1 (1884).	

Eremocharis Cinerascens, Sauss. l. c. xxx. (1) p. 134. n. 1 (1888); Jacobs. & Bianchi, l. c. pp. 197, 286 (1902).	
2. **E. Granulosa, Walk. (*Œdipoda G.*) Cat. Derm. Salt. B. M. v. Suppl. p. 76 (1871). *Eremocharis Granulosa, Sauss.* l. c. xxx. (1) p. 134. n. 2 (1888); Jacobs. & Bianchi, l. c. p. 287 (1902). *Eremocharis Granulata, Jacobs. & Bianchi,* l. c. p. 197 (1902).	Beluchistan

Genus 400. **Eremocharis.** (*Type* no. 3.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 233 (1884), xxx. (1) pp. 123, 133 (1888); Finot, Ann. Soc. Ent. France, lxiv. pp. 483, 486 (1895); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 197, 286, 287 (1902).

1. **E. Insignis, Luc.** (*Œdipoda I.*) Ann. Soc. Ent. France, (2) ix. p. 370. n. 19 (1851). *Eremocharis Insignis, Bonn. & Fin.* Rev. Montp. (3) iv. p. 221 (1884); Sauss. l. c. xxx. (1) pp. 134, 135. n 3 (1888); Finot, l. c. p. 487 (1895); Krauss, Verh. zool.-bot. Ges. Wien, lii. p. 244. n. 21 (1902). *Eremobia Jaminii, Luc.* l. c. iii. (2) p. 711, pl. 20. ff. 1, 1 *a–d* (1854). *Batrachotettix Elephas, Sauss.* l. c. xxviii. (9) pp. 236, 237. n. 1 (1884), *immature.*	Algeria, Tunis.
2. **E. Syriaca, Bol.** Rev. Biol. Nord France, v. p. 483 (1893); Jacobs. & Bianchi, l. c. pp. 197, 287 (1902).	Palmyra.
3. **E. Subsulcata, Stål,** (*Eremobia S.*) Bihang Svensk. Akad. Handl. iii. (14) p. 35. n. 3 (1875). *Eremocharis Subsulcata, Sauss.* l. c. xxviii. (9) p. 234. n. 1 (1884); Jacobs. & Bianchi, l. c. pp. 197, 287 (1902).	Persia.

Genus 401. **Eremotettix.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 123, 136 (1888).

1. **E. Walkeri, Sauss. l. c. p. 136. n. 1, pl. 2. ff. 14, 14 *a* (1888).	S. Africa.

Genus 402. **Batrachornis.** (*Type* no. 1.)

Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 234 (1884). xxx. (1) pp. 123, 137 (1888).

*1. **B. Perloides, Sauss.** ll. cc. p. 235 (1884); pp. 139, 140. n. 1 (1888).	Namaqua Land.
2. **B. Peringueyi, Sauss.** l. c. xxx. (1) pp. 139, 140. n. 2 (1888).	id.
3. **B. Namaquensis, Sauss.** l. c. pp. 139, 141. n. 3 (1888).	id.

Genus 403. **Batrachotetrix.** (*Type* no. 8.)

Burm. Handb. Ent. ii. p. 660 (1838).

Batrachotettix, *Sauss*, Mém. Soc. Genève, xxviii. (9) pp. 63, 236 (1884), xxx. (1) pp. 123, 142 (1888).

Trachypetra, *White*, Methuen, Life in Wilderness, p. 316 (1846); Karsch, Ent. Nachr. xiii. pp. 260, 261 (1887). (*Type* no. 5.)

*1. **B. Cantans, Sauss.** (*Batrachotettix C.*) l. c. xxx. (1) pp. 144, 145. n. 1 (1888).	Namaqua Land, Kimberley.
*2. **B. Peringueyi, Sauss.** (*Batrachotettix P.*) ll. cc. pp. 144, 146. n. 2 (1888).	Griqua Land, Kimberley.
3. **B. Loricatus, Sauss.** (*Batrachotettix L.*) l. c. xxviii. (9) pp. 236, 238. n. 3 (1884), xxx. (1) pp. 144, 147. n. 3 (1888).	Hab. —— ?
4. **B. Hottentotus, Sauss.** (*Batrachotettix H.*) ll. cc. pp. 236, 237. n. 2 (1884), pp. 144, 147. n. 4 (1888).	Cape.
*5. **B. Scutellaris, Walk.** (*Trachypetra S.*) Cat. Derm. Salt. B. M. iv. p. 796. n. 3 (1870).	S. Africa.
‖ *Trachypetra Bufo*, *White* (*nec Burm.*), l. c. p. 317, pl. 2. f. 3 (1846).	
Batrachotettix Whiti, *Sauss.* l. c. xxx. (1) p. 148. n. 5 (1888).	
*6. **B. Pistrinarius, Sauss.** (*Batrachotettix P.*) l. c. xxviii. (9) pp. 236, 238. n. 4 (1884), xxx. (1) p. 144. n. 6 (1888).	Orange River.

7. **B. Stollii, Sauss.** (*Batrachotettix S.*) ll. cc. pp. 236, 239. n. 5 (1884), pp. 144, 149, n. 7 (1888). [Stoll, Spectres, Saut. p. 20, pl. 8 *b*. f. 29.]	Cape, Namaqua Land.
8. **B. Bufo, Burm.** l. c. p. 661. n. 1 (1838). *Batrachotettix Bufo, Sauss.* ll. cc. pp. 236, 239. n. 6 (1884), pp. 144, 150. n. 8 (1888).	Cape.
9. **B. Scutigera, Walk. (*Trachypetra S.*) l. c. p. 796. n. 2 (1870). *Batrachotettix Scutigera, Sauss.* l. c. xxx. (1) pp. 144, 150. n. 9, pl. 2. f. 11 (1888).	S. Africa.
10. **B. Acutus, Sauss.** (*Batrachotettix A.*) l. c. pp. 144, 151. n. 11 (1888).	Namaqua Land.
11. **B. Granulatus, Herbst,** (*Acrydium Granulatum*) Fuessly, Arch. Insect. p. 190. n. 6, pl. 52. f. 5 (1786). *B. Granulata, Burm.* l. c. p. 661. n. 2 (1838). *Batrachotettix Granulatus, Sauss.* l. c. xxviii. (9) pp. 236, 239. n. 7 (1884), xxx. (1) pp. 144, 151. n. 10 (1888).	E. Indies(?).

Genus 404. **Trachypetrella,** Kirb. (n. n.). (*Type* no. 1.)

‖ *Methone, Stål* (*nec Doubl.*), Bihang Svensk. Akad. Handl. iii. (14) p. 34 (1875); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 239 (1884), xxx. (1) pp. 124, 154 (1888).

‖ *Trachypetra, Karsch* (*nec White*), Ent. Nachr. xiii. p. 41 (1887).

*1. **T. Anderssonii, Stål,** (*Methone A.*) l. c. p. 34. n. 1 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 53. n. 1 (1876); Sauss. ll. cc. p. 240. n. 1 (1884), p. 156. n. 1 (1888). *Trachypetra Mola, Karsch,* l. c. p. 41 (1887). *Methone Anderssonii,* var. *Minor, Sauss.* l. c. xxx. (1) p. 157 (1888).	S. Africa.
2. **T. Rana, Sauss.** (*Methone R.*) l. c. p. 156. n. 2 (1888). *Methone Fallax, Sauss.* l. c. p. 158. n. 2 (1888).	Namaqua Land.

Genus 405. **Eneremius.**

Sauss. Mém. Soc. Genève, xxx. (1) pp. 124, 160 (1888).

1. **E. Mutus, Sauss.** l. c. p. 161. n. 1 (1888).	S.W.Africa.

Genus 406. **Tanaocerus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 191 (1906).

1. **T. Koebelei, Brun.** l. c. p. 192. n. 1 (1906).	California.

Genus 407. **Brachystola.** (*Type* no. 1.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 267 (1876); Guide N. Amer. Orth. p. 38 (1897); Sauss. Mém. Soc. Genève, xxviii. (9) pp. 63, 240 (1884), xxx. (1) pp. 124, 162 (1888); Brun. Biol. Centr.-Amer., Orth. ii. pp. 119, 192 (1905, 1906).

‖*Brachypeplus*, *Charp.* (*nec Erichs.*) Orth. pl. 51 (1845); Gir., Marcy, Expl. Red River Louis. p. 260 (1854); Thomas, Syn. Acrid. N. Amer. p. 142 (1873).

*1. **B. Magna, Gir.** (*Brachypeplus Magnus*) l. c. p. 260. n. 3, pl. 15. ff. 1–4 (1854); Glover, Ill. N. Amer. Orth. pl. 7. f. 11 (1872); Thomas, l. c. p. 143, pl. 1. f. 4 (1873). *Brachystola Magna*, *Scudd.* Bull. U.S. Geol. Surv. Territ. ii. p. 267 (1876); Sauss. ll. cc. p. 241. n. 1 (1884), pp. 163, 164. n. 1 (1888); Sutt. Kansas Univ. Quarterly, ix. pp. 135–160, pls. 32–35 (1900); Brun. l. c. p. 193. n. 1 (1906).	United States, Mexico.
2. **B. Ponderosa, Brun.** l. c. pp. 193, 194. n. 2 (1906).	Mexico.
3. **B. Intermedia, Brun.** ll. cc. n. 3 (1906).	id.
4. **B. Virescens, Charp.** (*Brachypeplus V.*) l. c. pl. 51 (1845); Glover, l. c. pl. 9. f. 3 (1872). *Brachystola Virescens*, *Brun.* Rep. U.S.	id., New Mexico, Texas.

Ent. Comm. iii. p. 58. n. 149 (1883); Biol. Centr.-Amer., Orth. ii. pp. 193, 195. n. 4 (1906); Sauss. ll. cc. p. 242. n. 2 (1884), p. 163. n. 3 (1888). ‖*Brachystola Magna, Rehn & Heb. (nec Gir.)* Proc. Acad. Nat. Sci. Philad. lviii. p. 398 (1906).	
5. **B. Mexicana, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 193, 195. n. 5, pl. 2. f. 4 (1906).	Mexico.
6. **B. Behrensi, Scudd.** Proc. Boston Soc. Nat. Hist. xix. p. 33. n. 68 (1877); Sauss. l. c. xxx. (1) pp. 163, 164. n. 2 (1888); Brun. l. c. pp. 193, 196. n. 6, pl. 2. f. 6 (1906).	id.
7. **B. Eiseni, Brun.** ll. cc. n. 7, pl. 2. f. 5 (1906).	id.

Genus 408. **Tytthotyle.**

Scudd. Canad. Ent. xxix. p. 74 (1897); Guide N. Amer. Orth. p. 38 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 119, 196 (1905, 1906).

1. **T. Maculata, Brun.** (*Thrincus* (?) *Maculatus*) Proc. U.S. Nat. Mus. xii. p. 79 (1889). *Tytthotyle Maculata, Brun.* Biol. Centr.-Amer., Orth. ii. p. 197. n. 1, pl. 2. f. 9 (1906).	California.

Genus 409. **Phrynotettix.** (*Type* no. 1.)

Glover, Ill. N. Amer. Orth. pl. 6. f. 25 (1872); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 595 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 119, 197 (1905, 1906).

Haldmanella, Sauss. Mém. Soc. Genève, xxx. (1) pp. 123, 153 (1888).

Haldemanella, Brun. Proc. U.S. Nat. Mus. xii. p. 80 (1889); Biol. Centr.-Amer., Orth. ii. p. 119 (1905); Scudd. Guide N. Amer. Orth. p. 38 (1897).

Haldemannia, Towns. Ins. Life, vi. p. 31 (1893).

1. **P. Verruculatus, Glov.** (*P. Verruculata*) l. c. pl. 6. f. 25 (1872). — Texas, New Mexico, Arizona, Mexico.
   Phrynotettix Verruculatus, Brun. Biol. Centr.-Amer., Orth. ii. pp. 197, 198. n. 1 (1906).

*2. **P. Trivavensis, Hald.** (*Ephippigera T.*) Stansbury, Exped. Great Salt Lake, Utah, pp. 371, 481, pl. 10. f. 3 (1852). — Mexico, New Mexico, California.
   Ephippigera Tschivavensis, Walk. Cat. Derm. Salt. B. M. iii. p. 545. n. 1 (1870); Thom. Syn. Acrid. N. Amer. p. 250 (1873).
   Haldmanella Tschivavensis, Sauss. l. c. p. 153. n. 1 (1888).
   Phrynotettix Tschivavensis, Rehn, Proc. Acad. Nat. Sci. Philad. liv. pp. 595, 596 (1903); Brun. l. c. pp. 197, 198. n. 2 (1906).
   Haldemanella Tchivavensis, Brun. l. c. pl. 2. f. 1 (1906).

3. **P. Taosanus, Rehn,** l. c. pp. 595, 597 (1903). — New Mexico.

*4. **P. Magnus, Thomas,** (*Eremobia Magna*) Field & Forest, i. p. 4 (1875); Wheeler, Rep. Expl. Surv. W. 100th Merid. v. p. 886, pl. 45. f. 1 (1875). — Arizona, Mexico.
   Phrynotettix Magnus, Brun. l. c. pp. 197, 198. n. 4 (1906).

5. **P. Robusta, Brun.** (*Haldemanella R.*) Proc. U.S. Nat. Mus. xii. p. 81 (1889); Biol. Centr.-Amer., Orth. ii. pl. 2. ff. 2, 3 (1906). — iid., Texas, New Mexico.
   Haldemannia Robusta, Towns. l. c. p. 31 (1893).
   Phrynotettix Robustus, Brun. Biol. Centr.-Amer., Orth. ii. pp. 197, 199. n. 5 (1906).

Genus 410. **Bufonacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 89 (1871); Sauss. Mém. Soc. Genève, xxx. (1) pp. 124, 159 (1888).

1. **B. Terrestris, Walk. l. c. p. 89. n. 1 (1871); Sauss. l. c. p. 159. n. 1, pl. 2. f. 15 (1888). — Magellan, Patagonia.

2. **B. Walkeri, Kirb. (n. n.). — iid.
   B. Terrestris, var., *Walk.* l. c. (1871).

*3. **B. Bruchii, Brancs.** Jahresh. Ver. Trencsin. Com. xxiii.–xxiv. p. 190, pl. 3. f. 4*a–c* (1901).	Patagonia.

Genus 411. **Eremopachys.**

Brancs. Jahresh. Ver. Trencsin. Com. xxiii.–xxiv. p. 188 (1901).

1. **E. Simplex, Brancs.** l. c. p. 189, pl. 3. f. 3 *a–d* (1901).	Patagonia.

SUBFAM. IX.

OMMEXYCHINÆ.

Genus 412. **Paulinia.** (*Type* no. 3.)

Blanch., D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216 (1843).
‖ *Ossa*, *Giglio-Tos* (*nec Motsch.*), Boll. Mus. Torino, ix. (184) p. 15 (1894); Bol. Rev. Chil. iii. p. 53 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 46, 47 (1900); Rep. U.S. Nat. Mus. xxx. p. 638 (1906).

*1. **P. Bimaculata, Giglio-Tos,** (*Ossa B.*) l. c. p. 15 (1894), xii. p. 27 (1897); Brun. ll. cc. p. 47 (1900); p. 638 (1906).	Argentina, Paraguay.
*2. **P. Viridis, Giglio-Tos,** (*Ossa B.*) l. c. xii. (302) p. 27 (1897); Brun. ll. cc. p. 47, p. 46. fig. (1900); p. 638, pl. 38. f. 5 (1906).	iid., Bolivia.
*3. **P. Muscosa, Blanch.** l. c. p. 216. n. 746, pl. 27. f. 6 (1843).	Argentina.

Genus 413. **Ommexycha.** (*Type* no. 8.)

Serv. Ann. Sci. Nat. xxii. p. 285 (1831); Ins. Orth. p. 696 (1839); Brullé, Hist. Nat. Ins. ix. p. 229 (1835); Blanch. Ann. Soc. Ent. France, v. p. 607 (1836); Hist. Nat. Ins. iii. p. 43 (1840); Burm. Handb. Ent. ii. p. 653 (1838); Stål, Recens. Orth. i. pp. 119, 136 (1873); Bol. An. Soc. Españ. xiii. pp. 21, 27, 493 (1884); Rev. Chil. iii. pp. 53, 54 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 46. 47 (1900); Rep. U.S. Nat. Mus. xxx. pp. 638, 639 (1906).

1. **O. Brunneri, Bol.** ll. cc. pp. 28. 493. n. 1 (1884); pp. 54, 55. n. 1 (1899).	Peru, Bolivia.

2. **O. Macropterum, Blanch.** Ann. Soc. Ent. France, v. pp. 610. n. 2, pl. 21. ff. 3, 4 (1836); Serv. Ins. Orth. p. 699. n. 2 (1839); Karsch, Ent. Nachr. xiv. p. 329. n. 1 (1888); Bol. Rev. Chil. iii. pp. 54, 55. n. 2 (1899); Brun. ll. cc. p. 47 (1900); p. 639 (1906).	Chiquitos, Para, Paraguay.
O. Macroptera, Burm. l. c. p. 655. n. 3 (1838).	
Spathalium Macropterum, Bol. An. Soc. Españ. xiii. pp. 34, 493. n. 5 (1884).	
3. **O. Gracilis, Walk. Cat. Derm. Salt. B. M. iv. p. 798. n. 9 (1870).	Santarem.
4. **O. Cœrulans, Bol.** Rev. Chil. iii. pp. 54, 55. n. 3 (1899).	Paraguay.
5. **O. Cyanopterum, Blanch.** Ann. Soc. Ent. France, v. p. 608. n. 1, pl. 21. ff. 1, 2 (1836).	id.
Ommexycha Cyanoptera, Burm. l. c. p. 655. n. 6 (1838).	
Spathalium Cyanopterum, Bol. l. c. pp. 31, 34. n. 5 (1884).	
6. **O. Giglio-Tosi, Bol.** Rev. Chil. iii. pp. 54, 55. n. 4 (1899).	id.
*7. **O. Germari, Burm.** l. c. p. 655. n. 4 (1838); Bol. An. Soc. Españ. xiii. pp. 28, 493. n. 2, pl. 1. f. 1 (1884); Rev. Chil iii. pp. 54, 56. n. 5 (1899); Brun. Proc. U.S. Nat. Mus. xxx. p. 639 (1906).	Brazil, Paraguay.
*8. **O. Virens, Serv.** Ann. Sci. Nat. xxii. p. 286. n. 1 (1831); Ins. Orth. p. 701. n. 4, pl. 13. f. 2 (1839); Blanch. l. c. p. 612. n. 4, pl. 22. f. 1 (1836); Burm. l. c. p. 655. n. 7 (1838); Bol. ll. cc. pp. 28, 29. n. 3 (1884); pp. 55, 56. n. 6 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 47 (1900); Proc. U.S. Nat. Mus. xxx. p. 639 (1906).	iid.
*9. **O. Servillei, Blanch.** l. c. p. 613. n. 5, pl. 22. ff. 2, 3 (1836); Burm. l. c. p. 656. n. 8 (1838); Serv. Ins. Orth. p. 701. n. 5 (1839); Bol. ll. cc. pp. 28, 29, 493. n. 4 (1884); pp. 55, 56. n. 7 (1899); Brun. ll. cc. p. 47 (1900); p. 639 (1906).	iid.
*10. **O. Serrulata, Thunb.** (*Gryllus Serrulatus*) Mém. Acad. Pétersb. ix. pp. 396, 414. n. 52 (1824).	Brazil.
Ommexycha Serrulata, Stål, Recens. Orth. i. p. 136. n. 1 (1873).	

*11. **O. Klugii, Burm.** Handb. Ent. ii. p. 655. n. 2 (1838). ‖*Spathalium Serrulatum, Bol.* (*nec Thunb.*) l. c. pp. 31, 33, 493. n. 4 (1884).	Brazil.

Genus 414. **Spathalium.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 21, 30, 493 (1884); Rev. Chil. iii. pp. 53, 56 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 46, 48 (1900); Rep. U.S. Nat. Mus. xxx. pp. 638, 639 (1906).

1. **S. Sommeri, Burm.** (*Ommexycha S.*) Handb. Ent. ii. p. 654. n. 1 (1838). *Spathalium Sommeri, Bol.* An. Soc. Españ. xiii. pp. 31, 493. n. 1 (1884); Brun. 2nd Rep. Locust Comm. B. Aires, p. 48 (1900).	Brazil, Argentina.
*2. **S. Stæli, Bol.** (*S. Ståli*) l. c. pp. 31, 32, 493. n. 2, pl. 1. f. 2 (1884).	Brazil.
*3. **S. Audouini, Blanch.** (*Ommexycha A.*) Ann. Soc. Ent. France, v. p. 611. n. 3, pl. 21. ff. 5, 6 (1836); Hist. Nat. Ins. iii. p. 43. n. 1, pl. 11. f. 4 (1840); Burm. Handb. Ent. ii. pp. 655. n. 5 (1838); Serv. Ins. Orth. p. 700. n. 3 (1839). *S. Audouini, Bol.* l. c. pp. 31, 32, 493. n. 3 (1884); Brun. l. c. p. 48 (1900).	id., Argentina.
*4. **S. Viridis, Brun.** l. c. f. 17 (1900).	Argentina.
*5. **S. Obscurum, Brun.** l. c. pp. 48, 49 (1900).	id.
*6. **S. Hispidum, Brun.** l. c. pp. 48–51, ff. 18, 19 (1900); Proc. U.S. Nat. Mus. xxx. p. 639, pl. 37. f. 8, pl. 38. f. 11 (1906).	id.
*7. **S. Testaceum, Brun.** 2nd Rep. Locust Comm. B. Aires, pp. 48, 51 (1900).	id.

Genus 415. **Graea.** (*Type* no. 1.)

Phil. Zeitschr. ges. Naturw. xxi. p. 447 (1863); Bol. Rev. Chilena, iii. pp. 51, 53, 57 (1899); Karsch, Ent. Nachr. xiv. p. 329 (1888); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 46, 51 (1900); Proc. U.S. Nat. Mus. xxx. pp. 638, 640 (1906).

*1. **G. Horrida, Phil.** l. c. p. 447 (1863); Bol. l. c. pp. 52, 57 (1899); Brun. ll. cc. pp. 51, 52. (1900); p. 640, pl. 37. f. 1 (1906).	Argentina.
2. **G. Monstrosa, Brun.** 2nd Rep. Locust Comm. B. Aires, pp. 51, 52. f. 20 (1900).	id.

SUBFAM. X.

PYRGOMORPHINÆ.

Genus 416. **Tenuitarsus.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 90 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 5 (1909).

1. **T. Revoili, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 90. n. 1 (1904).	Somali.

Genus 417. **Chrotogonus.** (*Type* no. 17.)

Serv. Ins. Orth. p. 702 (1839); Bol. An. Soc. Españ. xiii. pp. 21, 37, 493 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 91 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 6 (1909); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 198, 288 (1902).

*1. **C. Fumosus, Bol.** ll. cc. pp. 38, 42. n. 5 (1884); pp. 92, 95. n. 1 (1904).	Monomotapa.
2. **C. Meridionalis, Sauss.** Distant, Naturalist in Transvaal, p. 262, pl. 4. f. 5 (1892); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 92, 96. n. 2 (1904).	Transvaal.
3. **C. Rotundatus, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 80. no. 53; Bol. l. c. pp. 92, 97. n. 3 (1904).	Nyasa Land.
4. **C. Abyssinicus, Bol.** l. c. pp. 92, 93, 97. n. 4 (1904).	Abyssinia.
5. **C. Pallidus, Blanch.** (*Ommexycha Pallidum*) Ann. Soc. Ent. France, v. p. 623. n. 12, pl. 22. f. 10 (1836).	Bombay.
Ommexycha Pallida, Burm. Handb. Ent. ii. p. 656. n. 9 (1838).	
C. Pallidus, Bol. An. Soc. Españ. xiii. pp. 38, 43, 493. n. 8 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 92, 98. n. 5 (1904).	
*6. **C. Scudderi, Bol.** ll. cc. pp. 38, 43, 493. n. 6 (1884); pp. 92, 99. n. 6 (1904).	Egypt. Somali.
*7. **C. Senegalensis, Krauss,** Sitz. Akad. Wiss. Wien, lxxvi. (1) p. 58. n. 1, pl. 1. f. 11 (1877); Bol. ll. cc. pp. 39, 48, 494. n. 16 (1884); pp. 92, 93, 99. n. 7 (1904).	W. Africa.

8. **C. Brevis, Bol.,** Bol. Soc. Españ. Hist. Nat. iv. pp. 92, 99. n. 8 (1904).	Karachi.
*9. **C. Lameerei, Bol.** l. c. pp. 92, 93, 100. n. 9 (1904).	Congo.
*10. **C. Savignyi, Blanch.** (*Ommexycha Savigny*) l. c. p. 624 (1836). *Ommexycha Savignii, Burm.* l. c. p. 657 (1838). *C. Savigny, Bol.* An. Soc. Españ. xiii. pp. 38, 43, 493. n. 7 (1884). *C. Savignyi, Krauss*, Verh. zool.-bot. Ges. Wien, xl. p. 256 (1900); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902); Bol., Bol. Soc. Españ. Hist. Nat. iv. pp. 92, 100. n. 10 (1904). [Sav. Descr. Égypte, Orth. pl. 6. ff. 2 (2, 3).]	Egypt.
*11. **C. Latus, Blanch.** (*Ommexycha Latum*) l. c. p. 624 (1836). *C. Savignyi*, pt., *Krauss*, l. c. pp. 256, 257 (1890). *C. Savignyi*, forma *Brachyptera*, *Bol.* l. c. pp. 93, 101 (1904). [Sav. l. c. Orth. pl. 6. f. 2 (1).]	Egypt, Muscat, Quetta.
12. **C. Turanicus, Kuthy,** Ann. Mus. Hungar. iii. p. 217 (1905).	Ilysk.
13. **C. Incertus, Bol.** An. Soc. Españ. xiii. pp. 38, 45, 494. n. 11 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 93, 101. n. 11 (1904).	Silhet, China.
14. **C. Gracilis, Blanch.** (*Ommexycha Gracile*) l. c. p. 619. n. 9, pl. 22. f. 7 (1836). *Ommexycha Gracilis, Burm.* l. c. p. 656. n. 11 (1838). *C. Gracilis, Bol.* ll. cc. pp. 38, 44, 494. n. 10 (1884); pp. 93, 101. n. 12 (1904).	Australia.
15. **C. Trachypterus, Blanch.** (*Ommexycha Trachypterum*) l. c. p. 618. n. 8, pl. 22. f. 6 (1836). *Ommexycha Trachyptera, Burm.* l. c. p. 656. n. 10 (1838). *C. Trachypterus, Bol.* ll. cc. pp. 38, 44, 494. n. 9 (1884); pp. 93, 102. n. 13 (1904).	Bombay.
*16. **C. Homalodema, Blanch.** (*Ommexycha Homalodemum*) l. c. p. 615. n. 6, pl. 22. f. 4 (1836).	N. Africa, W. Asia.

Ommexycha Homalodema, Burm. Handb. Ent. ii. p. 656. n. 12 (1838). *C. Homalodema, Bol.* ll. cc. pp. 38, 45, 494. n. 12 (1884); pp. 93, 102. n. 14 (1904); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902).	
*17. **C. Lugubris, Blanch.** (*Ommexycha Lugubre*) l. c. p. 616. n. 7, pl. 22. f. 5 (1836); Hist. Nat. Ins. iii. p. 43. n. 2 (1840). *Ommexycha Lugubris, Burm.* l. c. p. 656. n. 13 (1838). *C. Lugubris, Serv.* l. c. p. 703. n. 1, pl. 13. f. 3 (1839); Bol. ll. cc. pp. 39, 46, 494. n. 14 (1884); pp. 93, 103. n. 15 (1904); Krauss, l. c. p. 257 (1900). [Sav. l. c. Orth. pl. 6. f. 3 (1, 2).]	Egypt. Abyssinia.
18. **C. Liaspis, Blanch.** (*Ommexycha L.*) Ann. Soc. Ent. France, v. p. 620. n. 10, pl. 22. f. 8 (1836); Burm. l. c. p. 657. n. 14 (1838). *C. Liaspis, Bol.* ll. cc. pp. 38, 46, 494. n. 13 (1884); pp. 93, 103. n. 16 (1904).	Bombay.
*19. **C. Oxypterus, Blanch.** (*Ommexycha Oxypterum*) l. c. p. 622. n. 11, pl. 22. f. 9 (1836). *Ommexycha Oxyptera, Burm.* l. c. p. 657. n. 15 (1838). *C. Oxypterus, Bol.* ll. cc. pp. 39, 48, 494. n. 17 (1884); pp. 93, 103. n. 17 (1904); Ann. Soc. Ent. France, lxx. p. 605 (1902).	India.
*20. **C. Blanchardi, Krauss,** l. c. p. 257 (1900); Bol., Bol. Soc. Españ. iv. pp. 95, 110. n. 32 (1904); Jacobs. & Bianchi, l. c. pp. 198, 288 (1902). [Sav. l. c. Orth. pl. 6. f. 2 (4).]	Egypt.
21. **C. Saussurei, Bol.** An. Soc. Esp. xiii. pp. 39, 47, 494. n. 15 (1884); Bol. Soc. Españ. Hist. Nat. iv. pp. 93, 104. n. 18 (1904).	India.
22. **C. Occidentalis, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 94, 104. n. 19 (1904).	Assinie.
23. **C. Gabonicus, Bol.** l. c. pp. 94, 105. n. 20 (1904).	French Guinea.
24. **C. Rollini, Bol.** l. c. pp. 94, 106. n. 21 (1904).	Boma, Sundi.

25. **C. Bloyeti, Bol.** l. c. pp. 94, 106. n. 22 (1904).	Kondoa.
26. **C. Varelai, Bol.** l. c. pp. 94, 107. n. 23 (1904).	Dar-es-Salaam.
27. **C. Marshalli, Bol.** l. c. pp. 94, 107. n. 24 (1904).	Mashona Land.
28. **C. Rendalli, Kirb. Trans. Ent. Soc. Lond. 1902, p. 79. n. 51; Bol. l. c. pp. 94, 108. n. 25 (1904).	NyasaLand.
*29. **C. Hemipterus, Schaum,** Ber. Akad. Berlin. 1853, p. 780. n. 25; Peters' Reise Mossamb. v. p. 143, pl. 7 A. f. 12 (1862); Stal, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 31. n. 1 (1876); Bol. An. Soc. Españ. xiii. pp. 38, 41, 493. n. 3 (1884); Bol. Soc. Españ. Hist. Nat. iv. pp. 94, 108. n. 26 (1904).	E. Africa.
30. **C. Intermedius, Griff.** (*C. Hemipterus,* subsp. *Intermedius*) Boll. Mus. Torino, xii. (290) p. 10. n. 5 (1897).	Zambesi.
*31. **C. Micropterus, Bol.** ll. cc. pp. 38, 40, 493 (1884); pp. 95, 109. n. 30 (1904).	Angola.
32. **C. Carinatus, Kirb.** l. c. p. 80. n. 52 (1902); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 109. n. 27 (1904).	NyasaLand, Mashona Land.
33. **C. Brachypterus, Bol.** Ann. Soc. Ent. France, lxx. p. 605 (1902); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 109. n. 28 (1904).	S. India.
34. **C. Distanti, Kirb. l. c. p. 78. n. 50 (1902); Bol. l. c. pp. 95, 109. n. 29 (1904).	Transvaal.
35. **C. Bormansi, Bol.** An. Soc. Españ. xiii. pp. 37, 39, 147 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 95, 110. n. 31 (1904).	Shoa.

Genus 418. **Caconda.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 21, 36, 493 (1884); Gen. Ins. Orth., Acrid. Pyrg. p. 8 (1909).

1. **C. Fusca, Bol.** An. Soc. Españ. xiii. pp. 37, 493. n. 1 (1884).	Angola.
2. **C. Plicatula, Bol.,** Bol. Soc. Españ. Hist. Nat. iv. p. 110 (1904).	id.

Genus 419. **Prosphena.**

Bol. An. Soc. Españ. xiii. pp. 24, 446, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 306 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 9 (1909); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 208 (1906).

1. **P. Scudderi, Bol.** ll. cc. pp. 447, 496. n. 1 (1884); p. 306 (1904); Brun. l. c. p. 208. n. 1 (1906).	Guatemala, Costa Rica.

Genus 420. **Sphenarium.** (*Type* no. 11.)

Charp. Orth. pl. 31 (1842?); Thom. Syn. Acrid. N. Amer. p. 199 (1873); Bol. An. Soc. Españ. xiii. pp. 24, 443, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 306 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 9 (1909); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 203 (1906).

1. **S. Histrio, Gerst.** Stettin. Ent. Zeit. xxxiv. p. 196. n. 29 (1873); Brun. l. c. pp. 203, 204. n. 1 (1906).	Mexico.
2. **S. Carinatum, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 306. n. 2 (1904); Brun. l. c. pp. 203, 204. n. 2 (1906).	Guatemala.
3. **S. Bolivari, Brun.** l. c. pp. 203, 205. n. 3 (1906). ‖*S. Histrio, Bol.* (*nec Gerst.*) Ann. Soc. Españ. xiii. pp. 444, 496. n. 1, pl. 2. ff. 14, 14 *a* (1884).	Mexico.
*4. **S. Mexicanum, Sauss.** Rev. Zool. (2) xi. p. 390 (1859); Thomas, l. c. p. 200 (1873); Bol. l. c. p. 444. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 307. n. 3 (1904); Brun. l. c. pp. 203, 205. n. 4 (1906).	id.
5. **S. Crassipes, Walk. (*Opomala* (?) *C.*) Cat. Derm. Salt. B. M. iii. p. 507. n. 11 (1870); Thomas, l. c. p. 196 (1873).	id.
*5. **S. Ictericum, Gerst.** l. c. p. 196. n. 30 (1873).	id.
6. **S. Marginatum, Brun.** l. c. pp. 204, 205. n. 5 (1906).	id.
7. **S. Borrei, Bol.** An. Soc. Españ. xiii. pp. 444, 445, 493. n. 3 (1884); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 528 (1904); Brun. l. c. pp. 204, 206. n. 6, pl. 4. f. 21 (1906).	id.

*8. **S. Rugosum, Brun.** l. c. pp. 204, 206. n. 7 (1906).	Mexico.
9. **S. Bruneri, Bol.** Gen. Ins. Orth., Acrid. Pyrg. p. 10. n. 8 (1909).	id.
10. **S. Barretti, Brun.** l. c. pp. 204, 206. n. 8 (1906).	id.
11. **S. Purpurascens, Charp.** l. c. pl. 31 (1842?); Thomas, l. c. p. 199 (1873); Bol. An. Soc. Esp. xiii. pp. 444, 446, 496. n. 4, pl. 2. f. 15 (1884); Brun. l. c. pp. 204, 206. n. 9 (1906).	id.
12. **S. Planum, Brun.** l. c. pp. 204, 207. n. 10 (1906).	id.
13. **S. Minimum, Brun.** ll. cc. n. 11 (1906).	id.
14. **S. Affine, Brun.** l. c. p. 207 (1906).	id.

Genus 421. **Camoensia.**

Bol. Jorn. Sci. Lisb. viii. p. 111 (1881), (2) i. p. 152 (1890); An. Soc. Españ. xiii. pp. 26, 486, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 308 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 11 (1909).

1. **C. Insignis, Bol.** ll. cc. p. 111. n. 18 (1881), p. 153. n. 125 (1890); pp. 486, 498. n. 1, pl. 4. f. 29 (1884); p. 308 (1904); p. 11. n. 1 (1909). *C. Insignis*, var. *Sculpturata*, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 308 (1904).	Angola.

Genus 422. **Dictyophorus.** (*Type* no. 7.)

Thunb. Mém. Acad. Pétersb. v. pp. 217, 258 (1815); Kirb. Trans. Ent. Soc. Lond. 1902, p. 88.

‖*Petasia*, *Serv.* (*nec Steph.*) Ann. Sci. Nat. xxii. p. 278 (1831); Ins. Orth. p. 628 (1839); Stal, Recens. Orth. i. pp. 12, 20 (1873); Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 481, 498 (1884).

Tapesia, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 309 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 12 (1909).

*1. **D. Oberthuri, Bol.** (*Petasia O.*) Bull. Soc. Ent. France, lxiii. p. clxiii. n. 14 (1895). *Tapesia Oberthuri*, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 311. n. 1 (1904).	Togoland, Lagos.

2. **D. Brunni, Bol.** (*Tapesia B.*) ll. cc. n. 2 (1904).	Masai Land.
*3. **D. Griseus, Reiche,** (*Petasia Grisea*) Ferret & Galinier, Voy. Abyss. iii. p. 428. n. 1, pl. 28. ff. 2, 2 *a* (1847); Bol. An. Soc. Españ. xiii. pp. 482, 488. n. 1, pl. 4. f. 25 (1884).	Abyssinia, Nyasa.
Tapesia Grisea, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 312. n. 3 (1904).	
*4. **D. Productus, Bol.** (*Tapesia Producta*) l. c. pp. 310, 313. n. 4 (1904).	E. Africa.
5. **D. Laticinctus, Walk. (*Petasia Laticincta*) Cat. Derm. Salt. B.M. iii. p. 544. n. 3 (1870).	W. & E. Africa.
Petasia Anchietæ, Bol. J. Sci. Lisb. viii. p. 110. n. 17 (1881); An. Soc. Españ. xiii. pp. 482, 483, 488. n. 2, pl. 4. f. 26 (1884); Karsch, Ent. Nach. xiv. p. 359. n. 73 (1888).	
Tapesia Anchietæ, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 311, 314. n. 5 (1904).	
6. **D. Karschi, Bol.** (*Tapesia K.*) l. c. pp. 310, 315. n. 6 (1904).	W. Africa.
*7. **D. Spumans, Thunb.** (*Gryllus S.*) Nov. Insect. Spec. v. p. 104, f. 112 (1789); Dissert. Acad. iii. p. 223, pl. 2. f. 21 (1801).	Cape.
D. Spumans, Thunb. Mém. Acad. Pétersb. v. p. 258 (1815).	
Pœcilocera Spumans, Burm. Handb. Ent. ii. p. 621. n. 1 (1838).	
Petasia Spumans, Stål, l. c. p. 20. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 482, 484, 498. n. 3, pl. 4. f. 24 (1884); Karsch, l. c. p. 359. n. 72 (1888).	
Tapesia Spumans, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 310, 315. n. 7 (1904).	
**Petasia Spumans*, var. *Ater, Dist.* Nat. Transvaal, p. 259, pl. 4. f. 3 (1892).	Transvaal, Natal, Deelfontein,
Tapesia Spumans, e. *Atra, Bol.* l. c. pp. 317, 318 (1904).	
*Var. *Petasia Cruentata, Serv.* ll. cc. p. 279. n. 1 (1831); p. 630. n. 1, pl. 14. f. 5 (1839).	Cape, Port Elizabeth, Congo.
D. Cruentatus, Blanch. Hist. Nat. Ins. iii. p. 39. n. 5 (1840).	
Tapesia Spumans, f. *Cruentata, Bol.* l. c. pp. 316, 318 (1904).	

Gryllus Locusta Nympha, Stoll, Spectres, Saut. p. 15, pl. 6 *b.* f. 20 (1813).	
[Roes. Insect. Belust. ii. Locust. Ind. p. 41, pl. 6. f. 1.]	
*Var. *Petasia Olivacea, Serv.* Ann. Sci. Nat. xxii. p. 279. n, 2 (1831).	Cape, Kalahari Desert, Transvaal.
Petasia Cruentata, var. *Olivacea, Serv.* Ins. Orth. p. 630. n. 1 (1839).	
Pœcilocera Olivacea, Burm. l. c. p. 622. n. 2 (1838).	
Tapesia Spumans, d. *Olivacea, Bol.* l. c. pp. 316, 317 (1904).	
**Tapesia Spumans,* c. *Calceata, Bol.* l. c. pp. 316, 317 (1904).	Damara Land,
Petasia Spumans, var., *Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 34. n. 1 (1876).	Natal.
**Tapesia Spumans,* b. *Servillei, Bol.* l. c. p. 316 (1904).	Cape, E. Karoo,
**Tapesia Spumans,* a. *Pulchra, Bol.* l. c. (1904).	Natal.

Genus 423. **Maura.** (*Type* no. 7.)

Stal, Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873) ; Recens. Orth. i. pp. 12, 19 .(1873) ; Bol. An. Soc. Esp. xiii. pp. 25, 478, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 318 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 12 (1909).

1. **M. Hecate, Gerst.** (*Petasia H.*) Arch. Naturg. xxxv. p. 217. n. 57 (1869) ; Von der Decken, Reisen Ost-Afrika, Ins. p. 37. n. 57, pl. 2. f. 6 (1873).	Endara : W. Africa (eadem ?).
M. Hecate, Bol. ll. cc. pp. 478, 479, 498. n. 1 (1884) ; pp. 319, 320. n. 1 (1904).	
2. **M. Lurida, Fabr. (*Gryllus Luridus*) Spec. Ins. i. p. 366. n. 23 (1781).	W. Africa.
*3. **M. Apicalis, Bol.** ll. cc. pp. 479, 498. n. 2 (1884) ; pp. 319, 320. n. 2 (1904) ; Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 84. n. 42 (1893).	Abyssinia, W. Africa.
4. **M. Venusta, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 320. n. 3 (1904).	Kilimanjaro
5. **M. Flavifrons, Bol.** Bull. Soc. Ent. France, lxiii. p. clxii. n. 12 (1895) ; Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 321. n. 4 (1904).	Togoland.
6. **M. Bolivari, Kirb. Trans. Ent. Soc. Lond. 1902, p. 87. n. 68 ; Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 321. n. 5 (1904).	Nyasa Land. Zambesi.

7. **M. Modesta, Bol.** l. c. pp. 319, 322. n. 6 (1904). German E. Africa.

*8. **M. Rubro-ornata, Stål,** (*Petasia R.*) Œfv. Vet.-Akad. Förh. xii. p. 352. n. 1 (1855). Natal, Cape, Caffraria, Transvaal, Zululand.
Maura Rubro-ornata, Stål, Recens. Orth. i. p. 19. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 479, 480, 498. n. 4 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 322. n. 7 (1904).
***Petasia Pyrrhomela, Walk.* Cat. Derm. Salt. B. M. iii. p. 545. n. 4 (1870).

9. **M. Satanas, Gerst.** (*Petasia S.*) Stettin. Ent. Zeit. xxxiv. p. 188. n. 11 (1873). S. Africa.
M. Satanas, Bol. ll. cc. pp. 479, 481, 498. n. 5 (1884); pp. 319, 323. n. 8 (1904).

*10. **M. Marshalli, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 323. n. 9 (1904). Mashona Land.

11. **M. Rugulosa, Bol.** An. Soc. Españ. xiii. pp. 479, 481, 498. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 324. n. 10 (1904); Schulth. Bull. Soc. Vaud. xxxv. p. 207. n. 1 (1899); Sauss. Abhandl. Senckenb. Ges. xxi. p. 647. n. 1 (1899). Angola.
M. Rugulosa, var. *Brevipennis, Bol.* ll. cc. pp. 480, 498, pl. 4. f. 27 (1884); p. 324 (1904); Schulth. l. c. p. 207 (1899).
M. Rugulosa, var. *Lugubris, Schulth.* l. c. p. 207 (1899).

12. **M. Atriceps, Kirb.** l. c. p. 86. n. 66 (1902). Transvaal.

13. **M. Flavomaculata, Kirb. l. c. n. 67 (1902). id.

14. **M. Monacha, Gerst.** Mitth. Ver. Neuvorpomm. xx. p. 2. n. 2 (1889). Delagoa Bay.
M. Monacha, Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 319, 325. n. 11 (1904).
Var. *Maura Brevipennis, Sauss.* l. c. p. 647. n. 2 (1899).

*15. **M. Selysi, Bol.** l. c. pp. 320, 325. n. 12 (1904). Natal.

Genus 421. **Parapetasia.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 25, 481, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 309 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 13 (1909).

1. **P. Femorata, Bol.** ll. cc. pp. 485, 498. n. 1, pl. 4. ff. 28, 28 *a–c* (1884); p. 309 (1904); p. 14. n. 2 (1909); Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 70. n. 5 (1892).	Gaboon, Camerons.
2. **P. Impotens, Karsch,** (*Petasia I.*) Ent. Nachr. xiv. p. 360. n. 74 (1888). *Parapetasia Impotens, Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 309 (1904).	Usegna.

Genus 425. **Aularches.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens. Orth. i. pp. 11, 18 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 476, 498 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 393 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 14 (1909).

*1. **A. Miliaris, Linn.** (*Gryllus Locusta M.*) Syst. Nat. (ed. x.) i. p. 432. n. 43 (1758); Mus. Ludov. Ulric. p. 142. n. 33 (1764). *Gryllus Miliaris, Fabr.* Syst. Ent. p. 288. n. 7 (1775). *Acrydium Miliare, Oliv.* Encycl. Méth., Ins. vi. p. 218. n. 15 (1791). *Phymateus Miliaris, Thunb.* Mém. Acad. Pétersb. v. p. 258 (1815). *Aularches Miliaris, Stål,* Recens. Orth. i. p. 18. n. 1 (1873); Bol. ll. cc. pp. 477, 498. n. 1, pl. 3. f 23 (1884); p. 393 (1904). *Acrydium Verrucosum, De Geer,* Mém. Ins. iii. p. 486. n. 1, pl. 40. f. 6 (1773). ‖ *Gryllus Locusta Scabiosus, Stoll* (*nec Fabr.*), Spectres, Saut. p. 18, pl. 7 *b*. f. 24 (1813). *Gryllus Locusta Conspersus, Stoll,* l. c. p. 40, pl. 22 *b*. f. 85.	India, Ceylon, Burma, Java.
*2. **A. Punctatus, Drury,** (*Gryllus Locusta P.*) Ill. Exot. Ent. ii. pl. 41. f. 4 (1773); Sulz. Gesch. Ins. p. 84, pl. 9. f. 3 (1776). *Gryllus Punctatus, Fabr.* Spec. Ins. i. p. 364. n. 14 (1781); Don. Ins. Ind. pl. 12. f. 2 (1800). *Phymateus Punctatus, Thunb.* l. c. p. 258 (1815). *Locusta* (*Phymatea*) *Punctata, Westw.* (ed.) Drury, Ill. Exot. Ent. ii. pl. 41. f. 4 (1837); (ed.) Donovan, Ins. Ind. p. 21, pl. 12. f. 2 (1842).	Thibet, India, Malacca, Java.

Pœcilocera Punctata, Burm. Handb. Ent. ii. p. 624. n. 17 (1838).	
*3. **A. Scabiosus, Fabr.** (*Gryllus S.*) Entom. Syst. ii. p. 51. n. 20 (1793).	India, Ceylon, Cambodia.
Gryllus Scabiosus, Stoll, l. c. p. 18, pl. 7 *b.* f. 24 (1813).	
Phymateus Scabiosus, Serv. Ins. Orth. p. 626. n. 2 (1839).	

Genus 426. **Taphronota.** (*Type* no. 3.)

Stål, Œfv. Vet.-Akad. Förh. xxx. p. 51 (1873); Recens. Orth. i. pp. 11, 19 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 472, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 394 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 15 (1909); Sauss. Abhandl. Senckenb. Ges. xxi. p. 644 (1899).

Epamontor, Kirb. Trans. Ent. Soc. Lond. 1902, p. 87 (*immature*). (*Type* no. 2.)

1. **T. Cacuminata, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 83. n. 41 (1893); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 394, 396. n. 1 (1904).	Adeli.
*2. **T. Stæli, Bol.** (*T. Ståli*) An. Soc. Esp. xiii. pp. 473, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 394, 396. n. 2 (1904); Sauss. l. c. p. 644. n. 1 (1899).	Natal, Transvaal.
Epamontor Antennalis, Kirb. l. c. p. 88. n. 69 (1902), *larva.*	
*3. **T. Calliparea, Schaum,** (*Pœcilocerus Callipareus*) Ber. Akad. Berlin, 1853, p. 778. n. 16; Peters' Reise Mossamb. v. p. 130, pl. 7 A. f. 2 (1862).	S. & E. Africa, Ruwenzori, Uganda, Gaboon.
Taphronota Calliparea, Bol. ll. cc. pp. 473, 475, 498. n. 4 (1884); pp. 394, 396. n. 3 (1904); Sauss. l. c. p. 644. n. 2 (1899).	
T. Calliparea, var. *Poultoni, Bol.,* Bol. Soc. Esp. Hist. Nat. iv. pp. 394, 397 (1904).	Mashona Land.
Pœcilocerus Porosus, Stål, Œfv. Vet.-Akad. Förh. xii. p. 352. n. 1 (1855).	
‖ *Pœcilocera Cincta, Burm.* (*nec Fabr.*) Handb. Ent. ii. p. 623. n. 7 (1838).	
4. **T. Dimidiata, Bol.** l. c. pp. 395, 397. n. 4 (1904).	Abyssinia.
5. **T. Merceti, Bol.** l. c. pp. 395, 398. n. 5 (1904).	Congo.

6. **T. Occidentalis, Karsch,** (*T. Calliparea* var. *Occidentalis*) l. c. xxxvii. p. 70. n. 4 (1892). *T. Occidentalis, Karsch,* l. c. xxxviii. p. 83. n. 40 (1893); Bol. l. c. pp. 395, 399. n. 6 (1904).	Cameroons, Togoland.
7. **T. Rostrata, Sauss.** l. c. pp. 644, 645. n. 3 (1899); Bol. l. c. pp. 395, 399. n. 7 (1904).	Cameroons.
8. **T. Subverrucosa, Sauss.** l. c. pp. 645, 646. n. 6 (1899); Bol. l. c. pp. 395, 399. n. 8 (1904).	West Africa (?).
9. **T. Amaranthina, Bol.** l. c. pp. 395, 400. n. 9 (1904).	Togoland.
10. **T. Pulchripes, Walk. (*Phymateus P.*) Cat. Derm. Salt. B. M. iii. p. 541. n. 7 (1870); Bol. l. c. pp. 396, 400. n. 10 (1904). ‖ *T. Thalephora, Bol.* (*nec Stoll*) An. Soc. Españ. xiii. pp. 473, 474, 497. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 401. n. 11 (1904); Sauss. l. c. pp. 645, 646. n. 4 (1899).	Fernando Po, Cameroons.
11. **T. Ferruginea, Fabr. (*Gryllus Ferrugineus*) Spec. Ins. i. p. 367. n. 27 (1781). *T. Ferruginea, Bol.* An. Soc. Españ. xiii. pp. 127, 129, 152. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 396 (1904).	W. Africa.
12. **T. Thælephora, Stoll,** (*Gryllus Locusta Thælephorus*) Spectres, Saut. p. 32, pl. 16 *b*. f. 59 (1813).	Hab. —— ?
*13. **T. Apicicornis, Fairm.** (*Acridium (Decticus) Apicicorne*) Thomson, Archives Ent. ii. p. 259. n. 456, pl. 9. f. 2 (1858). ‖ *T. Ferruginea, Sauss.* (*nec Fabr.*) l. c. pp. 645, 646. n. 6 (1899).	W. Africa.
14. **T. Gabonica, Karsch,** Ent. Nachr. xiv. p. 358. n. 67 (1888).	Gaboon.

Genus 427. **Pyrgophyma.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (547) p. 2, (554) p. 2 (1907).

1. **P. Sabaudum, Giglio-Tos,** ll. cc. p. 3 & p. 3 (1907).	Entebbe.
2. **P. Splendens, Giglio-Tos,** l. c. (554) p. 3 (1907).	Congo.

Genus 428. **Rutidoderes.** (*Type* no. 1.)

Westw. Drury, Ill. Exot. Ent. i. pp. 119, 120 (1837).

Peristegus, *Bol.* An. Soc. Españ. xiii. pp. 25, 469, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv p. 401 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 16, 17 (1909). (*Type* no. 1.)

*1. **R. Squarrosus, Linn.** (*Gryllus Locusta S.*) Mant. Plant. p. 533 (1771). *Libellula Squarrosus*, *Drury*, Ill. Exot. Ins. i. pl. 49. f. 1 (1773). *Gryllus Squarrosus*, *Fabr.* Spec. Ins. i. p. 364. n. 15 (1781). *Locusta (Rutidoderes) Squarrosa*, *Westw.* l. c. p. 119, pl. 41. f. 1 (1837). *Phymateus Squarrosus*, *Sauss.* Ann. Soc. Ent. Fr. (4) i. p. 477. n. 7 (1861); Stål, Recens. Orth. i. p. 17. n. 1 (1873). *Peristegus Squarrosus*, *Bol.* ll. cc. pp. 470, 497. n. 1, pl. 3. f. 20 (1884); p. 402 (1904); p. 17. n. 1 (1909). *Peristegus Squarrosus*, var. *Luctuosa*, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 402 (1904).	Sierra Leone.
2. **R. Acutus, Walk. (*Phymateus A.*) Cat. Derm. Salt. B.M. iii. p. 542. n. 9 (1870).	W. Africa.

Genus 429. **Phyteumas.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 402 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 17 (1909).

1. **P. Olivaceus, Karsch,** (*Phymateus O.*) Stett. Ent. Zeit. lvii. p. 273. n. 36 (1896); Bol., Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 3 (1903), iv. p. 402 (1904).	E. Africa.
2. **P. Pardalinus, Walk. (*Phymateus P.*) Cat. Derm. Salt. B. M. iii. p. 541. n. 8 (1870).	Fantee.

Genus 430. **Maphyteus.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 403 (1904) ; Gen. Ins. Orth., Acrid. Pyrg. p. 19 (1909).

*1. **M. Leprosus, Fabr.** (*Gryllus L.*) Ent. Syst. ii. p. 51. n. 18 (1793). *Gryllus Locusta Leprosus, Stoll*, Spectres, Saut. pp. 8, 9, pl. 2 *b*. f. 5, pl. 3 *b*. f. 7 (1813). *Phymateus Leprosus, Thunb.* Mém. Pétersb. v. p. 258 (1815); Serv. Ins. Orth. p. 627. n. 3 (1839); Stål, Recens. Orth. i. p. 18. n. 4 (1873) ; Bol. Ann. Soc. Españ. xiii. pp. 463, 497. n. 1, pl. 3. f. 21 (1884) ; Bol. Soc. Esp. Hist. Nat. iii. p. 189. n. 1 (1903), iv. pp. 403, 406. n. 1 (1904). *Dictyophorus Leprosus, Blanch.* Hist. Nat. Ins. iii. p. 39. n. 4 (1840). *Pœcilocera Leprosa, Burm.* Handb. Ent. ii. p. 622. n. 5 (1838). *Phymateus Leprosus*, var. *Compressicollis, Bol.*, Bol. Soc. Esp. Hist. Nat. iv. pp. 403, 406 (1904).	S. Africa.
*2. **M. Baccatus, Stål,** (*Phymateus B.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 33. n. 1 (1876) ; Bol. An. Soc. Españ. xiii. pp. 462, 463, 497. n. 2, pl. 3. ff. 22, 22*a* (1884) ; Bol. Soc. Esp. Hist. Nat. iii. p. 189. n. 2 (1903), iv. pp. 403, 407. n. 2 (1904).	Damara Land, Congo.
Phymateus Baccatus, var. *Amplipennis, Bol.*, Bol Soc. Esp. Hist. Nat. iv. pp. 403, 407 (1904).	S.W. Africa.

Genus 431. **Phymateus.** (*Type* no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 216, 257 (1815); Serv. Ann. Sci. Nat. xxii. p. 277 (1831) ; Ins. Orth. p. 624 (1839); Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens. Orth. i. pp. 11, 17 (1873): Bol. An. Soc. Españ. xiii. pp. 25, 461, 497 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 188 (1903), iv. p. 403 (1904) : Gen. Ins. Orth., Acrid. Pyrg. pp. 17–19 (1909).

*1. **P. Morbillosus, Linn.** (*Gryllus Locusta M.*) Syst. Nat. (ed. 10) i. p. 431. n. 42 (1758) ; Mus. Ludov. Ulr. p. 141. n. 32	S. Africa.

(1764); Stoll, Spectres, Saut. p. 7, pl. 2 *b*. ff. 3, 4 (1813).	
[Roes. Ins. Belust. ii. Locust. Ind. pp. 114, 115, pl. 18. f. 6.]	
Gryllus Morbillosus, Fabr. Syst. Ent. p. 289. n. 8 (1775); Don. Ins. China, pl. 13 (1798); Herbst, Fuessly, Archiv, p. 195. n. 6, pl. 54. f. 1 (1786).	
Acrydium Morbillosum, Oliv. Encycl. Méth., Ins. vi. p. 218. n. 16 (1791).	
Phymateus Morbillosus, Thunb. l. c. p. 257 (1815); Serv. ll. cc. p. 277. n. 1 (1831); p. 625. n. 1 (1839); Stål, Rec. Orth. i. p. 18. n. 3 (1873); Bol. ll. cc. pp. 462, 467, 497. n. 7 (1884); p. 190. n. 9 (1903), pp. 405, 407. n. 3 (1904).	
Pœcilocera Morbillosa, Burm. Handb. Ent. ii. p. 622. n. 4 (1838).	
Locusta (Phymatea) Morbillosa, Westw. Don. Ins. China, p. 25, pl. 13 (1842).	
Dictyophorus Papillosus, Thunb. Mém. Acad. Pétersb. v. p. 258 (1815), *larva*.	
Pœcilocera Papillosa, Burm. l. c. p. 622. n. 3 (1838).	
Gryllus Locusta Morbillosi Nympha, Stoll, l. c. p. 16, pl. 6 *b*. f. 21 (1813).	
2. **P. Ægrotus, Gerst.** (*Pœcilocera Æ.*) Arch. Naturg. xxxv. p. 216. n. 54 (1869); Von der Decken, Reisen in Ost-Africa, Ins. p. 35. n. 54 (1873).	S. & E. Africa.
Phymateus Ægrotus, Bol. ll. cc. pp. 462, 465, 497. n. 4 (1873); p. 190. n. 5 (1903), pp. 405, 407. n. 4 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 19. n. 4, pl. 1. f. 2 (1909).	
*3. **P. Hildebrandti, Bol.** ll. cc. p. 462. n. 5, pp. 466, 497. n. 6 (1884); p. 190. n. 8 (1903), pp. 405, 408. n. 5 (1904).	Somali, Zanzibar.
*4. **P. Pulcherrimus, Bol.,** Bol. Soc. Españ. Hist. Nat. iv. pp. 405, 408. n. 6 (1904).	Abyssinia, Somali.
5. **P. Iris, Bol.** Jorn. Sci. Lisb. viii. p. 110. n. 16 (1881); An. Soc. Españ. xiii. pp. 463, 468, 497. n. 8 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 10 (1903), iv. pp. 405, 409. n. 7 (1904).	Angola.
6. **P. Sjœstedti, Bol.** (*P. Sjöstedti*) Bol. Soc. Esp. Hist. Nat. iv. pp. 405, 409. n. 8 (1904).	Natal.

*7. **P. Purpurascens, Karsch,** Stettin. Ent. Zeit. lvii. p. 272. n. 35 (1896); Bol. ll. cc. iii. p. 190. n. 7 (1903), pp. 405, 410. n. 9 (1904).	Abyssinia.
*8. **P. Verrucosus, Stoll,** (*Gryllus Locusta V.*) l. c. p. 9, pl. 2 *b*. f. 6 (1813). *P. Coralliferus, Bol.* l. c. iv. pp. 406, 410. n. 10 (1904).	Cape, Transvaal.
9. **P. Karschi, Bol.** l. c. pp. 406, 411. n. 11 (1904). *P. Morbillosus,* var., *Schaum,* Peters' Reise Mossamb. v. p. 139 (1862).	Mozambique, Cape.
*10. **P. Stollii, Sauss.** Ann. Soc. Ent. France, (4) i. p. 478 (1861). ‖*Gryllus Locusta Squarrosus, Stoll* (*nec Linn.*), l. c. p. 19, pl. 8 *b*. f. 25 (1813). ‖*Poecilocera Squarrosa, Burm.* l. c. p. 622. n. 6 (1838).	E. & W. Africa.
11. **P. Bolivari, Kirb.** (n. n.). ‖*P. Stollii, Bol.* (*nec Sauss.*) An. Soc. Españ. xiii. pp. 462, 466, 497. n. 5 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 412. n. 12 (1904).	S., E., & W. Africa.
12. **P. Violaceus, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 412. n. 13 (1904).	Tanganyika
*13. **P. Cinctus, Fabr.** (*Gryllus C.*) Ent. Syst. ii. p. 50. n. 17 (1793); Coqueb. Icon. Ins. p. 6, pl. 1. f. 4 (1799). *P. Flavus, Bol.* l. c. iii. p. 190. n. 4 (1903), pp. 406, 412. n. 14 (1904).	W. Africa.
14. **P. Brunneri, Bol.** An. Soc. Españ. xiii. pp. 462, 464, 497. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 6 (1903), pp. 406, 412. n. 15 (1904); Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 4 (1907).	Benguela, Congo.
*15. **P. Viridipes, Stål,** Œfv. Vet.-Akad. Forh. xxx. (4) p. 51. n. 1 (1873); Recens. Orth. i. p. 17. n. 2 (1873). *P. Viridipes, Bol.,* Bol. Soc. Esp. Hist. Nat. iv. pp. 406, 413. n. 16 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 19. n. 16, pl. 1. f. 3 (1909).	Caffraria, Tanganyika
16. **P. Madagassus, Karsch,** Ent. Nachr. xiv. p. 357. n. 61 (1888); Bol. l. c. iii. p. 190. n. 11 (1903), iv. p. 414. n. 17 (1904).	Madagascar

17. **P. Grandidieri, Bol.** ll. cc. pp. 190, 191. n. 12 (1903), pp. 414, 415. n. 18 (1904). Madagascar

18. **P. Puniceus, Bol.** l. c. iv. pp. 414, 415. n. 19 (1904). id.

19. **P. Buyssoni, Bol.** ll. cc. iii. pp. 190, 192. n. 13 (1903), iv. pp. 414, 416. n. 20 (1904). id.

P. Buyssoni, var. *Spinosus*, *Bol.* l. c. iv. p. 416. n. 20 (1904).

20. **P. Cardinalis, Bol.** l. c. iv. pp. 414, 416. n. 21 (1904). id.

*21. **P. Saxosus, Coq.** Ann. Soc. Ent. France, (4) i. p. 500, pl. 10. f. 1 (1861); Bol. An. Soc. Españ. xiii. pp. 463, 469, 497. n. 9 (1884); Bol. Soc. Esp. Hist. Nat. iii. p. 190. n. 14 (1903), pp. 414, 418. n. 22 (1904). id.

Genus 432. **Zonocerus.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens. Orth. i. pp. 10, 16 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 457, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 418 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 17, 19 (1909).

*1. **Z. Elegans, Thunb.** (*Gryllus E.*) Mém. Acad. Pétersb. v. p. 226 (1815), ix. pp. 395, 407. n. 26, pl. 14. f. 2 (1824). S. & E. Africa.

Zonocerus Elegans, *Stål*, Recens. Orth. i. p. 17. n. 2 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 33. n. 1 (1876); Bol. ll. cc. pp. 458, 459, 497. n. 2, pl. 3. ff. 19, 19 *a* (1884); p. 418. n. 1 (1904).

Pœkilocerus Roseipennis, *Serv.* Ann. Sci. Nat. xxii. p. 276. n. 3 (1831); Ins. Orth. p. 599. n. 4 (1839).

Pœcilocera Roseipennis, *Burm.* Handb. Ent. ii. p. 623. n. 11 (1838).

Pœcilocera Atriceps, *Gerst.* Arch. Naturg. xxxv. p. 216. n. 56 (1869); Von der Decken, Reisen in Ost-Afrika, Ins. p. 36. n. 56 (1873).

Zonocerus Atriceps, *Bol.* ll. cc. pp. 458, 497. n. 1 (1884); p. 418. n. 1 (1904).

‖*Gryllus Variegatus, Herbst* (*nec Linn.*), Fuessly, Arch. Insect. p. 194. n. 4, pl. 53. f. 3 (1786), *immature.*	
Zonocerus Elegans, var. *Brevipennis, Sauss.* Abhandl. Senckenb. Ges. xxi. p. 643. n. 1 (1899); Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 418 (1904).	
*2. **Z. Variegatus, Linn.** (*Gryllus Locusta V.*) Syst. Nat. (ed. 10) i. p. 432. n. 47 (1758); Mus. Ludov. Ulr. p. 144. n. 35 (1764).	W. & E. Africa.
Z. Variegatus, Stål, Recens. Orth. p. 16. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 458, 460, 497. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 418. n. 2 (1904).	
Acrydium Sanguinolentum, De Geer, Mém. Ins. iii. p. 489. n. 5, pl. 40. f. 9 (1773); Oliv. Encycl. Méth., Ins. vi. p. 227. n. 51 (1791).	
Pœkilocerus Sanguinolentus, Serv. ll. cc. p. 276. n. 1 (1831); p. 598. n. 3 (1839).	
Gryllus Opacus, Thunb. ll. cc. p. 255 (1815); pp. 397, 416. n. 60 (1824).	
Gryllus Lævis, Thunb. l. c. ix. pp. 393, 400. n. 2 (1824).	
3. **Z. Sokotranus, Burr, (*Pœcilocerus S.*) Proc. Zool. Soc. Lond. 1898, p. 384, pl. 30. f. 4; Nat. Hist. Sokotra, p. 419. n. 22 (1903).	Socotra.
4. **Z. Hova, Sauss.** l. c. p. 643. n. 2 (1899).	Madagascar
5. **Z. (?) Rignaudii, Guér.** (*Pœkilocerus R.*) Lefebvre, Voy. Abyssinie, Zool. vi. p. 338, pl. 6. f. 4 (1849).	Abyssinia.

Genus 433. **Petasida.**

White, Eyre, Journ. Exped. Australia, i. p. 432 (1845); Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 432 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 20, 21 (1909).

1. **P. Ephippigera, White, l. c. p. 432, pl. 4. f. 1 (1845); Bol. ll. cc. p. 432 (1904); p. 21. n. 1, pl. 1. f. 4 (1909).	Australia.

Genus 434. **Pœcilocerus.** (*Type* no. 2.)

Pœkilocerus, *Serv.* Ann. Sci. Nat. xxii. p. 275 (1831); Ins. Orth. p. 595 (1839),
Pœcilocera, *Burm.* Handb. Ent. ii. p. 621 (1838).
Pœcilocerus, *Stål*, Œfv. Vet.-Akad. Förh. xxx. (4) p. 51 (1873); Recens. Orth. i. p. 10 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 452, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 432 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 20, 21 (1909).
Dictyophorus, 1ière Div., *Blanch.* Hist. Nat. Ins. iii. p. 38 (1840).

*1. **P. Tessellatus, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 432, 433. n. 1 (1904).	N. India.
*2. **P. Pictus, Fabr.** (*Gryllus P.*) Syst. Ent. p. 289. n. 10 (1775). *Acrydium Pictum*, *Oliv.* Encycl. Méth., Ins. vi. p. 220. n. 21 (1791). *Pœcilocera Picta*, *Burm.* Handb. Ent. ii. p. 624. n. 14 (1838). *Pœkilocerus Pictus*, *Serv.* Ins. Orth. p. 597. n. 2 (1839); Bol. An. Soc. Españ. xiii. pp. 452, 497, pl. 3. f. 18 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 432, 433. n. 2 (1904). *Pœkilocerus Sonneratii*, *Serv.* Ann. Sci. Nat. xxxii. p. 276. n. 2 (1831). *Pœcilocera Sonneratii*, *Burm.* l. c. p. 624. n. 15 (1838). *Dictyophorus Sonneratii*, *Blanch.* l. c. p. 39. n. 2 (1840).	India, Tonkin.
*3. **P. Hieroglyphicus, Klug,** (*Decticus H.*) Symb. Phys. pl. 25. ff. 1, 2 (1832). *Pœkilocerus Hieroglyphicus*, *Serv.* Ins. Orth. p. 596. n. 1 (1839). *Pœcilocera Hieroglyphica*, *Burm.* l. c. p. 623. n. 8 (1838). *Dictyophorus Hieroglyphicus*, *Blanch.* l. c. p. 38. n. 1 (1840). *Pœcilocerus Hieroglyphicus*, *Bol.* l. c. pp. 452, 453, 497. n. 2 (1884); pp. 432, 434. n. 3 (1904). *Pœkilocera Polymita*, *Perch.* Gen. Ins. Orth. pl. 6 (1835).	N.E. Africa.

*4. **P. Vittatus, Klug,** (*Decticus V.*) l. c. pl. 25. ff. 6, 7 (1832). *Pœcilocera Vittata, Burm.* l. c. p. 623. n. 10 (1838). *Pœcilocerus Vittatus, Bol.* l. c. pp. 452, 454, 497. n. 3 (1884); pp. 433, 434. n. 5 (1904).	Arabia, Somali, Aden.
5. **P. Punctiventris, Serv.** (*Pœkilocerus P.*) l. c. p. 601. n. 7 (1839).	Bombay.
*6. **P. Bufonius, Klug,** (*Decticus B.*) l. c. pl. 25. ff. 3–5 (1832). *Pœcilocera Bufonia, Burm.* l. c. p. 623. n. 9 (1838). *Pœkilocerus Bufonius, Serv.* l. c. p. 599. n. 5 (1839). *Dictyophorus Bufonius, Blanch.* l. c. p. 39. n. 3 (1840). *Pœcilocerus Bufonius, Bol.* ll. cc. pp. 452, 454, 497. n. 4 (1884); pp. 433, 435. n. 6 (1904).	Egypt, Syria, Suez, Dead Sea.
*7. **P. Vulcanus, Serv.** (*Pœkilocerus V.*) l. c. p. 600. n. 6 (1839). *Pœcilocerus Vulcanus, Bol.* ll. cc. pp. 452, 455, 497. n. 5 (1884); pp. 433, 435. n. 7 (1904).	Egypt, Sinai.
*8. **P. Calotropidis, Karsch,** Ent. Nachr. xiv. p. 346. n. 52 (1888). *P. Vittatus*, var. *Calotropidis, Bol.*, Bol. Soc. Esp. Hist. Nat. iv. pp. 433, 434 (1904).	Sennaar, Suakim, Arabia.
9. **P. (?) Ornatus, Burm.** (*Pœcilocera Ornata*) l. c. p. 624. n. 16 (1838).	India (?).

Genus 435. **Monistria.** (*Type* no. 4.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 50 (1873); Recens. Orth. i. pp. 10, 16 (1873); Bol. An. Soc. Españ. xiii. pp. 25, 450, 497 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 435 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 20, 22 (1909).

1. **M. Bolivari, Brancs.** Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 251. pl. 9. f. 1 *a* (1895); Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 435, 436. n. 1 (1904).	S. Australia.

2. **M. Pustulifera, Walk. (*Acridium Pustuliferum*) Cat. Derm. Salt. B. M. v. Suppl. p. 62 (1871) ; Finot. Ann. Soc. Ent. France, lxxvi. p. 344 (1907). *M. Pustulifera, Bol.* l. c. pp. 435, 436. n. 2 (1904).	N. & W. Australia.
*3. **M. Conspersa, Stål,** Bihang Svensk. Akad. Handl. iii. (14) p. 25. n. 1 (1875) ; Bol. An. Soc. Esp. xiii. pp. 450, 497. n. 1, pl. 3. ff. 17, 17 *a* (1884) ; Bol. Soc. Esp. Hist. Nat. iv. p. 436. n. 3 (1904).	Australia, Tasmania.
*4. **M. Pustulosa, Stål,** Œfv. Vet.-Akad. Förh. xxx. p. 50. n. 1 (1873) ; Recens. Orth. i. p. 16. n. 1 (1873) ; Bol. ll. cc. pp. 450, 451, 497. n. 2 (1884) ; p. 436. n. 4 (1908).	N. Australia
5. **M. Discrepans, Walk. (*Petasida D.*) l. c. p. 57 (1871). *M. Discrepans, Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 436. n. 5 (1904).	Australia.
*6. **M. Ligata, Bol.** l. c. p. 436. n. 6 (1904).	Sydney.
7. **M. Concinna, Walk. (*Petasida C.*) l. c. p. 57 (1871). *M. Concinna, Bol.* l. c. pp. 436, 437. n. 7 (1904).	Australia(?)

Genus 436. **Chlorizeina.**

Brunn. Ann. Mus. Genova, xxxiii. p. 130 (1893) ; Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 437 (1904) ; Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 23 (1909).

1. **C. Unicolor, Brunn.** l. c. p. 131. n. 1. pl. 5. f. 51 *a*, *b* (1893).	Burma.

Genus 437. **Rubellia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 24 (1875) ; Bol. An. Soc. Españ. xiii. pp. 24, 449, 496 (1884) ; Bol. Soc. Esp. Hist. Nat. iv. p. 437 (1904) ; Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 23 (1909) ; Karsch, Stettin. Ent. Zeit. lvii. p. 271 (1896).

*1. **R. Nigrosignata, Stal,** l. c. p. 25. n. 1 (1875) ; Bol. ll. cc. pp. 449, 496. n. 1,	Madagascar

pl. 3. f. 16 (1884) ; p. 437. n. 1 (1904) ; Sauss. Abh. Senckenb. Ges. xxi. p. 643 (1899).	
2. **R. Brancsiki, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 437. n. 2 (1904).	Madagascar

Genus 438. **Sphenexia.**

Karsch, Stettin. Ent. Zeit. lvii. pp. 269, 271 (1896) ; Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 24 (1909).

1. **S. Fusiformis, Karsch,** l. c. p. 269. n. 33, f. 10 (1896).	E. Africa.

Genus 439. **Stenoscepa.**

Karsch, Stettin. Ent. Zeit. lvii. p. 271 (1896) ; Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 24 (1909).

1. **S. Granulata, Karsch,** (*Cawendia G.*) Ent. Nachr. xiv. p. 344. n. 47 (1888).	Tanganyika

Genus 440. **Cawendia.** (*Type* no. 1.)

Karsch, Ent. Nachr. xiv. p. 343 (1888) ; Stettin. Ent. Zeit. lvii. p. 272 (1896) ; Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 25 (1909).

1. **C. Glabrata, Karsch,** ll. cc. p. 345. n. 48 (1888) ; p. 272 (1896).	Tanganyika
2. **C. Gallæ, Rehn,** Proc. Acad. Nat. Sci. Philad. liii. p. 373 (1901).	Gallaland.

Genus 441. **Humpatella.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. pp. 270, 272 (1896) ; Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 21, 25 (1909).

1. **H. Constricta, Karsch,** l. c. p. 270. n. 34, f. 11 (1896).	E. Africa.
2. **H. Severini, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 438. n. 1 (1904).	Congo.

Genus 442. **Parasphena.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 23. 436, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 439 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 27 (1909).

*1. **P. Pulchripes, Gerst.** (*Sphenarium P.*) Arch. Naturg. xxxv. p. 217. n. 58 (1869); Von der Decken, Reisen Ost-Afrika, Ins. p. 38. n. 58, pl. 2. f. 7 (1873). *P. Pulchripes, Bol.* ll. cc. pp. 436, 496. n. 1 (1884); p. 440. n. 1 (1904); p. 27. n. 1 (1909).	Kilimanjaro, Somali.
2. **P. Carinata, Bol.** Gen. Ins. Orth., Acrid. Pyrg. p. 28. n. 2 (1909).	Erythræa.
*3. **P. Dubia, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 440. n. 2 (1904). ——, var. *Testaceus, Bol.* l. c. p. 441 (1904).	E. Africa.
4. **P. Picta, Bol.** An. Soc. Españ. xiii. pp. 436, 437, 496. n. 2, pl. 2. ff. 10, 10 *a* (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 440, 441. n. 3 (1904).	Massowa.
5. **P. Nigropicta, Bol.** Jorn. Sci. Nat. Lisboa, (2) i. p. 150. n. 114 (1889); Bol. Soc. Esp. Hist. Nat. iv. pp. 440, 441. n. 4 (1904).	Caconda.
6. **P. Picticeps, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 440, 441. n. 5 (1904).	Transvaal.

Genus 443. **Plerisca.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 442 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 28 (1909).

1. **P. Peringueyi, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. p. 442. n. 1 (904).	Cape.

Genus 444. **Protagasta.**

Bol. Mém. Soc. Ent. Belg. xiv. p. 91 (1908); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 28 (1909).

1. **P. Rosea, Bol.** Mém. Soc. Ent. Belg. xiv. p. 92. n. 10 (1908).	Congo.

Genus 445. **Ochrophlegma.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 443 (1904); Gen. Ins. Orth., Acrid. Pyrg. p. 29 (1909).

1. **O. Vittifera, Walk. (*Xiphocera V.*) Cat. Derm. Salt. B. M. v. Suppl. p. 55 (1871). *Ochrophlebia Radiata, Stål,* Recens. Orth. i. p. 14. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 431, 432, 495. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 443. n. 1 (1904).	Natal. Caffraria.
*2. **O. Violacea, Stål,** (*Ochrophlebia V.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 32. n. 1 (1876); Bol. ll. cc. pp. 431, 495. n. 1 (1884); p. 443. n. 2 (1904).	Ovambo, Mashona Land, Mozambique.
3. **O. Pygmæa, Karsch,** (*Ochrophlebia P.*) Ent. Nachr. xiv. p. 342. n. 37 (1888); Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 443. n. 3 (1904).	Delagoa Bay.

Genus 446. **Ochrophlebia.** (*Type* no. 1.)

Stål. Recens. Orth. pp. 10, 14 (1873); Bol. An. Soc. Españ. xiii. pp. 23, 430. 495 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 443 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 29. 30 (1909).

*1. **O. Ligneola, Serv.** (*Pœkilocerus Ligneolus*) Ins. Orth. p. 602. n. 8 (1839). *Ochrophlebia Ligneola, Stål,* l. c. p. 15. n. 2 (1873); Bol. ll. cc. pp. 431, 433, 496. n. 4 (1884); pp. 443, 444. n. 4 (1904).	Cape, Caffraria.
*2. **O. Serpæ, Bol.** ll. cc. pp. 431, 434, 496. n. 5 (1884); p. 443. n. 5 (1904).	Angola, S. Africa.
*3. **O. Caffra, Linn.** (*Gryllus Locusta Cafer*) Mus. Ludov. Ulric. p. 148. n. 38 (1764). *O. Cafra, Stål,* l. c. p. 15. n. 3 (1873). *O. Caffra, Bol.* ll. cc. pp. 431, 435, 496. n. 7 (1884); p. 443. n. 7, p. 444. n. 5 (1904).	S. Africa.

Gryllus Ornatus, *Thunb.* Mém. Acad. Pétersb. v. p. 228 (1815), ix. pp. 391, 405. n. 19 (1824).

Gryllus Locusta Pennicornis, *Stoll*, Spectres. Saut. p. 29, pl. 13 *b*. f. 50 (1813).

Pœcilocerus Pennicornis, *Burm.* Handb. Ent. ii. p. 624. n. 12 (1838).

O. Pennicornis, *Bol.* An. Soc. Españ. xiii. pp. 431, 434, 496. n. 6 (1884).

***Xiphocera Interrupta*, *Walk.* Cat. Derm. Salt. B. M. v. Suppl. p. 54 (1871).

4\. **O. Proxima, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 443, 444. n. 6 (1904). — Transvaal.

5\. **O. Prasina, Karsch,** Ent. Nachr. xiv. p. 342. n. 36 (1888); Bol. l. c. pp. 443, 445. n. 8 (1904). — Delagoa Bay, Cape.

Genus 447. **Laufferia.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 445 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 26, 30 (1909).

1\. **L. Chloronota, Bol.** (*Ochrophlebia Chloronota*) Jorn. Sci. Lisb. (2) i. p. 111. n. 111 (1889). — Angola.

L. Chloronota, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. pp. 445, 446 (1904).

Genus 448. **Tanita.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat iv. p. 446 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 30 (1909).

1\. **T. Breviceps, Bol.** (*Pyrgomorpha B.*) Jorn. Sci. Lisb. viii. p. 109. n. 10 (1881); An. Soc. Españ. xiii. pp. 423, 429, 495. n. 10 (1884). — Angola.

Ochrophlebia Breviceps, *Bol.* Jorn. Sci. Lisb. (2) i. p. 110. n. 108 (1889).

T. Breviceps, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 446. n. 1 (1904).

2\. **T. Subcylindrica, Bol.** (*Ochrophlebia S.*) Jorn. Sci. Lisb. viii. p. 109. n. 12 (1881); An. Soc. Españ. xiii. pp. 431, 433, 495. n. 3 (1884). — id.

T. Subcylindrica, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. pp. 446, 447. n. 2 (1904).

3. **T. Scabrosa, Bol.** (*Ochrophlebia S.*) Jorn. Sci. Lisb. (2) i. p. 112. n. 112 (1889). — Angola.
   T. Scabrosa, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 446. n. 3 (1904).
4. **T. Longiceps, Bol.** l. c. pp. 446, 447. n. 4 (1904). — E. Africa.
5. **T. Linea-alba, Bol.** (*Pyrgomorpha L.*) Jorn. Sci. Lisb. (2) i. p. 109. n. 107 (1889). — Angola.
   T. Linea-alba, *Bol.*, Bol. Soc. Esp. Hist. Nat. iv. p. 446. n. 5 (1904).
6. **T. Picturata, Karsch,** (*Pyrgomorpha P.*) Ent. Nachr. xiv. p. 340. n. 32 (1888). — San Salvador.
   T. Picturata, *Bol.* l. c. pp. 446, 448. n. 6 (1904).
7. **T. Loosi, Bol.** l. c. pp. 447, 449. n. 7 (1904). — Congo.
8. **T. Sanderi, Krauss,** (*Pyrgomorpha S.*) Verh. zool.-bot. Ges. Wien, li. p. 287. n. 13 (1901). — S.W. Africa.
   T. Sanderi, *Bol.* l. c. pp. 447, 449. n. 8 (1904).
9. **T. Ferrierei, Bol.** l. c. pp. 447, 450. n. 9 (1904). — French Congo.
10. **T. Purpurea, Bol.** ll. cc. n. 10 (1904). — Transvaal.

Genus 449. **Pyrgomorpha.** (*Type* no. 6.)

Serv. Ins. Orth. p. 583 (1839); Fisch. Orth. Eur. p. 303 (1853); Fieb. Lotos, iii. p. 97 (1853), iv. p. 177 (1854); Syn. Eur. Orth. p. 8 (1854); Stål, Recens. Orth. i. p. 10 (1873); Bol. Ortópt. Españ. p. 77 (1876); An. Soc. Españ. v. p. 283 (1876), xiii. pp. 23, 422, 495 (1884); Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 26 (1898); Bol. Soc. Esp. Hist. Nat. iv. p. 451 (1904); Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 31 (1909); Brunn. Prodr. Eur. Orth. pp. 85, 185 (1882); Finot, Orth. France, pp. 44, 77 (1883); Faune France, Orth. pp. 102, 158 (1889); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 171, 198, 290 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 199, 202 (1906).

1. **P. Angolensis, Bol.** Jorn. Sci. Lisb. (2) i. p. 108. n. 106 (1889); Bol. Soc. Esp. Hist. Nat. iv. pp. 451, 452. n. 1 (1904). — Angola.

*2. **P. Inæqualipennis, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 451, 452. n. 2 (1904).	Hab. —— ?
*3. **P. Granulata, Stål,** Bihang Svensk. Akad. Handl. iii. (14) p. 26. n. 1 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 32. n. 1 (1876); Krauss, Sitz. Akad. Wiss. Wien, lxxvi. (1) p. 59. n. 2 (1877); Bol. An. Soc. Españ. xiii. pp. 423, 426, 495. n. 6 (1884); Bol. Soc. Esp. Hist. Nat. iv. pp. 451, 453. n. 3 (1904).	S., W., & E. Africa.
4. **P. Dispar, Bol.** ll. cc. pp. 423, 425, 495. n. 5 (1884); p. 451. n. 4 (1904); Brun. l. c. p. 202. n. 1 (1906).	Mexico.
5. **P. Cylindrica, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 453. n. 5 (1904).	Angola.
*6. **P. Conica, Oliv.** (*Acrydium Conicum*) Encycl. Méth., Ins. vi. p. 230. n. 64 (1791). *P. Conica, Jacobs. & Bianchi,* l. c. pp. 198, 291. f. 30 (1902); Bol. l. c. pp. 452, 454. n. 6 (1904). *Truxalis Grylloides, Latr.* Hist. Nat. Crust. Ins. xii. p. 148. n. 3 (1804); Charp. Hor. Ent. p. 130 (1825); Burm. Handb. Ent. ii. p. 608. n. 6 (1838). *P. Grylloides, Fieb.* ll. cc. p. 97. n. 1 (1853), p. 177. n. 1 (1854); p. 8. n. 1 (1854); Bol. An. Soc. Esp. xiii. pp. 423, 428, 495. n. 9 (1884); Ann. Sci. Nat. Porto, v. p. 26. n. 1 (1898); Brunn. l. c. p. 185. n. 1 (1882); Finot, ll. cc. p. 77 (1883); p. 158, pl. 8. f. 111 (1889). *Truxalis Rosea, Charp.* Hor. Ent. p. 128, pl. 3. f. 8 (1825); Burm. l. c. p. 608. n. 5 (1838); Ramb. Faun. Andal. ii. p. 75. n. 2 (1838); Serv. l. c. p. 584. n. 6 (1839). *Pyrgomorpha Rosea, Fisch.* l. c. p. 304. n. 1, pl. 15. f. 5 (1853); Bol. Ortópt. Españ. p. 77. n. 1, pl. 2. ff. 2, 3 (1876); An. Soc. Españ. v. p. 283. n. 1, pl. 11. ff. 2, 3 (1876). *Truxalis Linearis, Charp.* l. c. p. 129, pl. 3. f. 2 (1825); Burm. l. c. p. 609. n. 7 (1838). *Truxalis Rhodoptila, Herr.-Schäff.* Panz. Faun. Ins. Germ. fasc. 157, pl. 16 (1838). ? *Opomala Cingulata, Walk.* Cat. Derm. Salt. B. M. iii. p. 517. n. 11 (1870).	S. Europe, N. & W. Africa, W. Asia.

P. Conica, var. *Guentheri*. *Burr.* Journ. Linn. Soc. Lond., Zool. xxvii. p. 417 (1899) ; Jacobs. & Bianchi, l. c. p. 291 (1902) ; Bol., Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 454. n. 6 (1904).

7. **P. Bispinosa, Walk. l. c. iii. p. 499. n. 8 (1870). S. India.

P. Indica, Bol. Ann. Soc. Ent. France, lxx. p. 606 (1902) ; Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 8 (1904).

8. **P. Cognata, Krauss,** Sitz. Akad. Wiss. Wien, lxxvi. (1) p. 58. n. 1 (1877) ; Bol. An. Soc. Españ. xiii. pp. 423, 427, 495. n. 8 (1884) ; Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 454. n. 7 (1904). Senegal.

9. **P. Cypria, Bol.** Bull. Soc. Ent. France, 1901, p. 190. n. 16 ; Bol. Soc. Esp. Hist. Nat. iv. p. 452. n 9 (1904) ; Jacobs. & Bianchi, l. c. pp. 198, 290 (1902). Cyprus.

10. **P. Agarena, Bol.** Actas Soc. Españ. xxiii. p. 86 (1894) ; Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 10 (1904). Larache.

11. **P. Maruxina, Bol.,** Bol. Soc. Esp. Hist. Nat. viii. p. 326 (1908). Mogador.

12. **P. Candidina, Bol.** l. c. p. 327 (1908). id.

13. **P. Procera, Bol.** l. c. p. 328 (1908). Morocco.

14. **P. Acutegeniculata, Bol.** l. c. (1908). id.

15. **P. Rosacea, Walk. Cat. Derm. Salt. B M. v. Suppl. p. 50 (1871). Natal.

16. **P. Capensis, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 455. n. 11 (1904). Cape.

17. **P. Tricarinata, Bol.** An. Soc. Españ. xiii. pp. 422, 424, 495. n. 2 (1884) ; Bol. Soc. Esp. Hist. Nat. iv. p. 452. n. 12 (1904). Brazil.

18. **P. Brevipennis, Bol.,** Bol. Soc. Esp. Hist. Nat. iv. pp. 452, 456. n. 13 (1904). Aleppo.

P. Brachyptera, Bol. (*nec De Haan*) An. Soc. Españ. xiii. pp. 423, 427, 495. n. 7 (1884) ; Jacobs. & Bianchi, l. c. pp. 198, 291 (1902).

Genus 450. **Zarytes.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 456 (1904) ; Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 32 (1909).

1. **Z. Squalina, Bol.** (*Pyrgomorpha S.*) An. Soc. Españ. xiii. pp. 422, 423, 495. n. 1 (1884). India

Genus 451. **Leptea.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 457 (1904);
Gen. Ins. Orth., Acrid. Pyrg. p. 33 (1909).

1. **P. Debilis, Finot,** Bull. Soc. Ent. France, Algeria.
lxiii. p. xii. n. 2 (1894).
Pyrgomorphella Debilis, Bol., Bol. Soc. Esp.
Hist. Nat. iv. p. 457. n. 1 (1904).

Genus 452. **Pyrgomorphella.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 457 (1904);
Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 33 (1909).

1. **P. Sphenarioides, Bol.,** Bol. Soc. Esp. Abyssinia.
Hist. Nat. iv. pp. 457, 458. n. 2 (1904).
2. **P. Madecassa, Bol.** ll. cc. n. 3 (1904). Madagascar
3. **P. Carinata, Bol.** l. c. pp. 457, 459. n. 4 Transvaal.
(1904).
4. **P. Granosa, Stål,** (*Pyrgomorpha G.*) Beyrout.
Bihang Svensk. Akad. Handl. iv. (5)
p. 35 (1876); Bol. An. Soc. Españ. xiii.
pp. 422, 424, 495. n. 3 (1884); Jacobs.
& Bianchi, l. c. pp. 198, 290 (1902).
Pyrgomorphella Granosa, Bol., Bol. Soc.
Esp. Hist. Nat. iv. p. 457. n. 5 (1904).
5. **P. Serbica, Brunn.** (*Pyrgomorpha S.*) Servia.
Prodr. Eur. Orth. pp. 185, 186. n. 2, pl. 6.
f. 44 A–C (1882); Bol. An. Soc. Españ.
xiii. pp. 422, 425, 495. n. 4 (1884);
Jacobs. & Bianchi, l. c. pp. 198, 290 (1902).
P. Serbica, Bol., Bol. Soc. Esp. Hist. Nat.
iv. p. 457. n. 6 (1904).

Genus 453. **Anarchita.**

Bol., Bol. Soc. Esp. Hist. Nat. iv. p. 459 (1904);
Gen. Ins. Orth., Acrid. Pyrg. pp. 27, 33 (1909).

1. **A. Aptera, Bol.** (*Pyrgomorpha A.*) Ann. Madura.
Soc. Ent. France, lxx. p. 607 (1902).

Genus 454. **Stenoxyphus.** (*Type* no. 1.)

Blanch. Voy. Pôle Sud. iv. (2) p. 369 (1853); Bol. An. Soc. Españ. xiii. pp. 22, 56, 494 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 105 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 35 (1909).

1. **S. Variegatus, Blanch.** l. c. p. 370 (1853); Bol. ll. cc. pp. 56, 494. n. 1 (1884); p. 105. n. 1 (1905); p. 35. n. 1 (1909). — N. Guinea.
   Xiphicera Variegata, Blanch. l. c. Ins. Orth. pl. 3. f. 7 (1853).
2. **S. Aurantiacus, Karsch,** (*Pyrgomorpha Aurantiaca*) Ent. Nachr. xxii. p. 345 (1896). — id.
   S. Aurantiacus, Brancs. Jahresh. Ver. Trencs. Com. xix.–xx. p. 74, pl. 3. f. 16 *a–c* (1897); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 106. n. 2 (1905).

Genus 455. **Desmoptera.** (*Type* no. 3.)

Bol. An. Soc. Españ. xiii. pp. 57, 494 (1884); Ann. Mus. Genova, xxxix. p. 83 (1898); Bol. Soc. Esp. Hist. Nat. v. p. 107 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 35 (1909); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 233 (1898).

1. **D. Novæ-Guineæ, De Haan,** (*Acridium* (*Pyrgomorpha*) *N.*) Temminck, Verhandel., Orth. pp. 149, 150. n. 5, pl. 23. f. 4 (1842). — N. Guinea.
   D. Novæ-Guineæ, Bol. An. Soc. Esp. xiii. pp. 57, 494. n. 1 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 107, 108. n. 1 (1905); Brunn. l. c. p. 233. n. 1 (1898).
2. **D. Moluc[c]ensis, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 107, 108. n. 2 (1905). — Obi.
3. **D. Judicata, Bol.** An. Soc. Españ. xiii. pp. 57, 58, 494. n. 2, pl. 1. f. 5 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 107, 109. n. 3 (1905); Brunn. l. c. p. 233. n. 2 (1898). — Gilolo.

4. **D. Degenerata, Brunn.** l. c. n. 3 (1898); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 107. n. 4 (1905). Celebes, Ké.
5. **D. Haani, Bol.** Ann. Mus. Genova, xxxix. p. 84. n. 34 (1898); Bol. Soc. Esp. Hist. Nat. v. p. 107. n. 5 (1905). N. Guinea.
6. **D. Marginata, Bol.** ll. cc. p. 84. n. 35 (1898); p. 107. n. 6 (1905). id.
7. **D. Prasina, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 107, 109. n. 7 (1905). Bismarck Archipel.
8. **D. Biroi, Bol.** l. c. pp. 108, 109. n. 8 (1905). N. Guinea.
9. **D. Explicata, Karsch,** (*Pyrgomorpha E.*) Ent. Nachr. xiv. p. 341. n. 33 (1888); Bol. l. c. pp. 108, 110. n. 9 (1905). id.
10. **D. Media, Bol.** Ann. Mus. Genova, xxxix. p. 85. n. 36 (1898); Bol. Soc. Esp. Hist. Nat. v. p. 108. n. 10 (1905); Karsch, Denkschr. Med.-nat. Ges. Jena, viii. p. 759 (1903). id.

Genus 456. **Arbuscula.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 110 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 34, 36 (1909).

1. **A. Cambodjiana, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 111 (1905). Cambodia.

Genus 457. **Annandalea.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 111 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 37 (1909).

1. **A. Robinsoni, Bol.** ll. cc. n. 1 (1905); p. 37. n. 2 (1909). Malay Peninsula.
2. **A. Hæmatoptera, De Haan,** (*Acridium* (*Pyrgomorpha*) *Hæmatopterum*) Temminck, Verhandel., Orth. p. 149. n. 4, pl. 23. f. 5 (1842). Java.
   Mestra Hæmatoptera, Bol. An. Soc. Españ. xiii. pp. 72, 495. n. 3 (1884).

Genus 458. **Tagasta.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 112 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 37 (1909).

||*Mestra. Stål (nec Hübn.)*, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 52 (1877); Bol. An. Soc. Españ. xiii. pp. 23, 70, 495 (1884).

1. **T. Hoplosterna, Stål,** (*Mestra H.*) l. c. p. 52. n. 1 (1877); Bol. l. c. pp. 70, 71, 495. n. 1, pl. 1. ff. 9, 9 *a* (1884); Karsch, Ent. Nachr. xiv. p. 334. n. 26 (1888). Philippines.
   T. Hoplosterna, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 1 (1905).
2. **T. Celebesica, Karsch,** (*Mestra C.*) l. c. p. 334. n. 28 (1888). Celebes.
   T. Celebesica, Bol. l. c. pp. 112, 113. n. 2 (1905).

3. **T. Inornata, Walk. (*Opomala I.*) Cat. Derm. Salt. B. M. iii. p. 514. n. 34 (1870). Philippines.

4. **T. Anoplosterna, Stål,** (*Mestra A.*) l. c. p. 52. n. 2 (1877); Bol. An. Soc. Españ. xiii. pp. 70, 71, 495 (1884). id.
   T. Anoplosterna, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 112. n. 3 (1905).
5. **T. Notata, Brunn.** (*Mestra N.*) Ann. Mus. Genova, xxxiii. p. 130. n. 1, pl. 5. f. 50 (1893). Burma.
   T. Notata, Bol. l. c. p. 112. n. 4 (1905).
6. **T. Concolor, Karsch,** (*Mestra C.*) l. c. p. 335. n. 29 (1888). Salanga.
   T. Concolor, Bol. l. c. p. 112. n. 5 (1905).

*7. **T. Marginella, Thunb.** (*Truxalis Marginellus*) Mém. Acad. Pétersb. v. p. 265 (1815); Act. Soc. Upsal. ix. pp. 79, 86. n. 18 (1827). Java.
   Atractomorpha Marginella, Stål, Recens. Orth. i. p. 13. n. 2 (1873).
   Mestra Marginella, Bol. An. Soc. Españ. xiii. pp. 71, 72, 495. n. 4 (1884).
   T. Marginella, Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 6 (1905).
   Acridium (Pyrgomorpha) Chloropum, De Haan, Temminck, Verhandel., Orth. p. 149. n. 3, pl. 23. f. 3 (1842).

8. **T. Indica, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 112, 113. n. 7 (1905). * *T. Indica*, var. *Tonkinensis*, *Bol.* l. c. pp. 113, 114 (1905).	India. Tonkin.
9. **T. Insularis, Bol.** ll. cc. n. 8 (1905).	Lombok.

(Genus 459. **Atractomorpha.** (*Type* no. 3.)

Sauss. Ann. Soc. Ent. France, (4) i. p. 474 (1861); Stal, Recens. Orth. i. p. 10 (1873); Bol. An. Soc. Españ. xiii. pp. 23, 63, 495 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 196 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 39 (1909); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 171, 198, 289 (1902).

Perena, *Walk.* Cat. Derm. Salt. B. M. iii. p. 506 (1870), v. Suppl. p. 50 (1871). (*Type* no. 26.)

1. **A. Rufopunctata, Bol.** Bull. Soc. Ent. France, lxiii. p. clxi. n. 8 (1894); Bol. Soc. Esp. Hist. Nat. v. pp. 197, 200. n. 1 (1905). *A. Rufopunctata*, var. *Ashantica*, *Bol.*, Bol. Soc. Esp. Hist. Nat. v. pp. 197, 200 (1905).	Togo, Congo, Ashanti.
*2. **A. Aberrans, Karsch,** Ent. Nachr. xiv. p. 333. n. 25 (1888); Bol. l. c. pp. 197, 200. n. 2 (1905).	Cameroons.
*3. **A. Crenulata, Fabr.** (*Truxalis Crenulatus*) Ent. Syst. ii. p. 28. n. 6 (1793); Thunb. Mém. Acad. Pétersb. v. p. 265 (1815). *Pyrgomorpha Crenulata*, *Walk.* l. c. p. 497. n. 2 (1870). *A. Crenulata*, *Sauss.* l. c. p. 475. n. 4 (1861); Stal, l. c. p. 12. n. 1 (1873); Bol. An. Soc. Españ. xiii. pp. 64, 495. n. 1 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 197, 201. n. 3 (1905); Jacobs. & Bianchi, l. c. pp. 198, 289 (1902). *Truxalis Crenatus*, *Thunb.* Act. Soc. Upsal. ix. pp. 79, 86. n. 17 (1827). *Truxalis Brevicornis*, *Thunb.* (*nec Fabr.*) Mém. Acad. Pétersb. v. p. 264 (1815); Act. Soc. Upsal. ix. pp. 78, 84. n. 13 (1827). *A. Crenulata*, var. *Fumosa*, *Bol.*, Bol. Soc. Esp. Hist. Nat. v. pp. 197, 201 (1905). *A. Crenulata*, var. *Prasina*, *Bol.* ll. cc. (1905).	India, Ceylon, Siam, Java, Malay Peninsula, Africa (eadem ?).

Acridium (*Pyrgomorpha*) *Crenulatum*, *De Haan*, Temminck. Verhandel., Orth. p. 149. n. 1 (1842).

Acridium Psittacinum, *De Haan*, (*nec* p. 146) l. c. pl. 23. f. 1 (1842).

*4. **A. Scaber, Thunb.** (*Truxalis S.*) ll. cc. p. 266 (1815); pp. 78, 81. n. 6 (1827). — Ceylon.

Truxalis Porrecta, *Walk.* Ann. Nat. Hist. (3) iv. p. 222 (1859).

5. **A. Sinuata, Bol.** l. c. pp. 197, 202. n. 4 (1905). — Java (?).

6. **A. Lanceolata, Bol.** ll. cc. n. 5 (1905). — Padang.

7. **A. Burri, Bol.** l. c. pp. 197, 203. n. 6 (1905). — Khasia Hills.

8. **A. Consobrina, Sauss.** l. c. p. 175. n. 5 (1861); Bol. An. Soc. Españ. xiii. pp. 64, 65. 495. n. 2 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 197, 204. n. 7 (1905). — Ceylon, Sumatra.

*9. **A. Himalayica, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 198, 204. n. 8 (1905). — Yergand, Sikkim.

10. **A. Sinensis, Bol.** l. c. pp. 198, 205. n. 9 (1905). — China.

11. **A. Blanchardi, Bol.** l. c. pp. 198, 206. n. 10 (1905). — Sind, Karachi.

12. **A. Angusta, Karsch,** l. c. p. 333. n. 24 (1888); Bol. l. c. pp. 198, 207. n. 11 (1905). — Java, Mou-Pin (eadem ?).

13. **A. Infumata, Bol.** l. c. pp. 198, 207. n. 12 (1905). — Sumatra.

*14. **A. Gerstaeckeri, Bol.** An. Soc. Españ. xiii. pp. 64, 66. n. 4 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 198, 208. n. 13 (1905). — W., E., & S. Africa.

|| *Truxalis Crenulatus*, *Beauv.* (*nec Fabr.*) Ins. Afr. Amér. p. 79, Orth. pl. 3. f. 1*a*, *b* (1805).

|| *Pyrgomorpha Crenulata*, *Gerst.* (*nec Fabr.*) Arch. Naturg. xxxv. (1) p. 216. n. 51 (1869); Von der Decken's Reisen Ost-Afrika, Ins. p. 34. n. 51 (1869).

*15. **A. Aurivillii, Bol.** ll. cc. pp. 64, 67. n. 5. pl. 1. f. 8 (1884); pp. 198, 208, n. 14 (1905). — S. & E. Africa.

|| *Truxalis Crenulata*, *Burm.* (*nec Fabr.*) Handb. Ent. ii. p. 609. n. 8 (1838).

*16. **A. Acutipennis, Guér.** (*Truxalis* (*Pyrgomorpha*) *A.*) Icon. R. Anim. p. 340 (1844). — Madagascar

A. Hora, Sauss. Abhandl. Senckenb. Ges. xxi. p. 640. n. 1 (1899) ; Bol., Bol. Soc. Esp. Hist. Nat. v. pp. 198, 208. n. 15 (1905).	
17. **A. Ambigua, Bol.** l. c. pp. 198, 209. n. 16 (1905). ‖*A. Aurivilliusi, Jacobs. & Bianchi* (*nec Aurivillii, Bol.*), l. c. pp. 198, 289 (1902).	China.
18. **A. Australiana, Bol.** l. c. pp. 198, 209. n. 17 (1905).	Rockhampton.
19. **A. Dentifrons, Bol.** l. c. pp. 199, 210. n. 18 (1905).	Ceram.
20. **A. Rhodoptera, Karsch,** l. c. p. 332. n. 23 (1888) ; Bol. l. c. pp. 199, 211. n. 19 (1905).	Java.
*21. **A. Crenaticeps, Blanch.** (*Truxalis C.*) Voy. Pôle Sud, Zool. Atlas, Orth. pl. 3. ff. 4, 5 (1853). *Pyrgomorpha Crenaticeps, Blanch.* l. c. texte iv. (2) p. 368 (1853). *A. Crenaticeps, Bol.* An. Soc. Españ. xiii. pp. 64, 65, 495. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 199, 211. n. 20 (1905) ; Frogg. Agric. Gazette N. S. Wales. xv. p. 240. plate f. 4 (1904).	N. Guinea, Australia.
22. **A. Diminuta, Walk. (*Tryxalis D.*) Cat. Derm. Salt. B. M. v. Suppl. p. 50 (1871). (?) ‖*A. Gerstaeckeri, Jacobs. & Bianchi* (*nec Bol.*), l. c. pp. 198, 289 (1902). *A. Similis, Bol.* ll. cc. pp. 64, 68, 495. n. 6 (1884) ; pp. 199, 211. n. 21 (1905).	China, Formosa, Aru, Ké I., Moluccas.
23. **A. Bedeli, Bol.** ll. cc. pp. 64, 69, 495. n. 8 (1884) ; pp. 199, 212. n. 22 (1905) ; Jacobs. & Bianchi, l. c. pp. 198, 289 (1902).	Japan, China.
24. **A. Philippina, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 199, 212. n. 23 (1905).	Philippines.
25. **A. Dohrni, Bol.** l. c. pp. 199, 212. n. 24 (1905).	N. Borneo.
*26. **A. Psittacina, DeHaan,** (*Acridium*) *Truxalis*) *Psittacinum*) l. c. p. 146 (1842). ‖*Acridium Crenulatum, DeHaan* (*nec* p. 149; *nec Fabr.*), l. c. pl. 23. f. 2 (1842). *A. Psittacina, Bol.* An. Soc. Españ. xiii. pp. 64, 68, 495. n. 7 (1884) ; Bol. Soc. Esp. Hist. Nat. v. pp. 199, 213. n. 25 (1905) ; Jacobs. & Bianchi, l. c. pp. 198, 290 (1902).	id., Java. Siam, Philippines, Japan, Tondano.

***Pyrgomorpha Parabolica, Walk.* l. c. iii. p. 498. n. 6 (1870).

***Pyrgomorpha Contracta, Walk.* l. c. p. 499. n. 7 (1870).

***Perena Concolor, Walk.* l. c. p. 506. n. 1 (1870).

27. **A. Australis, Rehn,** Bull. Amer. Mus. xxiii. p. 449 (1907). — N. S. Wales.

28. **A. (?) Oceanica, Montr.** (*Truxalis Oceanicus*) Ann. Soc. Agric. Lyon. vii. p. 90 (1855). — Woodlark I.

29. **A. (?) Sylvatica, Montr.** (*Truxalis Sylvaticus*) l. c. (1855). — id.

Genus 460. **Algete.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 213 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 40 (1909).

1. **A. Brunneri, Bol.** ll. cc. p. 214 (1905): p. 41. n. 1 (1909). — Pernambuco.

Genus 461. **Omura.**

Walk. Cat. Derm. Salt. B. M. iii. p. 503 (1870); Bol. An. Soc. Esp. Hist. Nat. v. p. 215 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 41 (1909).

Protomachus, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 53 (1876); Bol. An. Soc. Españ. xiii. pp. 23, 60. 494 (1884).

1. **O. Congrua, Walk. l. c. p. 504. n. 1 (1870); Bol. Gen. Ins. Orth., Acrid. Pyrg. p. 41. n. 1, pl. 1. ff. 5, 5*a* (1909). — Pará, Upper Amaz., Peru, Archidona.

Protomachus Depressus, Stål, l. c. p. 54. n. 1 (1876); Bol. An. Soc. Españ. xiii. pp. 61, 494. n. 1, pl. 1. f. 7 (1884).

Genus 462. **Minorissa.**

Walk. Cat. Derm. Salt. B. M. iii. p. 503 (1870): Bol., Bol. Soc. Esp. Hist. Nat. v. p. 215 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 41 (1909).

Phymaptera, Bol. An. Soc. Españ. xiii. pp. 23. 62, 495 (1884).

1. **M. Pustulata, Walk. l. c. p. 503. n. 1 (1870); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 215 (1905). — Colombia, Venezuela.

Phymaptera Jucunda, Bol. An. Soc. Españ. xiii. pp. 62, 495. n. 1 (1884); Karsch. Ent. Nachr. xiv. p. 331. n. 17 (1888).

Genus 463. **Deraspiella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 216 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 42 (1909).
Deraspis, Bol. (nec Blanch.) An. Soc. Españ. xiii. pp. 23, 61, 494 (1884).

1. **D. Volxemi, Bol.** (*Deraspis* V.) l. c. pp. 62, 494. n. 1, pl. 1. f. 6 (1884). Brazil (?).

Genus 464. **Buyssoniella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 216 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 42 (1909).

1. **B. Madecassa, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 216. n. 1 (1905). Nossi-Bé.

Genus 465. **Schulthessia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 217 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 43 (1909).

1. **S. Biplagiata, Bol.** ll. cc. p. 217. n. 1 (1905); p. 43. n. 1, pl. 1. f. 6 (1909). Madagascar

Genus 466. **Uhagonia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 214 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 39, 43 (1909).

1. **U. Sphenarioides, Bol.** ll. cc. p. 215. n. 1 (1905); p. 44. n. 1 (1909). Madagascar

Genus 467. **Ichthyotettix.**

Rehn, Canad. Ent. xxxiii. p. 271 (1901); Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 45 (1909).
Ichthiotettix, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 278 (1905).
Ichthydion, Sauss. (nec Dejean) Rev. Zool. (2) xi. p. 390 (1859); Thomas, Syn. Acrid. N. Amer. p. 198 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 199, 202 (1906).
Ichthidion, Bol. An. Soc. Españ. xiii. pp. 24, 140, 496 (1884).

1. **I. Mexicanum, Sauss.** (*Ichthydion M.*) l. c. p. 390 (1859); Thomas, l. c. p. 198 (1873); Brun. l. c. p. 202. n. 1, pl. 4. ff. 22, 22 *a* (1906). Mexico.
Ichthidion Mexicanum, Bol. l. c. pp. 440, 496. n. 1, pl. 2. ff. 13, 13 *a* (1884).

Genus 468. **Orthacris.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 24, 439, 496 (1884); Ann. Soc. Ent. France, lxx. p. 608 (1902); Bol. Soc. Esp. Hist. Nat. v. p. 278 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 45 (1909).

O. Filiformis, Bol. An. Soc. Españ. xiii. pp. 439, 496. n. 1, pl. 2. ff. 11, 11 *a–c* (1884); Ann. Soc. Ent. France, lxx. p. 608 (1902). Ceylon.
2. **O. Maindroni, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 278 (1905). Coromandel.
3. **O. Ruficornis, Bol.** Ann. Soc. Ent. France, lxx. p. 608 (1902). Kodaikanal.
4. **O. Elegans, Bol.** l. c. pp. 608, 609 (1902). id.
5. **O. Simulans, Bol.** l. c. pp. 608, 611 (1902). Madura.
6. **O. Acuticeps, Bol.** l. c. pp. 608, 610 (1902). id.

Genus 469. **Dyscolorhinus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 640 (1889).
Discolorhinus, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 280 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 46 (1909).

1. **D. Squalinus, Sauss.** l. c. p. 641. n. 1. pl. 38. f. 38 (1899); Bol. ll. cc. p. 280 (1905); p. 46. n. 1 (1909). Madagascar

Genus 470. **Sphenacris.** (*Type* no. 1.)

Bol. An. Soc. Españ. xiii. pp. 24, 441, 496 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 279 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 44, 46 (1909).

1. **S. Crassicornis, Bol.** An. Soc. Españ. xiii. pp. 441, 496. n. 1 (1884). Hab. —— ?
2. **S. Granulatus, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 279 (1905). New Caledonia.

Genus 471. **Caprorhinus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 641 (1899); Bol., Bol. Soc. Esp. Hist. Nat. p. 280 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 47 (1909).

1. **C. Fusiformis, Sauss.** l. c. p. 642. n. 1 (1899).	Madagascar

Genus 472. **Calamacris.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 529 (1904); Brun. Biol. Centr.-Amer., Orth. ii. p. 200 (1906); Bol. Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 47 (1909).

1. **C. Clendoni, Rehn,** l. c. p. 529 (1904); Brun. l. c. pp. 200, 201. n. 1 (1906).	Mexico.
2. **C. Californica, Brun.** l. c. pp. 200, 201. n. 2 (1906).	Lower California.
Atyphoscirtus Californicus, Brun. l. c. pl. 4. ff. 24, 25, 25*a* (1906).	
3. **C. Mexicana, Brun.** l. c. pp. 200, 201. n. 3 (1906).	id.
Atyphoscirtus Mexicanus, Brun. l. c. pl. 4. f. 26 (1906).	
4. **C. Palmeri, Brun.** l. c. pp. 200, 202. n. 4 (1906).	id.
5. **C. Oculata, Brun.** ll. cc. n. 5 (1906).	Arizona.

Genus 473. **Ichthiacris.** (*Type* no. 2.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 287 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 48 (1909).
Ichthyacris, Bol. Gen. Ins. Orth., Acrid. Pyrg. p. 45 (1909).

1. **I. Costulata, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 287, 288. n. 1 (1905).	Lower California.
2. **I. Rehni, Bol.** ll. cc. n. 2 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 48. n. 2, pl. 1. f. 7 (1909).	id.
3. **I. Californica, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 287, 289. n. 3 (1905).	id.

Genus 474. **Nerenia.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 280 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 49 (1909).

1. **N. Francoisi, Bol.** ll. cc. p. 281 (1905); p. 49. n. 1, pl. 1. f. 8 (1909). Madagascar

Genus 475. **Verdulia.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 281 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 45, 49 (1909).

1. **V. Cycloidea, De Haan,** (*Acridium (Pyrgomorpha) Cycloideum*) Temminck, Verhandel., Orth. p. 149. n. 6 (1842). N. Guinea.
   V. Cycloidea, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 282. n. 1 (1905).
   Acridium (Pyrgomorpha) Brachypterum, De Haan, l. c. p. 150 (1842).
   Acridium Brachypterum, De Haan, l. c. pl. 21. f. 1 (1842).
2. **V. Dohrni, Bol.** l. c. pp. 282, 283. n. 2 (1905). Sumatra.
3. **V. Olivacea, Bol.** l. c. pp. 282, 284. n. 3 (1905). id.

Genus 476. **Geloius.** (*Type* no. 2.)

Sauss. Abhandl. Senckenb. Ges. xxi. p. 637 (1899); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 284 (1905); Gen. Ins. Orth., Acrid. Pyrg. p. 50 (1909).

1. **G. Finoti, Bol.** ll. cc. pp. 284, 285. n. 1 (1905); p. 51. n. 1, pl. 1. ff. 10, 10 *a*, *b* (1909). Madagascar
2. **G. Nasutus, Sauss.** l. c. p. 638. n. 1, pl. 38. ff. 36, 37 (1899); Bol. ll. cc. pp. 284, 285. n. 2 (1905); p. 51. n. 2, pl. 1. ff. 9, 9 *a* (1909). id.
3. **G. Crassicornis, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 284, 285. n. 3 (1905). id.
4. **G. Decorsei, Bol.** l. c. pp. 284, 286. n. 4 (1905). id.

Genus 477. **Doriella.** (*Type* no. 1.)

Doriaella, Bol. Ann. Mus. Genova, xxxix. p. 85 (1898).
Doriella, Bol., Bol. Soc. Esp. Hist. Nat. v. p. 298 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 52 (1909).

1. **D. Cinnabarina, Bol.** (*Doriaella C.*) Ann. Mus. Genova, xxxix. p. 86. n. 37 (1898).	New Guinea.
2. **D. Paradoxa, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 299 (1905).	id.

Genus 478. **Brunniella.**

Bol., Bol. Soc. Esp. Hist. Nat. v. p. 299 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 52 (1909).

1. **B. Antistes, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 300 (1905).	New Guinea (?).

Genus 479. **Trigonopteryx.** (*Type* no. 1.)

Charp. Orth. pl. 5 (1841); De Haan, Temminck, Verhandel., Orth. p. 150 (1842); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 301 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 53 (1909).

1. **T. Punctata, Charp.** l. c. pl. 5 (1841); Bol., Bol. Soc. Esp. Hist. Nat. v. p. 301. n. 1 (1905). *Acridium* (*Trigonopteryx*) *Punctatum, De Haan*, l. c. p. 151 (1842). *Systella Punctata, Bol.* An. Soc. Españ. xiii. pp. 52, 494. n. 1 (1884). *T. Punctata*, var. *Multireticulata, Bol.*, Bol. Soc. Esp. Hist. Nat. v. p. 302 (1905).	Java, Ceylon.
*2. **T. Hopei, Westw.** (*Systella H.*) Arcana Ent. i. p. 12, pl. 4. ff. 3, 3* (1841); Bol. An. Soc. Españ. xiii. pp. 52, 53, 494. n. 2 (1884). *T. Hopei, Bol.*, Bol. Soc. Esp. Hist. Nat. v. p. 302. n. 2 (1905).	China, Java. Borneo. Sumatra.

Genus 480. **Systella.** (*Type* no. 4.)

Westw. Arcana Ent. i. p. 12 (1841); Bol. An. Soc. Españ. xiii. pp. 22, 51, 52, 494 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 303 (1905); Gen. Ins. Orth., Acrid. Pyrg. pp. 51, 53 (1909).

Gyrtone, *Stål*, Bihang Svensk. Akad. Handl. iii. (14) p. 25 (1875); Bol. An. Soc. Españ. xiii. pp. 22, 55, 494 (1884). (*Type* no. 7.)

1. **S. Philippinensis, Walk. (*Trigonopteryx Philippensis*) Cat. Derm. Salt. B. M. iii. p. 518. n. 2 (1870).	Philippines.
2. **S. Westwoodii, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 52. n. 1 (1877); Bol. l. c. pp. 52, 54, 494. n. 5. pl. 1. ff. 3, 3 *a*, *b* (1884); Bol. Soc. Esp. Hist. Nat. v. pp. 303, 304. n. 1 (1905).	id.
3. **S. Siccifolia, Bol.,** Bol. Soc. Esp. Hist. Nat. v. pp. 303, 304. n. 2 (1905).	Hab. —— ?
*4. **S. Rafflesii, Westw.** l. c. p. 22, pl. 4. ff. 1, 2 (1841).	Sumatra, Malacca, Borneo.
S. Raflesi, *Bol.* An. Soc. Españ. xiii. pp. 52, 53, 494. n. 3 (1884); Bol. Soc. Esp. Hist. Nat. v. p. 303. n. 4, p. 304. n. 3 (1905).	
5. **S. Platyptera, De Haan,** (*Acridium* (*Trigonopteryx*) *Platypterum*) Temminck, Verhandel., Orth. p. 151, pl. 23. f. 6 (1842).	Cape (?).
6. **S. Obliqua, Walk. (*Trigonopteryx O.*) l. c. p. 519. n. 5 (1870).	Malacca, Borneo.
! *Systella Platuptera*, *Bol.* (*nec De Haan*) An. Soc. Españ. xiii. pp. 52, 54. 494. n. 4 (1884).	
7. **S. Compressa, Stål,** (*Gyrtone C.*) l. c. p. 25. n. 1 (1875); Bol. l. c pp. 55, 494. n. 1, pl. 1. f. 4 (1884).	Malacca.
8. **S. Annandalei, Bol.,** Bol. Soc. Esp. Hist. Nat. v. p. 303. n. 3, p. 305. n. 4 (1905).	id.
9. **S. Gestroi, Bol.** l. c. pp. 303, 306. n. 5 (1905).	Engano.
10. **S. Dusmeti, Bol.** ll. cc. n. 6 (1905).	Kina Balu.

Genus 481. **Xyronotus.**

Bol. An. Soc. Españ. xiii. pp. 24, 442, 496 (1884); Bol. Soc. Esp. Hist. Nat. iv. p. 308 (1904); Brun. Biol. Centr.-Amer., Orth. ii. pp. 200, 202 (1906).

*1. **X. Aztecus, Bol.** An. Soc. Españ. xiii. pp. 442, 496. n. 1, pl. 2. ff. 12, 12 *b* (1884); Brun. l. c. p. 203. n. 1, pl. 4. ff. 23, 23 *a* (1906).	Mexico.

SUBFAM. XI.

PAMPHAGINÆ.

Genus 482. **Schinzia.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 648 (1899).

1. **S. Horrida, Sauss.** l. c. p. 649. n. 1, pl. 38. ff. 39, 40 (1899).	Angola.

Genus 483. **Geloiomimus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 649 (1899).

1. **G. Nasicus, Sauss.** l. c. p. 651. n. 2, pl. 38. ff. 41, 42 (1899).	Orange River.

Genus 484. **Thrincotropis.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 649 (1899).

1. **T. Caffra, Sauss.** l. c. p. 652. n. 3, pl. 38. ff. 43–48 (1899).	Natal.

Genus 485. **Charilaus.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 26 (1875); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 34 (1876); Bol. An. Soc. Españ. xiii. pp. 26, 487, 498 (1884); Karsch, Stettin. Ent. Zeit. lvii. p. 274 note (1896); Sauss. Abhandl. Senckenb. Ges. xxi. p. 653 (1899).

1. **C. Carinatus, Stål,** ll. cc. p. 26. n. 1 (1875); p. 34. n. 1 (1876); Bol. l. c. pp. 488, 498, pl. 1. ff. 30, 30 *a* (1884).	Transvaal, Damara Land.
2. **C. Miraculum, Karsch,** l. c. p. 273. n. 37, f. 12 (1896).	Transvaal.
3. **C. Brunneri, Sauss.** l. c. p. 654. n. 1, pl. 38. f. 49 (1899).	S. Africa.

Genus 486. **Pamphagodes.**

Bol. An. Soc. Españ. vii. p. 429 (1878), xiii. pp. 26, 489, 498 (1884).

1. **P. Riffensis, Bol.** ll. cc. p. 430, pl. 5. ff. 1, 1 *a–e* (1878), xiii. pp. 489, 498. n. 1, pl. 4. f. 31 (1884).	Morocco.

Genus 487. **Aspidophyma.** (*Type* no. 2.)

Bol. An. Soc. Españ. xiii. pp. 26, 491, 498 (1884).

1. **A. Indica, Bol.** l. c. pp. 491, 498. n. 1 (1884).	Ceylon.
2. **A. Americana, Bol.** l. c. pp. 492, 498. n. 2, pl. 4. ff. 32, 32 *a* (1884).	Ecuador.

Genus 488. **Adephagus.**

Sauss. Spic. Ent. ii. pp. 18, 23 (1887).

*1. **A. Cristatus, Burm.** (*Pamphagus C.*) Handb. Ent. ii. p. 618. n. 6 (1838). *A. Cristatus, Sauss.* l. c. p. 23. n. 1, pl. 3. f. 22 (1887).	S. Africa.

Genus 489. **Acicera.**

Akicera, Serv. Ann. Sci. Nat. xxii. p. 268 (1831); Ins. Orth. p. 603 (1839).

Acicera, Burm. Handb. Ent. ii. p. 616 (1838).

Acocera, Sauss. Spic. Ent. ii. pp. 18, 24 (1887).

Parmilis, Stål, Recens. Orth. i. p. 21 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 35 (1876).

*1. **A. Fusca, Thunb.** (*Pamphagus Fuscus*) Mém. Acad. Pétersb. v. p. 261 (1815). *Pamphagus (Parmilis) Fuscus, Stål,* l. c. p. 22. n. 1 (1873). *Acocera Fusca, Sauss.* l. c. p. 25. n. 1 (1887). *Gryllus (Locusta) Nympha, Stoll,* Spectres, Saut. p. 11, pl. 3 *b*. f. 11 (1813). *Akicera Grisea,* ♀ (*nec* ♂), *Serv.* ll. cc. p. 269. n. 1 (1831); p. 606. n. 2, pl. 12. f. 2 (1839). *Pamphagus Griseus, Burm.* Handb. Ent. ii. p. 617. n. 2 (1838).	S. Africa.

Genus 490. **Lamarckiana,** Kirb. (n. n.). (*Type* no. 1.)

Xiphicera, pt., *Lamarck*, Anim. sans Vertèbres, iv. p. 243 (1817) ; Kirb. Trans. Ent. Soc. Lond. 1902, p. 90.

Xyphicera, *Latr.* Cuv. Règne Anim. v. p. 186 (1829).

‖*Xiphocera*, *Stål* (*nec Macq.*), Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 35 (1876) ; Sauss. Spicil. Ent. ii. pp. 19, 27, 35 (1887) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 199, 292 (1902).

*1. **L. Cucullata, Stoll,** (*Gryllus Locusta Cucullatus*) Spectres, Saut. p. 40, pl. 22 *b.* f. 86 (1813). S. Africa

Gryllus Locusta Nympha, *Stoll*, l. c. pp. 23, 40, pl. 11 *a.* f. 41, pl. 22 *b.* f. 87 (1813).

Pamphagus Cucullatus, *Burm.* Handb. Ent. ii. p. 616. n. 1 (1838).

‖*Pamphagus Canescens* [*Thunb.* Hem. Max. Cap. p. 5 (1822) *sec. Stål* ; *nec Thunb.* 1784, 1815].

‖*Pamphagus* (*Porthetis*) *Canescens*, *Stål*, Recens. Orth. p. 24. n. 4 (1873).

‖*Xiphocera Canescens*, *Sauss.* l. c. pp. 31, 37. n. 1, pl. 1. ff. 2–4 (1887).

‖*Akicera Carinata*, *Serv.* (*nec Linn.*) Ins. Orth. p. 605. n. 1 (1839).

‖*Pamphagus Carinatus*, *Blanch.* Hist. Nat. Ins. iii. p. 37. n. 2 (1840).

*2. **L. Arenosa, Stål,** (*Xiphocera A.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 37. n. 3 (1876) ; Sauss. l. c. pp. 31, 39. n. 1 *a* (1887). Damara Land.

3. **L. Punctosa, Walk. (*Akicera P.*) Cat. Derm. Salt. B. M. iii. p. 532. n. 7 (1870). E. Africa.

4. **L. Sparrmani, Stål,** (*Xiphocera S.*) l. c. p. 37. n. 2 (1876) ; Sauss. l. c. pp. 31, 40. n. 1 *c* (1887). Damara Land.

*5. **L. Spinulosa, Sauss.** (*Xiphocera S.*) pp. 31, 40. n. 2 (1887). Natal.

*6. **L. Stuhlmanniana, Karsch,** (*Xiphocera S.*) Stettin. Ent. Zeit. lvii. p. 275. n. 38 (1896). E. Africa.

7. **L. Gibba, Kirb. (*Xiphicera G.*) Proc. Zool. Soc. Lond. 1902, p. 98. n. 18. Central Africa.

8. **L. Menyharthi, Brancs.** (*Xiphocera M.*) Ver. Trencsin. Com. xvii.–xviii. p. 252, pl. 8. f. 3 *a–d* (1896). Zambesi.

9.	**L. Spectrum, Sauss.** (*Xiphocera S.*) l. c. pp. 31, 41. n. 3 (1887).	E. Africa, Angola.
*10.	**L. Brunneriana, Sauss.** (*Xiphocera B.*) l. c. pp. 31, 43. n. 4, pl. 2. ff. 7, 7 *a*, *b* (1887); Schulth. Ann. Mus. Genov. xxxix. p. 191. n. 1 (1898).	Abyssinia, Somali.
*11.	**L. Cristata, Sauss.** (*Xiphocera C.*) l. c. pp. 31, 44. n. 5, pl. 2. f. 9 (1887).	Somali.
*12.	**L. Ensicornis, Sauss.** (*Xiphocera E.*) Ent. M. Mag. xxix. p. 152 (1893).	Transvaal.
*13.	**L. Nasuta, Sauss.** (*Xiphocera N.*) Spicil. Ent. ii. pp. 31, 45. n. 6, pl. 2. ff. 6, 6 *a*, *b* (1887). *Xiphicera Nasuta, Kirb.* Trans. Ent. Soc. Lond. 1902, p. 92. n. 76.	Zululand.
14.	**L. Eblis, Kirb.** (*Xiphicera E.*) l. c. p. 93. n. 77 (1902).	Pretoria.
15.	**L. Angolensis, Sauss.** (*Xiphocera A.*) l. c. pp. 31, 47. n. 7 (1887). *Xiphocera Angolæ, Sauss.* l. c. pl. 2. ff. 8, 8 *a*, *b* (1887).	Angola.
*16.	**L. Haploscelis, Schaum,** (*Pamphagus H.*) Ber. Akad. Berlin, 1853, p. 780. n. 24; Peters' Reise Mossamb., Zool. v. p. 142, pl. 7 A. f. 11 (1862). *Xiphocera Haploscelis, Sauss.* l. c. pp. 31, 48. n. 8 (1887).	Mozambique.
17.	**L. Peringueyi, Sauss.** (*Xiphocera P.*) Ann. Soc. Ent. France, (6) viii. p. 157. n. 2, pl. 5. ff. 4, 4 *a–c* (1888).	S. Africa.
*18.	**L. Euryscelis, Schaum,** (*Pamphagus E.*) ll. cc. p. 779. n. 22 (1853); p. 140, pl. 7 A. ff. 8, 9 (1862). *Xiphocera Euryscelis, Sauss.* Spicil. Ent. ii. pp. 32, 49. n. 10 (1887).	Mozambique.
*19.	**L. Loboscelis, Schaum,** (*Pamphagus L.*) ll. cc. p. 780. n. 23 (1853); p. 141, pl. 7 A. f. 10 (1862). *Xiphocera Loboscelis, Sauss.* Spicil. Ent. ii. pp. 32, 50. n. 11 (1887). ** *Akicera Femoralis, Walk.* l. c. p. 532. n. 8 (1870). *Xiphocera Latipes, Sauss.* l. c. pp. 32, 54. n. 16, pl. 2. ff. 12, 12 *a* (1887); Karsch. l. c. p. 276. n. 38 bis (1896)	E. Africa.
**20.	**L. Rugosipes, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 94. n. 80.	Transvaal. Delagoa B.

21. **L. Paupercula, Kirb.** l. c. p. 95. n. 81 (1902).	Pretoria.
*22. **L. Cinerascens, Stål,** (*Porthetis C.*) Recens. Orth. i. p. 23. n. 3 (1873). *Xiphocera Cinerascens, Sauss.* l. c. pp. 32, 50, pl. 2. ff. 10, 11, 11 *a* (1887).	S. & E. Africa.
*23. **L. Puncticornis, Stål,** (*Xiphocera (Porthetis) Puncticornis*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 39. n. 5 (1876). *Xiphocera Puncticornis, Sauss.* l. c. pp. 32, 52. n. 13 (1887).	Damara Land, Transvaal, Delagoa B.
*24. **L. Æstuans, Sauss.** (*Xiphocera Æ.*) l. c. pp. 32, 52. n. 14 (1887).	Transvaal. Delagoa B.
*25. **L. Atrox, Gerst.** (*Pamphagus A.*) Archiv Naturg. xxxv. p. 218. n. 67 (1869) : Von der Decken, Reisen Ost-Afrika, Ins. p. 42. n. 67, pl. 2. f. 9 (1873). *Xiphocera Atrox, Sauss.* l. c. pp. 32, 54. n. 15 (1887).	Zanzibar, Mombasa, B.E. Africa.
26. **L. Bolivariana, Sauss.** (*Xiphocera B.*) l. c. pp. 33, 57. n. 19 (1887) ; Ann. Soc. Ent. France. (6) viii. p. 158. n. 3, pl. 5. f. 5 (1888).	Mozambique.
27. **L. Compressa, Kirb.** (*Xiphicera C.*) l. c. p. 96. n. 84 (1902).	Pretoria.
28. **L. Granulosa, Kirb.** (*Xiphicera G.*) l. c. p. 97. n. 85 (1902).	id.
29. **L. Brevis, Walk. (*Pamphagus B.*) l. c. p. 534. n. 3 (1870).	Natal.
30. **L. Obsoleta, Kirb.** (*Xiphicera O.*) l. c. p. 97. n. 87 (1902).	Pretoria.
31. **L. Saussurei, Bol.** (*Xiphocera S.*) Jorn. Sci. Lisb. (2) i. p. 153. n. 128 (1890).	Angola.

Genus 491. **Pagopedilum.** (*Type* no. 2.)

Karsch, Stettin. Ent. Zeit. lvii. p. 276 (1896).

*1. **P. (?) Bradyanum, Sauss.** (*Xiphocera Bradyana*) Spicil. Ent. ii. pp. 33, 55. n. 17, pl. 2. f. 1 (1887) ; Ann. Soc. Ent. France. (6) viii. p. 156. n. 1, pl. 5. ff. 3, 3*b*, *c* (1888).	Transvaal.
2. **P. Subcruciatum, Karsch,** l. c. p. 277. n. 39. f. 13 (1896).	id.
*3. **P. Mannulus, Sauss.** (*Xiphocera M.* Spicil. Ent. ii. pp. 33, 56. n. 18, pl. 2. ff. 5, 5 *a* (1887).	Grahamstown. Natal.
4. **P. Rendalli, Kirb.** (*Xiphicera R.* Trans. Ent. Soc. Lond. 1902, p. 98. n. 88.	Transvaal.

*5. **P. Distanti, Sauss.** (*Xiphocera D.*) Distant, Naturalist in Transvaal, p. 261, pl. 4. f. 1 (1892).	Transvaal.
6. **P. Pictum, Sauss. (*Xiphocera Picta*) l. c. f. 2 (1892).	id.
7. **P. Sabulosa, Stål,** (*Porthetis Sabulosus*) Bihang Svensk. Akad. Handl. iii. (14) p. 26. n. 1 (1875). *Xiphocera* (*Porthetis*) *Sabulosa, Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 38. n. 4 (1876). *Xiphocera Sabulosa, Sauss.* Spicil. Ent. ii. pp. 33, 58. n. 20 (1887).	Damara Land.
8. **P. Sordidum, Walk. (*Pamphagus Sordidus*) Cat. Derm. Salt. B. M. iii. p. 535. n. 6 (1870).	S. Africa.
9. **P. Apicale, Walk. (*Pamphagus Apicalis*) l. c. p. 533. n. 2 (1870). *Xiphocera Apicalis, Sauss.* l. c. pp. 31, 49. n. 9 (1887) : Ann. Soc. Ent. France, (6) viii. p. 157 (1888).	E. Africa.

Genus 492. **Porthetis.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 270 (1831) : Ins. Orth. p. 607 (1839) : Stål, Recens. Orth. pp. 21, 23 (1873) : Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 37 (1876) ; Sauss. Spicil. Ent. ii. pp. 33, 60 (1887).

*1. **P. Carinata, Linn.** (*Gryllus* (*Bulla*) *Carinatus*) Syst. Nat. (ed. x.) i. p. 427. n. 16 (1758) ; Mus. Ludov. Ulric. p. 122. n. 13 (1864). *Porthetis Carinatus, Stål,* Recens. Orth. i. p. 23. n. 2 (1873). *Xiphocera Carinata, Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 39 (1876) ; Sauss. l. c. pp. 33, 60. n. 22, pl. 2. f. 13 (1887). *Acrydium Dentatum, De Geer,* Mém. Ins. iii. p. 496. n. 12. pl. 42. f. 3 (1773). *Porthetis Dentata, Serv.* ll. cc. p. 270. n. 1 (1831) ; p. 608. n. 1 (1839). *Gryllus Canescens, Thunb.* Nov. Spec. Ins. v. p. 105, f. 113 (1779). *Pamphagus Canescens, Thunb.* Mém. Acad. Pétersb. v. p. 260 (1815).	S. Africa.

||*Gryllus Elephas, Fabr.* (*nec Linn.*) Syst. Ent. p. 287. n. 1 (1775).
[Roes. Ins. Belust. ii. Locust. Ind. p. 43, pl. 6. f. 2.]
||*Acrydium Elephas, Oliv.* Encycl. Méth., Ins. vi. p. 215. n. 1 (1791).
||*Gryllus Locusta Elephas, Stoll*, Spectres, Saut. p. 10, pl. 3 *b*. f. 9 (1813).
||*Pamphagus Elephas, Thunb.* l. c. p. 262 (1815); Blanch. Hist. Nat. Ins. iii. p. 37. n. 3 (1840).
♂. *Gryllus Serripes, Fabr.* Mant. Ins. i. p. 236. n. 8 (1787).
Gryllus Locusta Serripes, Stoll, Spectres, Saut. p. 11, pl. 3 *b*. f. 10 (1813).
Gryllus ——, *Zachach*, Mus. Lesk. Ins. p. 48. n. 39 (1788).
Gryllus Rugosus, Gmel. Syst. Nat. i. (4) p. 2087. n. 228 (1888).
Acrydium Serripes, Oliv. l. c. p. 216. n. 8 (1791).
Gryllus Remora, Licht. Cat. Mus. Zool. Hamburg, iii. p. 88 (1796).
Pamphagus Serripes, Thunb. l. c. p. 261 (1815); Burm. Handb. Ent. ii. p. 617. n. 4 (1838).
Gryllus Locusta Taurus, Stoll, l. c. p. 36, pl. 19 *b*. f. 72 (1813).

2. **P. Consobrina, Sauss.** l. c. pp. 33, 62. n. 23 (1887). — Transvaal.

Genus 493. **Hoplolopha.** (*Type* no. 4.)

Stal, Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 36 (1876); Sauss. Spicil. Ent. ii. pp. 34, 63 (1887).

*1. **H. Horrida, Burm.** (*Pamphagus Horridus*) Handb. Ent. ii. p. 617. n. 3 (1838). — S. Africa.
Xiphocera Horrida, Sauss. l. c. pp. 35, 69. n. 29 (1887).
Xiphocera Dromadaria, Sauss. l. c. pp. 35, 64. n. 23, pl. 3. ff. 14, 15 (1887).

2. **H. Reflexa, Walk. (*Pamphagus Reflexus*) Cat. Derm. Salt. B. M. iii. p. 535. n. 5 (1870). — id.

3. **H. Lineata, Stal,** (*Porthetis Lineatus*) Recens. Orth. i. p. 24. n. 5 (1873). — Cape.
Xiphocera Lineata, Sauss. l. c. pp. 34, 35, 65. n. 24, pl. 3. ff. 16, 17 (1887).

Porthetis Ignota, McLachl. Zool. Rec. x. p. 443 (1873).

4. **H. Serrata, Stål,** (*Xiphocera (Hoplolopha) S.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 36. n. 1 (1876). Damara Land.

Porthetis Serratus, Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 27. n. 2 (1875).

*5. **H. Fissa, Sauss.** (*Xiphocera F.*) l. c. pp. 35, 66. n. 25 (1887). S. Africa.

*6. **H. Grisea, Serv.** (*Akicera G. ♂ nec ♀*) Ann. Sci. Nat. xxii. p. 269. n. 1 (1831); Ins. Orth. p. 606. n. 2 (1839). id.

***Pamphagus Lineosus, Walk.* l. c. p. 534. n. 4 (1870).

Akicera Lineosa, Walk. l. c. v. Suppl. p. 55 (1871).

7. **H. Camelina, Sauss.** (*Xiphocera C.*) l. c. pp. 34, 35, 67. n. 26. pl. 3. ff. 18, 19 (1887). Cape, Transvaal.

*8. **H. Asina, Sauss.** (*Xiphocera A.*) l. c. pp. 35, 68. n. 27, pl. 3. ff. 20, 21, 21 *a* (1887). Cape.

(Genus 494. **Bolivarella.** (*Type* no. 1.)

Sauss. Spicil. Ent. ii. pp. 19, 70 (1887).

1. **B. Calens, Sauss.** l. c. p. 70. n. 1 (1887); Bol. Jorn. Sci. Nat. Lisb. (2) i. p. 155. n. 133 (1889). Benguela.

2. **B. Acuminata, Bol.** l. c. n. 134, pl. 1. f. 2 (1889). Angola.

(Genus 495. **Tropidauchen.** (*Type* no. 1.)

Sauss. Spicil. Ent. ii. pp. 19, 72 (1887); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 199. 293 (1902).

*1. **T. Securicolle, Sauss.** l. c. p. 73. n. 1, pl. 3. ff. 23, 23 *a* (1887). Syria, Persia.

T. Securicollis, Jacobs. & Bianchi, l. c. pp. 199, 293 (1902).

2. **T. Cultricolle, Sauss.** l. c. p. 74. n. 2 (1887). Askhabad.

T. Cultricollis, Sauss. l. c. p. 73. n. 2 (1887); Jacobs. & Bianchi, l. c. pp. 199, 293 (1902).

Genus 496. **Orchamus.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30 (1876).

1. **O. Zebratus, Brunn.** (*Pamphagus Z.*) Prodr. Eur. Orth. pp. 197, 199. n. 3 (1882); Jacobs. & Bianchi, Prem. i. Lozhn. Ross. Imp. pp. 199, 295 (1902). Syria.

*2. **O. Gracilis, Brunn.** (*Pamphagus G.*) l. c. pp. 197, 200. n. 4 (1882); Jacobs. & Bianchi, l. c. pp. 199, 295 (1902). Cyprus.

*3. **O. Yersini, Brunn.** (*Pamphagus Y.*) l. c. pp. 197, 200. n. 5 (1882); Werner, Verh. zool.-bot. Ges. Wien, liii. p. 67. n. 10 (1903); Jacobs. & Bianchi, l. c. pp. 200, 295 (1902). Crete, Beyrout.
‖*Porthetis Raulinii, Yers.* (*nec Luc.*) Ann. Soc. Ent. France, (3) viii. p. 529. n. 9, pl. 10. ff. 26–29 (1860).

4. **O. Raulinii, Luc.** (*Acinipe R.*) Rev. Zool. (2) vi. p. 167. n. 127, pl. 2. f. 2 (1854). Crete.
Pamphagus Raulinii, Brunn. l. c. pp. 197, 201 (1882); Jacobs. & Bianchi, l. c. pp. 200, 296 (1902).

Genus 497. **Prionosthenus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 435 (1878).

*1. **P. Galericulatus, Stål,** (*Pamphagus G.*) Bihang Svensk. Akad. Handl. iv. (5) p. 29 (1876); Bol. l. c. p. 435, pl. 5. f. 4 (1878); Brunn. Prodr. Eur. Orth. pp. 197, 198. n. 1 (1882); Jacobs. & Bianchi. Prem. i Lozhn. Ross. Imp. pp. 199, 294 (1902). Egypt. Syria.
[Savigny, Descr. Égypte, Ins. Orth. pl. 7. f. 17.]

2. **P. Brunnerianus, Sauss.** (*Pamphagus B.*) Spicil. Ent. ii. p. 75. n. 1. pl. 3. ff. 24, 25 (1887); Jacobs. & Bianchi, l. c. pp. 200, 296 (1902). Syria, Armenia.

3. **P. Verrucosus, Brunn.** (*Pamphagus V.*) l. c. pp. 197, 199. n. 2 (1882); Jacobs. & Bianchi, l. c. pp. 200, 295 (1902). Syria.

4. **P. Bethlehemita, Bol.** (*Pamphagus B.*) Rev. Biol. Nord France, v. p. 184 (1893); Jacobs & Bianchi, l. c. pp. 199, 294 (1902). Hebron.

Genus 498. **Acinipe.** (*Type* no. 1.)

Ramb. Faun. Andal. ii. p. 68 (1838); Bol. An. Soc. Españ. vii. p. 435 (1878).

‖ *Acocera, Bol.* (*nec Sauss.*) Ortópt. Españ. pp. 78, 81 (1876); An. Soc. Españ. v. pp. 284, 287 (1876).

1. **A. Hesperica, Ramb.** l. c. p. 69, pl. 6. ff. 1, 2 (1838). — Spain, Algeria.
   Porthetis Hesperica, Fisch. Orth. Eur. p. 384. n. 2 (1853).
   Pamphagus Hespericus, Fieb. Lotos, iii. p. 126. n. 2 (1853), iv. p. 199. n. 2 (1854); Syn. Eur. Orth. p. 26. n. 2 (1854); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30 (1876); Bol. l. c. p. 435, pl. 4. f. 4 (1878); Ann. Sci. Nat. Porto, v. pp. 27, 28. n. 2 (1898); Brunn. Prodr. Eur. Orth. pp. 197, 201. n. 6, pl. 6. f. 47 A, B (1882); Krauss, Zool. Jahrb. Syst. ix. p. 537. n. 38 (1897).
2. **A. Saharæ, Pict. & Sauss.** (*Pamphagus S.*) Mitth. Schweiz. Ent. Ges. viii. p. 293. n. 1 (1891). — Algeria.
3. **A. Muelleri, Krauss,** (*Pamphagus M.*) Jahresh. Ver. Württemb. Sitz. xlix. p. xcv (1893); Zool. Jahrb. Syst. ix. p. 537. n. 39, pl. 7. ff. 6, 6 *a* (1897). — id.
4. **A. Foreli, Pict. & Sauss.** (*Pamphagus F.*) l. c. p. 294. n. 2, pl. 1. ff. 1, 1 *a* (1891); Krauss, Wien. Ent. Zeit. xi. p. 149. n. 23 (1892); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 200, 296 (1902). — Tunis, Palestine.

*5. **A. Deceptoria, Bol.** (*Pamphagus* (*Acinipe*) *Deceptorius*) ll. cc. pp. 431, 435, pl. 4. f. 5 (1878); pp. 27, 28. n. 3 (1898). — Spain.
   Pamphagus Deceptorius, Brunn. l. c. pp. 198, 206. n. 14 (1882).

6. **A. Mabillei, Bol.** (*Pamphagus* (*Acinipe*) *M.*) An. Soc. Españ. v. pp. 431, 436, pl. 5. f. 6 (1878). — id.
   Pamphagus Mabillei, Brunn. l. c. pp. 198, 203. n. 9 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 28, 29. n. 4 (1898).
   ‖ *Acocera Hesperica, Bol.* (*nec Ramb.*) An. Soc. Esp. v. pp. 287, 288. n. 1, pl. 11. ff. 5, 5 *a* (1876); Ortópt. Españ. pp. 81, 82. n. 1, pl. 2. ff. 5, 5 *a* (1876).

7. **A. Paulinoi, Sauss.** (*Pamphagus P.*) Spicil. Ent. ii. p. 77. n. 2 (1887); Bol. Ann. Sci. Nat. Porto, v. pp. 28, 29. n. 1 (1898). — Portugal.

8. **A. Algerica, Brunn.** (*Pamphagus Algericus*) l. c. pp. 198, 204. n. 11 (1882); Krauss, Zool. Jahrb. Syst. ix. p. 539. n. 40 (1896). — Algeria.

9. **A. Mauretanica, Bol.** (*Pamphagus* (*Acinipe*) *Mauretanicus*) An. Soc. Esp. vii. l. c. p. 451 (1878). — Morocco.
   Pamphagus Mauretanicus, Brunn. l. c. pp. 198, 204. n. 10 (1882).

10. **A. Simillima, Yers.** (*Porthetis S.*) Ann. Soc. Ent. France, (3) viii. p. 532. n. 10, pl. 10. ff. 30–32 (1860). — Sicily.
   Pamphagus Simillimus, Brunn. l. c. pp. 198, 205. n. 12 (1882).

11. **A. Brevicornis, Costa,** (*Porthetis B.*) Ann. Mus. Zool. Nap. ii. p. 129, pl. 1. f. 2 (1864). — Naples.

12. **A. Tibialis, Fieb.** (*Pamphagus T.*) Lotos, iii. p. 126. n. 4 (1853); Syn. Eur. Orth. p. 26. n. 4 (1854). — Portugal.
   Porthetis Tibialis, Bol. Ortópt. Españ. p. 80. n. 3 (1876); An. Soc. Españ. v. p. 286. n. 3 (1876).

*13. **A. Expansa, Brunn.** (*Pamphagus Expansus*) l. c. pp. 198, 206. n. 13 (1882); Bol. Ann. Sci. Nat. Porto, v. pp. 27, 28. n. 5 (1898). — Spain, Algeria.

Genus 499. **Eumigus.** (*Type* no. 1.)

Bol. An. Soc. Españ. vii. p. 436 (1878).

1. **E. Monticolus, Ramb.** (*Acinipe Monticola*) Faune Andal. ii. p. 71, pl. 6. ff. 3, 4 (1838). — Spain, Algeria.
   Porthetis Monticola, Fisch. Orth. Eur. p. 384. n. 3 (1853).
   Pamphagus Monticolus, Fieb. Lotos, iii. p. 126. n. 3 (1853), iv. p. 199. n. 3 (1854); Syn. Eur. Orth. p. 26. n. 3 (1854).
   Pamphagus Monticola, Bol. An. Soc. Españ. vii. p. 436, pl. 4. f. 6 (1878); Ann. Sci. Nat. Porto, v. pp. 27, 29. n. 7 (1898); Brunn. Prodr. Eur. Orth. pp. 198, 202. n. 7 (1882).

2. **E. Punctatus, Bol.** (*Pamphagus P.*) Bol. Soc. Esp. Hist. Nat. ii. p. 86 (1902). Spain.

Genus 500. **Pamphagus.** (*Type* no. 1.)

Thunb. Mém. Acad. Pétersb. v. pp. 217, 260 (1815); Burm. Handb. Ent. ii. p. 613 (1838); Fieb. Lotos, iii. p. 126 (1853), iv. p. 199 (1854); Syn. Eur. Orth. p. 26 (1854); Stål, Recens. Orth. i. pp. 21, 25 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 28 (1876); Bol. An. Soc. Españ. vii. pp. 434, 436 (1878); Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 26 (1898); Brunn. Prodr. Eur. Orth. pp. 86, 196 (1882).

*1. **P. Elephas, Linn.** (*Gryllus Locusta E.*) Syst. Nat. (ed. x.) i. p. 431. n. 40 (1758). Algeria.

Gryllus Elephas, Charp. Germar, Zeitschr. Ent. i. p. 378 (1839), iii. p. 307 (1841).

Pamphagus Elephas, Stål, ll. cc. p. 25. n. 1 (1873); p. 30 (1876); Bol. An. Soc. Españ. vii. p. 436, pl. 5. f. 5 (1878); Brunn. l. c. pp. 198, 207. n. 17 (1882).

Pamphagus Virens, Thunb. Mém. Acad. Pétersb. v. p. 262 (1815).

Pamphagus Numidicus, Lucas, Expl. Alg. iii. p. 27. n. 45, iv. Orth. pl. 3. ff. 2, 2 *a* (1849).

*2. **P. Marmoratus, Burm.** Handb. Ent. ii. p. 617. n. 5 (1838); Charp. Germar, Zeitschr. Ent. iii. p. 307 (1841); Charp. Orth. pl. 13 (1841); Fieb. ll. cc. p. 126. n. 1 (1853), p. 199. n. 1 (1854); p. 26. n. 1 (1854); Bol. l. c. p. 436 (1878); Brunn. l. c. pp. 198, 206. n. 15 (1882). Sicily, Sardinia. Tunis.

Porthetis Marmorata, Fisch. Orth. Eur. p. 382. n. 1, pl. 15. ff. 9, 9 *a*, 10 (1853).

Porthetis Elephas, Serv. (*nec Linn.*) Ins. Orth. p. 610. n. 2 (1839).

Podisma Calabrum, Costa, Faun. Nap., Ort. p. 45. n. 2 (1836).

Acridium Sardeum, Herr.-Schäff. Nomencl. Ins. ii. p. 7 (1840).

P. Marmoratus, var. *Tunetanus, Vosseler,* Zool. Jahrb. Syst. xvi. p. 391. n. 60, pl. 18. f. 3 (1902).

3. **P. Djelfensis, Vosseler,** l. c. p. 392. n. 61, pl. 18. ff. 4–6 (1902). N. Africa. Jelfa.

Genus 501. **Sygrus.**

Bol. Jorn. Sci. Lisb. (2) i. p. 156 (1889).

1. **S. Sepositus, Bol.** l. c. n. 135, pl. 1. f. 3 (1889).	Angola.

Genus 502. **Euryparyphes.** (*Type* no. 8.)

Fisch. Orth. Eur. pp. 52, 382 (1853).
Eunapius, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 30 (1876); Bol. An. Soc. Españ. vii. pp. 434, 436 (1878); Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 29 (1898); Sauss. Spicil. Ent. ii. pp. 19, 78 (1887); Brunn. Prodr. Eur. Orth. pp. 86, 208 (1882); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 200, 297 (1902). (*Type* no. 11.)

1. **E. Sitifensis, Bris.** (*Acridium Sitifense*) Bull. Soc. Ent. France, (3) ii. p. lxxi (1855).	Algeria.
2. **E. Brunneri, Stål,** (*Pamphagus B.*) l. c. p. 34 (1876). *Eunapius Brunneri, Bol.* An. Soc. Esp. vii. p. 438, pl. 5. ff. 10, 10 *a–c* (1878); Sauss. l. c. p. 78. n. 1 (1887); Brunn. l. c. pp. 208, 209. n. 1 (1882).	id.
3. **E. Quadridentatus, Bris.** (*Acinipe Quadridentata*) l. c. (2) x. p. lxvii (1852). *Eunapius Quadridentatus, Krauss,* Zool. Jahrb. Syst. ix. p. 540. n. 42, pl. 7. f. 7 (1896); Bonn. & Fin. Rev. Montp. (3) iv. p. 341 (1885).	id.
4. **E. Numida, Sauss.** (*Eunapius N.*) l. c. pp. 78, 79, n. 2, pl. 3. f. 26 (1887).	Tunis.
5. **E. Maroccanus, Sauss.** (*Eunapius M.*) l. c. pp. 78, 80. n. 3, pl. 3. f. 27 (1887).	Morocco.
*6. **E. Granosus, Stål,** (*Pamphagus G.*) l. c. p. 31 (1876); Jacobs. & Bianchi, l. c. pp. 200, 297 (1902). *Eunapius Granosus, Sauss.* l. c. p. 78. n. 4 (1887).	Algeria, Afghanistan (eadem?).
7. **E. Syriacus, Bris.** (*Acridium Syriacum*) l. c. (3) ii. p. lxxiii (1855). *Eunapius Syriacus, Jacobs. & Bianchi,* l. c. pp. 200, 297 (1902).	Syria.

8. **E. Terrulentus, Serv.** (*Porthetis Terrulenta*) Ins. Orth. p. 610. n. 3 (1839); Fisch. Orth. Eur. p. 385. n. 4 (1853); Bol. Ortópt. Españ. p. 80. n. 2 (1876); An. Soc. Españ. v. p. 286. n. 2 (1876). *Pamphagus Terrulentus, Fieb.* Lotos, iii. p. 127. n. 7 (1853), iv. p. 199. n. 7 (1854); Syn. Eur. Orth. p. 27. n. 7 (1854). *E. Terrulentus, Brunn.* l. c. pp. 209, 210. n. 3, pl. 6. f. 48 A, B (1882); Sauss. l. c. p. 79. n. 5 (1887); Bol. Ann. Sci. Nat. Porto, v. pp. 29, 30. n. 1 (1898). *Pamphagus Rugulosus, Stål,* Bihang Svensk. Akad. Handl. iv. (5) p. 33 (1876). *Eunapius Rugulosus, Bol.* An. Soc. Españ. vii. p. 437, pl. 5. f. 9 (1878).	Spain.
*9. **E. Stæli, Borm.** (*Eunapius Stäli*) C. R. Soc. Ent. Belg. xxii. p. clxvii (1880); Bol. Ann. Sci. Nat. Porto, v. pp. 29, 30. n. 2 (1898).	Portugal.
*10. **E. Cucullatus, Bol.** (*Eunapius C.*) An. Soc. Españ. vii. pp. 432, 437 (1878); Brunn. l. c. pp. 198, 203. n. 8 (1882). ‖ *Acocera Monticola, Bol. (nec Ramb.)* Ortópt. Españ. p. 82. n. 2, pl. 2. ff. 4, 4 *a* (1876); An. Soc. Españ. v. p. 288. n. 2, pl. 11. ff. 4, 4 *a* (1876). *Pamphagus Cucullatus, Bol.* Ann. Sci. Nat. Porto, v. pp. 27, 28. n. 6 (1898).	Aranjuez.
11. **E. Bolivarii, Stål,** (*Pamphagus B.*) l. c. p. 33 (1876). *E. Bolivarii, Bol.* An. Soc. Españ. vii. p. 437, pl. 5. ff. 7, 7 *a, b* (1878); Ann. Sci. Nat Porto, v. pp. 29, 30. n. 3 (1898); Brunn. l. c. pp. 209, 211. n. 5 (1882); Sauss. l. c. p. 79. n. 7 (1887).	Malaga.
*12. **E. Vaucherianus, Sauss.** (*Eunapius V.*) p. 79. n. 8, p. 81. n. 3, pl. 3. f. 28 (1887).	Morocco.

Genus 503. **Nocarodes.** (*Type* no. 5.)

Fisch.-Waldh. Orth. Ross. p. 266 (1846); Fieb. Lotos, iii. p. 127 (1853), iv. p. 199 (1854); Syn. Eur. Orth. p. 27 (1854); Stål, Bihang Svensk. Akad. Handl. (4) v. p. 28 (1876); Bol. An. Soc. Españ. vii. p. 438 (1878); Brunn. Prodr. Eur. Orth. pp. 86, 188 (1882); Sauss. Spicil. Ent.

ii. pp. 19. 82 (1887); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 200, 297 (1902).

*1. **N. Straubei, Fieb.** (*Pamphagus S.*) Lotos, iii. p. 127. n. 6 (1853); Syn. Eur. Orth. p. 26. n. 6 (1854); Stål, l. c. p. 29 (1876). *N. Straubei, Brunn.* l. c. pp. 188, 189. n. 1, pl. 6. f. 45 A–C (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).	Bosphorus, Asia Minor, Syria, Transcaucasia.
2. **N. Fieberi, Brunn.** l. c. p. 189. n. 2 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).	Asia Minor.
3. **N. Opacus, Brunn.** l. c. p. 189. n. 3 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).	Khiva.
*4. **N. Cyanipes, Fisch.-Waldh.** l. c. p. 269. n. 2, pl. 31. f. 2 (1846); Fieb. Lotos, iii. p. 127. n. 2 (1853), iv. p. 200. n. 2 (1854); Syn. Eur. Orth. p. 27. n. 2 (1854); Bol. l. c. p. 439 (1878); Brunn. l. c. pp. 189, 190. n. 4 (1882); Porch. Hor. Soc. Ent. Ross. xx. p. 118, pl. 12. ff. 1, 4 *b* (1886); Jacobs. & Bianchi, l. c. pp. 200, 298. f. 32 (1902); Adel. Hor. Soc. Ent. Ross. xxxviii. p. 58. n. 16 (1907). *Pamphagus Cyanipes, Stål,* l. c. p. 28 (1876). *N. Rubripes, Fisch.-Waldh.* l. c. p. 270. n. 3 (1846); Fieb. ll. cc. p. 127. n. 3 (1853), p. 200. n. 3 (1854); p. 27. n. 3 (1854). *N. Rufipes, Fisch.-Waldh.* l. c. pl. 31. f. 3 (1846). ‖*N. Straubei, Bol.* (*nec Fieb.*) l. c. p. 439, pl. 5. f. 2 (1878).	Roumelia, Asia Minor, Transcaucasia.
5. **N. Serricollis, Fisch.-Waldh.** l. c. p. 268. n. 1, pl. 31. f. 1 (1846); Fieb. ll. cc. p. 127. n. 1 (1853), p. 200. n. 1 (1854); p. 27. n. 1 (1854); Brunn. l. c. pp. 189, 191. n. 5 (1882); Jacobs. & Bianchi, l. c. pp. 200, 298 (1902).	Armenia.
6. **N. Femoralis, Fisch.-Waldh.** l. c. p. 270. n. 4 (1846); Fieb. ll. cc. p. 127. n. 4 (1853), p. 200. n. 4 (1854); p. 27. n. 4 (1854); Jacobs. & Bianchi, l. c. p. 299 (1902).	Caucasus.

7. **N. Variegatus, Fisch.-Waldh.** l. c. p. 271. n. 5 (1846); Fieb. ll. cc. p. 127. n. 5 (1853), p. 200. n. 5 (1854); p. 27. n. 5 (1854); Jacobs. & Bianchi, l. c. p. 299 (1902).	Caucasus.

Genus 504. **Eunothrotes.**

Adel. Hor. Soc. Ent. Ross. xxxviii. p. 60 (1907).

1. **E. Derjugini, Adel.** l. c. p. 60. n. 17, pl. 1. ff. 3, 3 *a–c* (1907).	Transcaucasia.

Genus 505. **Ocnerodes.** (*Type* no. 1.)

Brunn. Prodr. Eur. Orth. pp. 86, 191 (1882); Sauss. Spicil. Ent. ii. pp. 20, 83 (1887); Bol. Ann. Sci. Nat. Porto, iv. p. 218 (1897), v. p. 26 (1898).

*1. **O. Brunnerii, Bol.** (*Acocera B.*) Ortópt. Españ. pp. 82, 84. n. 3, pl. 2. ff. 7, 7 *a* (1876); An. Soc. Españ. v. pp. 288, 290. n. 3, pl. 11. ff. 7, 7 *a* (1876). *Nocarodes Brunnerii, Bol.* An. Soc. Españ. vii. p. 438, pl. 5. f. 11 (1878). *O. Brunneri, Brunn.* l. c. p. 192. n. 1 (1882); Pant. An. Soc. Españ. xv. p. 276 (1886); Borm. Bull. Soc. Toulouse, xvii. p. 229, pl. 1. ff. 3, 3 *a*, *b* (1883); Bol. Ann. Sci. Nat. Porto, v. p. 26. n. 1 (1898). *O. Brunneri*, var. *Cyanipes, Bol.*, Bol. Soc. Esp. Hist. Nat. ii. p. 86 (1902).	Spain.
2. **O. Affinis, Fieb.** (*Pamphagus A.*) Lotos, iii. p. 127. n. 5 (1853), iv. p. 199. n. 5 (1854); p. 26. n. 5 (1854); Bol. Ortópt. Españ. p. 81 (1876); An. Soc. Españ. v. p. 287 (1876).	id.
3. **O. Durieui, Bol.** An. Soc. Españ. vii. p. 452 (1878); Brunn. l. c. pp. 192, 193. n. 2 (1882).	Morocco.
*4. **O. Canonicus, Fisch.** (*Porthetis C.*) Orth. Eur. p. 386. n. 5, pl. 15. ff. 12, 12 *a*, *b* (1853).	Sicily, Tunis.

Nocarodes Canonicus, Bol. l. c. p. 439, pl. 5. f. 3 (1878).
O. Canonicus, Krauss, Verh. zool.-bot. Ges. Wien, xxxvii. p. 11. n. 46 (1887); Brunn. l. c. pp. 192, 193. n. 3 (1882).

5. **O. Micropterus, Bris.** (*Acinipe Microptera*) Bull. Soc. Ent. France, (2) viii. p. lxiii. n. 2 (1850). — Algeria.
O. Micropterus, Brunn. l. c. pp. 192, 194. n. 4, pl. 6. f. 46 (1882).
Acridium Decipiens, Bris. l. c. (3) ii. p. lxxii (1854).

6. **O. Nigropunctatus, Luc.** (*Pamphagus N.*) Expl. Alg. iii. p. 28. n. 47, iv. Orth. pl. 3. f. 3 (1849). — id.
Nocarodes Nigropunctatus, Bol. l. c. p. 439 (1878).
O. Nigropunctatus, Brunn. l. c. pp. 192, 195. n. 5 (1882).

7. **O. Volxemi, Bol.** (*Pamphagus* (*Nocarodes*) *V.*) Ann. Soc. Ent. Belg. xxi. p. 69 (1878). — id.
Nocarodes Volxemi, Bol. An. Soc. Españ. vii. p. 439 (1878).
O. Volxemii, Brunn. l. c. pp. 192, 195. n. 6 (1882).

8. **O. Longicornis, Bol.** (*Pamphagus* (*Nocarodes*) *L.*) Ann. Soc. Ent. Belg. xxi. p. 70 (1878). — id.
Nocarodes Longicornis, Bol. An. Soc. Esp. vii. p. 439 (1878).

Genus 506. **Finotia.**

Bonnet, Le Nat. ii. p. 548 (1884); Bonnet & Finot, Rev. Montp. (3) iv. p. 333 (1885); Sauss. Spicil. Ent. ii. pp. 20, 83 (1887).

1. **F. Spinicollis, Bonn.** l. c. p. 548 (1884); Bonn. & Fin. l. c. p. 334, pl. 16. ff. 1–7 (1885); Sauss. l. c. p. 84. n. 1, pl. 3. ff. 29, 29 *a* (1887). — Tunis.

SUBFAM. XII.

CYRTACANTHACRINÆ.

Genus 507. **Orestera.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 331 (1887); Giglio-Tos, Bull. Mus. Torino, xiii. (311) p. 40 (1898).

1. **O. Ephippium, Pict. & Sauss.** l. c. p. 332. n. 1 (1887).	Peru.

Genus 508. **Batrachopus.** (*Type* no. 1.)

Blanch. Gay, Hist. Chil., Zool. vi. p. 82 (1851); Phil. Zeitschr. ges. Naturw. xxi. p. 242 (1863).

1. **B. Tibialis, Blanch.** l. c. p. 82. n. 1 [pl. 3. f. 9, ined.] (1851).	Chile.
2. **B. Cinerascens, Phil.** l. c. p. 242. n. 1 (1863).	id.
3. **B. (?) Obesus, Phil.** l. c. p. 243. n. 2 (1863).	id.

Genus 509. **Tropidostethus.**

Phil. Zeitschr. ges. Naturw. xxi. p. 245 (1863): Stal, Bihang Svensk. Akad. Handl. v. (4) p. 13 (1877): Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 334 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 40 (1898).

1. **T. Bicarinatus, Phil.** (*Batrachopus* (?) *B.*) l. c. p. 244. n. 3 (1863). *T. Batrachopus* (?) *Bicarinatus, Pict. & Sauss.* l. c. p. 334. n. 1 (1887).	Chile.

Genus 510. **Prionolopha.**

Stål, Recens. Orth. i. p. 27 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 14 (1877); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 335 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 55 (1900); Biol. Centr.-Amer., Orth. ii. pp. 209, 224 (1907); Proc. U.S. Nat. Mus. xxx. pp. 640, 644 (1906).

*1. **P. Serrata, Linn.** (*Gryllus Bulla Serratus*) Syst. Nat. (ed. x.) i. p. 427. n. 15 (1758); Mus. Ludov. Ulric. p. 121. n. 12 (1764).	S. America, Trinidad.

Acrydium Serratum, *De Geer*, Mém. Ins. iii. p. 493. n. 10, pl. 41. f. 6 (1773); Oliv. Encycl. Méth. vi. p. 216. n. 9 (1791).
Gryllus Serratus, *Fabr.* Syst. Ent. p. 288. n. 6 (1775).
Pamphagus Serratus, *Thunb.* Mém. Acad. Pétersb. v. p. 260 (1815); Hem. Max. Cap. p. 5 (1822).
Xiphocera Serrata, *Burm.* Handb. Ent. ii. p. 614. n. 6 (1838).
Tropinotus Serratus, *Serv.* Ann. Sci. Nat. xxii. p. 273. n. 1 (1831); Ins. Orth. p. 618. n. 1 (1839).
P. Serrata, *Stål*, Recens. Orth. i. p. 44. n. 1 (1873); Pict. & Sauss. l. c. p. 335. n. 1 (1887); Brun. Biol. Centr.-Amer., Orth. ii. p. 224. n. 1 (1907); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 169 (1907).
[Roesel, Ins. Belust. ii. Locust. Ind. ii. p. 109, pl. 16. f. 2.]
♂. *Acrydium Serratofasciatum*, *De Geer*, l. c. p. 495. n. 11, pl. 42. f. 2 (1773).
♂. *Pamphagus Lateralis*, *Thunb.* Mém. Acad. Pétersb. v. p. 260 (1815).
Gryllus Locusta Cymbiformis, *Stoll*, Spectres, Saut. p. 12, pl. 4 *b*. ff. 14, 15 (1813).
Pamphagus Cymbiformis, *Blanch.* Hist. Ins. iii. p. 38. n. 4 (1840).
Gryllus Locusta Scutatus, *Stoll*, l. c. p. 39, pl. 21 *b*. f. 81 (1813).
Acrydium Dentatum, *Oliv.* l. c. p. 217. n. 10 (1791).
***Xiphocera Elegans*, *Walk.* Cat. Derm. Salt. B. M. iii. p. 525. n. 18 (1870).

Genus 511. **Diedronotus.** (*Type* no. 2.)

Bol., Bol. Soc. Españ. vi. p. 396 (1906).
‖ *Tropinotus*, *Serv.* (*nec Kuhl*) Ann. Sci. Nat. xxii. p. 272 (1831); Ins. Orth. p. 617 (1839); Burm. Handb. Ent. ii. p. 614 (1838); Stål, Recens. Orth. i. pp. 27, 44 (1873); Brun. Proc. U.S. Nat. Mus. xxx. pp. 640, 645 (1906); Biol. Centr.-Amer., Orth. ii. pp. 209, 225 (1907).
‖ *Tropidonotus*, *Stål* (*nec Schleg.*), Bihang Svensk. Akad. Handl. v. (4) p. 14 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 335 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 11 (1898); Brun. 2nd Rep. Locust Comm. B. Aires. pp. 53. 55 (1900).

1. **D. Rosulentus, Stål,** (*Trapidonotus R.*) Bihang Svensk. Akad. Handl. v. (9) p. 19. n. 3 (1878). *Tropidonotus Rosulentus, Brun.* Bull. Lab. Nat. Hist. Iowa, iii. (3) p. 64. n. 27, pl. 3. f. 5 (1895). *T. Rosulentus, Brun.* Proc. U.S. Nat. Mus. xxx. p. 645 (1906); Biol. Centr.-Amer., Orth. ii. p. 225. n. 1 (1907).	N. Granada.
*2. **D. Discoideus, Serv.** (*Tropinotus D.*) ll. cc. p. 273. n. 2 (1831); p. 619. n. 2 (1839); Brun. Proc. U.S. Nat. Mus. xxx. pp. 645, 646 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 170 (1907). *Xiphocera Discoidea, Burm.* l. c. p. 613. n. 7 (1838). *Pamphagus Discoideus, Blanch.* Hist. Nat. Ins. iii. p. 38. n. 5 (1840). *Tropidonotus Discoideus, Bol.* Viaje al Pacif. p. 32 (1884); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 56 (1900). ‖*Acridium Tuberculatum, Beauv.* (*nec Fabr.*) Ins. Afr. Amér. p. 145, Orth. pl. 4. f. 1 (1805).	Brazil, Argentina, &c.
*3. **D. Angulatus, Stål,** (*Tropinotus A.*) Œfv. Vet.-Akad. Förh. xxx. (4) p. 52. n. 1 (1873); Recens. Orth. i. p. 44. n. 1 (1873); Brun. Proc. U.S. Nat. Mus. xxx. pp. 645, 646 (1906). *Tropidonotus Angulatus, Brun.* 2nd Rep. Locust Comm. B. Aires, pp. 55, 56 (1900).	iid.
4. **D. Mexicanus, Brun.** (*Tropinotus M.*) Proc. U.S. Nat. Mus. xxx. p. 645 (1906); Biol. Centr.-Amer., Orth. ii. p. 225. n. 2, pl. 3. f. 2 (1907).	Mexico, Yucatan.
*5. **D. Schulzi, Brun.** (*Tropidonotus S.*) 2nd Rep. Locust Comm. B. Aires, pp. 55, 56 (1900). *Tropinotus Schulzi, Brun.* Proc. U.S. Nat. Mus. xxx. p. 645 (1906).	Argentina.
6. **D. Modestus, Giglio-Tos,** (*Tropidonotus M.*) Boll. Mus. Torino, ix. (184) p. 16 (1894); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 56 (1900). *Tropinotus Modestus, Brunn.* Bull. U.S. Nat. Mus. xxx. pp. 645, 646 (1906).	id.

*7. **D. Conspersus, Brun.** (*Tropidonotus C.*) 2nd Rep. Locust Comm. B. Aires, p. 56 (1900). *Tropinotus Conspersus, Brun.* Proc. U.S. Nat. Mus. xxx. p. 645 (1906).	Argentina, Brazil, N. Granada.
*8. **D. Insignis, Giglio-Tos,** (*Tropidonotus I.*) l. c. p. 16 (1894); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 56, 57 (1900). *Tropinotus Insignis, Brun.* Proc. U.S. Nat. Mus. xxx. pp. 645, 646 (1906).	Argentina, Theresopolis.
*9. **D. Affinis, Brun.** (*Tropinotus A.*) ll. cc. (1906).	iid.
*10. **D. Regularis, Brun.** (*Tropinotus R.*) Ent. News, xvi. pp. 215, 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 645, 647 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 173 (1907).	Paraguay.
11. **D. Guarani, Rehn,** (*Tropinotus G.*) l. c. pp. 170, 173, ff. 7–9 (1907).	id.
*12. **D. Scabripes, Stål,** (*Trapidonotus S.*) Bihang Svensk. Akad. Handl. v. (9) p. 19. n. 4 (1878). *Tropinotus Scabripes, Brun.* Ent. News, xvi. p. 216 (1905); Bull. U.S. Nat. Mus. xxx. pp. 645, 648 (1906).	Brazil.
*13. **D. Lævipes, Stål,** (*Tropidonotus L.*) l. c. p. 20. n. 5 (1878); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 56, 57. f. 21 (1900). *Tropinotus Lævipes, Brun.* Ent. News, xvi. p. 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 646, 648, pl. 37. f. 7 (1906).	Brazil, Argentina, Paraguay.
*14. **D. Gracilis, Brun.** (*Tropinotus G.*) Ent. News, xvi. p. 216 (1905); Proc. U.S. Nat. Mus. xxx. pp. 646, 648 (1906).	Brazil.
*15. **D. Lineatus, Brun.** (*Tropinotus L.*) Proc. U.S. Nat. Mus. xxx. pp. 646, 648 (1906); Rehn, l. c. p. 174 (1907).	Paraguay.
16. **D. Laufferi, Bol.** (*Tropidonotus L.*) An. Soc. Españ. xix. p. 317 (1890). *Tropinotus Laufferi, Brun.* l. c. p. 646 (1906).	Peru.
17. **D. (?) Angusticollis, Blanch.** (*Tropinotus (?) A.*) Gay, Hist. Chil., Zool. vi. p. 65. n. 1 [pl. 3. f. 5, ined.] (1851).	Chile.
18. **D. (?) Panteli, Bol.** (*Tropidonotus P.*) Ann. Soc. Ent. France, lxx. p. 612 (1902).	Madura.

Genus 512. **Alcamenes.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 14, 54 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 336 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 57 (1900); Bull. U.S. Nat. Mus. xxx. pp. 640, 649 (1906).

*1. **A. Granulatus, Stål,** (*Tropinotus G.*) Bihang Svensk. Akad. Handl. iii. (14) p. 27. n. 1 (1875). *A. Granulatus, Stål,* l. c. v. (4) p. 54. n. 1 (1878); Pict. & Sauss. l. c. p. 336. n. 1 (1887); Brun. Bull. U.S. Nat. Mus. xxx. p. 649 (1906).	Uraguay, Monte Video.
2. **A. Cristatus, Brun.** l. c. pp. 649, 650 (1906).	Paraguay.
3. **A. Brevicollis, Stål,** l. c. v. (4) p. 54. n. 2 (1878); Brun. 2nd Rep. Locust Comm. B. Aires, p. 57 (1900); Bull. U.S. Nat. Mus. xxx. p. 649 (1906).	Corrientes.
*4. **A. Clarazianus, Pict. & Sauss.** l. c. p. 336. n. 3 (1887); Brun. Bull. U.S. Nat. Mus. xxx. p. 649 (1906).	Argentina.
5. **A. Brevipennis, Giglio-Tos,** (*Prionolopha B.*) Boll. Mus. Torino, xv. (377) p. 3 (1900).	Matto Grosso.

Genus 513. **Colpolopha.** (*Type* no. 4.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873); Recens. Orth. i. pp. 28. 45 (1873); Bihang Svensk. Akad. Handl. (5) iv. p. 14 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 338 (1887); Giglio-Tos, Boll. Mus. Torino. xiii. (311) p. 41 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 227 (1907).

*1. **C. Burmeisteri, Stål,** Bihang Svensk. Akad. Handl. iii. (14) p. 27. n. 1 (1875); Pict. & Sauss. l. c. p. 338. n. 1 (1887).	Peru, N. Granada.
2. **C. Latipennis, Stål,** l. c. v. (9) p. 19. n. 3 (1878); Pict. & Sauss. l. c. p. 338. n. 2 (1887); Brun. l. c. pp. 227, 228. n. 1 (1907). ‖ *C. Sinuata, Brun.* (*nec Stål*) l. c. pl. 2. ff. 25, 25 *a* (1907).	Peru, Central America.

3. **C. Præmorsa, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 9. n. 7 (1889).	Peru.
4. **C. Sinuata, Stål,** (Œfv. Vet.-Akad. Förh. xxx. (4) p. 53. n. 1 (1873); Recens. Orth. i. p. 45. n. 1 (1873); Bihang Svensk. Akad. Handl. v. (9) p. 19. n. 1 (1878); Pict. & Sauss. l. c. p. 338. n. 3 (1887); Brun. l. c. pp. 227, 228. n. 3 (1907).	id., N. Granada.
*5. **C. Obsoleta, Serv.** (*Tropinotus Obsoletus*) Ann. Sci. Nat. xxii. p. 274. n. 3 (1831); Ins. Orth. p. 620. n. 3 (1839). *Xiphocera Obsoleta, Burm.* Handb. Ent. ii. p. 613. n. 8 (1838). *C. Obsoleta, Pict. & Sauss.* l. c. p. 338. n. 4 (1887); Brun. l. c. pp. 227, 228. n. 2 (1907). ‖*Xiphocera Basalis, Walk.* Cat. Derm. Salt. B. M. iii. p. 522. n. 13 (1870).	iid., Demerara, Brazil, "Cape," "Australia."
*6. **C. Biloba, Pict. & Sauss.** l. c. p. 338. n. 5 (1887).	Peru.
*7. **C. (?) Cyanoptera, Gerst.** (*Xiphocera C.*) Stettin. Ent. Zeit. xxiv. p. 186. n. 5 (1873).	Brazil, Caveta.
8. **C. Bruneri, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. p. 406, ff. 6, 7 (1905); Brun. l. c. p. 228. n. 4 (1907).	Costa Rica.

Genus 514. **Xomana.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 40, 51 (1898).

1. **X. Gonagra, Gerst.** (*Procolpia (Prorhachis) G.*) Mitth. Ver. Neu-Vorpomm. xx. p. 6. n. 5 (1889). *X. Gonagra, Giglio-Tos,* l. c. p. 51 (1898).	Fonte Boa.
2. **X. Nuptialis, Gerst.** (*Procolpia N.*) l. c. p. 7. n. 6 (1889). *X. Nuptialis, Giglio-Tos,* l. c. p. 51 (1898). [Rösel, Ins. Belust. ii. Locust. Ind. p. 111, pl. 16. f. 3.]	Ega.

Genus 515. **Procolpia.** (*Type* no. 1)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873); Recens. Orth. i. pp. 28, 45 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 15 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. P. U.S. Nat. Mus. xxx. pp. 640, 643 (1906); Biol. Centr.-Amer., Orth. ii. pp. 209, 223 (1907).

*1. **P. Emarginata, Serv.** (*Xiphicera E.*) Ann. Sci. Nat. xxii. p. 271. n. 1 (1832); Ins. Orth. p. 612. n. 1 (1839); Blanch. Cuv. Règne Anim., Ins. pl. 85. ff. 2 *a*, 3 (1862). | Mexico to Brazil.
   Xiphocera Emarginata, Burm. Handb. Ent. ii. p. 614. n. 4 (1838).
   Pamphagus Emarginatus, Blanch. Hist. Nat. Ins. iii. p. 37. n. 1 (1840).
   Procolpia Emarginata, Stål, Recens. Orth. i. p. 45. n. 1 (1873); Brun. Biol. Centr.-Amer., Orth. ii. p. 223. n. 1 (1907).
   Xiphocera (?) *Inclarata, Walk.* Cat. Derm. Salt. B. M. iii. p. 523. n. 14 (1870); Thomas, Syn. Acrid. N. Amer. p. 242 (1873).
   Munatia Inclarata, Brun. l. c. pl. 3. ff. 1, 1 *a* (1907).

2. **P. Minor, Giglio-Tos,** Boll. Mus. Torino, ix. (184) p. 17 (1894); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 169 (1907). | Paraguay.
   Munatia Australis, Brun. Proc. U.S. Nat. Mus. xxx. p. 644 (1906).

3. **P. Sphingiformis, Stoll,** (*Gryllus Locusta S.*) Spectres, Saut. p. 17, pl. 7 *b*. f. 23 (1813). | "Tartary."

Genus 516. **Prorhachis.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 269 (1875).
Prorhacis, Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 40 (1878).

1. **P. Granulosa, Scudd.** l. c. n. 22 (1875). | Peru.

Genus 517. **Xiphophora.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 391 (1859).

1. **X. Americana, Sauss.** l. c. (1859).	Guiana.
2. **X. Auroripennis, Burm.** (*Xiphocera A.*) Handb. Ent. ii. p. 613. n. 2 (1838).	Surinam.
3. **X. Cyanoptera, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 11. n. 9 (1888).	Amazons, Peru.

Genus 518. **Elæochlora.** (*Type* no. 4.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873) ; Recens. Orth. i. pp. 28, 45 (1873) ; Bihang Svensk. Akad. Handl. v. (4) p. 16 (1877) ; Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 343 (1887) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 58 (1900) ; Bull. U.S. Nat. Mus. xxx. pp. 640. 651 (1906) ; Biol. Centr.-Amer., Orth. ii. pp. 210, 230 (1907).

*1. **E. Trilineata, Serv.** (*Xiphicera T.*) Ann. Sci. Nat. xxii. p. 272. n. 2 (1831) ; Ins. Orth. p. 614. n. 3, pl. 14. f. 2 (1839). *Xiphocera Trilineata, Burm.* Handb. Ent. ii. p. 614. n. 5 (1838). *E. Trilineata, Stål,* Recens. Orth. i. p. 46. n. 2 (1873) ; Pict. & Sauss. l. c. pp. 343, 344. n. 1 (1887) ; Brun. 2nd Rep. Locust Comm. B. Aires, p. 58 (1900) ; Bull. U.S. Nat. Mus. xxx. p. 651 (1906).	Brazil.
*2. **E. Viridicata, Serv.** (*Xiphicera V.*) Ins. Orth. p. 614. n. 4, pl. 14. f. 3 (1839). *E. Viridicata, Stål,* l. c. p. 46. n. 3 (1873) ; Pict. & Sauss. l. c. pp. 343, 344. n. 2 (1887) ; Bol. Viaje al Pacifico, p. 33 (1884) ; Brun. Rep. Locust Comm. B. Aires, i. pp. 82, 83, f. 27 (3, 6) (1898), ii. pp. 58–60, ff. 22, 23 (1900) ; Bull. U.S. Nat. Mus. xxx. p. 651, pl. 36. f. 9, pl. 38. f. 7 (1906).	Argentina, Brazil, Paraguay, Uruguay.
3. **E. Parvispina, Pict. & Sauss.** l. c. p. 344. n. 4 (1887).	Brazil.
*4. **E. Scabra, Thunb.** (*Gryllus Scaber*) Mém. Acad. Pétersb. ix. pp. 393, 400. n. 1 (1824). *E. Scabra, Stål,* l. c. p. 46. n. 1 (1873) ; Pict. & Sauss. l. c. pp. 344, 345. n. 5 (1887).	id.

***Xiphocera Auripennis, Walk.* Cat. Derm. Salt. B. M. iii. p. 522. n. 12 (1870).	
*5. **E. Granulosa, Stål,** Bihang Svensk. Akad. Handl. iii. (14) p. 28. n. 1 (1875); Pict. & Sauss. l. c. pp. 344, 345. n. 6 (1887).	N. Granada, Venezuela.
6. **E. Hymenæa, Gerst.** (*Xiphocera H.*) Stettin. Ent. Zeit. xxiv. p. 186. n. 6 (1873). *E. Longispina, Pict. & Sauss.* l. c. pp. 344, 345. n. 7 (1887).	Brazil, N. Granada.
7. **E. Brunneri, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 270. n. 23 (1875).	Peru.
8. **E. Hilaris, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 10. n. 8 (1889).	id.
9. **E. Angustipennis, Brun.** 2nd Rep. Locust Comm. B. Aires, p. 58 (1900).	Argentina.
10. **E. Fruhstorferi, Bol.** An. Soc. Españ. xix. p. 318. pl. 1. f. 4 (1899).	Santa Catharina.
11. **E. Spoliata, Walk. (*Xiphocera S.*) l. c. p. 524. n. 16 (1870).	Brazil, Peru.
12. **E. Jucunda, Walk. (*Xiphocera J.*) l. c. p. 523. n. 15 (1870).	Venezuela.
13. **E. Bilunata, Gerst.** (*Xiphocera B.*) Stett. Ent. Zeit. xxiv. p. 187. n. 7 (1873).	Colombia.
14. **E. Psittacina, Gerst.** (*Xiphocera P.*) l. c. n. 8 (1873).	id.
15. **E. Bivittata, Gerst.** (*Xiphocera B.*) l. c. n. 9 (1873).	Bogota.
16. **E. Picticollis, Gerst.** (*Xiphocera P.*) l. c. p. 188. n. 10 (1873). *Elæochlora Picticollis, Pict. & Sauss.* l. c. pp. 343, 344. n. 3 (1887); Bol. Viaje al Pacifico, p. 34, pl. 1. f. 4 (1884).	id.

Genus 519. **Munatia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 28 (1875), v. (4) p. 15 (1877); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 404 (1905); Brun. Proc. U.S. Nat. Mus. xxx. p. 640 (1906); Biol. Centr.-Amer., Orth. ii. pp. 209, 223 (1907).

1. **M. Punctata, Stål,** l. c. iii. (14) p. 28. n. 1 (1875); Rehn, l. c. p. 405. ff. 4, 5 (1905); Brun. Biol. Centr.-Amer.. Orth. ii. p. 223. n. 1 (1907).	Chiriqui, Costa Rica, Panama.

Genus 520. **Cibotopteryx.**

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 408 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 229 (1907).

1. **C. Variegata, Rehn,** l. c. pp. 408–410. ff. 8, 9 (1905) : Brun. l. c. p. 229. n. 1 (1907). Costa Rica.
   Elæochlora Juvenalis, Brun. l. c. pl. 2. ff. 23, 24, 24 *a* (1907).

Genus 521. **Dracotettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xii. p. 49 (1889); Biol. Centr. Amer., Orth. ii. pp. 210, 226 (1907).

1. **D. Monstrosus, Brun.** ll. cc. p. 50, pl. 1. f. 1 (1889) : p. 226. n. 1 (1907). California.
   Draconotus Monstrosus, Brun. Biol. Centr.-Amer., Orth. ii. pl. 3. ff. 3, 3 *a*, 4 (1907).
2. **D. Californicus, Brun.** l. c. p. 226. n. 2 (1907). id., Arizona.
3. **D. Plutonius, Brun.** N. Amer. Fauna, vii. p. 267 (1893); Biol. Centr.-Amer., Orth. ii. pp. 226, 227. n. 3 (1907). California.
   Draconotus Plutonius, Brun. l. c. pl. 3. ff. 5, 5 *a* (1907).

Genus 522. **Æolacris.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 269 note (1875); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 340 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 209, 224 (1907).

1. **Æ. Caternaultii, Feisth.** (*Xiphicera C.*) Mag. Zool. vii. (9) pl. 184 (1837). Cayenne, Colombia, Ecuador.
   Xiphicera Octolunata, Serv. Ins. Orth. p. 615. n. 5 (1839).
   Æ. Caternaultii, Pict. & Sauss. l. c. p. 340. n. 2 (1887); Giglio-Tos, Boll. Mus. Torino, xii. (301) p. 3 (1897).
   Xiphicera Octomaculata, Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 337. n. 16 (1869).
2. **Æ.** (?) **Tricristata, Serv.** (*Xiphicera T.*) l. c. p. 613. n. 2 (1839). Colombia.

Genus 523. **Catreus.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 15 (1878).

*1. **C. Sulcaticollis, Blanch.** (*Tropinotus S.*) Chile.
Gay, Hist. Chile, Zool. vi. p. 66. n. 2
[pl. 3. f. 6, ined.] (1851).
♂. *Caloptenus* (?) *Dorsiger*, *Walk.* Cat.
Derm. Salt. B. M. v. Suppl. p. 66 (1871).
*2. **C. Ornaticollis, Blanch.** (*Tropinotus O.*) id.
l. c. p. 66. n. 3 (1851).

Genus 524. **Locheuma.**

Scudd. Proc. Boston Soc. Nat. Hist. xxvii. p. 207 (1896).
Locheyma, *Giglio-Tos*, Boll. Mus. Torino, xiii. (311) pp. 41, 59 (1898).

1. **L. Brunneri, Scudd.** (*Elæochlora B.*) l. c. Peru.
xvii. p. 270. n. 23 (1875).

Genus 525. **Draconata.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 341 (1887); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 229 (1907).

1. **D. Mancus, Pict. & Sauss.** l. c. p. 342. Colombia.
n. 1 (1887).

Genus 526. **Conometopus.** (*Type* no. 1.)

Blanch., Gay, Hist. Chile, Zool. vi. p. 67 (1851).

1. **C. Ochraceus, Blanch.** l. c. p. 68. n. 1 Chile.
[Orth. pl. 3. f. 7, ined.] (1851).
2. **C. Cristaticollis, Blanch.** l. c. p. 69. n. 2 id.
(1851).

Genus 527. **Agriacris.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. iv. p. 644 (1870).

1. **A. Plagiata, Walk. (*Xiphocera P.*) l. c. iii. p. 524. n. 17 (1870). Bogota, Colombia.

2. **A. Ferox, Walk. l. c. iv. p. 645. n. 1 (1870). Colombia.

Genus 528. **Alophonota.**

Stål. Œfv. Vet.-Akad. Förh. xxx. (4) p. 52 (1873); Recens. Orth. i. pp. 29, 47 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 16 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 346 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 41 (1898).

*1. **A. Pierretii, Blanch.** (*Xiphicera P.*) Mag. Zool. vii. (ix.) pl. 185 (1837). Brazil.
Xiphocera Dorsalis, Burm. Handb. Ent. ii. p. 613. n. 1 (1838).
** ♀. *Xiphocera Funesta, Walk.* Cat. Derm. Salt. B. M. iii. p. 521. n. 11 (1870).

Genus 529. **Rhomalea.** (*Type* no. 1.)

Romalea, Serr. Ann. Sci. Nat. xxii. p. 280 (1831); Ins. Orth. p. 621 (1839); Blanch. Hist. Nat. Ins. iii. p. 40 (1840).
Rhomalea, Burm. Handb. Ent. ii. p. 619 (1838); Thom. Syn. Acrid. N. Amer. p. 178 (1873).
Dictyophorus, pt., *Thunb.* Mém. Acad. Pétersb. v. pp. 214, 258 (1815); Stål, Recens. Orth. i. pp. 32, 50 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 347 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 230 (1907).

*1. **R. Microptera, Beauv.** (*Acridium Micropterum*) Ins. Afr. Amér. p. 116. Orth. pl. 4. f. 4 (1805). Southern United States.
Romalea Microptera, Serv. ll. cc. p. 280. n. 1 (1831); p. 622. n. 1 (1839); Glover, Ill. N. Amer. Orth. pl. 3. f. 4 (♂ nec ♀) (1872).
Rhomalea Microptera, Charp. Orth. pl. 49 (1843).

Acridium (Rhomalea) Micropterum. De Haan, Temminck, Verhandel., Orth. p. 151 (1842).
Dictyophorus Micropterus. Pict. & Sauss. l. c. p. 347. n. 1 (1887); Brun. l. c. p. 230. n. 1 (1907).
Gryllus Locusta Guttatus. Stoll, Spectres, Saut. p. 23, pl. 10 *b*. f. 34 (1813).
Dictyophorus Guttatus. Blanch. Hist. Nat. Ins. iii. p. 40. n. 6 (1840).
Dictyophorus Reticulatus, Thunb. Mém. Acad. Pétersb. v. p. 259 (1815); Stal, Recens. Orth. p. 50. n. 1 (1873); Caud. Proc. U.S. Nat. Mus. xxvi. p. 759. n. 83 (1903).
Rhomalea Gigantea, Burm. l. c. p. 619. n. 1 (1838).

*2. **R. Gloveri, Kirb.** (n. n.). — Missouri.
‖ *Romalea Microptera* (♀ *nec* ♂), *Glover*, l. c. pl. 3. f. 4 (1872).
| *Rhomalea Centurio*, ♀, *Thomas* (*nec Drury*), Syn. Acrid. N. Amer. p. 179 (1873).

*3. **R. Marci, Serv.** (*Romalea Marci*) Ins. Orth. p. 623. n. 2 (1839). — Southern United States.
Rhomalea Marci, Thom. l. c. p. 180 (1873).
Dictyophorus Marci, Pict. & Sauss. l. c. 347. n. 2 (1887); Brun. l. c. p. 230. n. 1 (1907).

Genus 530. **Litoscirtus.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 231 (1907).

1. **L. Insularis, Brun.** l. c. p. 231. n. 1, pl. 3. ff. 6, 6 *a* (1907). — California, Central America.

Genus 531. **Hippacris.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 267 (1875).

1. **H. Crassa, Scudd.** l. c. p. 268. n. 19 (1875); Psyche, v. p. 441 (1890). — E. Peru.
2. **H. Picticornis, Scudd.** Psyche, v. p. 441 (1890). — Upper Amazons.

Genus 532. **Tæniopoda.** (*Type* no. 6.)

Stål, Recens. Orth. i. pp. 32. 50 (1873): Bihang Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 347 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898): Bol., Bol. Soc. Esp. Hist. Nat. i. p. 264 (1901); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 231 (1907).

*1. **T. Burmeisteri, Bol.** l. c. pp. 265, 266 (1901); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 530 (1904); Brun. l. c. pp. 232, 233. n. 1 (1907).	Mexico, Georgia (?).
‖ *Rhomalea Centurio, Burm.* (*nec Drury*) Handb. Ent ii. p. 620. n. 2 (1838).	
2. **T. Picticornis, Walk. (*Rhomalea P.*) Cat. Derm. Salt. B. M. iii. p. 538. n. 6 (1870).	Mexico, Texas, Arizona.
Rhomalea Pecticornis, Thomas, Syn. Acrid. N. Amer. p. 240 (1873).	
T. Pecticornis, Caud. Proc. U.S. Nat. Mus. xxvi. p. 795 (1903).	
T. Picticornis, Brun. l. c. p. 232. n. 82, p. 234. n. 2, pl. 2. f. 17 (1907).	
‖ *Gryllus Locusta Centurio, Stoll* (*nec Drury*), Spectres. Saut. p. 15, pl. 6 *b.* f. 19 (1813).	
3. **T. Stæli, Brun.** (*T. Ståli*) l. c. pp. 232, 234. n. 3. pl. 2. f. 18 (1907).	Mexico.
‖ *T. Picticornis, Stål* (*nec Walk.*), Recens. Orth. i. p. 51. n. 2 (1873); Bol. l. c. pp. 265, 267 (1901).	
4. **T. Citricornis, Brun.** l. c. pp. 232, 234. n. 4 (1907).	id.
‖ *T. Centurio, Brun.* (*nec Drury*) l. c. pl. 2. ff. 19, 19 *a* (1907).	
5. **T. Tamaulipennis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 531 (1904); Brun. l. c. pp. 232, 234. n. 5 (1907).	id.
*6. **T. Superba, Stål,** (*Monachidium Superbum*) Œfv. Vet.-Akad. Förh. xii. p. 352. n. 1 (1855); Thomas, l. c. p. 239 (1873).	Honduras Guatemala
T. Superba, Stål, Recens. Orth. i. p. 50. n. 1 (1873); Bol. l. c. pp. 265, 267 (1901); Brun. l. c. pp. 233, 235. n. 6 (1907).	

*7. **T. Eques, Burm.** (*Rhomalea E.*) l. c. p. 620. n. 3 (1838); Sauss. Rev. Zool. (2) xi. p. 392 (1859); Thomas, l. c. p. 239 (1873).	Mexico, Honduras, Costa Rica.
T. Maxima, Brun. l. c. pp. 233, 235. n. 7 (1907).	
8. **T. Gutturosa, Bol.** l. c. pp. 265, 268 (1901); Brun. l. c. pp. 233, 235. n. 8 (1907).	Guatemala.
9. **T. Aurantia, Brun.** l. c. p. 265 (1907).	id.
10. **T. Obscura, Brun.** l. c. pp. 233, 235. n. 9, pl. 2. ff. 21, 21 *a* (1907).	Mexico.
11. **T. Bicristata, Brun.** l. c. pp. 233, 236. n. 10 (1907).	id.
*12. **T. Centurio, Drury,** (*Gryllus Locusta C.*) Ill. Exot. Ent. ii. p. 78, pl. 41. f. 3 (1773).	id., Honduras, Nicaragua.
Locusta (*Rutidoderes*) *Centurio, Westw.* Drury, Ill. Exot. Ent. ii. p. 88, pl. 41. f. 3 (1837).	
Rhomalea Centurio, Sauss. l. c. p. 392 (1859).	
T. Centurio, Pict. & Sauss. l. c. p. 348. n. 3 (1887); Bol. l. c. pp. 265, 268 (1901); Brun. l. c. pp. 233, 236. n. 11 (1907).	
***Gryllus Reticulatus, Fabr.* Spec. Ins. i. p. 362. n. 7 (1781); Don. Ins. Ind. pl. 12. f. 1 (1800).	
Locusta (*Monachidia*) *Reticulata, Westw.* Don. Ins. Ind. p. 20, pl. 12. f. 1 (1842).	
13. **T. Reticularis, Bol.** (*T. Centurio,* var. *Reticularis*) l. c. p. 269 (1901).	Mexico.
14. **T. Auricornis, Walk. (*Rhomalea A.*) l. c. p. 538. n. 7 (1870); Thomas, l. c. p. 241 (1873).	id.
T. Auricornis, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 532 (1904), lvii. pp. 413, 414. f. 13 (1905); Brun. l. c. pp. 233, 237. n. 12. pl. 2. ff. 22, 22 *a* (1907).	
15. **T. Varipennis, Rehn,** l. c. pp. 410–414. ff. 10–12 (1905); Brun. l. c. pp. 233, 237. n. 13 (1907).	Nicaragua, Costa Rica.
T. Flavida, Brun. l. c. pl. 2. ff. 20, 20 *a* (1907).	
16. **T. Pulchella, Bol.** l. c. pp. 266, 269 (1901); Rehn, l. c. pp. 413, 414. f. 14 (1905); Brun. l. c. pp. 233, 237. n. 14 (1907).	Mexico.

Genus 533. **Chromacris.** (*Type* no. 2.)

Walk. Cat. Derm. Salt. B. M. iv. p. 643 (1870); Thomas, Syn. Acrid. N. Amer. p. 167 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 210, 238 (1907).

Rhomalea, Sect. ii., *Burm.* (*nec Serv.*) Handb. Ent. ii. p. 620 (1838); Stål, Recens. Orth. i. pp. 32, 51 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 348 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 59 (1900).

*1. **C. Miles, Drury,** (*Gryllus Locusta M.*) Ill. Exot. Ent. ii. p. 79, pl. 42. f. 2 (1773). — Honduras.
Locusta (*Rutodideres*) *Miles*, *Westw.* Drury, Ill. Exot. Ent. ii. p. 89, pl. 42. f. 2 (1837).
Rhomalea Miles, pt., *Pict. & Sauss.* l. c. pp. 349, 350. n. 1 (1887).
Chromacris Miles, *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 238, 239. n. 2 (1907).

*2. **C. Speciosa, Thunb.** (*Gryllus Speciosus*) Mém. Acad. Pétersb. ix. pp. 394, 404. n. 15, pl. 14. f. 1 (1824). — S. America.
Acridium Speciosum, *Serv.* Ann. Sci. Nat. xxii. p. 283. n. 6 (1831); Ins. Orth. p. 673. n. 36 (1839).
Rhomalea Speciosa, *Stål*, Recens. Orth. i. p. 51. n. 1 (1873) (?); Bol. Viaje al Pacif. p. 35 (1884).
||*Gryllus Locusta Miles*, *Stoll* (*nec Drury*), Spectres, Saut. p. 32, pl. 16 *b*. f. 60 (1813).
||*Rhomalea Miles*, *Burm.* l. c. p. 620. n. 4 (1838).
Rhomalea Stolli, *Pict. & Sauss.* l. c. pp. 349, 351. n. 2 (1887); Brun. Rep. Locust Comm. B. Aires, i. pp. 82–84. ff. 1, 5 (1898), ii. pp. 59, 60. ff. 24, 25 (1900).
C. Stolli, *Brun.* Proc. U.S. Nat. Mus. xxx. p. 651, pl. 38. f. 2 (1906).

*3. **C. Psittacus, Gerst.** (*Romalea P.*) Stett. Ent. Zeit. xxxiv. p. 185 (1873). — Bogota, Nicaragua, Costa Rica (eadem ?).
Rhomalea Psittacus, *Pict. & Sauss.* l. c. pp. 350, 354. n. 9 (1887).
(?) *C. Psittacus*, *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 238, 239. n. 3 (1907).

4. **C. Latipennis, Pict. & Sauss.** (*Rhomalea L.*) l. c. pp. 349, 351. n. 3 (1887). — Brazil.

*5. **C. Nuptialis, Gerst.** (*Romalea N.*) l. c. p. 185. n. 2 (1873). *Rhomalea Nuptialis, Pict. & Sauss.* l. c. pp. 349, 352. n. 4 (1887).	Brazil.
6. **C. Xanthoptera, Hahn,** (*Acridium Xanthopterum*) Icones Orth. pl. A. f. 2 (1836).	id. (?).
*7. **C. Colorata, Serv.** (*Acridium Coloratum*) Ins. Orth. p. 674. n. 37 (1839). *Rhomalea Colorata, Stål,* l. c. p. 51. n. 2 (1873); Pict. & Sauss. l. c. pp. 349, 352. n. 5 (1887). *C. Colorata, Thom.* l. c. p. 168 (1873); Rehn, Trans. Amer. Ent. Soc. xxix. p. 12 (1902); Brun. l. c. p. 238. n. 1 (1907). *Rhomalea Pedes, Sauss.* Rev. Zool. (2) xi. p. 392 (1859); Thom. l. c. p. 240 (1873).	Southern United States, Mexico, Honduras, Central America.
*8. **C. Peruviana, Pict. & Sauss.** (*Rhomalea P.*) l. c. pp. 350, 352. n. 6 (1887).	Peru, Upp. Amaz.
*9. **C. Icterus, Pict. & Sauss.** (*Rhomalea I.*) l. c. pp. 350, 353. n. 7 (1887); Brun. 2nd Rep. Locust. Comm. B. Aires. pp. 59, 60 (1900).	Argentina, Ecuador, Peru, Upp. Amaz.
*10. **C. Opulenta, Gerst.** (*Rhomalea O.*) Mitth. Ver. Neu-Vorpommern, xx. p. 32. n. 26 (1889).	Peru, Upp. Amaz.
11. **C. Trogon, Gerst.** (*Romalea T.*) Stett. Ent. Zeit. xxxiv. p. 186. n. 4 (1873). *Rhomalea Trogon, Pict. & Sauss.* l. c. pp. 350, 353. n. 8 (1873). *C. Trogon, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 238, 239. n. 4 (1907).	Costa Rica, Honduras, Panama.

Genus 534. **Cyphacris.**

Gerst. Mitth. Ver. Neu-Vorpommern, xx. p. 3 (1889); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898).

1. **C. Decorata, Gerst.** l. c. p. 4. n. 3 (1889).	Amazons.

Genus 535. **Clarazella.**

Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 354 (1887); Giglio-Tos, Boll. Mus. Torino. xiii. (311) p. 42 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 62 (1900).

1. **C. Patagona, Pict. & Sauss.** l. c. p. 355. n. 1 (1887).	Argentina, Patagonia.

Genus 536. **Anaua.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 18, 54 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898).

1. **A. Fissa, Stål,** l. c. p. 54. n. 1 (1878).	Peru.

Genus 537. **Acidacris.** (*Type* no. 2.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 30 (1889).

1. **A. Amethystina, Gerst.** (*Acridium Amethystinum*) Stett. Ent. Zeit. xxxiv. p. 189. n. 12 (1873).	Pará.
2. **A. Violacea, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 31. n. 24 (1889).	Upper Amazons.
3. **A. Miniacea, Gerst.** l. c. n. 25 (1889).	Peru.

Genus 538. **Hermistria.**

Stål, Recens. Orth. i. pp. 33, 52 (1873).

1. **H. Pulchripes, Stål,** l. c. p. 52. n. 1 (1873).	Mexico.

Genus 539. **Zoniopoda.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 32, 51 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 17 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 356 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Rep. Locust Comm. B. Aires, ii. pp. 53, 60 (1900); Bull. U.S. Nat. Mus. xxx. pp. 640, 652 (1906).

Zonipoda, Brunn. Ann. Mus. Genova, xxxiii. p. 131 (1893).

*1. **Z. Tarsata, Serv.** (*Acridium Tarsatum*) Ann. Sci. Nat. xxxi. p. 283. n. 7 (1831); Ins. Orth. p. 668. n. 29 (1839); Porch. Hor. Soc. Ent. Ross. xx. p. 122, pl. 12. f. 6 (1886). *Z. Tarsata, Stål,* Recens. Orth. i. p. 51. n. 1 (1873); Bol. Viaje al Pacif. p. 36 (1884); Pict. & Sauss. l. c. p. 356. n. 1 (1887). *Acrydium Tarsatum, Gray,* Griffith, Anim. Kingd. xv. p. 781 (1832); Guér. Icon. R. Anim., Ins. p. 339 (1844).	Brazil, Bolivia, Uruguay, Paraguay, Argentina.

Gryllus Servillei, Guér. l. c. pl. 54. f. 9 (1829) ; Gray, l. c. pl. 113. n. 9 (1832).	
*2. **Z. Cruentata, Blanch.** (*Acridium Cruentatum*) D'Orbigny, Voy. Amér. Mér. vi. (2) p. 216. n. 745, pl. 27. f. 5 (1837–1843).	Uruguay, Paraguay, Argentina.
Z. Cruentata, Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 175 (1907).	
‖*Z. Tarsata, Brun. (nec Serv.)* ll. cc. i. pp. 82, 83. f. 2 (1898), ii. pp. 60, 61. f. 26 (1900) ; p. 652. n. 1, pl. 37. f. 2 (1906).	
*3. **Z. Similis, Brun.** P. U.S. Nat. Mus. xxx. p. 652. n. 2 (1906).	Paraguay.
*4. **Z. Iheringi, Pict. & Sauss.** l. c. pp. 356, 357. n. 3 (1887) ; Brun. l. c. pp. 652, 653. n. 3 (1906).	S. Brazil, Paraguay.
5. **Z. Juncorum, Pict. & Sauss.** l. c. p. 356. n. 2 (1887) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 60, 61 (1900); P. U.S. Nat. Mus. xxx. pp. 652, 653. n. 4 (1906).	Argentina, Bolivia, Paraguay.
6. **Z. Fissicauda, Brun.** P. U.S. Nat. Mus. xxx. pp. 652, 653. n. 5 (1906).	Paraguay.
*7. **Z. Exilipes, Brun.** l. c. pp. 652, 654. n. 6 (1906).	id.
8. **Z. Emarginata, Stål,** l. c. p. 52. n. 2 (1873) ; Pict. & Sauss. l. c. pp. 356, 357. n. 4 (1887) ; Brun. l. c. pp. 652, 655. n. 7 (1906).	Brazil.
*9. **Z. Omnicolor, Blanch.** (*Acridium O.*) l. c. p. 216. n. 743, pl. 27. f. 3 (1837–1843).	Paraguay, Argentina.
Z. Omnicolor, Brun. 2nd Rep. Locust Comm. B. Aires, pp. 60, 61. f. 27 (1900); Proc. U.S. Nat. Mus. xxx. pp. 652, 655. n. 8, pl. 37. f. 3 (1906).	
*10. **Z. Picta, Bol.** Viaje al Pacif. p. 37 (1884).	Paraguay.
Z. Picta, Pict. & Sauss. l. c. pp. 356, 357. n. 5 (1887); Brun. 2nd Rep. Locust Comm. B. Aires, p. 61, f. 27 (1900) ; P. U.S. Nat. Mus. xxx. pp. 652, 655. n. 9 (1906).	
Diponthus Puelchus, Pict. & Sauss. l. c. p. 375. n. 9 (1887) ; Brun. ll. cc. pp. 63, 65 (1900) ; p. 656 (1906).	

Genus 540. **Prionacris.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 19, 55 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 212 (1906).

*1. **P. Compressa, Stål,** l. c. p. 55. n. 1 (1878).	N. Granada, Low. Amaz.
2. **P. Erosa, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. pp. 176–179, ff. 10, 11 (1907).	Paraguay.
3. **P. Cœrulescens, Bol.** An. Soc. Españ. xix. p. 319 (1890).	Upper Amazons.

Genus 541. **Aplatacris.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 271 (1875); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898).

Thrasyderes, Bol. An. Soc. Españ. x. p. 481 (1881); Viaje al Pacif. p. 39 (1884). (*Type* no. 2.)

1. **A. Colorata, Scudd.** l. c. p. 271. n. 24 (1875).	Peru.
*2. **A. Leprosa, Bol.** (*Thrasyderes Leprosus*) ll. cc. p. 482, pl. 9. f. 1 (1881); p. 40, pl. 1. f. 5 (1884).	id., Ecuador, Chile.

Genus 542. **Titanacris.** (*Type* no. 2.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 352 (1869); Stål, Recens. Orth. i. pp. 31, 50 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 18 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. pp. 362, 363 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 241 (1906).

*1. **T. Carinata, Stoll,** (*Gryllus Locusta Carinatus*) Spectres, Saut. p. 12, pl. 5 *b.* ff. 16, 16 A (1813). ‖*Acridium Albipes, Burm.* (*nec De Geer*) Handb. Ent. ii. p. 628. n. 3 (1838); De Haan, Temminck, Verhandel., Orth. p. 151. n. 5 (1842). *T. Carinata, Scudd.* l. c. p. 352. n. 1 (1869); Pict. & Sauss. l. c. p. 364. n. 5 (1887). *Lophacris Violacea, Brunn.* Obs. Color. Ins. p. 2, pl. 1. f. 1 (1897).	British Guiana.

*2. **T. Albipes, De Geer,** (*Acrydium Albipes*) Mém. Ins. iii. p. 487. n. 2, pl. 40. f. 7 (1773). *T. Albipes, Scudd.* l. c. p. 353. n. 2 (1869); Pict. & Sauss. l. c. p. 364. n. 4 (1887).	Surinam, Pará, Rio de Janeiro.

Genus 543. **Lophacris.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 353 (1869); Thomas, Syn. Acrid. N. Amer. p. 237 (1873): Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 363 (1887).

*1. **L. Flavicornis, Stoll,** (*Gryllus Locusta F.*) Spectres, Saut. p. 19, pl. 8 *b*. f. 26 (1813). *Acridium Olfersii, Burm.* Handb. Ent. ii. p. 628. n. 4 (1838). *L. Olfersii, Scudd.* l. c. p. 354. n. 1 (1869). *Titanacris Olfersii, Pict. & Sauss.* l. c. p. 363. n. 1 (1887). *Acridium Semirubrum, Serv.* Ins. Orth. p. 653. n. 13 (1839).	Brazil, Cayenne.
*2. **L. Cristata, Linn.** (*Gryllus Locusta Cristatus*) Syst. Nat. (ed. 10) i. p. 431. n. 41 (1758); Mus. Ludov. Ulric. p. 137. n. 28 (1764). [Linn. Amœn. Acad. i. p. 502. n. 21, pl. 17. f. iv.] *Acridium Velazquezii, Nieto,* Rev. Zool. (2) ix. pp. 359, 360, pl. 12 (1857); Sauss. Rev. Zool. (2) xiii. p. 163 (1861). *L. Velasquezii, Scudd.* l. c. p. 354. n. 1 (1869); Thomas, l. c. p. 238 (1873). *Titanacris Velasquezii, Pict. & Sauss.* l. c. pp. 363, 364. n. 2 (1887); Brun. Biol. Centr.-Amer., Orth. ii. p. 241. n. 1, pl. 3. ff. 7, 7 *a* (1907). ‖*Acridium Semirubrum, Sauss.* (*nec Serv.*) Rev. Zool. (2) xiii. p. 162 (1861).	Mexico, Honduras, Panama, Guiana.
3. **L. Humboldtii, Scudd.** l. c. p. 354. n. 3 (1869); Bol. Viaje al Pacif. p. 42 (1884). *Titanacris Humboldtii, Pict. & Sauss.* l. c. pp. 363, 364. n. 3 (1887).	Guayaquil, Brazil (eadem ?).

Genus 544. **Tropidacris.** (*Type* no. 3.)

Scudd. Proc. Boston Soc. Nat. Hist. xii. p. 346 (1869); Thomas. Syn. Acrid. N. Amer. p. 176 (1873); Stål, Recens. Orth. i. pp. 31, 48 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 18 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 358 (1887); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 42 (1898); Brun. Rep. Locust Comm. B. Aires, ii. pp. 53, 62 (1900); Proc. U.S. Nat. Mus. xxx. pp. 640, 655 (1906); Biol. Centr.-Amer., Orth. ii. pp. 211, 240 (1907).

*1. **T. Collaris, Stoll,** (*Gryllus Locusta C.*) Spectres, Saut. p. 39, pl. 21 *b*. f. 80 (1813). S. America.

Gryllus Rugosus, *Thunb.* Mém. Acad. Pétersb. ix. pp. 393, 401. n. 4 (1824).

Gryllus Locusta Cristatus, pt., *Linn.* Syst. Nat. (ed. 10) i. p. 431. n. 41 (1758).

Gryllus Locusta Cristatus, var. 2, *Linn.* Mus. Ludov. Ulric. p. 137. n. 28 (1764).

Acrydium Cristatum, *Oliv.* Encycl. Méth., Ins. vi. p. 215. n. 3 (1791).

Gryllus Locusta Cristatus, *Stoll*, l. c. pp. 21, 22, pl. 9 *b*. f. 30, pl. 10 *b*. f. 33 (1813).

Acridium Cristatum, *Burm.* Handb. Ent. ii. p. 627. n. 1 (1838); Serv. Ins. Orth. p. 650. n. 10, pl. 14. ff. 6, 7 (1839); De Haan, Temminck, Verhandel., Orth. p. 151. n. 3 (1842).

Locusta Cristata, *Dunc.* Introd. Ent. p. 257, pl. 16. f. 1 (1840).

T. Cristata, *Scudd.* l. c. p. 351. n. 5 (1869); Stål, Recens. Orth. i. p. 49. n. 4 (1873); Bol. Viaje al Pacif. p. 43 (1884); Pict. & Sauss. l. c. pp. 359, 362. n. 4 (1887); Brun. ll. cc. i. pp. 81–83. f. 2 (1898), ii. p. 62 (1900); p. 656 (1906); p. 241. n. 5 (1907).

[Roes. Insect. Belust. ii. Locust. Ind. p. 25, pl. 5. ff. 1, 2.]

Gryllus Carinatus, *Thunb.* l. c. v. p. 222 (1815), ix. pp. 393. 401. n. 3 (1824).

*2. **T. Latreillei, Perty,** (*Acrydium L.*) Del. Anim. Art. p. 123. pl. 24. f. 4 (1832). id.

Acrydium Latreillei, *Fitch*, 3rd Rep. Ins. N. York, p. 172, pls. 3, 4 (1856).
Acridium Latreillei, *Serv.* Ins. Orth. p. 652. n. 11 (1839); De Haan, l. c. p. 151. n. 2 (1842).
T. Latreillei, *Scudd.* l. c. p. 349. n. 3 (1869).
|| *Gryllus Locusta Cristatus*, pt., *Linn.* Syst. Nat. (ed. 10) i. p. 431. n. 41 (1758).
Gryllus Locusta Cristatus, var. 1, *Linn.* Mus. Ludov. Ulric. p. 137. n. 28 (1764).
Gryllus Cristatus, *Thunb.* l. c. ix. pp. 393, 402. n. 6 (1824).
[Frisch, Ins. Teutschl. ix. p. 3, f. 1.]
|| *Gryllus Locusta Dux*, *Stoll* (*nec Dru.*) l. c. pp. 6, 7, pl. 1 *b*. ff. 1, 2 (1813).
Gryllus Dux, *Thunb.* l. c. pp. 393, 402. n. 7 (1824).
T. Dux, *Stål*, l. c. p. 48. n. 1 (1873); Pict. & Sauss. l. c. p. 359. n. 1 (1887).
T. Princeps, *Stål*, l. c. p. 48. n. 2 (1873).
Locusta Dux, *Dunc.* l. c. pl. 15. f. 2 (1840) (*nec text*).

3. **T. Dux, Drury,** (*Gryllus Locusta D.*) Ill. Exot. Ent. ii. p. 82, pl. 44 (1773). Honduras, Guatemala.
Locusta (*Rutidoderes*) *Dux*, *Westw.* Drury, Ill. Exot. Ent. ii. p. 92, pl. 44 (1837).
Acrydium Dux, *Oliv.* l. c. p. 215. n. 4 (1791).
Acridium Dux, *Burm.* l. c. p. 628. n. 2 (1838).
Locusta Dux, *Dunc.* l. c. p. 257 (1840), *nec fig.*
T. Imperialis, *Pict. & Sauss.* l. c. pp. 359, 361. n. 2*a* (1887); Brun. l. c. p. 240. n. 3, pl. 3. f. 9 (1907).

4. **T. Rex, Scudd.** l. c. p. 348. n. 2 (1869). Ecuador.

*5. **T. Cardinalis, Pict. & Sauss.** l. c. pp. 359, 360. n. 2 (1887); Brun. l. c. p. 240. n. 2, pl. 3. f. 10 (1907). Guatemala, Honduras.
|| *Gryllus Dux*, *Fabr.* (*nec Drury*) Spec. Ins. i. p. 362. n. 4 (1781).
|| *T. Dux*, *Scudd.* l. c. p. 347. n. 1 (1869); Thomas, l. c. p. 177 (1873); Brun. l. c. p. 240. n. 1, pl. 3. ff. 8, 8 *a* (1907).

*6. **T. Grandis, Thunb.** (*Gryllus G.*) l. c. ix. pp. 393, 403. n. 8 (1824). S. America.

T. Grandis, Stål, l. c. p. 49. n. 3 (1873); Pict. & Sauss. l. c. pp. 359, 361. n. 3 (1887); Brun. l. c. p. 241. n. 4 (1907).

T. Fabricii, Scudd. l. c. p. 349. n. 4 (1869).

‖ *Acridium Dux, Brullé (nec Drury),* Hist. Ins. ix. p. 225. n. 1, pl. 20 (1835); Serv. l. c. p. 653. n. 12 (1839); De Haan, l. c. p. 151. n. 1 (1842).

Genus 545. **Nichelius.**

Bol. Mém. Soc. Zool. France, i. p. 144 (1888); Gundl. Ent. Cuban. ii. p. 343 (1886); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 242 (1907).

1. **N. Fuscopictus, Bol.** l. c. p. 145. n. 145 (1888); Gundl. l. c. p. 343 (1886); Brun. l. c. p. 242. n. 1 (1907). Cuba.

Genus 546. **Diponthus.** (*Type* no. 5.)

Stål, Eugenies Resa, Orth. p. 328 (1860); Recens. Orth. i. pp. 30, 47 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 19 (1878); Pict. & Sauss. Mitth. Schweiz. Ent. Ges. vii. p. 365 (1887); Brunn. Ann. Mus. Genova, xxxiii. p. 135 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 53, 62 (1900); Proc. U.S. Nat. Mus. xxx. pp. 641, 656 (1906).

Eynisacris, Walk. Cat. Derm. Salt. B. M. iv. p. 638 (1870). (*Type* no. 2.)

1. **D. Electus, Serv.** (*Acridium Electum*) Ins. Orth. p. 671. n. 33 (1839). Monte Video, Argentina, Patagonia.

   D. Electus, Stål, Recens. Orth. i. p. 47. n. 1 (1873); Pict. & Sauss. l. c. pp. 366, 368, 369. n. 1 (1887); Brun. ll. cc. pp. 62, 63. n. 1 (1900); p. 656 (1906).

2. **D. Maculiferus, Walk. (*Acridium Maculiferum*) l. c. p. 622 (1870). Monte Video.

   ***Eynisacris Extranea, Walk.* l. c. p. 639. n. 1 (1870).

   D. Dispar, Gerst. Stett. Ent. Zeit. xxxiv. p. 193. n. 23 (1873); Pict. & Sauss. l. c. pp. 366, 368–370. n. 2 (1887); Brun. Proc. U.S. Nat. Mus. xxx. p. 656 (1906).

3. **D. Festivus, Gerst.** l. c. p. 193. n. 22 (1873) : Pict. & Sauss. l. c. pp. 366, 368, 369, 371. n. 4 (1887) ; Brun. l. c. pp. 656, 657 (1906).	Brazil.
4. **D. Clarazianus, Pict. & Sauss.** l. c. pp. 366–370. n. 3 (1887) ; Brun. 2nd Rep. Locust Comm. B. Aires, pp. 62, 63 (1900) ; Proc. U.S. Nat. Mus. xxx. p. 656 (1906).	Argentina.
5. **D. Nigroconspersus, Stål,** (*Acridium Nigroconspersum*) Eugenies Resa, Orth. p. 327. n. 72, pl. 5. f. 7 (1860).	id.
D. Nigroconspersus, Stål, Recens. Orth. i. p. 47. n. 2 (1873) ; Pict. & Sauss. l. c. pp. 367–369, 374 (1887) ; Brun. ll. cc. pp. 62, 65 (1900) ; p. 656 (1906).	
6. **D. Permistus, Serv.** (*Acridium Permistum*) l. c. p. 669. n. 31, pl. 13. f. 1, pl. 14. f. 10 (1839).	id., Buenos Aires.
D. Permistus, Pict. & Sauss. l. c. pp. 367–369, 372. n. 6 (1887): Brun. ll. cc. pp. 62, 64 (1900) ; p. 656 (1906).	
7. **D. Paraguayensis, Brun.** Proc. U.S. Nat. Mus. xxx. pp. 656, 657 (1906).	Paraguay.
*8. **D. Schulzi, Brun.** 2nd Rep. Locust Comm. B. Aires, pp. 62, 63 (1900) ; Proc. U.S. Nat. Mus. xxx. p. 656 (1906).	Argentina.
*9. **D. Argentinus, Pict. & Sauss.** l. c. pp. 367–369, 372. n. 5 (1887) ; Brun. l. c. pp. 62, 63 (1900) : p. 656 (1906).	id., Buenos Aires.
*10. **D. Pycnostictus, Pict. & Sauss.** l. c. pp. 367–369, 373. n. 7 (1887) ; Brun. ll. cc. pp. 62, 65 (1900) ; p. 656 (1906).	Argentina.
*11. **D. Communis, Brun.** ll. cc. pp. 62, 64. f. 28 (1900) : pp. 656, 657, pl. 37. f. 6 (1906).	id., Buenos Aires.

Genus 547. **Dericorys.** (*Type* no. 5.)

Serv. Ins. Orth. pp. 568, 638 (1839) : Stål, Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878) : Brunn. Ann. Mus. Genova, xxxiii. p. 135 (1893).

Derocorys, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 299 (1902).

Derocorystes, Redt. Wien. Ent. Zeit. viii. p. 29 (1889).

Cyphophorus, Fisch.-Waldh. Orth. Ross. pp. 228, 253 (1846); Fieb. Lotos, iii. p. 121 (1853); Syn. Eur. Orth. p. 20 (1854).

1. **D. Curvipes, Redt.** (*Derocorystes* (*Cyphophorus*) *C.*) l. c. p. 29. n. 5 (1889). *Derocorys Curvipes, Jacobs. & Bianchi,* l. c. pp. 201. 300, pl. 10 (1902).	Turcomania.
2. **D. Millierei, Bonnet & Finot,** Bull. Soc. Ent. France, (6) iv. p. xxvii (1884); Rev. Sci. Nat. Montpellier. (3) iv. p. 223. pl. 7. ff. 7–14 (1884); Bol. Actas Soc. Españ. 1897, p. 170.	Tunis.
*3. **D. Carthago-Novæ, Bol.** (*D. Millierei,* var. *Carthago-Novæ*) l. c. p. 171 (1897).	Cartagena.
4. **D. Fumipennis, Adel.** Mater. Faun. Flor. Ross. Imp. vi. p. 88. n. 17 (1906).	Central Asia.
5. **D. Lobata, Brullé,** (*Acridium Lobatum*) Webb & Berthelot, Hist. Nat. Iles Canar., Ins. p. 78. n. 36, pl. 5. ff. 9, 9 A (1838). *D. Lobata, Bol.* An. Soc. Españ. xv. p. 516 (1886).	Canaries.
*6. **D. Albidula, Serv.** l. c. p. 639. n. 1 (1839). [Sav. Descr. Égypte, Orth. pl. 7. f. 20.] *Derocorys Albidula, Jacobs. & Bianchi,* l. c. pp. 201, 300 (1902).	Egypt, Syria.
7. **D. Acutispina, Stål,** l. c. iii. (14) p. 27. n. 1 (1875).	Egypt.
8. **D. Gibbosa, Fisch.-Waldh.** (*Acridium Gibbosum*) Bull. Soc. Nat. Moscou, 1839, p. 301. *Cyphophorus Maculatus, Fisch.-Waldh.* Orth. Ross. p. 254. n. 1, pl. 19. ff. 3, 4 (1846). *Derocorys Maculata, Jacobs. & Bianchi,* l. c. pp. 201, 300 (1902).	Daghestan.
9. **D. Roseipennis, Redt.** (*Derocorystes* (*Cyphophorus*) *R.*) l. c. p. 30. n. 6 (1889).	Turcomania
10. **D. Tibialis, Fieb.** (*Cyphophorus T.*) ll. cc. p. 121. n. 1 (1853); p. 20. n. 1 (1854). *D. Tibialis, Jacobs. & Bianchi,* l. c. p. 300 (1902).	Asia Minor.
11. **D. Annulata, Fieb.** (*Cyphophorus Annulatus*) ll. cc. p. 121. n. 2 (1853); p. 21. n. 2 (1854). *D. Annulata, Jacobs. & Bianchi,* l. c. p. 300 (1902).	id.

Genus 548. **Mitricephala.**

Bol. Ann. Mus. Genova, xxxix. p. 91 (1898).

1. **M. Vittata, Bol.** l. c. p. 92. n. 44 (1898).	Mentawei.

Genus 549. **Hysiella.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (1906).
[*Hysia, Stål* (*nec Muls.*). Bihang Svensk. Akad. Handl. iii. (14) p. 30 (1875), v. (4) p. 44 (1878).

1. **H. Nigricornis, Stål,** (*Hysia N.*) l. c. iii. (14) p. 30. n. 1 (1875).	Madagascar
2. **H. Inermis, Karsch,** (*Hysia I.*) Stett. Ent. Zeit. lvii. p. 278. n. 40 (1896).	id.

Genus 550. **Euthymia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 29 (1875), v. (4) p. 45 (1878); Finot, Ann. Soc. Ent. France, lxxi. p. 620 (1903).

1. **E. Melanocerca, Stål,** l. c. iii. (14) p. 29. n. 1 (1875); Finot, l. c. pp. 622, 623. n. 1, ff. 1, 2 (1903).	Madagascar
2. **E. Polychroma, Brancs.** Jahresh. Ver. Trencsin. Com. xv.–xvi. p. 190. pl. 11. f. 2 (1893); Finot, l. c. pp. 622, 625. n. 2 (1903).	Nossi-Bé, Madagascar
3. **E. Saussurei, Finot,** ll. cc. n. 3 (1903).	id.
4. **E. Bolivari, Finot,** l. c. pp. 622, 627, 628. n. 4, ff. 3–5 (1903).	id.
5. **E. Brevifrons, Stål,** l. c. v. (4) p. 90. n. 1 (1878); Finot, l. c. pp. 621, 629. n. 5 (1903).	Borneo.
6. **E. Kirbyi, Finot,** l. c. pp. 622, 629, 630. n. 6, ff. 6, 7 (1903).	S. India, Kodaikanal.
7. **E. Scudderi, Finot,** l. c. pp. 622, 630–632. n. 7, f. 8 (1903).	Madagascar
8. **E. Fasciata, Walk. (*Oxya F.* Cat. Derm. Salt. B. M. iv. p. 646. n. 5 (1870). *E. Kraussi, Finot,* l. c. pp. 622, 632. n. 8 (1903).	id.
9. **E. (?) Brunneri, Finot,** l. c. pp. 622, 633–639. n. 9, ff. 9–13 (1903).	id.

Genus 551. **Gemeneta.**

Karsch, Berlin. Ent. Zeitschr. xxxvii. p. 71 (1892).

1. **G. Terrea, Karsch,** l. c. p. 72. n. 10, f. 1 (1892).	Cameroons.

Genus 552. **Gymnidium.**

Karsch, Stettin. Ent. Zeit. lvii. p. 278 (1896).

1. **G. Turbinatum, Karsch,** l. c. p. 279. n. 41, f. 14 (1896).	Cape.

Genus 553. **Ixalidium.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 220 (1869); Von der Decken's Reisen in Ost-Afrika, Ins. p. 46 (1873).

1. **I. Hæmatoscelis, Gerst.** ll. cc. p. 220. n. 73 (1869); p. 47. n. 73, pl. 3. ff. 6, 6*a* (1873).	E. Africa.
2. **I.** (?) **Gabonense, Bris.** (*Acridium G.*) Bull. Soc. Ent. France, (2) ix. p. lxviii (1851).	Gaboon.

Genus 554. **Lentula.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 45, 90 (1878).

*1. **L. Obtusifrons, Stål,** l. c. p. 90. n. 1 (1878).	Natal.
2. **L. Modicicrus, Karsch,** Stettin. Ent. Zeit. lvii. p. 279. n. 42 (1896).	Kilimanjaro.
3. **L. Turgidicrus, Karsch,** l. c. p. 280. n. 43 (1896).	E. Africa. Kitui.

Genus 555. **Gergis.**

Stål, Bihang Svensk. Akad. Handl. iii. (14) p. 29 (1875).

1. **G. Pallidinervis, Stål,** l. c. p. 29. n. 1 (1875).	Madagascar.

Genus 556. **Mazæa.**

Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 54 (1876); v. (4) p. 12 (1878).

1. **M. Granulosa, Stål,** l. c. iv. (5) p. 54. n. 1 (1876); Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 179. n. 13 (1891). *M. Granulosa*, var. *Cingulata*, *Bol.* Mém. Soc. Ent. Belg. xvi. p. 105. n. 92 (1908).	Cameroons, Guinea.

Genus 557. **Barombia.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 180 (1891).

1. **B. Tuberculosa, Karsch,** l. c. p. 180. n. 14, fig. (1891). *B. Tuberculosa*, var. *Sublævis*, *Bol.* Mem. Soc. Españ. i. p. 226 (1905).	Cameroons, Guinea.

Genus 558. **Pterotiltus.** (*Type* no. 2.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 108 (1893); Dominique, Bull. Soc. Ouest France. x. p. 206 (1900).
‖ *Pygostolus*, *Karsch* (*nec Hal.*), l. c. xxxvi. p. 192 (1891).

1. **P. Cœruleocephalus, Bol.** Mem. Soc. Españ. i. p. 227 (1905).	Cameroons.
2. **P. Impennis, Karsch,** (*Pygostolus I.*) l. c. p. 193. n. 23, fig. (1891). *Pterotiltus Impennis*, var. *Multicolor*, *Bol.* l. c. p. 228 (1905).	id.
3. **P. Finoti, Dominique,** l. c. p. 207. pl. 3. ff. 11–13 (1900).	Congo.

4. **P. Inuncatus, Karsch,** (*Pygostolus I.*) l. c. xxxvii. p. 72. n. 11 (1892).	Cameroons.
Pterotiltus Inuncatus, var. *Nigroantennata*, *Bol.* Mém. Soc. Ent. Belge, xvi. p. 106. n. 94 (1908).	
5. **P. Miniatulus, Karsch,** l. c. xxxviii. p. 108. n. 75 (1893).	Adeli.
6. **P. Apicalis, Bol.** Mem. Soc. Españ. i. p. 226 (1905).	Fernando Po.

Genus 559. **Opiptacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 650 (1870).

1. **O. Hilaris, Walk. l. c. p. 650. n. 1 (1870).	New Hebrides.

Genus 560. **Cranaë.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 41, 85 (1878); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 236 (1898).

1. **C. Patagiata, Stål,** l. c. p. 85. n. 1 (1878); Brunn. l. c. p. 236. n. 1 (1898).	Amboina.
2. **C. Emendata, Brunn.** l. c. pp. 236, 237. n. 2 (1898).	Borneo.
3. **C. Tibialis, Brunn.** ll. cc. n. 3 (1898).	Kei.
4. **C. Marginata, Brunn.** ll. cc. n. 4 (1898).	Gilolo.
5. **C. Kuekenthali, Brunn.** (*C. Kükenthali*) l. c. pp. 236, 238. n. 5, pl. 18. f. 36 (1898).	id.
6. **C. Pervittata, Brunn.** l. c. pp. 236, 238. n. 6 (1898).	Amboina.
7. **C. Nigroreticulata, Brunn.** l. c. pp. 236, 239. n. 7 (1898).	Gilolo.
8. **C. Unistrigata, De Haan,** (*Oxya Unistrigatum*) Temminck, Verhandel., Orth. p. 156. n. 23 (1842).	N. Guinea, Waigiou.
Acridium (*Oxya*) *Unistrigatum* (♂ *nec* ♀). *De Haan*, l. c. p. 158. n. 21, pl. 21. f. 7 (1842).	
Acridium Unistrigatum, *Stål*, Recens. Orth. i. p. 53 (1873).	
C. Unistrigata, *Brunn.* Ann. Mus. Genova, xxxix. p. 88. n. 40 (1898).	
Tæniophora Unistrigata, *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 245, 247. n. 6 (1907).	

Genus 561. **Pseudocranaë.**

Bol. Ann. Mus. Genova, xxxix. p. 89 (1898).

1. **P. Loriæ, Bol.** l. c. p. 90. n. 42 (1898).	N. Guinea.

Genus 562. **Lucretilis.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 41, 85 (1878).

1. **L. Tæniata, Stål,** l. c. p. 85. n. 1 (1878).	Sumatra.
2. **L. Antennata, Bol.** Ann. Mus. Genova, xxxix. p. 88. n. 41 (1898).	Mentawei.

Genus 563. **Kapaoria.**

Bol. Ann. Mus. Genova, xxxix. p. 87 (1898).

1. **K. Novæ-Guineæ, Bol.** l. c. n. 39 (1898).	N. Guinea.

Genus 564. **Phalaca.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. Hist. Nat. vi. p. 392 (1906).
||*Phemonoe, Stål (nec Reich.)*, Bihang Svensk. Akad. Handl. v. (4) pp. 41, 86 (1878).

1. **P. Grylloides, Walk. (*Oxya G.*) Cat. Derm. Salt. B. M. iv. p. 649. n. 25 (1870). *Phemonoe Rufovittata, Stål,* l. c. p. 86. n. 1 (1878).	Ceram. Amboina.
2. **P. Antica, Walk. (*Oxya A.*) l. c. p. 649. n. 26 (1870).	Philippines.
3. **P. Coleoptrata, Bol.** Ann. Mus. Genova, xxxix. p. 90. n. 43 (1898).	N. Guinea.

Genus 565. **Tarbaleus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 234 (1898).

1. **T. Pilosus, Brunn.** l. c. p. 235. n. 1, pl. 18. f. 35 (1898).	Gilolo.
2. **T. Decoloratus, Brunn.** l. c. p. 235. n. 2 (1898).	Amboina.

Genus 566. **Nautia.** (*Type* no. 1.)

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 42, 87 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 242 (1907).

Œdalometopon, *Rehn*, Proc. Acad. Nat. Sci. Philad. lvii. p. 418 (1905). (*Type* no. 2.)

1. **N. Flavomarginata, Stål,** l. c. p. 87. n. 1 (1878); Brun. l. c. p. 243. n. 1 (1907).	Panama.
2. **N. Petasata, Rehn,** (*Œdalometopon Petasatum*) l. c. pp. 418–420, ff. 19, 20 (1905). *N. Petasata, Brun.* l. c. p. 243. n. 2 (1907).	Costa Rica.
3. **N. Conspersipes, Brun.** l. c. pp. 243, 244. n. 3 (1907).	Nicaragua.
4. **N. Vittagenæ, Brun.** l. c. p. 243. n. 4 (1907).	British Guiana.
5. **N. Ornatipes, Brun.** l. c. n. 5 (1907).	id.

Genus 567. **Ophthalmolampis.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 394 (1859); Stal, Recens. Orth. i. p. 33 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 42 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 244 (1907).

1. **O. Colibri, Sauss.** l. c. p. 394 (1859).	Guiana.
2. **O. Yersini, Sauss.** l. c. (1859).	S. Amer. (?).
3. **O. Geniculata, Stål,** (*Tæniophora G.*) Recens. Orth. i. p. 54. n. 2 (1873).	Brazil.
4. **O. Cinctipennis, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 87. n. 1 (1878).	Peru.
5. **O. Trochilus, Gerst.** (*Acridium T.*) Stett. Ent. Zeit. xxxiv. p. 189. n. 14 (1873).	Bogota.

6. **O. Bracteata, Gerst.** (*Acridium Bracteatum*) l. c. p. 190. n. 15 (1873).	Brazil.
7. **O. Pulchripes, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 23. n. 18 (1889).	Amazons.
8. **O. Modesta, Gerst.** l. c. p. 24. n. 19 (1889).	Amazons, Itaituba.
9. **O. Punicea, Gerst.** l. c. p. 25. n. 20 (1889).	Peru.
10. **O. Speciosissima, Gerst.** l. c. p. 26. n. 21 (1889).	Fonte Boa.
11. **O. Dichroa, Gerst.** l. c. p. 27. n. 22 (1889).	Ega.

Genus 568. **Tæniophora.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 34, 53 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 42, 88 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 244 (1907).

1. **T. Dentipes, Stål,** Recens. Orth. i. p. 53. n. 1 (1873); Brun. l. c. p. 245. n. 1 (1907).	New Granada.
2. **T. Pulchripes, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 88. n. 1 (1878); Brun. l. c. p. 245. n. 2 (1907).	id.
3. **T. Femorata, Brun.** l. c. n. 3 (1907).	Costa Rica.
4. **T. Carinipes, Gerst.** (*Ommatolampis C.*) Stett. Ent. Zeit. xxxiv. p. 195. n. 28 (1873); Brun. l. c. pp. 245, 246. n. 4 (1907).	Bogota.
5. **T. Megacephala, Brun.** ll. cc. n. 5 (1907).	Panama.

Genus 569. **Mezentia.**

Stal, Bihang Svensk. Akad. Handl. v. (4) pp. 43, 88 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 247 (1907).

1. **M. Gibbera, Stål,** l. c. p. 88. n. 1 (1878).	Panama.

Genus 570. **Hisychius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 44, 89 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 43, 52 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 211, 247 (1907).

1. **H. Nigrispinus, Stål,** l. c. p. 89. n. 1 (1878); Giglio-Tos, l. c. p. 52 (1898).	Peru.
2. **H. Festæ, Giglio-Tos,** l. c. xii. (301) p. 3 (1897), xiii. (311) p. 52 (1898).	Panama.
3. **H. Minor, Giglio-Tos,** l. c. xiii. (311) p. 53 (1898).	Ecuador.

Genus 571. **Dicæarchus.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 44, 89 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 250 (1907–8).

1. **D. Cribellatus, Stål,** l. c. p. 89. n. 1 (1878); Brun. l. c. p. 250. n. 1 (1908).	Colombia.

Genus 572. **Rhicnoderma.** (*Type* no. 1.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 28 (1889); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 247 (1907).

1. **R. Olivacea, Gerst.** l. c. p. 29. n. 23 (1889); Brun. l. c. p. 248. n. 1 (1907).	Chiriqui.
2. **R. Basalis, Brun.** l. c. n. 2 (1907).	Mexico.
3. **R. Glabra, Brun.** l. c. pp. 248, 249. n. 3 (1907–1908).	Costa Rica.
4. **R. Pugnax, Brun.** ll. cc. n. 4 (1907–8). *Aristia Megacephala, Brun.* l. c. pl. 3. ff. 21, 21 *a–d* (1907).	Mexico.
5. **R. Humilis, Rehn,** (*R. Humile*) Proc. Acad. Nat. Sci. Philad. lvii. p. 415, ff. 15, 16 (1905). *R. Humilis, Brun.* l. c. pp. 248, 250. n. 5 (1907–1908).	Costa Rica.

Genus 573. **Trybliophorus.** (*Type* no. 2.)

Serv. Ann. Sci. Nat. xxii. p. 274 (1831); Ins. Orth. p. 631 (1839); Brullé, Hist. Nat. Ins. ix. p. 219 (1835); Burm. Handb. Ent. ii. p. 618 (1838); Walk. Cat. Derm. Salt. B. M. iii. p. 546, iv. pp. 606, 607 (1870); Brunn. Ann. Mus. Genova, xxxiii. p. 136 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 43 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 251 (1907–8).

Stegastris, Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 21 (1889). (*Type* no. 3.)

1. **T. Bivittatus, Walk. l. c. iv. p. 608 (1870).	Brazil.
2. **T. Octomaculatus, Serv.** ll. cc. p. 275. n. 1 (1831); p. 632. n. 1 (1839); Burm. l. c. p. 619 (1838); Brun. l. c. p. 251. n. 1 (1908).	Cayenne.
3. **T. Volucris, Gerst.** (*Stegastris V.*) l. c. p. 22. n. 16 (1889).	Ega.
4. **T. Corallipes, Gerst.** (*Stegastris C.*) l. c. n. 17 (1889).	Fonte Boa.

Genus 574. **Antandrus.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 19 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 136 (1893).

‖*Podisma, Blanch.* (*nec Latr.*) Gay, Hist. Chil., Zool. vi. p. 74 (1851).

*1. **A. Viridis, Blanch.** (*Podisma V.*) l. c. p. 75. n. 1 [Orth. pl. 3. f. 8, ined.] (1851). *A. Viridis, Bol.* Viaje al Pacif. p. 44 (1884).	Chile.

Genus 575. **Quilta.**

Quilta, Stål, Eugenies Resa, Orth. p. 337 (1860); Recens. Orth. i. pp. 41. 80 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 46 (1878).

1. **Q. Mitrata, Stål,** (*Acridium* (*Quilta*) *Mitratum*) Eugenies Resa, Orth. p. 337. n. 89 (1860).	I. Keelong.

Genus 576. **Gesonia.** (*Type* no. 1.)

Stål, Bihang Svensk Akad. Handl. v. (4) p. 47 (1878).

*1. **G. Punctifrons, Stål,** (*Acridium (Oxya) P.*) Eugenies Resa, Orth. p. 336. n. 87 (1860). *Oxya Punctifrons, Stål,* Recens. Orth. i. p. 81. n. 1 (1873). ** *Heteracris Tenuis, Walk.* Cat. Derm. Salt. B. M. iv. p. 668. n. 26 (1870).	China.
2. **G. Zonocera, Navás,** Bol. Soc. Aragon, iii. p. 136. n. 11 (1904).	Philippines.

Genus 577. **Oxya.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. pp. 264, 286 (1831); Ins. Orth. p. 675 (1839); Burm. Handb. Ent. ii. pp. 602, 634 (1838); De Haan, Temminck, Verhandel., Orth. p. 155 (1842); Stål, Recens. Orth. i. pp. 41, 81 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878); Brunn. Ann. Mus. Genova, xxxiii. pp. 136, 151 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 301 (1902).

*1. **O. Hyla, Serv.** Ann. Sci. Nat. xxii. p. 287. n. 1 (1831). *Acridium Hyla, Serv.* Ins. Orth. p. 678. n. 40, pl. 12. f. 4 (1839). ** *Heteracris Viridivitta, Walk.* Cat. Derm. Salt. B. M. iv. p. 660. n. 10 (1870). *Oxya Serrulata, Krauss,* Zool. Jahrb. Syst. v. p. 662. n. 15, pl. 45. ff. 8, 8 A, B (1891); Brunn. l. c. pp. 151, 152. n. 1 (1893). ** ♀. *Heteracris Humeralis, Walk.* l. c. p. 662. n. 16 (1870).	S., E., & W. Africa, Madagascar
2. **O. Cyanoptera, Stål,** Recens. Orth. i. p. 83. n. 5 (1873).	S. Leone.
*3. **O. Velox, Fabr.** (*Gryllus V.*) Mant. Ins. i. p. 239. n. 50 (1787). *O. Velox, Burm.* l. c. p. 635. n. 3 (1838); Brunn. l. c. p. 152. n. 2 (1893); Jacobs. & Bianchi, l. c. pp. 201, 301 (1902); Frogg. Agric. Gaz. N. S. Wales, xv. p. 213, f. 3 (1905).	Asia et insulis; Australia.

Acridium (*Oxya*) *Velox*, *De Haan*, l. c. pp. 156, 157. n. 15 (1842).	
O. Hyla, *Serv.*, pt. (*nec typ.*), Ann. Sci. Nat. xxii. p. 287. n. 1 (1831).	
Acridium Hyla, pt., *Serv.* Ins. Orth. p. 678. n. 40 (1839).	
Gryllus Chinensis, *Thunb.* Mém. Acad. Pétersb. v. p. 253 (1815), ix. pp. 398, 419. n. 71 (1824).	
O. Chinensis, *Stål*, l. c. p. 82. n. 4 (1873).	
Gryllus Lutescens, *Thunb.* ll. cc. p. 254 (1815), pp. 399, 427. n. 99 (1824).	
Gryllus Japonicus, *Thunb.* ix. pp. 400, 429. n. 105 (1824).	
***Acridium Sinense*, *Walk.* l. c. p. 628 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907).	
***Acridium Nitidulum*, *Walk.* l. c. p. 631 (1870); Finot, l. c. p. 333 (1907).	
***Heteracris Apta*, *Walk.* l. c. p. 666. n. 23 (1870).	
***Heteracris Straminea*, *Walk.* l. c. n. 24 (1870).	
4. **O. Vicina, Brunn.** l. c. p. 152. n. 3 (1893); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 635 (1903); Jacobs. & Bianchi, l. c. pp. 201, 302 (1902).	China, Japan, Himalaya.
*5. **O. Intricata, Stål,** (*Acridium* (*Oxya*) *Intricatum*) Eugenies Resa, Orth. p. 335. n. 86 (1860).	China, Ceylon, Malacca, Java, Philippines, &c.
O. Intricata, *Stål*, Recens. Orth. i. p. 82. n. 3 (1873); Brunn. l. c. pp. 152, 153. n. 4 (1893).	
6. **O. Prasinifera, Walk. (*Heteracris* (?) *P.*) l. c. v. Suppl. p. 65 (1871).	Bombay.
7. **O. Simplex, Walk. (*Heteracris S.*) l. c. iv. p. 669. n. 31 (1870).	Philippines.
O. Lobata, *Stål*, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 53. n. 1 (1877).	
8. **O. Vittigera, Blanch.** (*Acridium Vittigerum*) Voy. Pôle Sud, iv. p. 371, Orth. pl. 3. f. 9 (1853).	New Guinea.
*9. **O. Rufipes, Brunn.** l. c. pp. 152, 153. n. 5 (1893).	Cochin China, Penang, &c.
10. **O. (?) Obtusa, De Haan,** (*Acridium* (*Oxya*) *Obtusum*) l. c. pp. 155, 156. n. 12 (1842).	Buitenzorg.

11. **O.** (?) **Luteola, De Haan,** (*Acridium* (*Oxya*) *Luteolum*) l. c. pp. 155, 157. n. 14 (1842).	Kravang, Amboina.
12. **O.** (?) **Unistrigata, De Haan,** (♀ *nec* ♂) (*Acridium* (*Oxya*) *Unistrigatum*) l. c. p. 158. n. 21, pl. 21. f. 8 (1842).	New Guinea.
13. **O. Vitticollis, Blanch.** (*Acridium Vitticolle*) l. c. p. 373, pl. 1. f. 10 (1853).	id.
14. **O. Gavisa, Walk. (*Heteracris G.*) l. c. iv. p. 669. n. 30 (1870).	Ceram.
15. **O.** (?) **Dorsigera, Burm.** l. c. p. 635. n. 2 (1838).	St. Johanna.
16. **O.** (?) **Clavuligera, Serv.** (*Acridium Clavuliger*) Ins. Orth. p. 676. n. 38, pl. 14. f. 11 (1839).	N. America.

Genus 578. **Caryanda.** (*Type* no. 2.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878).

1. **C. Sanguineo-annulata, Brun.** Ann. Mus. Genova, xxxiii. p. 154. n. 1, pl. 5. f. 52 (1893).	Pegu.
2. **C. Spuria, Stål,** (*Acridium* (*Oxya*) *Spurium*) Eugenies Resa, Orth. p. 336. n. 88 (1860). *Oxya Spuria, Stål,* Recens. Orth. i. p. 83. n. 6 (1873).	Java.
3. **C. Agomena, Karsch,** Stettin. Ent. Zeit. lvii. p. 282. n. 45 (1896).	Togo.

Genus 579. **Digentia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 47 (1878).

1. **D. Punctatissima, Stål,** (*Oxya P.*) l. c. iii. (14) p. 33. n. 2 (1875).	W. Africa.

Genus 580. **Pododula.**

Karsch, Stettin. Ent. Zeit. lvii. p. 283 (1896).

1. **P. Ancisa, Karsch,** l. c. n. 47, f. 17 (1896).	Togo.

Genus 581. **Dibastica.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 9 (1907).

1. **D. Modesta, Giglio-Tos,** l. c. p. 10 (1907).	Congo.
2. **D. Major, Bol.** Mém. Soc. Ent. Belge, xvi. p. 106. n. 96 (1908).	Umangi.
3. **D. Viridis, Bol.** l. c. n. 97 (1908).	Kinchassa.

Genus 582. **Badistica.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 194 (1891).

1. **B. Bellula, Karsch,** l. c. p. 195. n. 35, fig. (1891).	Cameroons.
2. **B. Lauta, Karsch,** Stettin. Ent. Zeit. lvii. p. 282. n. 46, ff. 16, 16 *a* (1896).	Togo.
3. **B. Ornata, Bol.** Mem. Soc. Españ. i. p. 229 (1905).	Ashanti.

Genus 583. **Bermius.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 48, 91 (1878).

1. **B. Brachycerus, Stål,** l. c. p. 92. n. 1 (1878).	Sydney.
2. **B. Odontocercus, Stål,** l. c. n. 2 (1878).	N.Australia.
3. **B. Infirmus, Stål,** l. c. n. 3 (1878).	id.
4. **B. Acutus, Stål,** l. c. p. 93. n. 4 (1878).	id.

Genus 584. **Hieroglyphus.** (*Type* no. 1.)

Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Classe, lxxvi. (1) p. 41 (1877); Stal, Bihang Svensk. Akad. Handl. v. (4) pp. 48, 93 (1878).

1. **H. Daganensis, Krauss,** l. c. p. 42. n. 1. pl. 1. ff. 6, 6 A, B (1877); Stal. l. c. p. 93. n. 1 (1878).	Senegal.
2. **H. Banian, Fabr.** (*Gryllus B.*) Suppl. Ent. Syst. p. 194 (1798).	China, India.

Acridium Furcifer, Serv. Ins. Orth. p. 677. n. 39. pl. 14. f. 12 (1839).	
Oxya Furcifer, De Haan, Temminck, Verhandel., Orth. p. 155. n. 10 (1842).	
3. **H. Concolor, Walk. (*Oxya C.*) Cat. Derm. Salt. B. M. iv. p. 646. n. 7 (1870).	China, India.
H. Tarsalis, Stål, l. c. p. 94. n. 3 (1878).	
4. **H. Citrinolimbatus, Brunn.** Ann. Mus. Genova, xxxiii. p. 154. n. 2 (1893).	India, Burma.

Genus 585. **Tauchira.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 48 (1878).

1. **T. Polychroa, Stål,** (*Oxya P.*) l. c. iii. (14) p. 32. n. 1 (1875).	Malacca.
2. **T. Abbreviata, Serv.** (*Acridium Abbreviatum*) Ins. Orth. p. 678. n. 41 (1839).	Java, Sumatra.
3. **T. Buæ, Bol.** Ann. Mus. Genova, xxxix. p. 92. n. 45 (1898).	Engano.
4. **T. Lucida, Karsch,** Denkschr. Med.-nat. Ges. Jena, viii. p. 760, pl. 67. f. 7 (1903).	Java.

Genus 586. **Racilia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 48, 94 (1878).

1. **R. Femoralis, Stål,** l. c. p. 94. n. 1 (1878).	Philippines.
2. **R. Aurora, Brunn.** Ann. Mus. Genova, xxxiii. p. 155. n. 1, pl. 5. f. 53 (1893).	Burma.

Genus 587. **Praxibulus.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. Hist. Nat. vi. p. 393 (1906).

‖*Praxilla, Stål* (*nec Reich.*), Bihang Svensk. Akad. Handl. v. (4) pp. 49, 95 (1878).

1. **P. Laminata, Stål,** (*Praxilla L.*) l. c. p. 95. n. 1 (1878).	N. S. Wales.
2. **P. Latipennis, Stål,** (*Praxilla L.*) l. c. p. 96. n. 2 (1878).	Lord Howe's I.
3. **P. Geniculata, Stål,** (*Praxilla G.*) l. c. n. 3 (1878).	N. Australia.

Genus 588. **Cercina.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 49, 97 (1878).

1. **C. Obtusa, Stål,** l. c. p. 97. n. 1 (1878). Ceylon.

Genus 589. **Diexis.**

Zub. Hor. Soc. Ent. Ross. xxxii. p. 594 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 172, 201, 301 (1902).

1. **D. Varentzowi, Zub.** l. c. p. 595 (1898); Jacobs. & Bianchi, l. c. pp. 201, 302, ff. 33, 34 (1902). Transcaspia.

Genus 590. **Pezotettix.** (*Type* no. 1).

Burm. Germar, Zeitschr. Ent. ii. p. 51 (1840); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 201, 302 (1902).

Pelecyclus, Fieb. Lotos, iii. p. 119 (June 1853); Syn. Eur. Orth. p. 19 (1854).

Pelecycleis, Fieb. Lotos, iv. p. 196 (1854).

Platyphyma, Fisch. Orth. Eur. pp. 298, 373 (Nov. 1853); Bol. Ortopt. Españ. pp. 87, 94 (1876); An. Soc. Españ. v. pp. 293, 300 (1876); Ann. Sci. Nat. Porto, iv. p. 219 (1897), v. p. 31 (1898); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (4) p. 49 (1878); Brunn. Prodr. Eur. Orth. pp. 87, 230 (1882); Finot, Orth. France, pp. 45, 82 (1883); Faune France, Orth. pp. 102, 164 (1889); Tümp. Geradfl. Mitteleuropas, pp. 215, 220, 251 (1900).

*1. **P. Giornæ, Rossi,** (*Gryllus G.*) Mant. Ins. ii. p. 104. n. 72 (1794); Charp. Hor. Ent. p. 175 (1825). S. Europe, Asia Minor.
 Acridium Giornæ, Serv. Ins. Orth. p. 680. n. 43 (1839).
 Pelecyclus Giornæ, Fieb. Lotos, iii. p. 119. n. 1 (1853); Syn. Eur. Orth. p. 19. n. 1 (1854).
 Pelecycleis Giornæ, Fieb. Lotos, iv. p. 196. n. 12 (1854).

Platyphyma Giornæ, Fisch. l. c. p. 374. n. 1, pl. 15. ff. 24, 24 *a* (1853); Stål, l. c. iv. (5) p. 18. n. 1 (1876); Bol. ll. cc. p. 95. n. 1, pl. 2. f. 12 (1876); v. p. 301. n. 1, pl. 11. f. 12 (1876); v. p. 31. n. 1 (1898); Brunn. l. c. p. 230. n. 1, pl. 7. f. 54 A, B (1882); Finot, ll. cc. p. 82 (1883); p. 164, pl. 8. f. 115 (1889); Tümp. l. c. pp. 220, 251, pl. 20 (1900); Jacobs. & Bianchi, l. c. pl. 7 (1902). *Pezotettix Giornai, Jacobs. & Bianchi,* l. c. p. 201 (1902). *Podisma Commune, Costa,* Faun. Nap. Ortott. p. 48. n. 4, pl. 4. ff. 6 A *b*, *d*, 7 A *b*, *d* (1836). *Platyphyma Giornæ,* var. *Rufipes, Brunn.* l. c. p. 231 (1882).	Spain. Algeria.
2. **P. Platycerca, Stål,** (*Platyphyma P.*) l. c. iv. (5) p. 18. n. 2 (1876). *Pezotettix Platycercus, Jacobs. & Bianchi,* l. c. pp. 202, 303 (1902).	Asia Minor. Syria.
3. **P. Rugulosa, Stål,** (*Platyphyma R.*) l. c. p. 18. n. 3 (1876). *Pezotettix Rugulosus, Jacobs. & Bianchi,* l. c. pp. 202, 303 (1902).	iid.

Genus 591. **Jivarus.**

Giglio-Tos, Boll. Mus. Torino. xiii. (311) pp. 44, 54 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 212, 251 (1907–8).

1. **J. Americanus, Giglio-Tos,** l. c. p. 54 (1898).	Ecuador.

Genus 592. **Conophyma.** (*Type* no. 1.)

Zub. Ann. Mus. Pétersb. iii. p. 105 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 202, 303 (1902).

1. **C. Semenovi, Zub.** l. c. p. 106. n. 73 (1898). *C. Semenowi, Jacobs. & Bianchi,* l. c. pp. 202, 303. f. 35 (1902).	Semipalatinsk.
2. **C. Weberi, Zub.** Hor. Soc. Ent. Ross. xxxii. p. 584 (1898); Jacobs. & Bianchi, l. c. pp. 202, 304 (1902).	Samarkand.

3. **C. Fedtschenkoi, Zub.** l. c. xxxiv. p. 23 (1900) ; Jacobs. & Bianchi, l. c. pp. 202, 304 (1902).	Zerafshan.
4. **C. Sokolowi, Zub.** l. c. xxxii. p. 588 (1898) ; Jacobs. & Bianchi, l. c. pp. 202, 304 (1902).	Tashkend.
5. **C. Simile, Zub.** l. c. p. 591 (1898) ; Jacobs. & Bianchi, l. c. pp. 202, 305 (1902).	Samarkand.

Genus 593. **Arminda.**

Krauss, Zool. Anz. xv. p. 168 (1892).

1. **A. Brunneri, Krauss,** l. c. (1892).	Tenerife.

Genus 594. **Loryma.**

Stal, Bihang Svensk. Akad. Handl. v. (4) p. 49 (1878).

1. **L. Vittipennis, Stål,** (*Platyphyma V.*) l. c. iii. (14) p. 32. n. 1 (1875).	Cape.

Genus 595. **Spathosternum.** (*Type* no. 1.)

Karsch, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 44 (1877) ; Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 50, 97 (1878).

1. **S. Nigrotæniatum, Stål,** (*Tristria Nigrotæniata*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 45. n. 1 (1876). *S. Nigrotæniatum, Karsch,* l. c. p. 45. n. 1, pl. 1. f. 7 (1877).	Damara Land, Senegal, India, Siam.
2. **S. Pygmæum, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 110. n. 78 (1893).	Adeli.
3. **S. Venulosum, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 97. n. 1 (1878).	India (?).
4. **S. Caliginosum, Walk. (*Caloptenus Caliginosus*) Cat. Derm. Salt. B. M. v. Suppl. p. 69 (1871). ***Stenobothrus Strigulatus, Walk.* l. c. p. 82 (1871).	Bombay.

Genus 596. **Tristria.** (*Type* no. 1.)

Stal. Recens. Orth. i. pp. 40, 80 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 50 (1878); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 295 (1907).

1. **T. Lacerta, Stål,** Recens. Orth. i. p. 80. n. 1 (1873); Karny, l. c. p. 295. n. 1 (1907).	China.
2. **T. Pallida, Karny,** l. c. p. 295. n. 2, p. 296. n. 44, pl. 1. ff. 7, 8 (1907).	Gondokoro, Kordofan.
3. **T. Pulla, Karny,** l. c. p. 295. n. 3 (1907).	Sierra Leone.
4. **T. Sudanensis, Karny,** l. c. p. 295. n. 4, p. 297. n. 45, pl. 1. ff. 9, 10 (1907).	Soudan.
5. **T. Brunneri, Karny,** l. c. p. 296. n. 5 (1907).	German E. Africa.
6. **T. Tristis, Karny,** l. c. n. 6 (1907).	Bogos.
7. **T. Discoidalis, Bol.** Jorn. Sci. Lisboa, (2) i. p. 212. n. 183 (1890).	Braganza.
8. **T. Angolensis, Bol.** l. c. p. 213. n. 184 (1890).	Angola.
9. **T. Suturalis, Karsch,** Stettin. Ent. Zeit. lvii. pp. 283, 286. n. 48 (1896); Karny, l. c. p. 296. n. 7 (1907). ‖ *T. Discoidalis, Karsch* (*nec Bol.*), Berlin. Ent. Zeitsch. xxxviii. p. 110. n. 79 (1893).	Togo.
10. **T. Conops, Karsch,** Stettin. Ent. Zeit. lvii. pp. 284, 287. n. 49, f. 18 (1896); Karny, l. c. p. 296. n. 9 (1907).	id.
11. **T. Marginicosta, Karsch,** l. c. pp. 285, 288. n. 50 (1896); Karny, l. c. p. 296. n. 8 (1907).	id.
12. **T. Ornata, Karny,** l. c. n. 10 (1907).	Slave Coast.

Genus 597. **Oraistes.**

Karsch, Stettin. Ent. Zeit. lvii. p. 288 (1896).

1. **O. Luridus, Karsch,** l. c. p. 289. n. 51, f. 19 (1896).	Zanzibar, Delagoa Bay.

Genus 598. **Oxyrrhepes.** (*Type* no. 1.)

Stål, Œfv. Vet.-Akad. Förh. xxx. (4) pp. 40, 53 (1873); Recens. Orth. i. pp. 40, 79 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 51 (1878); Bol. An. Soc. Españ. xv. pp. 342, 343 (1886); Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 111, 112 (1893).

1. **O. Extensa, Walk. (*Acridium Extensum*) Ann. Nat. Hist. (3) iv. p. 222 (1859); Finot, Ann. Soc. Ent. France, lxxvi. p. 337 (1907). *Opsomala Lineatitarsis, Stål*, Eugenies Resa, Orth. p. 324. n. 66 (1860). *Oxyrrhepes Lineatitarsis, Stål*, Recens. Orth. i. p. 79. n. 1 (1873); Bol. l. c. p. 343. n. 1 (1886). ***Heteracris Strangulata, Walk.* Cat. Derm. Salt. B. M. iv. p. 665. n. 22 (1870). ***Heteracris Antica, Walk.* l. c. p. 668. n. 29 (1870).	China, India, Ceylon, Burma, Java, Gilolo.
*2. **O. Virescens, Stål,** l. c. p. 79. n. 2 (1873); Bol. l. c. p. 343. n. 2 (1886); Karsch, l. c. pp. 112, 113. n. 81 (1893).	W. Africa.
3. **O. Elegans, Bol.** Jorn. Sci. Lisb. viii. p. 116. n. 32 (1882); An. Soc. Españ. xv. p. 343. n. 3 (1886); Karsch, l. c. pp. 112, 113. n. 82 (1893).	Ambriz.
*4. **O. Procera, Burm.** (*Oxya P.*) Handb. Ent. ii. p. 635. n. 1 (1838). *Oxyrrhepes Procera, Bol.* An. Soc. Españ. xv. p. 343. n. 4 (1886). *O. Procerus, Karsch,* l. c. pp. 112, 113. n. 80 (1893).	E. Africa.
*5. **O. Iradieri, Bol.** l. c. pp. 342, 343. n. 5 (1886).	W. Africa.
6. **O. Prosternalis, Karny,** Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 297. n. 46 (1907).	Gondokoro.

Genus 599. **Petamella.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 11 (1907).

1. **P. Fallax, Giglio-Tos,** l. c. p. 12 (1907).	Congo.

Genus 600. **Metapula.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 10 (1907).

1. **M. Olivacea, Giglio-Tos,** l. c. p. 11 (1907).	Congo.

Genus 601. **Tropidopola.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 43, 86 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 51 (1878); Bol. Ortópt. Españ. pp. 87, 98 (1876); An. Soc. Españ. v. pp. 293, 304 (1876); Ann. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 35 (1898); Jacobs. & Bianchi, l. c. pp. 173, 202, 306 (1902).

‖ *Opsomala, Fieb.* (*nec Opshomala, Serv.* 1831) Lotos, iii. p. 98 (1853), iv. p. 178 (1854); Syn. Eur. Orth. p. 9 (1854).

‖ *Opomala, Fisch.* (*nec Agass.*) Orth. Eur. pp. 296, 305 (1853); Brunn. Prodr. Eur. Orth. pp. 87, 232 (1882).

*1. **T. Cylindrica, Marsch.** (*Gryllus Cylindricus*) Ann. Wien. Mus. i. p. 310. n. 3, pl. 18. f. 2 (1835).	Minorca, Sicily, Greece, Egypt, Syria, Java (?).
Opsomala Cylindrica, Fieb. ll. cc. iii. p. 98. n. 1 (1853), iv. p. 178. n. 1 (1854); p. 9. n. 1 (1854).	
Opomala Cylindrica, Fisch. l. c. p. 306. n. 2, pl. 15. ff. 6, 6 *a*, 7 (1853); Brunn. l. c. p. 232. n. 1, pl. 7. f. 55 (1882).	
T. Cylindrica, Bol. ll. cc. p. 98. n. 1, pl. 2. f. 13 (1876); v. p. 304. n. 1, pl. 11. f. 13 (1876); v. p. 35. n. 1 (1898); Jacobs. & Bianchi, l. c. pp. 202, 306. f. 36 (1902).	
Opsomala Fasciculata, Charp. Germar, Zeitschr. Ent. iii. p. 306 (1841); Charp. Orth. pl. 14 (1841).	
Opsomala Pisciformis, Serv. Ins. Orth. p. 594. n. 13 (1839).	
2. **T. Sicula, Serv.** (*Opsomala S.*) l. c. n. 14 (1839).	Sardinia.
Opomala Sicula, Fisch. l. c. p. 307. n. 3 (1853).	
3. **T. (?) Longicornis, Fieb.** (*Opsomala L.*) Lotos, iii. p. 98. n. 2 (1853); Syn. Eur. Orth. p. 9. n. 2 (1854).	Greece, Egypt.
4. **T. (?) Syriaca, Walk.** (*Opomala (?) Syrica*) Cat. Derm. Salt. B. M. v. Suppl. p. 51 (1871); Jacobs. & Bianchi, l. c. p. 306 (1902).	Dead Sea.

5. **T. (?) Japonica, Motsch.** (*Truxalis J.*) Bull. Soc. Nat. Mosc. xxxix. (1) p. 181 (1866); Jacobs. & Bianchi, l. c. p. 307 (1902).	Japan.

Genus 602. **Metapa.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 51, 97 (1878).

1. **M. Natalensis, Stål,** l. c. p. 97. n. 1 (1878).	Natal.
2. **M. Usambarica, Karsch,** Stettin. Ent. Zeit. lvii. p. 290. n. 53 (1896). ‖*Ischnacrida Natalensis, Krauss (nec Stål)*, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 46. n. 2, pl. 2. ff. 17, 17 A, B (1878).	Usambara.

Genus 603. **Peitharchicus.**

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 240 (1898).

1. **P. Fasciatus, Brunn.** l. c. n. 1. pl. 18. f. 37 (1898).	Borneo, Baram.

Genus 604. **Leptacris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 676 (1870).
Capellea, Bol. Ann. Soc. Ent. France, lxx. p. 616 (1902). (*Type* no. 1.)

*1. **L. Filiformis, Walk.** l. c. p. 676. n. 1 (1870). *Capellea Argenteovittata, Bol.* l. c. p. 616, pl. 9. ff. 33, 33 *a* (1902).	S. India, Ceylon (eadem ?).
2. **L. Maxima, Karny,** (*Ischnacrida M.*) Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 298. n. 1 (1907).	Himalaya.

Genus 605. **Ischnacrida.** (*Type* no. 1.)

Ischinacrida, Stål, Œfv. Vet.-Akad. Förh. xxx. (4) p. 53 (1873)
Ischnacrida, Stål, Recens. Orth. i. pp. 44, 87 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 52 (1878); Karsch, Berlin

Ent. Zeitschr. xxxviii. pp. 112, 114 (1893); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 298 (1907).

1. **I. Convergens, Walk. (*Opomala C.*) Cat. Derm. Salt. B. M. iii. p. 511. n. 26 (1870). *Ischinacrida Tæniata, Stål,* Œfv. Vet.-Akad. Förh. xxx. (4) p. 53. n. 1 (1873). *Ischnacrida Tæniata, Stål,* Recens. Orth. i. p. 87. n. 2 (1873); Karny, l. c. p. 299. n. 2 (1907).	Bengal.
2. **I. Violacea, Karny,** l. c. n. 3, p. 301. n. 48 (1907).	Soudan.
3. **I. Tarsalis, Walk. (*Opomala T.*) l. c. p. 512. n. 27 (1870).	Silhet.
4. **I. Pallida, Burm.** (*Opsomala P.*) Handb. Ent. ii. p. 611. n. 2 (1838). *I. Pallida, Krauss,* Sitz. Akad. Wiss. Wien, Math.-nat. Classe, lxxvi. p. 45. n. 1, pl. 2. ff. 16, 16 A (1878); Karny, l. c. pp. 299, 300. n. 4 (1907).	W. Africa.
5. **I. Testacea, Karny,** l. c. p. 299. n. 5 (1907).	Gaboon.
6. **I. Hova, Karsch,** Stettin. Ent. Zeit. lvii. pp. 289, 290. n. 52, f. 20 (1896); Karny, l. c. p. 299. n. 6 (1907).	Madagascar
*7. **I. Monteiroi, Bol.** Jorn. Sci. Lisboa, (2) i. p. 214. n. 189, pl. 1. f. 6 (1890); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 114. n. 84 (1893); Karny, l. c. p. 299. n. 8 (1907).	Braganza, Ambriz, Zomba.
8. **I. Pulchra, Karny,** l. c. p. 300. n. 9 (1907).	Madagascar
9. **I. Fusca, Karny,** l. c. n. 10 (1907).	Ceylon.
*10. **I. Vittata, Fabr.** (*Truxalis Vittatus*) Mant. Ins. p. 231. n. 3 (1787); Thunb. Nova Acta Upsal. ix. p. 80 (1827). *Gryllus Vittatus, Donovan,* Ins. China, pl. 10. f. 2 (1798). *Truxalis (Mesops) Vittatus, Westw.* Don. Ins. China, p. 23, pl. 10. f. 2 (1842). *I. Vittata, Stål,* Recens. Orth. i. p. 87. n. 1 (1873); Karny, l. c. p. 300. n. 11 (1907). |(?) *Acridium (Opsomala) Pisciforme, De Haan (nec Serv.),* Temminck, Verhandel., Orth. p. 147. n. 1 *a* (1842).	China, Java, Timor (eadem ?).

Genus 606. **Rhamphacrida.**

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 112, 114 (1893).

1. **R. Kraussii, Bol.** (*Ischnacrida K.*) Jorn. Sci. Lisboa, (2) i. p. 215. n. 190 (1890); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 299. n. 7 (1907). *R. Kraussi, Karsch,* l. c. p. 115. n. 84 (1893).	Braganza, Adeli.

Genus 607. **Bactrophora.**

Westw. Arcana Ent. i. p. 66 (1842).

1. **B. Dominans, Westw. l. c. pl. 17. f. 2 (1842).	Hab. —— ?

Genus 608. **Scolecocephalus.**

Brun. Entom. News, xvi. p. 315 (1905).
‖*Bactrophora, Brun.* (*nec Westw.*) Biol. Centr.-Amer., Orth. ii. pp. 212, 250 (1907–8).

1. **S. Mirabilis, Brun.** Ent. News, xvi. p. 315. pl. 11 (1907). ‖*Bactrophora Dominans, Brun.* (*nec Westw.*) Biol. Centr.-Amer., Orth. ii. p. 250. n. 1 (1908).	Costa Rica.

Genus 609. **Escalera.**

Bol. Mem. Soc. Esp. i. p. 231 (1905).

1. **E. Opilionoides, Bol.** l. c. p. 232 (1905).	Biafra.

Genus 610. **Pristocorypha.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 291 (1896).

*1. **P. Corneola, Karsch,** l. c. p. 292. n. 54, f. 21 (1896).	Zanzibar.
2. **P. Latruncularia, Karsch,** l. c. p. 292. n. 55 (1896); Bol. Mem. Soc. Españ. i. p. 232 (1905).	Cameroons, Biafra.

Genus 611. **Gerista.**

Bol. Mem. Soc. Esp. i. p. 233 (1905).

1. **G. Dimidiata, Bol.** l. c. p. 234 (1905).	Fernando Po.

Genus 612. **Acanthoxia.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 392 (1906).
‖*Gonyacantha*, *Stal* (*nec Thoms.*), Recens. Orth. i. p. 43 note (1873).

*1. **A. Gladiator, Westw.** (*Opsomala G.*) Arcana Ent. i. p. 65, pl. 17. f. 1 (1842). *Gonyacantha Gladiator*, *Karny*, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 302. n. 49 (1902).	Sierra Leone.
2. **A. Ensator, Walk. (*Mesops E.*) Cat. Derm. Salt. B. M. iii. p. 501. n. 5 (1870).	Natal.
*3. **A. Cultrifer, Brancs.** (*Gonyacantha C.*) Jahresb. Ver. Trencs. Com. xvii.–xviii. p. 252, pl. 8. f. 4 *a*, *b* (1895).	Zambesi, Nyasa Land.

Genus 613. **Gonyacanthella.**

Conyacanthella (*err. impr.*), *Giglio-Tos*, Boll. Mus. Torino, xxii. (554) p. 13 (1907).

1. **G. Lanceolata, Bol.** (*Gonyacantha L.*) J. Sci. Lisb. (2) i. p. 215, pl. 1. ff. 7, 7 *a* (1890). *Gonyacanthella Lanceolata*, *Giglio-Tos*, l. c. p. 13 (1907).	Angola.

Genus 614. **Carsula.**

Stal. Bihang Svensk. Akad. Handl. v. (4) pp. 53, 100 (1878); Brunn. Ann. Mus. Genova, xxxiii. pp. 137, 156 (1893).

1. **C. Sulciceps, Stål,** l. c. p. 100. n. 1 (1878).	Philippines.
2. **C. (?) Tenera, Brunn.** l. c. p. 157. n. 1. pl. 5. f. 53* (1893).	Burma.

Genus 615. **Xenippa.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 52, 98 (1878).

1. **X. Viridula, Stål,** l. c. p. 98. n. 1 (1878).	Khartoum.
2. **X. Prasina, Bol.** Ann. Soc. Ent. France, lxx. p. 617 (1902).	S. India (Madura).

Genus 616. **Cervidia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 53, 99 (1878).

*1. **C. Lobipes, Stål,** l. c. p. 99. n. 1 (1878).	Cape York.
2. **C. (?) **Brevitibia, Walk.** (*Opomala B.*) Cat. Derm. Salt. B. M. iii. p. 515. n. 37 (1870).	Australia.
3. **C. (?) **Amæna, Walk.** (*Opomala A.*) l. c. n. 36 (1870).	id.

Genus 617. **Legua.**

Walk. Cat. Derm. Salt. B. M. iii. p 502 (1870); Brun. Biol. Centr.-Amer., Orth. ii. p. 251 (1908).
Prorachthes, Brun. l. c. p. 212 (1907).

*1. **L. Crenulata, Stoll,** (*Gryllus Locusta Crenulatus*) Spectres, Saut. p. 14, pl. 6 *b.* f. 18 (1813). *Mesops Crenulatus, Burm.* Handb. Ent. ii. p. 610. n. 4 (1838). *Acridium* (*Opsomala*) *Stollii, De Haan,* Temminck, Verhandel., Orth. pp. 147, 148. n. 13 (1842). *L. Crenulata, Walk.* l. c. p. 503. n. 1 (1870); Brun. Biol. Centr.-Amer., Orth. ii. p. 251. n. 1 (1908).	Costa Rica.

Genus 618. **Prorachthes.**

Gerst. Mitth. Ver. Neu-Vorpommern. xx. p. 38 (1889).
Prorachtes, Giglio-Tos, Boll. Mus. Torino. xiii. (311) p. 44 (1898).

1. **P. Insignis, Gerst.** l. c. p. 40. n. 34 (1889).	Amazons. Peru.

Genus 619. **Gelastorrhinus.** (*Type* no. 3.)

Gelastorhinus, Brunn. Ann. Mus. Genova, xxxiii. pp. 137, 157 (1893); Sauss. Abhandl. Senckenb. Ges. xxi. p. 653 (1899).

Gelastorrhinus, Burr, Trans. Ent. Soc. Lond. 1902, pp. 154, 180.

*1. **G. Edax, Sauss.** l. c. p. 634. n. 2, pl. 38. ff. 31, 32 (1899); Burr, l. c. p. 180. n. 1, p. 181. n. 26 (1902).	Madagascar Abyssinia, India, Ceyl.
2. **G. Semipictus, Walk. (*Opomala Semipicta*) Cat. Derm. Salt. B. M. iii. p. 512. n. 28 (1870). Var. *G. Tryxaloides, Bol.* Ann. Soc. Ent. France, lxx. p. 617. pl. 9. f. 34 (1902).	S. India.
3. **G. Albolineatus, Brunn.** l. c. p. 158. n. 1, pl. 5. f. 54 (1893); Burr, l. c. p. 181. n. 2, p. 182. n. 27 (1902).	Burma.
4. **G. Selache, Burr,** l. c. p. 181. n. 3, p. 182. n. 28 (1902).	Sikkim.
5. **G. Glacialis, Fritze,** Rev. Suisse Zool. vii. p. 338, pl. 16. f. 1 *a–c* (1899).	Sumatra.
*6. **G. Bicolor, De Haan,** (*Acridium* (*Opsomala*) *B.*) Temminck, Verhandel., Orth. pp. 147, 148. n. 7 (1842). *G. Lucius, Burr,* l. c. p. 181. n. 4, p. 182. n. 29 (1902).	Japan, Java, Singapore.
*7. **G. Tæniata, Serv.** (*Opsomala T.*) Ins. Orth. p. 591. n. 7 (1839). *Acridium* (*Opsomala*) *Tæniatum, De Haan,* l. c. pp. 147, 148. n. 8 (1842).	Java.
8. **G. Pictus, Walk. (*Opomala Picta*) l. c. iii. p. 516. n. 40 (1870).	Hab. —— ?
*9. **G. Esox, Burr,** l. c. p. 181. n. 5, p. 183 (1902).	Japan.
10. **G. Sinensis, Walk. (*Tryxalis S.*) l. c. v. Suppl. p. 49 (1871).	China.
11. **G. (?) Filatus, Walk. (*Mesops F.*) l. c. iii. p. 502. n. 8 (1870).	N. India.
12. **G. (?) Tibialis, Serv.** (*Opsomala T.*) l. c p. 591. n. 9 (1839).	Hab. —— ?
13. **G. (?) Laticornis, Serv.** (*Opomala L.*) l. c. p. 590. n. 6 (1839).	Bombay.

Genus 620. **Gonista.**

Bol. Ann. Mus. Genova, xxxix. p. 92 (1898).

1. **G. Antennata, Bol.** l. c. p. 93. n. 46 (1898).	Sumatra.

Genus 621. **Mesopsis.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. Hist. Nat. vi. p. 392 (1906).
‖ *Mesops, Serv.* (*nec Billb.*) Ann. Sci. Nat. xxii. p. 267 (1831); Ins. Orth. pp. 566, 585 (1839): Burm. Handb. Ent. ii. p. 609 (1838); Stål, Recens. Orth. i. p. 44 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 53 (1878).

*1. **M. Abbreviatus, Beauv.** (*Truxalis A.*) Ins. Afr. Amér. p. 18, Orth. pl. 2. f. 4 (1805). *Mesops Abbreviatus, Serv.* ll. cc. p. 267. n. 1 (1831); p. 586. n. 1 (1839); Burm. l. c. p. 610. n. 1 (1838).	W. Africa.
*2. **M. Laticornis, Krauss,** (*Mesops L.*) Sitz. Akad. Wiss. Wien, Math.-nat. Kl. lxxvi. (1) p. 49. n. 1, pl. 2. ff. 13, 13 A–H (1876). *M. Laticornis*, var. *Infuscata, Krauss*, l. c. p. 50 (1876).	Senegal, Sierra Leone, Nigeria.
3. **M. Carinulatus, Bol.** Mém. Soc. Ent. Belge, xvi. p. 107. n. 103 (1908).	Banana (Congo ?).
*4. **M. Gracilicornis, Krauss,** (*Mesops G.*) l. c. p. 51. n. 2, pl. 2. ff. 14, 14 A (1876).	Senegal, Sierra Leone.
5. **M. Filum, Bol.** (*Mesops F.*) Jorn. Sci. Lisboa, (2) i. p. 216. n. 193 (1890).	Braganza.

Genus 622. **Leptysma.** (*Type* no. 6.)

Stål, Recens. Orth. i. pp. 42, 85 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 40 (1878); Scudd. Guide N. Amer. Orth. p. 41 (1897); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 286, 287 (1903); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 44 (1898); Brun. 2nd Locust Comm. B. Aires, pp. 53, 65 (1900); P. U.S. Nat. Mus. xxx. pp. 641, 657 (1906); Journ. N. York Ent. Soc. xiv. pp. 151, 152 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 252 (1907–8).

*1. **L. Marginicollis, Serv.** (*Opsomala M.*) Ins. Orth. p. 591 (1839). *Opomala Marginicollis, Thomas*, Syn. Acrid. N. Amer. pp. 66, 196 (1873). *L. Marginicollis, Stål*, Recens. Orth. i. p. 86. n. 3 (1873); Scudd. Psyche, ix. p. 116 (1900); Blatchl. l. c. p. 288. n. 54, f. 61 (1903); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. p. 788 (1905): Brun. Biol. Centr.-Amer., Orth. ii. p. 253. n. 3 (1908). *Leptysma Marginicolle, Comst.* Man. Stud. Ins. p. 111, f. 123 (1895). ‖*L. Mexicana, Brun.* (*nec Sauss.*) Biol. Centr.-Amer., Orth. ii. pl. 3. ff. 24, 24 *a* (1908).	Southern States, Mexico.
2. **L. Mexicana, Sauss.** (*Opomala M.*) Rev. Zool. (2) xiii. p. 156 (1861); Thomas, Syn. Acrid. N. Amer. p. 197 (1873). *L. Mexicana, Riley*, N. Amer. Fauna, vii. p. 252 (1893); Brun. Biol. Centr.-Amer., Orth. ii. p. 253. n. 2 (1908). *Cornops Mexicanum, Brun.* l. c. pl. 3. ff. 25, 25 *a* (1908).	Mexico, Lower California.
3. **L. Argentina, Brun.** Proc. U.S. Nat. Mus. xxx. p. 658 (1906).	Argentina.
4. **L. Gracilis, Brun.** l. c. (1906).	Brazil.
5. **L. Minima, Brun.** Journ. N. York Ent. Soc. xiv. p. 152. n. 58 (1906); Biol. Centr.-Amer., Orth. i. p. 253. n. 1 (1908).	Trinidad.
*6. **L. Dorsalis, Burm.** (*Mesops D.*) Handb. Ent. ii. p. 610. n. 3 (1838). *Opsomala Filiformis, Serv.* l. c. p. 593. n. 12 (1839); Waterh. Aid Ident. Ins. i. pl. 23 (1881). *L. Filiformis, Stål*, l. c. p. 85. n. 1 (1873); (?) Bol. Viaje al Pacif. p. 50 (1884): Brun. Proc. U.S. Nat. Mus. xxx. p. 658 (1906).	Brazil, Argentina, Paraguay.
*7. **L. Obscura, Thunb.** (*Truxalis Obscurus*) Nova Acta Upsal. ix. pp. 77, 79. n. 1 (1827).	Brazil, Paraguay.

L. Obscura, *Stål*, l. c. p. 86. n. 2 (1873); Brun. l. c. p. 658 (1906).	
8. **L. Cyanoptera, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 37. n. 33 (1889).	Amazons (Iquitos).
9. **L. (?) Flavipes, Burm.** (*Truxalis F.*) l. c. p. 609. n. 9 (1838).	Brazil.

Genus 623. **Oxyphyma.**

Sauss. Rev. Zool. (2) xiii. p. 156 (1861).

1. **O. Jurinei, Sauss.** l. c. p. 157 (1861).	S. Amer. (?).

Genus 624. **Leptysmina.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 34 (1894), xiii. (311) p. 44 (1898); Brun. 2nd Locust Comm. B. Aires, pp. 53, 65 (1900); Journ. N. York Ent. Soc. xiv. p. 151 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 658 (1906).

*1. **L. Pallida, Giglio-Tos,** l. c. ix. (184) p. 35, pl. 1. ff. 8, 8′ (1894); Brun. 2nd Rep. Locust Comm. B. Aires, p. 65 (1900); P. U.S. Nat. Mus. xxx. p. 658, pl. 38. f. 1 (1906).	S. America.
‖*L. Rosea*, *Brun.* (*nec text*, *nec Giglio-Tos*) 2nd Rep. Locust Comm. B. Aires, p. 65, f. 29 (1900).	
2. **L. Rosea, Giglio-Tos,** l. c. p. 35 (1894); Brun. l. c. p. 65 (1900).	Argentina.

Genus 625. **Cylindrotettix.** (*Type* no. 1.)

Brun. Journ. N. York Ent. Soc. xiv. pp. 151, 153 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 252 (1907–8).

1. **C. Insularis, Brun.** ll. cc. xiv. p. 153. n. 59 (1906); ii. p. 252. n. 1 (1908).	Trinidad.
2. **C. Herbaceus, Brun.** Biol. Centr.-Amer., Orth. ii. p. 252 (1908).	Honduras, Costa Rica.

Genus 626. **Stenacris.** (*Type* no. 8.)

Walk. Cat. Derm. Salt. B. M. iv. p. 651 (1870).

Arnilia, *Stål*, Recens. Orth. i. pp. 42, 85 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 40 (1878); Scudd. Guide N. Amer. Orth. p. 41 (1897); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 44 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 65 (1900); Journ. N. York Ent. Soc. xiv. pp. 151, 153 (1906); Proc. U.S. Nat. Mus. xxx. p. 641 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 254 (1907–8). (*Type* no. 9.)

*1. **S. Vitreipennis, Marsch.** (*Gryllus V.*) Ann. Wien. Mus. i. p. 214. n. 7, pl. 18. f. 6 (1835).	Southern United States.
Arnilia Vitreipennis, *Brun.* Biol. Centr.-Amer., Orth. ii. pp. 255, 256. n. 2 (1908).	
***S. Chlorizans*, *Walk.* l. c. p. 652. n. 3 (1870); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. p. 787 (1905).	
Mesops Chlorizans, *Thomas*, Syn. Acrid. N. Amer. p. 60 (1873).	
Arnilia Chlorizans, *Scudd.* Proc. Boston Soc. Nat. Hist. xix. p. 88 (1877).	
Arnilia Cylindrodes, pt., *Stål*, Recens. Orth. i. p. 85. n. 1 (1873).	
2. **S. Marschalli, Brun.** (*Arnilia M.*) l. c. pp. 255, 256. n. 3 (1908).	Costa Rica.
3. **S. Minor, Brun.** (*Arnilia M.*) Ohio Nat. vii. p. 11. n. 21 (1906); Biol. Centr.-Amer., Orth. ii. pp. 255, 257. n. 4 (1908).	Mexico, Guatemala.
4. **S. Propinqua, Brun.** (*Arnilia P.*) Biol. Centr.-Amer., Orth. ii. pp. 255, 257. n. 5 (1908).	iid.
5. **S. Fissicauda, Brun.** (*Arnilia F.*) l. c. pp. 255, 258. n. 6 (1908).	Trinidad, British Guiana.
‖*Arnilia Cylindrodes*, *Brun.* (*nec Stål*) Journ. N. York Ent. Soc. xiv. p. 153. n. 60 (1906).	
6. **S. Colombiæ, Brun.** (*Arnilia C.*) Biol. Centr.-Amer., Orth. ii. pp. 255, 258. n. 7 (1908).	Colombia.
7. **S. Concolor, Walk. l. c. p. 652. n. 2 (1870).	Pará.

8. **S. Lanceolata, Walk. l. c. p. 651. n. 1 (1870).	Santarem.
*9. **S. Cylindrodes, Stål,** (*Opsomala C.*) Eugenies Resa, Orth. p. 325. n. 67 (1860). *Arnilia Cylindrodes, Stål,* Recens. Orth. i. p. 85. n. 1 (1873); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 65, 66 (1900); Proc. U.S. Nat. Mus. xxx. p. 659 (1906).	S. America.
10. **S. Gracilis, Giglio-Tos,** (*Arnilia G.*) l. c. xii. (302) p. 30 (1897); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 65, 66 (1900); Biol. Centr.-Amer., Orth. ii. p. 254 (1908).	Argentina, Paraguay.
11. **S. (?) Coriacea, Burm.** (*Truxalis C.*) Handb. Ent. ii. p. 608. n. 4 (1838).	Brazil.

Genus 627. **Oxybleptella.**

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 33 (1894), xiii. (311) p. 44 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 151 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 660 (1906).

1. **O. Sagitta, Giglio-Tos,** l. c. ix. (184) p. 33, pl. 1. f. 7 (1894).	Brazil, Paraguay.

Genus 628. **Inusia.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 30 (1897), xiii. (311) p. 44 (1878); Brun. Journ. N. York Ent. Soc. xiv. p. 151 (1906); P. U.S. Nat. Mus. xxx. pp. 641, 660 (1906); Biol. Centr.-Amer., Orth. ii. pp. 212, 259 (1907–8).

1. **I. Gracillima, Giglio-Tos,** l. c. xii. (302) p. 31 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 259 (1908).	Bolivia.
2. **I. Chipmani, Brun.** (*I. Chimpani, err. impr.*) Journ. N. York Ent. Soc. xiv. p. 154. n. 61 (1906). *I. Chipmani, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 259, 260. n. 2 (1908).	Trinidad, Guiana.

3. **I. Pallida, Brun.** P. U.S. Nat. Mus. xxx. p. 660 (1906); Biol. Centr.-Amer., Orth. ii. p. 259 (1908).	Paraguay.
4. **I. Nana, Brun.** Biol. Centr.-Amer., Orth. ii. pp. 259, 260. n. 1 (1908).	Costa Rica.
5. **I. Janeirensis, Brun.** l. c. p. 259 (1908).	Rio Janeiro.
6. **I. Bicolor, Brun.** l. c. pp. 259, 260. n. 3 (1908).	Mexico, Centr. Amer.
7. **I. Inornatipes, Brun.** ll. cc. n. 4 (1908).	Mexico.
8. **I. Antillarum, Rehn,** Proc. U.S. Nat. Mus. xxxv. pp. 395, 396. ff. 1, 2 (1908).	St. Thomas (W. Indies).

Genus 629. **Stenopola.**

Stål, Recens. Orth. i. pp. 42, 83 (1873).

*1. **S. Dorsalis, Thunb.** (*Truxalis D.*) Nova Acta Upsal. ix. p. 80 (1827).	Pará.
S. Dorsalis, Stål, Recens. Orth. i. p. 83. n. 1 (1873).	
***Opomala Femoralis, Walk.* Cat. Derm. Salt. B. M. iii. p. 509. n. 18 (1870).	
2. **S. (?) Vittata, Walk. (*Opomala V.*) l. c. p. 509. n. 17 (1870).	Amazons.

Genus 630. **Oxyblepta.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 84 (1873).

Stenopola, Stål, Bihang Svensk. Akad. Handl. v. (4) p. 39 (1878); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906); P. U.S. Nat. Mus. xxx. pp. 641, 661 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 260 (1907–8).

*1. **O. Puncticeps, Stål,** (*Opsomala P.*) Eugenies Resa, Orth. p. 325. n. 68 (1860).	Rio Janeiro, Paraguay.
Stenopola (*Oxyblepta*) *Puncticeps, Stål,* Recens. Orth. i. p. 84. n. 2 (1873).	
(?) *S. Puncticeps, Giglio-Tos,* Boll. Mus. Torino, ix. (184) p. 31 (1894).	

*2. **O. Bohlsii, Giglio-Tos,** (*Stenopola B.*) Zool. Jahrb. Syst. viii. p. 813 (1895).	Paraguay.
*3. **O. Limbatipennis, Stål,** (*Stenopola* (*Oxyblepta*) *L.*) l. c. p. 85. n. 3 (1873). *Stenopola Limbatipennis, Brun.* Journ. N. York Ent. Soc. xiv. p. 154. n. 62 (1906): Biol. Centr.-Amer., Orth. ii. p. 261. n. 2 (1908).	N. Granada, Trinidad.
4. **O. Xanthochlora, Marsch.** (*Gryllus Xanthochlorus*) Ann. Wien. Mus. i. p 215. n. 8, pl. 18. f. 7 (1835). *Stenopola Xanthochlora, Giglio-Tos,* Boll. Mus. Torino, xii. (301) p. 4 (1897); Brun. Biol. Centr.-Amer., Orth. ii. p. 261. n. 1 (1908).	Panama, Brazil.
5. **O. (?) Vorax, Sauss.** (*Caloptenus V.*) Rev. Zool. (2) xiii. p. 162 (1861).	Brazil.
6. **O. (?) Porphyreus, Gerst.** (*Acridium Porphyreum*) Stett. Ent. Zeit. xxxiv. p. 191. n. 17 (1873).	id. (?).

Genus 631. **Henia.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 45, 55 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 261 (1907–8).

1. **H. Frenata, Marsch.** (*Gryllus Frenatus*) Ann. Wien. Mus. i. p. 212. n. 5, pl. 18. f. 4 (1835). *H. Frenata, Giglio-Tos,* l. c. p. 56 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 261. n. 1 (1908).	Brazil, Ecuador (eadem ?), Colombia.

Genus 632. **Euparnops.**

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 275 (1875).

1. **E. Cæruleum, Scudd.** l. c. n. 32 (1875).	Peru.

Genus 633. **Cornops.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 276 (1875); Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 31 (1894), xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 662 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 262 (1907–8).

1. **C. Bivittatum, Scudd.** l. c. p. 276. n. 33 (1875); Giglio-Tos, l. c. ix. (184) p. 32 (1894).	Peru, Paraguay.
2. **C. Scudderi, Brun.** Ohio Nat. vii. p. 12. n. 24 (1906); Biol. Centr.-Amer., Orth. ii. p. 262. n. 2 (1908).	Mexico, Guatemala
3. **C. Insularis, Brun.** Biol. Centr.-Amer., Orth. ii. p. 262. n. 1 (1908). ‖ *Cornops Bivittatum, Brun.* (*nec Scudd.*) Journ. N. York Ent. Soc. xiv. p. 154. n. 63 (1906).	Trinidad.

Genus 634. **Paracornops.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 31 (1894), xiii. (311) p. 45 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900); Journ. N. York Ent. Soc. xiv. p. 152 (1906); Proc. U.S. Nat. Mus. xxx. pp. 641, 662 (1906).

‖ *Cornops, Stål* (*nec Scudd.*), Bihang Svensk. Akad. Handl. v. (4) p. 40 (1878).

*1. **P. Longipenne, De Geer,** (*Acrydium L.*) Mém. Ins. iii. p. 501. n. 18, pl. 42. f. 9 (1773). *Oxya Longipennis, Stål,* Recens. Orth. i. p. 81. n. 2 (1873). *P. Longipenne, Brun.* Proc. U.S. Nat. Mus. xxx. p. 662 (1906).	Surinam, Brazil, Paraguay (eadem ?).
2. **P. Paraguayense, Brun.** l. c. pp. 662, 663 (1906).	Paraguay.
3. **P. Aquaticum, Brun.** ll. cc. (1906).	id.
*4. **P. Politum, Brun.** l. c. pp. 662, 664 (1906).	Rio Janeiro.

Genus 635. **Mastusia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 39, 84 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906).

1. **M. Quadricarinata, Stål,** l. c. p. 84. n. 1 (1878).	Peru.
*2. **M. Spectabilis, Bol.** An. Soc. Españ. xix. p. 325 (1890).	Upper Amazons.

Genus 636. **Tetratænia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 34, 53 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 39 (1878); Bol. Viaje al Pacif. p. 48 (1884); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. p. 152 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 263 (1907–8).

*1. **T. Surinama, Linn.** (*Gryllus Surinamus*) Mus. Ludov. Ulric. p. 146 (1764). *Acrydium Surinamum, Oliv.* Encycl. Méth., Ins. p. 224. n. 39 (1791). *Acridium Surinamum, Serv.* Ins. Orth. p. 671. n. 34 (1839). *T. Surinama, Stål,* Recens. Orth. i. p. 53. n. 1 (1873); Bol. l. c. p. 49 (1884); Brun. Biol. Centr.-Amer., Orth. ii. p. 263. n. 1 (1908). *Acrydium Variegatum, De Geer,* Mém. Ins. iii. p. 500. n. 17, pl. 42. f. 8 (1773). *Ommatolampis Variegata, Burm.* Handb. Ent. ii. p. 637. n. 1 (1838).	S. America.
2. **T. Nitidula, Bol.** An. Soc. Españ. xix. p. 324 (1890).	Upper Amazons.
3. **T. Brachyptera, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 19. n. 14 (1889).	Fonte Boa.
4. **T. Virgata, Gerst.** (*Acridium Virgatum*) l. c. p. 20. n. 15 (1889).	id.

Genus 637. **Opsomala.** (*Type* no. 1.)

Opshomala, Serv. Ann. Sci. Nat. xxii. p. 267 (1831).

Opsomala, Burm. Handb. Ent. ii. p. 610 (1838); Serv. Ins. Orth. p. 586 (1839).

Opomala, Agass. Nomencl. Zool. Ind. Univ. p. 262 (1846); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878); Walk. Cat. Derm. Salt. B. M. v. Suppl. p. 51 (1871).

Chrostheipus, Bol. Ann. Mus. Genova, xxxiii. p. 137 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898).

*1. **O. Viridis, Serv.** (*Opshomala V.*) Ann. Sci. Nat. xxii. p. 268. n. 1 (1831). *Opsomala Viridis, Burm.* l. c. p. 611. n. 1 (1838); Serv. Ins. Orth. p. 588. n. 1 (1839). *Arnilia Viridis, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 254, 255. n. 1 (1908).	Brazil.
2. **O. Coccineipes, Brun.** (*Arnilia C.*) P. U.S. Nat. Mus. xxx. p. 659 (1906); Biol. Centr.-Amer., Orth. ii. pp. 254, 255 (1908).	Paraguay, Brazil.
3. **O. Interior, Brun.** (*Arnilia I.*) Biol. Centr.-Amer., Orth. ii. p. 254 (1908).	Brazil.
4. **O. (?) Nasica, Gerst.** (*Acridium Nasicum*) Stettin. Ent. Zeit. xxxiv. p. 191. n. 18 (1873).	id.
5. **O. (?) Falconina, Gerst.** (*Acridium Falconinum*) l. c. n. 19 (1873).	Rio Janeiro.
6. **O. (?) Stæli, Brun.** (*Arnilia Ståli*) l. c. p. 254 (1908).	Brazil.

Genus 638. **Epiprora.**

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 32 (1889): Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 note (1898).

1. **E. Hilaris, Gerst.** l. c. p. 33. n. 27 (1889).	Amazons.

Genus 639. **Copiocera.** (*Type* no. 4.)

Burm. Handb. Ent. ii. pp. 602, 611 (1838); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Journ. N. York Ent. Soc. xiv. pp. 152, 155 (1906); Biol. Centr.-Amer., Orth. ii. pp. 213, 263 (1907–8).

Glaphyracris, Walk. Cat. Derm. Salt. B. M. iv. p. 653 (1870). (*Type* no. 7.)

1. **C. Lepida, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 34. n. 28 (1889).	Fonte Boa.
*2. **C. Specularis, Gerst.** l. c. p. 35. n. 29 (1889); Rehn, Proc. Acad. Nat. Sci. Philad. lvii. pp. 417, 418. ff. 17, 18 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 263, 264. n. 2 (1908).	Chiriqui, Costa Rica.
3. **C. Læta, Gerst.** l. c. p. 35. n. 30 (1889).	Fonte Boa.
*4. **C. Erythrogastra, Perty,** (*Xiphicera E.*) Del. Anim. Art. p. 122, pl. 24. f. 2 (1844). *C. Erythrogastra, Burm.* l. c. p. 612. n. 2 (1838); Gerst. l. c. p. 36. n. 31 (1889); Brun. Biol. Centr.-Amer., Orth. ii. p. 263. n. 1 (1908). *Opsomala Erythrogastra, Serv.* Ins. Orth. p. 589. n. 3 (1839).	Minas Geraes.
5. **C. Eucera, Marsch.** (*Gryllus Euceros*) Ann. Wien. Mus. Naturg. i. p. 216. n. 9, pl. 18. f. 8 (1835). *C. Eucera, Burm.* l. c. p. 612. n. 1 (1838).	Brazil.
6. **C. Austera, Gerst.** l. c. p. 36. n. 32 (1889).	Iquitos.
7. **C. Nigricans, Walk. (*Glaphyracris N.*) l. c. p. 653. n. 1 (1870).	"Nauta."
8. **C. (?) Hæmotonota, Burm.** (*Acridium Hæmatonotum*) l. c. p. 634. n. 19 (1838).	Brazil.

Genus 640. **Anthinochroma.**

Berg, Com. Mus. Nac. Buenos Aires, i. p. 78 (1899).

‖ *Pœcilochroma, Brancs.* (*nec Steph.*) Jahresh. Ver. Trencs. xix.–xx. p. 75 (1897).

1. **A. Jucunda, Brancs.** (*Pœcilochroma J.*) l. c. p. 76, pl. 3. f. 18 *a–d* (1897).	New Guinea.

Genus 641. **Episcopotettix.**

Rehn, Trans. Amer. Ent. Soc. xxix. p. 13 (1902); Brun. Biol. Centr.-Amer., Orth. ii. pp. 213, 264 (1907–8).

1. **E. Sulcirostris, Rehn,** Trans. Amer. Ent. Soc. xxix. p. 13 (1902). — Mexico.

Genus 642. **Eucopiocera.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 213, 265 (1907–8).

1. **E. Rubripes, Brun.** l. c. p. 265. n. 1, pl. 3. ff. 26, 26 *a* (1908). — Mexico.

Genus 643. **Proctolabus.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xi. p. 393 (1859); Stål, Recens. Orth. i. p. 34 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 36 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 265 (1907–8).

Proctolabrus, Thomas, Syn. Acrid. N. Amer. p. 224 (1873).

Calacris, Walk. Cat. Derm. Salt. B. M. iv. p. 639 (1870); Thomas, l. c. p. 227 (1873). (*Type* no. 1.)

*1. **P. Mexicanus, Sauss.** (*Ommatolampis Mexicana*) l. c. p. 393 (1859); Thom. l. c. p. 224 (1873). — Mexico.

***Calacris Pudica, Walk.* l. c. p. 641. n. 12 (1870); Thomas, l. c. p. 228 (1873).

P. Mexicanus, Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 533 (1904); Brun. l. c. p. 265. n. 1 (1908).

2. **P. Gracilis, Brun.** l. c. pp. 265, 266. n. 2 (1908). — id.

3. **P. Brachypterus, Brun.** ll. cc. n. 3, pl. 3. ff. 19, 19 *a* (1908). — id.

Dellia Mexicana, Brun. (*nec Sauss.*) l. c. pl. 3. ff. 14, 14 *a* (1908).

4. **P. Bullatus, Rehn,** Proc. U.S. Nat. Mus. xxxv. pp. 396–398. ff. 3, 4 (1908). — Peru.

Genus 644. **Leioscapheus.** (*Type* no. 2.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 267 (1907–8.)

1. **L. Gracilicornis, Brun.** l. c. p. 267. n. 1 (1908).	Costa Rica.
2. **L. Variegatus, Brun.** l. c. pp. 267, 268. n. 2 (1908). *Anniceris Variegata, Brun.* l. c. pl. 3. ff. 15, 15 *a* (1908).	Mexico.
3. **L. Annulicornis, Brun.** l. c. pp. 267, 268. n. 3 (1908).	Guatemala.

Genus 645. **Anniceris.** (*Type* no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 37, 82 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1873); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 268 (1907–8).

1. **A. Olivaceus, Giglio-Tos,** Boll. Mus. Torino, xii. (301) p. 4 (1897); Brun. l. c. pp. 269, 270. n. 4 (1908).	Darien.
2. **A. Truncatus, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. p. 421, f. 21 (1905); Brun. l. c. pp. 269, 271. n. 6 (1908).	Costa Rica.
3. **A. Geniculatus, Stål,** l. c. p. 82. n. 1 (1878); Brun. l. c. p. 269. n. 1 (1908).	Peru.
4. **A. Nigrinervis, Stål,** l. c. p. 83. n. 2 (1878); Brun. l. c. pp. 269, 270. n. 3 (1908).	N. Granada, Guatemala.
5. **A. Viridulus, Brun.** l. c. p. 269. n. 2, pl. 3. ff. 16, 17, 17 *a* (1908).	Mexico.
6. **A. Meridionalis, Brun.** l. c. pp. 269, 271. n. 5 (1908).	Costa Rica.
7. **A. Apicalis, Brun.** ll. cc. n. 7 (1908).	id.

Genus 646. **Bucephalacris.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 30 (1894), xiii. (311) p. 46 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900); Proc. U.S. Nat. Mus. xxx. pp. 641, 664 (1906).

1. **B. Borellii, Giglio-Tos,** l. c. xii. (302) p. 31 (1897). ‖ *B. Bucephala, Giglio-Tos* (*nec Marsch.*), l. c. ix. (184) p. 31 (1894).	Bolivia, Argentina, Paraguay.
2. **B. Paraguayensis, Brun.** Proc. U.S. Nat. Mus. xxx. p. 665 (1906).	Paraguay.

Genus 647. **Dellia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 37, 83 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 272 (1907–8).

1. **D. Insulana, Stål,** l. c. p. 83. n. 1 (1878): Brun. l. c. p. 272. n. 1 (1908).	Cuba.
2. **D. Miniatula, Rehn,** Proc. Acad. Nat. Sci. Philad. lvii. pp. 423–426, ff. 22, 23 (1905); Brun. l. c. pp. 272–273. n. 4 (1908).	Costa Rica.
3. **D. Bimaculata, Rehn,** l. c. pp. 426–428. f. 26, p. 424. ff. 25, 26 (1905); Brun. l. c. p. 272. n. 3 (1908).	id.
4. **D. Ovatipennis, Rehn,** l. c. pp. 428–430. f. 27, p. 424. f. 24 (1905); Brun. l. c. p. 272. n. 2 (1908).	id.

Genus 648. **Coscineuta.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 33, 52 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 37 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 45 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 273 (1908).

1. **C. Coxalis, Serv.** (*Acridium Coxale*) Ins. Orth. p. 672. n. 35 (1839). *C. Coxalis, Stål,* Recens. Orth. i. p. 52. n. 1 (1873); Brun. l. c. p. 273. n. 1 (1908).	N. Granada, Peru.
2. **C. Virens, Thunb.** (*Gryllus V.*) Mém. Acad. Pétersb. v. p. 250 (1815), ix. pp. 398, 419. n. 70 (1824). *C. Virens, Stål,* l. c. p. 52. n. 2 (1873); Brun. l. c. p. 273. n. 2 (1908).	W. Indies (St. Barthelemy).

3. **C. Cicatricosa, Bol.** An. Soc. Españ. xix. p. 323 (1890).	Upper Amazons.
4. **C. Olivacea, Brun.** l. c. pp. 273, 274. n. 3 (1908).	Nicaragua.

Genus 649. **Eritrichius.**

Bol. Ann. Mus. Genova, xxxix. p. 97 (1898).

1. **E. Modiglianii, Bol.** l. c. p. 98. n. 53 (1898).	Sumatra.

Genus 650. **Zosperamerus.** (*Type* no. 2.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 274 (1907–8).

1. **Z. Marginalis, Walk. (*Acridium Marginale*) Cat. Derm. Salt. B. M. iv. p. 622 (1870).	Pará.
2. **Z. Zonatipes, Brun.** l. c. p. 274. n. 1 (1908). *Anniceris Nicaraguæ, Brun.* l. c. pl. 3. f. 18 (1908).	Nicaragua.

Genus 651. **Abila.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 21, 56 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 214, 275 (1907–8).

1. **A. Latipes, Stål,** l. c. p. 56. n. 1 (1878).	Brazil.
2. **A. Bolivari, Giglio-Tos,** l. c. xv. (377) p. 4 (1900).	Paraguay.
3. **A. (?) Collaris, Brun.** l. c. p. 275. n. 1 pl. 3. ff. 11, 11 *a* (1908).	Yucatan.

Genus 652. **Psilotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 276 (1907–8).

1. **P. Obesus, Brun.** l. c. p. 276. n. 1, pl. 4. ff. 12, 12 *a* (1908).	Mexico.

Genus 653. **Aristia.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 21, 56 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 277 (1907–8).

1. **A. Megacephala, Brun.** (*Pezotettix M.*) Verh. zool.-bot. Ges. Wien, xi. p. 226 (1861). *A. Megacephala, Stål*, l. c. p. 56. n. 1 (1878).	Venezuela.
2. **A. Mordax, Stål,** (*Phæoparia M.*) Recens. Orth. i. p. 58. n. 3 (1873).	New Granada.
3. **A. Depressicornis, Brun.** l. c. p. 277. n. 1 (1908).	Costa Rica.

Genus 654. **Phæoparia.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 36, 56 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 21, 57 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 277 (1907–8).

*1. **P. Linea-alba, Linn.** (*Gryllus Locusta L.*) Mus. Ludov. Ulric. p. 150. n. 40 (1764). *Truxalis Sanguineus, Thunb.* Mém. Acad. Pétersb. v. p. 270 (1815); Nova Acta Upsal. ix. pp. 77, 80. n. 4 (1827). *P. Linea-alba, Stål*, ll. cc. p. 57. n. 1 (1873); p. 57. n. 1 (1878); Brun. l. c. p. 278. n. 1 (1908).	Brazil.
2. **P. Castanea, Brunn.** (*Opomala C.*) Verh. zool.-bot. Ges. Wien, xi. p. 225 (1861). *P. Castanea, Stål*, Bihang Svensk. Akad. Handl. v. (4) p. 57. n. 2 (1878); Brun. l. c. p. 278. n. 2 (1908).	Paramaribo.
3. **P. Annulicornis, Stål,** Recens. Orth. i. p. 57. n. 2 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 57. n. 3 (1873); Brun. l. c. pp. 278, 279. n. 3 (1908).	New Granada.

4. **P. Rotundata, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 57. n. 4 (1878); Brun. l. c. pp. 278, 279. n. 4 (1908).	Chiriqui.
5. **P. Maculipennis, Stål,** l. c. p. 58. n. 5 (1878); Brun. l. c. pp. 278, 279. n. 5 (1908).	N. Granada.
6. **P. Obtusa, Stål,** l. c. p. 58. n. 6 (1878).	Peru.
7. **P. Emarginata, Stål,** l. c. p. 59. n. 7 (1878); Brun. l. c. pp. 278, 280. n. 7 (1908).	Venezuela.
8. **P. Curtipennis, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 274. n. 28 (1875).	Peru.
9. **P. Immaculata, Brun.** l. c. pp. 278, 279. n. 6 (1908).	Demerara.

Genus 655. **Adimantus.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 38 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 46 (1898); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 666 (1906).

1. **A. Ornatissimus, Burm.** (*Oxya Ornatissima*) Handb. Ent. ii. p. 636. n. 4 (1838).	Brazil.
*2. **A. Vitticeps, Blanch.** (*Acridium V.*) D'Orbigny, Voy. Amér. Mér., Ins. p. 216. n. 744, pl. 27. f. 4 (1846). *A. Vitticeps*, *Brun.* l. c. p. 666 (1906); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 181 (1907).	Paraguay.
3. **A. Cubiceps, Gerst.** (*Acridium C.*) Stett. Ent. Zeit. xxxiv. p. 189. n. 13 (1873).	Brazil.

Genus 656. **Zygoclistron.** (*Type* no. 1.)

Rehn, Entom. News, xvi. p. 39 (1905);
Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 666 (1906).

*1. **Z. Trachystictum, Rehn,** l. c. pp. 39–41. ff. 1–3 (1905); Proc. Acad. Nat. Sci. Philad. lix. p. 181 (1907); Brun. l. c. p. 666 (1906).	Paraguay.
2. **Z. Superbum, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. pp. 181–184. f. 12 (1907).	id.

Genus 657. **Aleuas.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 25, 69 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 138 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900); Proc. U.S. Nat. Mus. xxx. pp. 642, 667 (1906).

1. **A. Vitticollis, Stål,** l. c. p. 69. n. 1 (1878); Brun. Proc. U.S. Nat. Mus. xxx. p. 667 (1906).	Monte Video.
2. **A. Gracilis, Stål,** l. c. p. 70. n. 2 (1878); Brun. l. c. pp. 667, 668 (1906).	Brazil, Paraguay.
3. **A. Brachypterus, Brun.** l. c. pp. 667, 678 (1906).	Paraguay.
*4. **A. Lineatus, Stål,** l. c. p. 70. n. 3 (1878); Brun. 2nd Rep. Locust Comm. B. Aires, p. 66, f. 30 (1900); Proc. U.S. Nat. Mus. xxx. pp. 667, 668, pl. 28. f. 10 (1906).	Buenos Aires, Uruguay.

Genus 658. **Chariacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 653 (1870).

1. **C. Dulcis, Walk. l. c. p. 654. n. 1 (1870). *Acridium Amethystinum, Gerst.* Stett. Ent. Zeit. xxxiv. p. 189. n. 12 (1873).	Pará.

Genus 659. **Paraleuas.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 57 (1898); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 668 (1906).

1. **P. Bohlsii, Giglio-Tos,** l. c. p. 57 (1898); Brun. l. c. p. 669 (1906).	Paraguay.
2. **P. Fosteri, Brun.** l. c. (1906).	id.
3. **P. Punctipennis, Brun.** l. c. pp. 669, 670 (1906).	id.
4. **P. Minor, Brun.** l. c. p. 669 note (1906).	Brazil.

Genus 660. **Orthoscapheus.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 671 (1906).

1. **O. Roseipennis, Brun.** l. c. p. 672 (1906).	Paraguay.

Genus 661. **Jodacris.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 32 note (1897), xiii. (311) p. 47 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 66 (1900); Proc. U.S. Nat. Mus. xxx. pp. 642, 672 (1906).

1. **J. Ferruginea, Giglio-Tos,** (*Anniceris Ferrugineus*) l. c. ix. (184) p. 30 (1894). *J. Ferruginea, Brun.* ll. cc. p. 66 (1900); p. 672 (1906).	Paraguay.

Genus 662. **Abracris.** (*Type* no. 1.)

Walk. Cat. Derm. Salt. B. M. iv. p. 642 (1870).
Omallotettix, Brun. Proc. U.S. Nat. Mus. xxx. p. 642 (1906).
Omalotettix, Brun. l. c. p. 672 (1906); Biol. Centr.-Amer., Orth. ii. pp. 215, 280 (1907–8). (*Type* no. 1.)

*1. **A. Nebulosa, Brun.** (*Jodacris* (?) *N.*) 2nd Rep. Locust Comm. B. Aires, pp. 66, 67 (1900). *Omalotettix Nebulosa, Brun.* Proc. U.S. Nat. Mus. xxx. p. 673 (1906); Biol. Centr.-Amer., Orth. ii. pp. 280, 281. n. 1 (1908).	Brazil, Argentina, Paraguay.
2. **A. Dilecta, Walk. l. c. p. 642. n. 1 (1870). *Omalotettix Signatipes, Brun.* ll. cc. p. 673, (1906); pp. 280, 281. n. 3 (1908).	Yucatan, Brazil, Paraguay.
3. **A. Cæruleipennis, Brun.** (*Jodacris* (?) *C.*) 2nd Rep. Locust Comm. B. Aires, pp. 66, 68 (1900). *Omalotettix Cæruleipennis, Brun.* Proc. U.S. Nat. Mus. xxx. pp. 673, 674 (1906); Biol. Centr.-Amer., Orth. ii. pp. 281, 282. n. 5 (1908).	Paraguay, Argentina.
4. **A. Meridionalis, Brun.** (*Omalotettix M.*) Biol. Centr.-Amer., Orth. ii. pp. 280, 281. n. 2 (1908).	Demerara, Brazil.
5. **A. Chapadensis, Brun.** (*Omalotettix C.*) l. c. pp. 280, 282. n. 4 (1908).	S. Brazil.

Genus 663. **Chrysopsacris.** (*Type* no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 282 (1907–8).

1. **C. Bucephalus, Marsch.** (*Gryllus B.*) Ann. Wien. Mus. i. p. 217. n. 10, pl. 18. f. 9 (1835). *C. Bucephala, Brun.* l. c. p. 282. n. 1 (1908).	British Guiana, Brazil.
2. **C. Atrocephala, Brun.** l. c. pp. 282, 283. n. 2 (1908).	British Guiana.
3. **C. Costaricensis, Rehn,** (*Jodacris* (?) *C.*) Proc. Acad. Nat. Sci. Philad. lvii. pp. 430–433. ff. 28, 29 (1905). *C. Costaricensis, Brun.* Biol. Centr.-Amer., Orth. ii. pp. 282, 283. n. 3 (1908).	Costa Rica, Demerara.

Genus 664. **Caletes.**

Redt. Proc. Zool. Soc. Lond. 1892, p. 209; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 284 (1907–8).

1. **C. Apterus, Redt. l. c. p. 210. n. 1, pl. 16. f. 11 *a*, *b* (1892); Brun. l. c. p. 284. n. 1 (1908).	St. Vincent, Grenada.

Genus 665. **Clematodes.**

Scudd. Journ. N.Y. Ent. Soc. viii. p. 213 (1900); Brun. Biol. Centr.-Amer., Orth. ii. pp. 215, 284 (1907–8).

1. **C. Larreæ, Scudd.** l. c. pp. 214 (1900); Brun. l. c. p. 284. n. 1, pl. 4. ff. 1, 2 (1908).	New Mexico.

Genus 666. **Vilerna.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 38, 71 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 22 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 68 (1900); Proc. U.S. Nat. Mus. xxx. pp. 642, 674 (1906); Biol. Centr.-Amer., Orth. ii. pp. 216, 284 (1907–8).

*1. **V. Æneo-oculata, De Geer,** (*Acrydium Æneo-oculatum*) Mém. Ins. iii. p. 502. n. 20, pl. 42. f. 11 (1773). *V. Æneo-oculata, Stål,* Recens. Orth. i. p. 71. n. 1 (1873); Brun. Biol. Centr.-Amer., Orth. ii. p. 285. n. 1 (1908). *Acrydium Sanguinipes, Oliv.* Encycl. Méth., Ins. vi. p. 231. n. 69 (1791). *Acridium Sanguinipes, Serv.* Ins. Orth. p. 670. n. 32 (1839).	Surinam, Brazil, W. Indies.
2. **V. Rugulosa, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 61. n. 1 (1878); Brun. 2nd Locust Comm. B. Aires, p. 68 (1900): Proc. U.S. Nat. Mus. xxx. p. 674 (1906).	Peru, Braz., Argentina, Paraguay.
3. **V. Tibialis, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 13. n. 10 (1889).	Upp.Amaz., Colombia.
4. **V. Flavipennis, Gerst.** l. c. n. 11 (1889).	Fonte Boa.
5. **V. Reducta, Brunn.** Berlin. Ent. Zeitschr. xlv. p. 256. n. 17, pl. 3. ff. 2, 2 *a* (1900); Brun. l. c. p. 285. n. 3 (1908).	Colombia.
6. **V. Pygmea, Sauss.** (*Xiphicera P.*) Rev. Zool. (2) xiii. p. 156 (1861). *Xiphocera Pygmea, Thomas,* Syn. Acrid. N. Amer. p. 242 (1873). *V. Pygmæa, Brun.* l. c. p. 285. n. 2, pl. 3. ff. 22, 23, 23 *a* (1908).	Mexico.

Genus 667. **Aptoceras.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 286 note (1908).

1. **A. Margaritatus, Brun.** l. c. n. 1 (1908).	Demerara.

Genus 668. **Nuciera.**

Bol., Bol. Soc. Españ. vi. p. 392 (1906).

‖ *Nuceria, Stal* (*nec Walk.*), Bihang Svensk. Akad. Handl. v. (4) pp. 23, 61 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 47 (1878).

1. **N. Roseipennis, Stål,** (*Nuceria R.*) l. c. p. 61. n. 1 (1878).	Brazil.

Genus 669. **Caletodes.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 58 (1898).

1. **C. Alatus, Giglio-Tos,** l. c. pp. 58, 59 (1898). Ecuador.
2. **C. Festæ, Giglio-Tos,** l. c. p. 59 (1898). id.

Genus 670. **Leptomerinthophora.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 436 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 287 (1907–8).

1. **L. Brevipennis, Rehn,** l. c. pp. 436–439, ff. 32, 33 (1905); Brun. l. c. p. 287. n. 1 (1908). Costa Rica.
2. **L. Smaragdipes, Brun.** l. c. p. 287. n. 2 (1908). id.
3. **L. Flavovittata, Brun.** l. c. pp. 287, 288. n. 3 (1908). id.
4. **L. Modesta, Brun.** ll. cc. n. 4 (1908). id.

Genus 671. **Saparus.**

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 47, 60 (1898).

1. **S. Æquatorialis, Giglio-Tos,** l. c. p. 61 (1898). Ecuador.

Genus 672. **Syletria.**

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 433 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1907–8).

1. **S. Angulata, Rehn,** l. c. pp. 433–436, ff. 30, 31 (1905); Brun. l. c. p. 289. n. 1 (1908). Costa Rica.

Genus 673. **Syntomacris.**

Walk. Cat. Derm. Salt. B. M. iv. p. 650 (1870).

1. **S. Vittipennis, Walk. l. c. p. 651. n. 1 (1870). "Nauta."

Genus 674. **Xiphiola.** (*Type* no. 1.)

Bol. Actas Soc. Españ. xxv. p. 17 (1896); Giglio-Tos, Boll. Mus. Torino, xiii. p. 48 (1898); Brun. Proc. U.S. Nat. Mus. xxx. pp. 642, 674 (1906).

1. **X. Cyanoptera, Bol.** l. c. p. 17 (1896); Giglio-Tos, l. c. xv. (377) p. 5 (1900).	Peru.
2. **X. Borellii, Giglio-Tos,** l. c. (1900).	Brazil, Paraguay.

Genus 675. **Osmiliola.**

Giglio-Tos, Boll. Mus. Torino, xii. (302) p. 32 (1897), xiii. (311) p. 48 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 68 (1900); Bull. U.S. Nat. Mus. xxx. pp. 642, 674 (1906).

1. **O. Aurita, Giglio-Tos,** l. c. xii. (302) p. 33 (1897).	Brazil, Argentina, Bolivia.

Genus 676. **Antiphanes.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 35 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

1. **A. Nodicollis, Burm.** (*Ommatolampis N.*) Handb. Ent. ii. p. 637. n. 2 (1838).	Brazil.

Genus 677. **Cocama.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 48, 61 (1898).

1. **C. Trivittata, Giglio-Tos,** l. c. p. 62 (1898).	Ecuador.
2. **C. Affinis, Giglio-Tos,** l. c. p. 63 (1898).	id.

Genus 678. **Anablysis.** (*Type* no. 1.)

Gerst. Mitth. Ver. Neu-Vorpomm. xx. p. 14 (1889); Giglio-Tos, Boll. Mus. Torino, xiii. p. 48, 63 (1898).

1. **A. Pantherina, Gerst.** l. c. p. 15. n. 12 (1889); Giglio-Tos, l. c. p. 63 (1898).	Peru, Ecuador.
2. **A. Teres, Giglio-Tos,** l. c. p. 63 (1898).	Ecuador.

Genus 679. **Demochares.**

Bol., Bol. Soc. Españ. vi. p. 391 (1906).
‖ *Demonax*, *Stål* (*nec Kinb.*), Bihang Svensk. Akad. Handl. v. (4) pp. 35, 80 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

1. **D. Cristulatus, Stål,** (*Demonax C.*) l. c. p. 80. n. 1 (1878). Peru.

Genus 680. **Hypsipages.**

Gerst. Mitth. Ver Neu-Vorpomm. xx. p. 17 (1889); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898).

1. **H. Dives, Gerst.** l. c. p. 18. n. 13 (1889). Amazons.

Genus 681. **Nicarchus.**

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 34, 78 (1878); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1907–8).

1. **N. Erinaceus, Stål,** l. c. p. 78. n. 1 (1878); Brun. l. c. pp. 289. n. 1 (1908). Panama.

Genus 682. **Ommatolampis.** (*Type* no. 1.)

Burm. Handb. Ent. ii. p. 636 (1838); Sauss. Rev. Zool. (2) xi. p. 393 (1859); Stål, Recens. Orth. i. pp. 33, 35 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 35, 81 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) pp. 48, 64 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 289 (1908).

*1. **O. Perspicillata, Johanss.** (*Gryllus Perspicillatus*) Amoen. Acad. vi. p. 398. n. 34 (1763). S. America.
Gryllus Locusta Perspicillatus, *Linn.* Syst. Nat. (ed. xii.) i. (2) p. 703. n. 61 (1767).

O. Perspicillata, Burm. l. c. p. 637. n. 3 (1838) ; Sauss. l. c. p. 393 (1859) ; Brun. l. c. p. 290. n. 1 (1908).	
***Trybliophorus Bimaculatus, Walk.* Cat. Derm. Salt. B. M. iv. p. 608 (1870).	
2. **O. Palpata, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 81. n. 1 (1878).	Peru.
3. **O. Venusta, Gerst.** Stettin. Ent. Zeit. xxxiv. p. 194. n. 24 (1873).	Mexico.
4. **O. Cardinalis, Gerst.** l. c. n. 25 (1873).	Guiana.
5. **O. Pugnax, Gerst.** l. c. n. 26 (1873).	Bogota.
6. **O. Acanthopus, Gerst.** l. c. p. 195. n. 27 (1873).	Guayaquil.
7. **O. Carinipes, Gerst.** l. c. n. 28 (1873).	Bogota.
8. **O. Leucoptera, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 272. n. 25 (1875).	Peru.
9. **O. Aptera, Scudd.** l. c. p. 273. n. 26 (1875).	id.
10. **O. Nigroguttata, Scudd.** l. c. n. 27 (1875).	id.
11. **O. Cincta, Sauss.** l. c. p. 394 (1859).	Brazil.
12. **O. Cingulata, Bol.** (*O. Cingulatus*) An. Soc. Españ. x. p. 483 (1881) ; Viaje al Pacif. p. 46, pl. 1. ff. 6, 6 *a* (1884).	Ecuador.
13. **O. Pazii, Bol.** An. Soc. Españ. x. p. 484 (1881). *O. Pazi, Bol.* Viaje al Pacif. p. 47 (1884).	id.
14. **O. Festæ, Giglio-Tos,** l. c. p. 64 (1898).	id.
15. **O. Torquata, Giglio-Tos,** l. c. p. 65 (1898).	id.
16. **O. Flavipes, Giglio-Tos,** l. c. p. 66 (1898).	id.
17. **O. Dorsalis, Giglio-Tos,** l. c. (1898).	id.
18. **O. Brevipennis, Thomas,** Bull. U.S. Geol. Surv. Territ. i. p. 67 (1874).	New Jersey.
19. **O. Annulicornis, Brun.** Biol. Centr.-Amer., Orth. ii. p. 290. n. 2 (1908).	Costa Rica.

Genus 683. **Sitalces.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (9) p. 16 (1878) ; Brunn. Ann. Mus. Genova, xxviii. p. 139 (1893) ; Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 48 (1898) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 291 (1907–8).

1. **S. Volxemi, Stål,** l. c. p. 16. n. 1 (1878); Brun. l. c. p. 291 (1908).	Brazil.
2. **S. Vittiventris, Stål,** l. c. p. 17. n. 2 (1878); Brun. l. c. p. 291 (1908).	id.
3. **S. Punctifrons, Stål,** l. c. p. 18. n. 3 (1878): Brun. l. c. pp. 291, 292. n. 2 (1908).	Caracas.
4. **S. Coxalis, Stål,** l. c. p. 18. n. 4 (1878); Brun. l. c. pp. 291, 292. n. 1 (1908).	id.
5. **S. Trinitatis, Brun.** Journ. N. York Ent. Soc. xiv. p. 155. n. 66 (1906); Biol. Centr.-Amer., Orth. ii. pp. 291, 292. n. 3 (1908).	Trinidad.
6. **S. Robustus, Brun.** Biol. Centr.-Amer., Orth. ii. p. 291 (1908).	Brazil.
7. **S. Nudus, Brun.** l. c. (1908).	Santarem.
8. **S. Varipennis, Brun.** l. c. (1908).	Brazil (?).
9. **S. Ovatipennis, Brun.** l. c. pp. 291, 292. n. 4 (1908).	Demerera.
10. **S. Infuscatus, Brun.** l. c. p. 291 (1908).	S. Brazil.

Genus 684. **Œdomerus.** (*Type* no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 293 (1907–8).

1. **Œ. Corallipes, Brun.** l. c. p. 293. n. 1, pl. 4. ff. 10, 10 *a*, 14, 14 *a* (1908).	Lower California.
2. **Œ. Nigropleurus, Brun.** l. c. p. 294. n. 2 (1908).	id.

Genus 685. **Coryphistes.** (*Type* no. 2.)

Charp. Orth. pls. 58, 59 (1844); Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 22, 59 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 139 (1893).

1. **C. Rhodoptilus, Charp.** l. c. pl. 58 (1844).	Australia.
*2. **C. Cyanopterus, Charp.** l. c. pl. 59 (1844); Stål, l. c. p. 59. n. 1 (1878); Frogg. Agric. Gaz. N. S. Wales, xv. p. 241, plate, f. 6 (1904).	id.
Xiphocera Ruricola, Burm. Handb. Ent. ii. p. 613. n. 3 (1838).	
***Xiphocera Adusta, Walk.* Cat. Derm. Salt. B. M. iii. p. 528. n. 25 (1870), *immature*.	

*3. **C. Cyanopteroides, Tepp.** Trans. R. Soc. S. Australia, xxviii. p. 164 (1904).	S. Australia.
*4. **C. Nigrinervis, Stål,** l. c. p. 59. n. 2 (1878).	Peak Downs.
*5. **C. Obscurobrunneus, Tepp.** (*Choryphistes O.*) Horn Exped. Centr. Australia, ii. p. 367 (1896).	Australia.
*6. **C. Sordida, Serv.** (*Opsomala S.*) Ins. Orth. p. 592. n. 10 (1839); McCoy, Prodr. Zool. Vict. xiv. p. 151, pl. 139. ff. 1–4 (1887).	id.
*7. **C. Nutans, Stål,** l. c. p. 60. n. 3 (1878).	Rockhampton.
*8. **C. Validicornis, Stål,** l. c. n. 4 (1878).	Peak Downs.
*9. **C. Serratus, Tepp.** Trans. R. Soc. S. Australia, xxviii. p. 165 (1904).	Australia.
10. **C. Nigroconspersus, Tepp.** l. c. p. 166 (1904).	id.
11. **C. Interioris, Tepp.** (*Choryphistes I.*) Horn Exped. Centr. Australia, ii. p. 368 (1896).	id.
12. **C. Exempta, Walk. (*Xiphocera E.*) l. c. iii. p. 527. n. 21 (1870).	id.
13. **C. (?) Brevicornis, Walk.** (*Opomala B.*) l. c. p. 516. n. 38 (1870).	id.

Genus 686. **Eumecistes.**

Brancs. Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 253 (1896).

1. **E. Gratiosus, Brancs.** l. c. pl. 8. f. 5 *a–f* (1896).	S. Australia.

Genus 687. **Goniæa.** (*Type* no. 10.)

Stål, Recens. Orth. i. pp. 35, 56 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 23, 62 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 140 (1893).

1. **G. Australasiæ, Leach, (*Gryllus A.*) Zool. Misc. i. p. 56, pl. 24 (1814). *Xiphocera Australasiæ, Burm.* Handb. Ent. ii. p. 615. n. 9 (1838).	Australia.

Tropinotus Australasiæ, *Walk.* Cat. Derm. Salt. B. M. iii. p. 530. n. 7 (1870).	
G. Australasiæ, *Stål*, Bihang Svensk. Akad. Handl. v. (4) p. 62. n. 1 (1878); Froggatt, Agric. Gaz. N. S. Wales, xv. p. 241, plate, f. 5 (1904).	
Tropinotus Australis, *McCoy*, Prodr. Zool. Victoria, xiv. p. 155, pl. 140 (1887).	
** ♂. *Tropinotus Australasiæ*, var. *Deducta*, *Walk.* l. c. p. 530 (1870).	
Tropinotus Cinnamomeus, *Serv.* Ins. Orth. p. 620. n. 4 (1839).	
2. **G. Arcuata, Tepp.** Horn Exped. Centr. Australia, ii. p. 368 (1896).	Australia.
3. **G. Vocans, Fabr. (*Gryllus V.*) Syst. Ent. p. 290. n. 14 (1775).	id.
***Tropinotus Australasiæ*, var. *Alta*, *Walk.* l. c. p. 530 (1870).	
*4. **G. Fusca, Tepp.** l. c. p. 368 (1896).	id.
5. **G. Nigropunctata, Brancs.** Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 254, pl. 8. f. 6 *a*, *b* (1896).	Yorktown.
6. **G. Maculicornis, Stål,** l. c. p. 62. n. 2 (1878).	Queensland.
*7. **G. Distincta, Brancs.** l. c. p. 255, pl. 8. f. 7 *a*, *b* (1896).	Yorktown, Paramatta.
*8. **G. Ensicornis, Stål,** l. c. p. 63. n. 3 (1878).	Cape York.
9. **G. Carinata, Stål,** l. c. n. 4 (1878).	Gayndah.
10. **G. Rugulosa, Stål,** Recens. Orth. i. p. 56. n. 1 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 63. n. 5 (1878).	Australia.
*11. **G. Limbata, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 63. n. 6 (1878).	N. Australia, Queensland.
12. **G. Fuscula, Stål,** l. c. p. 64. n. 7 (1878).	Sydney.
13. **G. Plana, Stål,** l. c. n. 8 (1878).	Peak Downs
*14. **G. Flava, Tepper,** l. c. p. 368 (1896).	Alice Springs.
15. **G. Furcifera, Walk. (*Acridium Furciferum*) l. c. p. 593. n. 58 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 342 (1907).	Australia.

Genus 688. **Stropis.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 69 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 23, 65 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 140 (1893).

*1.	**S. Maculosa, Stål,** (*Acridium Maculosum*) Eugenies Resa, Orth. p. 328. n. 73 (1860). *Acridium* (*Stropis*) *Maculosum, Stål,* Recens. Orth. i. p. 69. n. 22 (1873). *S. Maculosa, Stål,* Bihang Svensk. Akad. Handl. v. (4) p. 65. n. 1 (1878); Froggatt, Agric. Gaz. N. S. Wales, xv. p. 242, plate, f. 7 (1904).	Australia.
2.	**S. Rufipes, Stål,** l. c. p. 65. n. 2 (1878).	Sydney.
3.	**S. Pictipes, Stål,** l. c. n. 3 (1878).	Peak Downs
**4.	**S. Brunnea, White,** (*Calliptamus Brunneus*) Grey, Journ. Exped. Australia, ii. p. 470 (1841). *Caloptenus Brunneus. Walk.* Cat. Derm. Sult. B. M. iv. p. 708. n. 64 (1870).	Australia.
**5.	**S. Opomaloides, Walk.** (*Xiphocera* (*O.*) l. c. iii. p. 527. n. 22 (1870).	Port Stephen.
6.	**S. Rugifrons, Stål,** l. c. p. 66. n. 6 (1878).	Victoria.
7.	**S. Reticulata, Stål,** l. c. p. 67. n. 7 (1878).	Peak Downs
8.	**S. Limbatella, Stål,** l. c. p. 68. n. 8 (1878).	id.
9.	**S. Vermiculata, Stål,** l. c. n. 9 (1878).	Rockhampton.
10.	**S. Hospita, Bol.** Ann. Mus. Genova, xxxix. p. 93. n. 47 (1898).	N. S. Wales.
**11.	**S. Tuberculata, Walk.** (*Acridium Tuberculatum*) l. c. iii. p. 592. n. 56 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 338 (1907). *S. Cristulata, Stål,* l. c. p. 68. n. 10 (1878).	Australia.
12.	**S. (?) Ocellata, Tepp.** (*S. Ocellatus*) Horn Exped. Centr. Australia, ii. p. 369 (1896).	Alice Springs.

Genus 689. **Cratilopus.** (*Type* no. 1.)

Bol., Bol. Soc. Españ. vi. p. 391 (1906).
Cratippus, *Stål* (*nec Bate*), Bihang Svensk. Akad. Handl. iii. (14) p. 31 (1875), v. (4) p. 24 (1878).

*1. **C. Bufo, Stål,** (*Cratippus B.*) l. c. iii. (14) p. 31. n. 1 (1875).	Australia.
*2. **C. Rana, Stål,** (*Cratippus R.*) l. c. n. 2 (1875).	id.
*3. **C.** (??) **Dispar, Tepp.** (*Cratippus* (?) *D.*) Horn Exped. Centr. Australia, ii. p. 369 (1896).	id.

Genus 690. **Cirphula.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 39, 71 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 24 (1878).

*1. **C. Pyrrhocnemis, Stål,** (*Acridium P.*) Eugenies Resa, Orth. p. 329. n. 74 (1860).	Australia.
C. Pyrrhocnemis, *Stål*, Recens. Orth. i. p. 71. n. 1 (1873); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1109, plate, f. 6 (1903).	
***Acridium Alienum*, *Walk.* Cat. Derm. Salt. B. M. iv. p. 634 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 317 (1907).	
***Caloptenus Coloratus*, *Walk.* l. c. p. 708. n. 66 (1870).	
*2. **C. Carbonaria, Serv.** (*Calliptamus Carbonarius*) Ins. Orth. p. 691. n. 5 (1839).	id.
3. **C. Jungi, Brancs.** Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 255 (1896).	Yorktown.
4. **C. Sculpta, Karsch,** Denkschr. Med.-nat. Ges. Jena, viii. p. 761, pl. 67. f. 8 (1903).	Queensland.

Genus 691. **Apotropis.** (*Type* no. 1.)

Bol., Bol. Soc. Esp. vi. p. 393 (1906).
‖ *Tritropis*, *Brunn.* (*nec Fitz.*) Ann. Mus. Genova, xxxiii. p. 140 (1893).

1. **A. Tricarinata, Stål,** (*Stropis T.*) Bihang Svensk. Akad. Handl. v. (4) p. 66. n. 4 (1878). N. Australia.
2. **A. Bivittata, Stål,** (*Stropis B.*) l. c. n. 5 (1878). Gayndah.
3. **A. Vittata, Tepp.** (*Tritropis Vittatus*) Horn Exped. Centr. Australia, ii. p. 370 (1896). Central Australia.
4. **A. Striata, Tepp.** (*Tritropis Striatus*) l. c. p. 371 (1896). id.
5. **A. Brunneri, Bol.** (*Tritropis Brunneri*) Ann. Mus. Genova, xxxix. p. 94. n. 48 (1898). N. Guinea.

6. **A. Subpustulata, Walk. (*Acridium Subpustulatum*) Cat. Derm. Salt. B. M. v. Suppl. p. 61 (1871); Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907). W. Australia.

7. **A. Exclusa, Walk. (*Acridium Exclusum*) l. c. iv. p. 634 (1870); Finot, l. c. p. 342 (1907). id.

8. **A. Plebeia, Walk. (*Heteracris P.*) l. c. p. 673. n. 39 (1870). Sandwich Isles (?).

Genus 692. **Mesambria.** (*Type* no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 28. 72 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 140 (1893).

1. **M. Scabra, Walk. (*Caloptenus Scaber*) Cat. Derm. Salt. B. M. iv. p. 707. n. 61 (1870). Burdwan.

2. **M. Nepalensis, Walk. (*Caloptenus N.*) l. c. n. 62 (1870). Nepal.

3. **M. Maculipes, Stål,** l. c. p. 72. n. 1 (1878). Celebes.

*4. **M. Geniculata, Stål,** l. c. p. 73. n. 2 (1878). Ceylon.

5. **M. Ferrugata, Brancs.** Jahresh. Ver. Trencs. Com. xv.–xvi. p. 190 (1893). Nossi-Bé.

6. **M. Cinctifemur, Walk. (*Acrydium C.*) Ann. Nat. Hist. (3) iv. p. 223 (1859). Ceylon.

7. **M. Dubia, Walk. (*Acridium Dubium*) Cat. Derm. Salt. B. M. iv. p. 632 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907). id.

8. **M. Tarsalis, Walk. (*Acridium Tarsale*) l. c. (1870); Finot, l. c. p. 344 (1907). id.

9. **M. Punctaria, Walk. (*Acridium Punctarium*) l. c. p. 630 (1870); Finot, l. c. p. 334 (1907). S. India.

Genus 693. **Apoboleus.**

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 183 (1891).
Apobolus, *Brunn.* Ann. Mus. Genova, xxxiii. p. 141 (1893).

1. **A. Degener, Karsch,** l. c. p. 184. n. 22 (1891). Barombi.

Genus 694. **Sigaus.**

Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 140 (1898), xxxi. p. 45 (1899).

1. **S. Piliferus, Hutton,** l. c. xxx. p. 140, pl. 14. f. 1 *a–d* (1898), xxxi. p. 45 (1899). New Zealand.

Genus 695. **Trigoniza.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893); Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 147 (1898), xxxi. pp. 44, 45 (1899).

*1. **T. Campestris, Hutton,** l. c. xxx. p. 148, pl. 14. f. 6 *a–c* (1898), xxxi. p. 45, pl. 2. f. 9 (1899). New Zealand.
*2. **T. Directa, Hutton,** l. c. xxx. p. 148, pl. 14. f. 7 *a, b* (1898), xxxi. p. 45, pl. 2. f. 8 *a–c* (1899). id.
*3. **T. Rugosa, Hutton,** l. c. xxx. p. 148, pl. 14. f. 8 (1898), xxxi. p. 45, pl. 2. f. 10 (1899). id.
4. **T. Sulcata, Tepper,** (*T. Sulcatus*) Horn Exped. Centr. Australia, ii. p. 371 (1896). Central Australia.
5. **T. Maculata, Tepp.** (*T. Maculatus*) l. c. p. 372 (1896). id.
*6. **T. Tasmaniensis, Bol.** Ann. Mus. Genova xxxix. p. 94. n. 49 (1898). Tasmania.
7. **T. Albertisi, Bol.** l. c. p. 95. n. 50 (1898). id.
8. **T. Australiensis, Bol.** l. c. n. 51 (1898). Sydney.
*9. **T. Manca, Bol.** l. c. p. 96. n. 52 (1898). Australia, Tasmania.
*10. **T. (?) Inscita, Walk.** (*Caloptenus Inscitus*) Cat. Derm. Salt. B. M. iv. p. 712. n. 72 (1870). Hab. —— ?

Genus 696. **Phaulacridium.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. pp. 151, 216 (1893); Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 140 (1898), xxxi. p. 45 (1899).

**1.	**P. Marginale, Walk.** (*Caloptenus Marginalis*) Cat. Derm. Salt. B. M. iv. p. 710. n. 69 (1870). *P. Marginale, Hutton,* l. c. xxx. p. 141, pl. 14. f. 2 *a–d* (1898), xxxi. p. 45, pl. 2. f. 2 *a–c* (1899).	N. Zealand.
*2.	**P. Luteum, Hutton,** l. c. xxx. pp. 141, 142, pl. 14. f. 3 (1898). ‖ *Caloptenus Marginalis, Huds.* (*nec Walk.*) Man. N. Zeal. Ent. p. 115, pl. 17. f. 4 (1892).	id.

Genus 697. **Paprides.** (*Type* no. 2.)

Hutton, Trans. N. Zealand Inst. xxx. pp. 139, 145 (1898), xxxi. p. 46 (1899).

1.	**P. Australis, Hutton,** l. c. xxx. pp. 146, 147 (1898), xxxi. p. 46, pl. 2. f. 5 (1899).	N. Zealand.
*2.	**P. Nitidus, Hutton,** l. c. xxx. p. 146, pl. 14. f. 5 *a–d* (1898), xxxi. p. 46, pl. 2. f. 4 (1899).	id.
3.	**P. Furcifer, Hutton,** l. c. xxxi. p. 46, pl. 2. f. 3 *a–c* (1899).	id.
*4.	**P. Torquatus, Hutt.** l. c. pp. 46, 47, pl. 2. f. 6 (1899).	id.
5.	**P. Armillatus, Hutt.** ll. cc. f. 7 (1899).	id.

Genus 698. **Azelota.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893).

**1.	**A. Cervina, Walk.** (*Platacanthus Cervinus*) Cat. Derm. Salt. B. M. iv. p. 715. n. 2 (1870).	Australia.
**2.	**A. Pilipes, Walk.** (*Acridium P.*) l. c. p. 635 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 337 (1907).	id.
3.	**A. Diversipes, Rehn,** Bull. Amer. Mus. Nat. Hist. xxiii. pp. 450, 451. ff. 6, 7 (1907).	Victoria.

Genus 699. **Exarna.** (*Type* no. 2.)

Brunn. Ann. Mus. Genova, xxxiii. p. 141 (1893).

1. **E. Lutescens, Walk. (*Caloptenus L.*) Cat. Derm. Salt. B. M. iv. p. 710. n. 68 (1870). — Swan River.
  *******Platacanthus Includens*, *Walk.* l. c. p. 715. n. 3 (1870).
2. **E. Despecta, Brancs.** Jahresh. Ver. Trencs. Com. xix.–xx. p. 77, pl. 3. f. 19 *a, b* (1898). — Yorktown.
3. **E. Lepida, Walk. (*Caloptenus Lepidus*) l. c. p. 709. n. 67 (1870). — Australia.
4. **E. Conglobata, Walk. (*Heteracris C.*) l. c. p. 671. n. 36 (1870). — id.
5. **E. Australis, Walk. (*Heteracris A.*) l. c. p. 670. n. 35 (1870); Frogg. Agric. Gaz. N. S. Wales, xv. p. 243 (1894). — Swan River.
6. **E. Rugosa, Rehn,** Bull. Amer. Mus. Nat. Hist. xxiii. p. 452, f. 8 (1907). — Victoria.

Genus 700. **Macrotona.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893).

1. **M. Lineola, Brancs.** Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 256 (1896). — Yorktown.
2. **M. Gracilis, Rehn,** Bull. Amer. Mus. Nat. Hist. xxiii. pp. 453–455. ff. 9, 10 (1907). — Victoria.

Genus 701. **Anthermus.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 24, 68 (1878); Bol. Ann. Mus. Genova, xxxiii. p. 142 (1893).

*1. **A. Granosus, Stål,** l. c. p. 68. n. 1 (1878). — Natal.
2. **A. Violaceus, Bol.** J. Sci. Lisboa, (2) i. p. 156. n. 136 (1889). — Braganza.
3. **A. Grammicus, Bol.** l. c. p. 157. n. 137 (1889); Giglio-Tos, Bol. Mus. Torino, xxii. (554) p. 14 (1907). — id.
4. **A. Cephalicus, Bol.** l. c. n. 138 (1889). — Caconda.
5. **A. Vittatus, Bol.** l. c. p. 158. n. 139 (1889). — id.

Genus 702. **Allotriusia.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 306 (1896).

1.	**A. Eurycera, Karsch,** l. c. n. 69, f. 28 (1896).	S. Leone.
2.	**A. Gracilis, Schulth.** Ann. Mus. Genova, xxxix. p. 192. n. 1 (1898).	Somali.
3.	**A. Madimbana, Giglio-Tos,** Boll. Mus. Torino, xxii. (554 p. 14 (1907).	Congo.

Genus 703. **Orthacanthacris.** (*Type* no. 5.)

Karsch, Stettin. Ent. Zeit. lvii. p. 303 (1896); Karny. Sitz. Akad. Wiss. Wien. Math.-nat. Kl. cxvi. p. 304 (1907).
Locusta, Karny (*Linn.* pt.), l. c. p. 304 (1907).

*1.	**O. Mœsta, Serv.** (*Acridium Mœstum*) Ins. Orth. p. 654. n. 14 (1839); Charp. Orth. pl. 60 (1844); Finot, Ann. Soc. Ent. France, lxxvi. p. 320 (1907).	S. Africa.
2.	**O. Sigillata, Bol.** (*Acridium Sigillatum*) Mém. Soc. Ent. Belg. xvi. p. 111. n. 111 (1908).	Luluabourg.
3.	**O. Wernerella, Karny,** l. c. p. 305. n. 57 (1907).	Gondokoro.
*4.	**O. Sphalera, Karny,** (*O. Wernerella*, var. *S.*) l. c. p. 305 (1907)	Uganda.
5.	**O. Humilicrus, Karsch,** (*Cyrtacanthacris H.*) l. c. pp. 301–303. n. 64, f. 25 (1896). *Acridium Humilicrus, Finot,* l. c. p. 321 (1907).	E. & W. Africa.
*6.	**O. Ægyptia, Linn.** (*Gryllus Locusta Ægyptius*) Mus. Ludov. Ulric. p. 138. n. 29 (1764); Serv. Ins. Orth. p. 658 (1839). *Acridium Ægyptium, Stål,* Recens. Orth. i. p. 63. n. 6 (1873); Bol. Ortópt. Españ. p. 88. n. 1, pl. 2. ff. 8, 8 *a* (1876); An. Soc. Españ. v. p. 294. n. 1, pl. 11. ff. 8, 8 *a* (1876); Ann. Sci. Nat. Porto, v. p. 31 (1898); Brunn. Prodr. Eur. Orth. p. 213. n 1, pl. 7. f. 49 A, B (1882); Finot, Orth. France, p. 78 (1883); Faune France, Orth. p. 159, pl. 8. f. 112 (1889); Ann. Soc. Ent. France, lxxvi. pp. 265, 318, 346 (1907); Porch. Hor. Soc. Ent. Ross. xx. p. 117, pl. 12. f. 3 (1886); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 173. f. 25, pp. 203, 307. pl 7 (1902).	S. Europe, N. Africa, W. Asia.

Acridium Ægypticum, Tümp. Geradfl. Mitteleuropas, p. 215. f. 82, pp. 219, 250, pl. 20 (1900).	
‖ *Gryllus Tartaricus, Cyr.* (*nec Linn.*) Ent. Neap. pl. 2. f. 1 (1797).	
‖ *Acridium Tartaricum, Serv.* Ins. Orth. p. 657 (1839); Fisch. Orth. Eur. p. 388. n. 1, pl. 15. ff. 27, 27 *a* (1853).	
‖ *Acridium Tataricum, Burm.* Handb. Ent. ii. p. 632. n. 13 (1838); Fieb. Lotos, iv. p. 197. n. 1 (1854).	
Gryllus Lineola, Fabr. Spec. Ins. i. p. 365. n. 20 (1781); Charp. Hor. Ent. p. 131, pl. 4. f. 1 (1825); Ramb. Faune Andal. ii. p. 77. n. 1 (1838).	
Acrydium Lineola, Oliv. Encycl. Méth., Ins. vi. p. 221. n. 26 (1791); Latr. Gen. Crust. Ins. xii. p. 150. n. 2 (1804); Hahn, Icon. Orth. pl. A. f. 1 (1835).	
Acridium Lineola, Costa, Faun. Nap., Orth. p. 4. n. 2, pl. 1. f. 2 A, *b–d* (1836); Serv. l. c. p. 656. n. 16, pl. 14. f. 8 (1839); Fisch.-Waldh. Orth. Ross. p. 234. n. 1, pl. 12. f. 3 (1846).	
Podisma Appulum, Costa, l. c. p. 44. n. 1, pl. 4. ff. 3, 3 *a*, *b*, f. 4 (1836).	
Podisma Campanum, Costa, l. c. p. 47. n. 3, pl. 4. f. 5 A, *b–d* (1836).	
Gryllus Nubecula, Thunb. Mém. Acad. Pétersb. v. p. 238 (1815), ix. p. 397. n. 61 (1824).	
Gryllus Rubecula, Thunb. l. c. ix. p. 416 (1824).	
7. **O. Indecisa, Walk. (*Acridium Indecisum*) Cat. Derm. Salt. B. M. iii. p. 585. n. 32 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 320 (1907).	Cape.
8. **O. Melanorhodon, Walk. (*Acridium M.*) l. c. p. 584. n. 28 (1870).	St. Jago (C. Verdes ?)
*9. **O. Æthiopica, Finot,** (*Acridium Æthiopicum*) l. c. pp. 269, 346 (1907).	Abyssinia.
*10. **O. Flavescens, Fabr.** (*Gryllus F.*) Ent. Syst. ii. p. 52. n. 24 (1793).	India, Ceylon.
Acridium Flavescens, Burm. l. c. p. 631. n. 12 (1838); De Haan, Temminck, Verhandel., Orth. p. 152. n. 14 (1842); Finot, l. c. pp. 280, 322, 346 (1907).	

Gryllus Locusta Crucifer, Stoll, Spectres, Saut. p. 30, pl. 14 *b*. f. 51 (1813). *Acridium Semifasciatum*, *Serv.* l. c. p. 655. n. 15 (1839).	
11. **O. Illustrissima, Karsch,** (*Cyrtacanthacris Illustrissimus*) Stettin. Ent. Zeit. lvii. p. 297. n. 60 (1897). *Acridium Illustrissimum*, *Finot*, l. c. p. 320 (1907).	Cameroons.

Genus 704. **Cyrtacanthacris.** (*Type* no. 35.)

Walk. Cat. Derm. Salt. B. M. iii. p. 550 (1870).

Acrydium, pt., *Oliv.* Encycl. Méth., Ent. vi. p. 209 (1791); Latr. Hist. Nat. Crust. Ins. iii. p. 282 (1802), xii. p. 149 (1804); Serv. Ins. Orth. p. 640 (1839).

Acridium, *Serv.* Ann. Sci. Nat. xxxi. p. 282 (1831); Ins. Orth. p. 642 (1839); Burm. Handb. Ent. ii. pp. 602, 626 (1838); De Haan, Temminck, Verhandel., Orth. pp 138, 151 (1842); Fisch.-Waldh. Orth. Ross. pp. 228, 233 (1846); Fisch. Orth. Eur. pp. 298, 387 (1853); Stål, Recens. Orth. i. pp. 36, 37, 59 (1873); Bol. Ortópt. Españ. pp. 86, 87 (1876); An. Soc. Españ. v. pp. 292, 293 (1876); Ann. Sci. Nat. Porto, iv. p. 219 (1897), v. p. 31 (1898); Brunn. Prodr. Eur. Orth. pp. 86, 213 (1882); Ann. Mus. Genova, xxxiii. p. 142 (1893); Finot, Orth. France. pp. 45, 78 (1883); Faune France. Orth. pp. 102, 159 (1889); Ann. Soc. Ent. France, lxxvi. p. 247 (1907); Tümp. Geradfl. Mitteleuropas, pp. 215, 219, 250 (1900); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 202, 307 (1902).

Locusta, *Karny* (*Linn.* pt.). Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 304 (1907).

*1. **C. Consanguinea, Serv.** (*Acridium Consanguineum*) Ins. Orth. p. 660. n. 19 (1839); De Haan. l. c. pp. 152, 154. n. 19 (1842); Finot, Ann. Soc. Ent. France, lxxvi. p. 317 (1907).	Java.
*2. **C. Nigricornis, Burm.** (*Acridium Nigricorne*) l. c. p. 629. n. 6 (1838). *Acridium Melanocorne*, *Serv.* l. c. p. 659. n. 18 (1839); De Haan, l. c. p. 152. n. 17 (1842); Finot, l. c. pp. 289, 317, 347 (1907). *Acridium Melanocorne*, var. *Latum*, *Bol.* Ann. Mus. Genova, xxxix. p. 99. n. 55 (1898).	Singapore, Penang, Java, S. India, Lombock, Thursday I.

3. **C. Disparilis, Kirb. Proc. Zool. Soc. Lond. 1888, p. 549 ; Mon. Christmas I. p. 151. n. 22 (1900).	Christmas I.
4. **C. Excavata, Stål,** (*Acridium Excavatum*) Eugenies Resa, Orth. p. 326. n. 69 (1860); Recens. Orth. i. p. 64. n. 8 (1873); Finot, l. c. p. 321 (1907).	Guam.
5. **C. Geniculata, Stål,** (*Acridium Geniculatum*) Œfv. Vet. Akad. Förh. xxxiv. (10) p. 53. n. 1 (1877); Finot, l. c. p. 319 (1907).	Philippines.
6. **C. Vittaticollis, Stål,** (*Acridium Vittaticolle*) l. c. p. 53. n. 2 (1877); Finot, l. c. p. 318 (1907).	id.
*7. **C. Carenicollis, Blanch.** (*Acridium Carenicolle*) Voy. Pôle Sud, Zool. iv. p. 373, Orth. pl. 2. f. 7 (1853); Finot, l. c. p. 318 (1907).	Ceram.
***C. Nigrovaria, Walk.* l. c. iii. p. 566. n. 34 (1870).	
Acridium Nigrovarium, Finot, l. c. p. 336 (1907).	
8. **C. Gohieri, Le Guill.** (*Acrydium G.*) Rev. Zool. 1841, p. 295. n. 20.	Amboina.
Acridium Gohieri, Finot, l. c. p. 318 (1907).	
9. **C. Cognata, Stål,** (*Acridium Cognatum*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 53. n. 3 (1877); Finot, l. c. p. 321 (1907).	Philippines.
10. **C. Graminea, Stål,** (*Acridium Gramineum*) l. c. p. 53. n. 4 (1877); Finot, l. c. pp. 282, 318, 350 (1907).	id.
*11. **C. Rosea, De Geer,** (*Acrydium Roseum*) Mém. Ins. iii. p. 488. n. 3, pl. 41. f. 1 (1773).	China, India.
Gryllus Locusta Roseus, Stoll, Spectres, Saut. p. 11, pl. 4 *b.* ff. 12, 13 (1813).	
Acridium Roseum, Stål, Recens. Orth. i. p. 59. n. 1 (1873); Jacobs. & Bianchi, l. c. pp. 203, 307 (1902); Finot, l. c. pp. 299, 347 (1907).	
Gryllus Flavicornis, Fabr. Mant. Ins. i. p. 237. n. 19 (1787) ; Thunb. Mém. Acad. Pétersb. v. p. 225 (1815), ix. pp. 394, 406. n. 24 (1824).	
Acrydium Flavicorne, Oliv. Encycl. Méth., Ins. vi. p. 219. n. 20 (1891).	
Acridium Flavicorne, Burm. l. c. p. 629. n. 5 (1838); Serv. l. c. p. 645. n. 5 (1839) ; De Haan. l. c. pp. 152, 153. n. 7	

(1842); Brunn. Ann. Mus. Genova, xxxiii. p. 159. n. 1 (1893); Finot, l. c. p. 323 (1907).

***C. Lutescens*, *Walk.* l. c. iii. p. 566. n. 33 (1870), *bleached.*

Acridium Lutescens, *Finot*, l. c. p. 333 (1907).

***C. Fortis*, *Walk.* l. c. p. 567. n. 35 (1870).

Acridium Forte, *Finot*, l. c. p. 337 (1907).

12. **C. Consobrina, Walk. (*Acridium Consobrinum*) l. c. iv. p. 636 (1870). — Aru, Timor Laut.

13. **C. Maculicollis, Walk. (*Acridium Maculicolle*) l. c. iii. p. 594. n. 60 (1870); Frogg. Agric. Gaz. N. S. Wales, xiv. p. 1106 (1903). — Australia.

14. **C. Rubescens, Walk. (*Acridium R.*) l. c. p. 588. n. 39 (1870); Finot, l. c. p. 335 (1907). — China.

15. **C. Fusilinea, Walk. l. c. iii. p. 564. n. 30 (1870). — Ceylon.

Acridium Fusilineum, *Finot*, l. c. p. 322 (1907).

Acridium Elongatum, *Walk.* l. c. iv. p. 636 (1870).

*16. **C. Succincta, Linn.** (*Gryllus Locusta Succinctus*) Amœn. Acad. vi. p. 398. n. 36 (1763); Fabr. Syst. Ent. p. 287. n. 2 (1775). — India, China, Java, Borneo, Sumatra,

Acrydium Succinctum, *Oliv.* l. c. p. 215. n. 2 (1791).

Acridium Succinctum, *Burm.* l. c. p. 631. n. 10 (1838); De Haan, l. c. p. 152. n. 10 (1842); Stål, l. c. p. 64. n. 9 (1873); Finot, l. c. pp. 311, 322, 349 (1907).

*16 *bis.* **C. Coangustata, Luc.** (*Acridium Coangustatum*) Maillard, Notes sur l'Ile Réunion, Annexe I. p. 24, pl. 21. f. 3 (1862); Finot, l. c. pp. 311, 322 (1907). — Mauritius. Réunion.

17. **C. Sanctæ-Mariæ, Finot,** (*Acridium S.*) l. c. pp. 306, 349 (1907). — Madagascar

*18. **C. Septemfasciata, Serv.** (*Acridium Septemfasciatum*) Ins. Orth. p. 661. n. 20 (1839); Stål, l. c. p. 64. n. 10 (1873); Finot, l. c. pp. 308, 324, 347 (1907). — S. & Centr. Africa, Borneo.

***C. Purpurifera*, *Walk.* l. c. iii. p. 561. n. 25 (1870); Finot, l. c. pp. 308, 325 (1907).

19. **C. Fascifera, Walk. l. c. iii. p. 558. n. 20 (1870). *Acridium Fasciferum*, *Finot*, l. c. p. 332 (1907).	Congo, S. & E. Africa. Mauritius.
20. **C. Subsellata, Walk. l. c. p. 559. n. 21 (1870). *Acridium Subsellatum*, *Finot*, l. c. p. 328 (1907).	S. Africa.
21. **C. Turbida, Walk. l. c. p. 556. n. 17 (1870). *Acridium Turbidum*, *Finot*, l. c. p. 330 (1907).	Congo.
22. **C. Magnifica, Bol.** (*Acridium Magnificum*) Jorn. Sci. Lisboa, viii. p. 113. n. 26 (1881) ; Finot, l. c. pp. 324, 346 (1907).	Angola.
23. **C. Tereticollis, Bol.** (*Acridium Cyaneum* var. *Tereticolle*) Mém. Soc. Ent. Belg. xvi. p. 110. n. 109 (1908).	Guinea.
24. **C. Cavroisi, Finot,** (*Acridium C.*) l. c. pp. 272, 346 (1907).	Senegal.
25. **C. Asperata, Bol.** (*Acridium Asperatum*) l. c. p. 112. n. 25 (1881) ; Finot, l. c. p. 325 (1907).	Angola.
*26. **C. Rubella, Serv.** (*Acridium Rubellum*) l. c. p. 645. n. 4 (1839) ; De Haan, l. c. p. 152. n. 8 (1842) ; Stål, l. c. p. 62. n. 5 (1873) ; Finot, l. c. pp. 251–262, 301, 325, 331, 347. ff. 1, 2, 4, 6, 7, 9, 12, 13, 15, 16, 19, 26 (1907).	S. & E. Africa.
27. **C. Cyanea, Stoll,** (*Gryllus Locusta Cyaneus*) l. c. p. 31, pl. 15 *b*. f. 56 (1813). *Acridium Cyaneum*, *De Haan*, l. c. pp. 151, 153. n. 6 (1842) ; Finot, l. c. pp. 303, 324 (1907) ; Bol. Mém. Soc. Ent. Belge, xvi. p. 109. n. 108 (1908).	"Surinam."
28. **C. Inclyta, Walk. l. c. iii. p. 558. n. 19 (1870). *Acridium Inclytum*, *Finot*, l. c. p. 331 (1907).	Fantee.
29. **C. Pictula, Walk. l. c. p. 562. n. 26 (1870). *Acridium Pictulum*, *Finot*, l. c. p. 325 (1907).	S. Africa.
30. **C. Citrina, Serv.** (*Acridium Citrinum*) l. c. p. 644. n. 3 (1839) ; Finot, l. c. pp. 255, 257, 261, 327, 344. ff. 7, 11, 17, 18, 20 (1907).	Senegal.

31. **C. Compta, Walk.** l. c. iv. p. 613 (1870). Suakim.

Acridium Comptum, Finot, l. c. p. 332 (1907).

*32. **C. Lineata, Stoll,** (*Gryllus Locusta Lineatus*) l. c. p. 31, pl. 15 *b.* f. 57 (1813). S. & E. Africa.

Acridium Lineatum, Finot, l. c. p. 341 (1907).

‖*Acridium Ruficorne. Burm.* (*nec Fabr.*) l. c. p. 630. n. 9 (1838); (?) Stal, l. c. p. 60. n. 2 (1873).

***C. Concisa, Walk.* l. c. iii. p. 560. n. 23 (1870).

Acridium Concisum, Finot, l. c. p. 333 (1907).

‖*Acridium Tataricum, Stal* (*nec Linn.*). l. c. p. 61. n. 3 (1873); Finot, l. c. pp. 313, 328, 345 (1907).

‖*Gryllus Succinctus, Herbst* (*nec Linn.*). Fuessly, Archiv, p. 195. n. 7, pl. 54. f. 2 (1796).

‖*Acridium Succinctum, Serv.* Ins. Orth. p. 642. n. 1 (1839).

33. **C. Variegata, Walk. l. c. iii. p. 557. n. 18 (1870). id.

Acridium Variegatum, Finot, l. c. p. 329 (1907).

***C. Flavescens, Walk.* (*nec Fabr.*) l. c. p. 561. n. 24 (1870).

Acridium Flavescens, Finot, l. c. p. 331 (1907).

Acridium Walkeri, Finot, l. c. p. 264 (1907).

***C. Internexa, Walk.* l. c. iv. p. 613 (1870).

‖*Acridium Ruficorne, Serv.* (*nec Fabr.*) l. c. p. 643. n. 2 (1839).

Acridium Hottentottum, Stål, l. c. p. 62. n. 4 (1873).

Acridium Hottentotum, Finot, l. c. pp. 284, 341, 345 (1907).

*34. **C. Ruficornis, Fabr.** (*Gryllus R.*) Mant. Ins. i. p. 237. n. 23 (1787). W. Africa.

Acridium Ruficorne, Finot, l. c. pp. 304, 341, 344 (1907).

***C. Decisa, Walk.* l. c. iii. p. 560. n. 22 (1870).

Acridium Decisum, Finot, l. c. pp. 320, 329 (1907).

Acridium Ruficorne, var. *Nigrispinum*, *Bol.* Actas Soc. Españ. 1898, p. 76.	Tetuan.
Acridium Ruficornis, var. *Subimmaculata*, *Finot*, l. c. p. 305 (1907).	Abyssinia.
*35. **C. Ranacea, Stoll,** (*Gryllus Locusta Ranaceus*) l. c. p. 30, pl. 14 *b*. f. 53 (1813).	India, Ceylon.
Acridium Ranaceum, *Burm.* l. c. p. 630. n. 7 (1838); Finot, l. c. p. 342 (1907).	
** *C. Inficita*, *Walk.* l. c. p. 565. n. 32 (1870). *discoloured.*	
Acridium Inficitum, *Finot*, l. c. p. 335 (1907).	
36. **C. Æruginosa, Stoll,** (*Gryllus Locusta Æruginosus*) l. c. p. 30, pl. 14 *b*. f. 52 (1813).	St. Johanna.
Acridium Æruginosum, *Burm.* l. c. p. 630. n. 8 (1838); Finot, l. c. pp. 266, 342, 345 (1907).	
37. **C. Guttulosa, Walk. l. c. iii. p. 570. n. 41 (1870).	Australia.
Acridium Guttulosum, *Finot*, l. c. p. 339 (1907).	
38. **C. Exacta, Walk. l. c. iii. p. 570. n. 42 (1870), v. Suppl. p. 59 (1871); Froggatt, Agric. Gaz. N. S. Wales, xiv. p. 1110 (1903).	id.
Acridium Exactum, *Finot*, l. c. p. 326 (1907).	
39. **C. Illepida, Walk. l. c. iv. p. 615 (1870).	New Hebrides.
Acridium Illepideum, *Finot*, l. c. p. 339 (1907).	
‖ *C. Parvula*, *Walk.* l. c. iii. p. 567. n. 36 (1870) (*nec* p. 554. n. 9).	
40. **C. Proxima, Walk. l. c. p. 571. n. 43 (1870).	Australia.
Acridium Proximum, *Finot*, l. c. p. 340 (1907).	
** ♀. *C. Imitatrix*, *Walk.* l. c. iv. p. 616 (1870).	
Acridium Imitatrix, *Finot*, l. c. p. 339 (1907).	
41. **C. Cuspidata, Finot,** (*Acridium Cuspidatum*) l. c. pp. 278, 350 (1907).	id.
42. **C. Neocaledonica, Finot,** (*Acridium Neocaledonicum*) l. c. pp. 291, 350 (1907).	New Caledonia.
43. **C. Papuasica, Finot,** (*Acridium Papuasicum*) l. c. pp. 293, 349 (1907)	New Guinea.

44. **C. Plagiata, Walk. l. c. iv. p. 617 (1870). *Acridium Plagiatum, Finot*, l. c. pp. 294, 340, 349 (1907).	Australia.
45. **C. Basalis, Walk. l. c. iii. p. 569. n. 40 (1870). *Acridium Basale, Finot*, l. c. p. 326 (1907).	id.
*46. **C. Japonica, Bol.** (*Acridium Japonicum*) Ann. Mus. Genova, xxxix. p. 98. n. 54 (1898); Finot, l. c. pp. 286, 340, 350 (1907).	Japan, Tsu Shima, N. India.
47. **C. Tenebrosa, Walk. (*Acridium Tenebrosum*) l. c. iii. p. 590. n. 50 (1870); Finot, l. c. p. 319 (1907).	Philippines.
48. **C. Transiens, Walk. (*Acridium T.*) l. c. p. 592. n. 53 (1870); Finot, l. c. p. 321 (1907).	Celebes.
49. **C. Pardalina, Walk. (*Acridium Pardalinum*) l. c. p. 587. n. 37 (1870); Finot, l. c. p. 335 (1907).	S. India.
*50. **C. Luteicornis, Serv.** (*Acridium Luteicorne*) l. c. p. 658. n. 17 (1839); Finot, l. c. pp. 287, 323, 348 (1907).	Java, Borneo, Penang.
51. **C. Fumosa, Walk. (*Acridium Fumosum*) l. c. iii. p. 589. n. 41 (1870); Finot, l. c. p. 321 (1907).	Corea.
52. **C. Irregularis, Walk. l. c. p. 569. n. 39 (1870). *Acridium Irregulare, Finot*, l. c. p. 317 (1907).	Australia.
53. **C. Violascens, Walk. (*Acridium V.*) l. c. p. 587. n. 38 (1870); Finot, l. c. p. 323 (1907).	Ceylon.
54. **C. Vinosa, Walk. (*Acridium Vinosum*) l. c. iii. p. 588. n. 40 (1870); Finot, l. c. p. 323 (1907).	China, Bengal.
55. **C. Wingatei, Kirb. Ann. Nat. Hist. (7) vi. p. 381 (1900). *Acridium Wingatei, Finot*, l. c. p. 317 (1907).	Yang-tse-Kiang.
56. **C. Amœnula, Walk. l. c. iii. p. 573. n. 46 (1870).	Fwambo. Pretoria.
57. **C. Distanti, Kirb. Trans. Ent. Soc. Lond. 1902, p. 103. n. 107. *Acridium Distanti, Finot*, l. c. p. 329 (1907).	Transvaal, Natal, Mashona Land.

♂. *C. Prasina*, var. β. *Walk.* l. c. iv. p. 563 (1870). — Orange Colony.

♀. *C. Auricornis*, var. (?), *Walk.* l. c. (1870).

58. **C. Prasina, Walk. l. c. iii. p. 562. n. 27 (1870). — Natal.

Acridium Prasinum, *Finot*, l. c. p. 330 (1907).

***C. Auricornis*, *Walk.* l. c. p. 563. n. 28 (1870).

Acridium Auricorne, *Finot*, l. c. p. 330 (1907).

59. **C. Baumanni, Karsch,** Stettin. Ent. Zeit. lvii. p. 293. n. 56, f. 22 (1887). — W. Africa.

Acridium Baumanni, *Finot*, l. c. p. 324 (1907).

60. **C. Angulifera, Krauss,** (*Acridium Anguliferum*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 31. n. 1, pl. 1. ff. 1, 1 A (1877); Finot, l. c. pp. 271, 327, 344 (1907). — Senegal, Soudan.

61. **C. Finoti, Bol.** (*Acridium F.*) Mém. Soc. Ent. Belg. xvi. p. 110 (1907). — Lorenzo Marques.

‖*Acridium Prasinum*, *Bol.* (*nec Walk.*) Jorn. Sci. Lisboa, (2) i. p. 160. n. 146 (1889); Finot, l. c. p. 324 (1907).

62. **C. Deckeni, Gerst.** (*Acridium D.*) Arch. Naturg. xxxv. p. 219. n. 69 (1869); Von der Decken, Reise in Ost-Afrika, iii. (2) p. 43. n. 69, pl. 3. f. 3 (1873). — Zanzibar.

63. **C. Dius, Karsch,** l. c. p. 294. n. 57 (1887). — E. Africa.

Acridium Dium, *Finot*, l. c. p. 341 (1907).

64. **C. Corallinipes, Karsch,** l. c. p. 295. n. 58 (1887). — Uganda.

Acridium Corallinipes, *Finot*, l. c. p. 341 (1907).

65. **C. Decipiens, Karsch,** l. c. p. 298. n. 61, f. 23 (1887). — Togo.

Acridium Decipiens, *Finot*, l. c. p. 330 (1907).

66. **C. Tectiferus, Karsch,** l. c. pp. 299. 300. n. 62, f. 24 (1887). — id.

Acridium Tectiferum, *Finot*, l. c. p. 321 (1907).

67. **C. Scrobiculatus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 89. n. 19 (1893). — id.

Acridium Scrobiculatum, *Finot*, l. c. p. 333 (1907).	
68. **C. Debilis, Karsch,** Stettin. Ent. Zeit. lvii. p. 300. n. 63 (1887). *Acridium Debile*, *Finot*, l. c. p. 328 (1907).	Zanzibar.
69. **C. Renkensis, Karny,** (*Locusta R.*) l. c. p. 306. n. 58 (1907). *Acridium* (*Locusta*) *Renkensis*, *Finot*, l. c. p. 351 (1907).	Soudan.
70. **C. Radama, Brancs.** (*Acridium R.*) Jahresh. Ver. Trencs. Com. xv.–xvi. p. 191 (1893); Finot, l. c. pp. 296, 326, 345 (1907).	Nossi-Bé.
71. **C. Ranavaloæ, Finot,** (*Acridium R.*) l. c. pp. 257, 297, 318, 345. f. 10 (1907).	Madagascar
72. **C. Schistocercoides, Brancs.** (*Acridium S.*) l. c. p. 192, pl. 12. f. 2 *a–c* (1893); Finot, l. c. pp. 310, 332, 348 (1907).	id.
73. **C. Albidifera, Walk.** (*Acridium Albidiferum*) l. c. iv. p. 627 (1870); Finot, l. c. p. 335 (1907).	Sinai.
74. **C. Celebensis, Finot,** (*Acridium Celebense*) l. c. pp. 274, 348 (1907).	Celebes.
75. **C. (?) Cribrifrons, Walk.** (*Acridium C.*) l. c. v. Suppl. p. 60 (1871); Finot, l. c. p. 332 (1907).	Gambia.

Genus 705. **Schistocerca.** (*Type* no. 46.)

Stål, Recens. Orth. i. p. 64 (1873); Brunn. Prodr. Eur. Orth. pp. 86, 215 (1882): Ann. Mus. Genova, xxxiii. p. 142 (1893); Scudd. Guide N. Amer. Orth. p. 41 (1897); Proc. Amer. Acad. xxxiv. p. 441 (1899); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 69 (1900); Biol. Centr.-Amer., Orth. ii. pp. 216, 294 (1907, 1908); Burr, Brit. Orth. p. 45 (1897); Jacobs. & Bianchi, l. c. pp. 173, 203, 308 (1902).

1. **S. Gracilis, Scudd.** Proc. Amer. Acad. xxxiv. pp. 443, 447. n. 1 (1899).	S. America.
2. **S. Aurantia, Scudd.** l. c. pp. 443, 448. n. 2 (1899).	Mexico.
3. **S. Carinata, Scudd.** l. c. pp. 443, 449. n. 3 (1899).	id., California.

*4. **S. Columbina, Thunb.** (*Gryllus Columbinus*) Mém. Soc. Pétersb. ix. pp. 399, 425. n. 92 (1824). *Acridium* (*Schistocerca*) *Columbinum*, *Stål*, l. c. p. 67. n. 17 (1873). *S. Columbina*, *Scudd.* l. c. pp. 443, 449. n. 4 (1899). ‖ *Gryllus Ægyptius*, *Thunb.* (*nec Linn.*) l. c. v. p. 247 (1815). *Gryllus Occidentalis*, *Thunb.* l. c. ix. pp. 400, 429. n. 104 (1824).	Mexico, S. & Centr. America, W. Indies.
5. **S. Inscripta, Walk. (*Cyrtacanthacris I.*) Cat. Derm. Salt. B. M. iii. p. 550. n. 3 (1870). *Acridium Inscriptum*, *Thomas*, Syn. Acrid. N. Amer. p. 228 (1873). *S. Inscripta*, *Scudd.* l. c. pp. 444, 461. n. 21 (1899).	Jamaica.
6. **S. Philippina, Navás,** Bol. Soc. Aragon, iii. p. 137. n. 12 (1904).	Philippines, Mindanao.
7. **S. Crocotaria, Scudd.** l. c. pp. 443, 450. n. 5 (1899).	Nicaragua.
8. **S. Interrita, Scudd.** ll. cc. n. 6 (1899).	Peru.
9. **S. Camerata, Scudd.** l. c. pp. 443, 451. n. 7 (1899).	Mexico.
10. **S. Impleta, Walk. (*Cyrtacanthacris I.*) l. c. iii. p. 554. n. 10 (1870). *S. Mellea*, *Scudd.* l. c. pp. 443, 452. n. 8 (1899).	id.
11. **S. Luridescens, Walk. (*Acridium L.*) l. c. p. 583. n. 26 (1870); Thomas, Syn. Acrid. N. Amer. p. 235 (1873).	Honduras.
12. **S. Zapoteca, Scudd.** l. c. pp. 443, 453. n. 9 (1899).	id., S. & Centr. America.
*13. **S. Vaga, Scudd.** (*Acridium Vagum*) Proc. Boston Soc. Nat. Hist. xviii. p. 269 (1876); Proc. Amer. Acad. xxxiv. pp. 443, 454. n. 10 (1899).	California, Arizona, Texas, Mexico, Nicaragua.
14. **S. Vitticeps, Walk. (*Acridium V.*) l. c. iii. p. 579. n. 10 (1870); Thomas, l. c. p. 233 (1873). *S. Pyramidata*, *Scudd.* l. c. pp. 443, 454. n. 12 (1899).	Mexico.
15. **S. Desiliens, Scudd.** l. c. pp. 443, 455. n. 13 (1899).	Brazil.

*16. **S. Flavofasciata, De Geer,** (*Acrydium Flavofasciatum*) Mém. Ins. iii. p. 489. n. 4, pl. 40. f. 8 (1773). *Acridium Flavofasciatum, Serv.* Ins. Orth. p. 663. n. 24 (1839); De Haan, Temminck, Verhandel., Orth. p. 152. n. 21 (1842). *Acridium (Schistocerca) Flavofasciatum, Stål,* l. c. p. 67. n. 16 (1873). *S. Flavofasciata, Scudd.* l. c. pp. 444, 456. n. 14 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 69 (1900). (?) *Acrydium Vittatum, Oliv.* Encycl. Méth., Ins. vi. p. 221. n. 27 (1791). (?) *Gryllus Nitens, Thunb.* l. c. v. p. 236 (1815), ix. pp. 399, 424. n. 90 (1824). ♂. *Gryllus Fimbriatus, Thunb.* l. c. ix. pp. 400, 428. n. 101 (1824). *Gryllus Lividus, Thunb.* ll. cc. n. 102 (1824), *discoloured.* *Acridium Longipenne, Burm.* l. c. p. 632. n. 15 (1838). ** ♂. *Cyrtacanthacris Parvula, Walk.* l. c. iii. p. 554. n. 9 (1870). ***Acridium Femorale, Walk.* l. c. p. 584. n. 27 (1870), iv. p. 620 (1870).	S. America.
17. **S. Emortualis, Sauss.** (*Acridium Emortuale*) Rev. Zool. (2) xiii. p. 163 (1861); Scudd. l. c. p. 476 (1899).	Brazil.
18. **S. Cubensis, Sauss.** (*Acridium Cubense*) l. c. p. 163 (1861); Thomas, Syn. Acrid. N. Amer. p. 232 (1873).	Cuba.
19. **S. Tolteca, Sauss.** (*Acridium Toltecum*) l. c. p. 163 (1861); Thomas, l. c. p. 232 (1873).	Mexico.
20. **S. Subvittata, Walk. (*Cyrtacanthacris S.*) l. c. iii. p. 552. n. 7 (1870).	Demerara.
21. **S. Æqualis, Scudd.** l. c. pp. 444, 458. n. 16 (1899).	id.
*22. **S. Infumata, Scudd.** l. c. pp. 444, 457. n. 15 (1899).	Brazil, Montevideo.
23. **S. Maya, Scudd.** l. c. pp. 444, 458. n. 17 (1899).	Mexico.
24. **S. Australis, Scudd.** l. c. pp. 444, 459. n. 18 (1899). ‖ *Acridium Occidentale, Scudd.* (*nec Thunb.*) Proc. Boston Soc. Nat. Hist. xii. p. 339. n. 19 (1869).	Brazil, Guiana, Peru.

Acridium (Schistocerca) Occidentale, Scudd. l. c. xvii. p. 274. n. 29 (1875).	
25. **S. Septentrionalis, Walk. (*Cyrtacanthacris S.*) l. c. iii. p. 555. n. 11 (1870).	W. America.
26. **S. Viridescens, Walk. (*Cyrtacanthacris V.*) l. c. iii. p. 553. n. 8 (1870).	Para.
27. **S. Gulosa, Scudd.** l. c. pp. 444, 459. n. 19 (1899).	Demerara.
28. **S. Bogotensis, Scudd.** l. c. pp. 444, 460. n. 20 (1899).	Bogota, Colombia.
29. **S. Idonea, Scudd.** l. c. pp. 444, 461. n. 22 (1899).	Brazil.
30. **S. Literosa, Walk. (*Acridium Literosum*) l. c. iv. p. 620 (1870); Butl. Proc. Zool. Soc. Lond. 1877, p. 88.	Galapagos, Charles I. (?)
S. Literosa, Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 15, pl. 2. ff. 1, 3 (1893); Proc. Amer. Acad. xxxiv. pp. 444, 462. n. 23 (1899).	
S. Literosa Discoidalis, Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 16 (1893).	Chatham I.
S. Literosa Punctata, Scudd. l. c. (1893).	Hood I.
S. Literosa Hyalina, Scudd. l. c. (1893).	Tower I.
*31. **S. Melanocera, Stål,** (*Acridium Melanocerum*) Eugenies Resa, Orth. p. 326. n. 70 (1860.)	Galapagos Islands, W. Amer. (?)
Acridium (Schistocerca) Melanocerum, Stål, Recens. Orth. i. p. 65. n. 12 (1873).	
S. Melanocera, Brun. P. U.S. Nat. Mus. xii. p. 193 (1889); Scudd. Bull. Mus. Comp. Zool. Harvard Coll. xxv. p. 11, pl. 2. ff. 5, 6 (1893); Proc. Amer. Acad. xxxiv. pp. 445, 462. n. 24 (1899).	
***Acridium Tibiale, Walk.* l. c. iii. p. 582. n. 24 (1870).	
32. **S. Alutacea, Harr. (*Acrydium Alutaceum*) Rep. Ins. Mass. p. 139. n. 1 (1841), (ed. 3) p. 173 (1862).	N. America, Mexico, Guatemala.
Acridium Alutaceum, Glover, Ill. N. Amer. Orth. pl. 8. f. 13, pl. 10. f. 13 (1872); Thomas, l. c. pp. 169, 171 (1873); Scudd. Bost. Journ. Nat. Hist. vii. p. 466. n. 1 (1862).	
S. Alutacea, Brun. Publ. Nebraska Acad. Sci. iii. p. 26 (1893); Scudd. l. c. pp. 445, 464. n. 27 (1899); Rehn, Entom. News. xiii. p. 312 (1902).	

Acridium Rubiginosum, Scudd. Bost. Journ. Nat. Hist. vii. p. 467. n. 4 (1862). *S. Rubiginosa, Scudd.* Proc. Amer. Acad. xxxiv. pp. 445, 462. n. 25 (1899). ** *Acridium Scutellare, Walk.* l. c. iii. p. 579. n. 11 (1870) ; Thomas, l. c. p. 233 (1873). ** *Acridium Strenuum, Walk.* l. c. p. 580. n. 13 (1870). *Acridium Strenum, Thomas,* l. c. p. 234 (1873). ** *Cyrtacanthacris Concolor, Walk.* l. c. iv. p. 610 (1870). *Acridium Concolor, Thomas,* l. c. p. 230 (1873). ** *Acridium Proprium, Walk.* l. c. p. 621 (1870) ; Thomas, l. c. p. 236 (1873). *Acridium Emarginatum, Dodge,* Canad. Ent. iv. p. 15 (1871) ; Scudd. Final Rep. Geol. Surv. Nebraska, p. 250. n. 13 (1872) ; Thomas, l. c. pp. 169, 172 (1873).	
33. **S. Sonorensis, Scudd.** Proc. Amer. Acad. xxxiv. pp. 445, 463. n. 26 (1899).	Sonora.
34. **S. Obscura, Fabr.** (*Gryllus Obscurus*) Ent. Syst. Suppl. p. 194 (1798). *Acridium Obscurum, Burm.* Handb. Ent. ii. p. 632. n. 14 (1838) ; Glover, Ill. N. Amer. Orth. pl. 5. f. 12 (1872) ; Thomas, l. c. pp. 169, 174 (1873). *S. Obscura, Scudd,* l. c. pp. 445, 465 (1899).	Southern United States, Mexico.
35. **S. Olivacea, Serv.** (*Acridium Olivaceum*) l. c. p. 666. n. 27 (1839) ; Thomas, l. c. p. 236 (1873).	Cuba.
36. **S. Lineata, Scudd.** l. c. pp. 445, 465. n. 29 (1899). *S. Scudderi, Brun.* Proc. U.S. Nat. Mus. xxx. p. 676 (1906).	Kansas, Texas, Mexico.
37. **S. Albolineata, Thomas,** (*Acridium Albolineatum*) Wheeler's Rep. Expl. W. 100th Merid. v. p. 897, pl. 43. f. 1 (1875). *S. Albolineata, Scudd.* l. c. pp. 445, 466. n. 30 (1899).	Arizona, Iowa, New Mexico.
38. **S. Venusta, Scudd.** l. c. pp. 445, 467. n. 31 (1899).	S.W. States, Mexico.
39. **S. Mexicana, Scudd.** l. c. pp. 445, 468. n. 32 (1899).	Mexico.
40. **S. Separata, Scudd.** l. c. pp. 446. 469. n. 33 (1899).	Nicaragua, Costa Rica.

41. **S. Malachitica, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. pp. 439–441. ff. 34, 35 (1905).	Costa Rica.
*42. **S. Shoshone, Thomas,** (*Acridium S.*) Proc. Acad. Nat. Sci. Philad. xxv. p. 296 (1873); Syn. Acrid. N. Amer. p. 175 (1873); Wheeler's Rep. Expl. W. 100th Merid. v. p. 895, pl. 43. f. 2 (1875). *S. Shoshone, Brun.* Bull. U.S. Dep. Agric. xxviii. p. 11. f. 2 (1893); Scudd. l. c. pp. 446, 469. n. 34 (1899).	Western United States, Mexico.
43. **S. Obliquata, Scudd.** l. c. pp. 446, 470. n. 35 (1899).	Mexico.
44. **S. Perturbans, Scudd.** l. c. pp. 446, 471. n. 36 (1899).	Guiana, Brazil.
45. **S. Bivittata, Stål,** (*Acridium* (*Schistocerca*) *Bivittatum*) l. c. p. 66. n. 15 (1873). *S. Bivittata, Scudd.* l. c. pp. 446, 471. n. 37 (1899). *Gryllus Flavicornis*, varr. δ, ε, *Thunb.* ll. cc. v. p. 226 (1815), ix. p. 407 (1824).	S. Amer. (?).
*46. **S. Tatarica, Linn.** (*Gryllus* (*Locusta*) *Tataricus*) Syst. Nat. (ed. 10) i. p. 432. n. 46 (1758); (pt.) Mus. Ludov. Ulric. p. 139. n. 30 (1764). *Acridium Peregrinum, Oliv.* Voy. Emp. Othom. iv. p. 388 note (1804); Serv. l. c. p. 666. n. 28, pl. 12. f. 3 (1839). *Acridium* (*Schistocerca*) *Peregrinum, Stål,* l. c. p. 65. n. 11 (1873); Bol. Ortópt. Españ. pp. 88, 89. n. 2 (1876); An. Soc. Españ. v. pp. 294, 295. n. 2 (1876). *S. Peregrina, Brunn.* Prodr. Eur. Orth. p. 215. n. 1, pl. 7. f. 50 A, B (1882); Scudd. l. c. pp. 446, 472. n. 38 (1899); Burr, Brit. Orth. p. 45, pl. 4. f. 1 (1897); Jacobs. & Bianchi, l. c. pp. 203, 308 (1902); Brun. 1st Rep. Locust Comm. B. Aires, p. 5 (1898). *Gryllus Migratorius* ζ, *Thunb.* l. c. v. p. 244 (1815), ix. p. 407 (1824). *Gryllus Rufescens, Thunb.* l. c. v. p. 245 (1815), ix. pp. 397, 418. n. 67 (1824). *Acridium Flaviventre, Burm.* l. c. p. 631. n. 11 (1838). ***Acridium Sellatum, Walk.* l. c. iii. p. 585. n. 29 (1870).	S. Europe, Africa, W. Asia, S. & Central America.

47. **S. Carneipes, Serv.** (*Acridium C.*) l. c. p. 665. n. 26 (1839).	Brazil.
48. **S. Patiana, Posada-Arango,** (*Acridium Patianum*) Le Nat. i. (2) p. 5 (1879).	Colombia.
*49. **S. Paranensis, Burm.** (*Acridium Paranense*) Reise La Plata Staaten, i. p. 491 (1861); Reed, Proc. Ent. Soc. Lond. 1893, pp. xxi–xxiv.	Brazil, Argentina, Uraguay, Chile.
S. Paranensis, Brun. l. c. i. pp. 1–79, & pp. 1, 4, 5, 8, 10, 81 (figs.) (1898), ii. p. 2. f. 1, pp. 69, 70. ff. 31, 32 (1900); Proc. U.S. Nat. Mus. xxx. pp. 675, 676, pl. 37. f. 4 (1906).	
‖ *Acridium (Schistocerca) Peregrinum, Berg* (*nec Oliv.*), An. Soc. Argent. ix. pp. 275–277 (1880).	
** *Cyrtacanthacris Approximans, Walk.* l. c. iii. p. 572. n. 44 (1870).	
50. **S. Exsul, Scudd.** Bull. Mus. Zool. Harvard Coll. xxv. p. 4 (1893); Proc. Amer. Acad. xxxiv. pp. 446, 473. n. 40 (1899).	W. America
*51. **S. Pallens, Thunb.** (*Gryllus P.*) l. c. v. p. 237 (1815), ix. pp. 398, 422. n. 83 (1824).	Jamaica.
52. **S. Vicaria, Walk. (*Acridium Vicarium*) l. c. p. 580. n. 12 (1870); Thomas, l. c. p. 234 (1873).	Mexico.
*53. **S. Rustica, Fabr.** (*Gryllus Rusticus*) Syst. Ent. p. 292. n. 26 (1775).	Mexico, S. & Centr. America, W. Indies.
Acridium Rusticum, Burm. l. c. p. 633. n. 16 (1838).	
** *Cyrtacanthacris Pectoralis, Walk.* l. c. iii. p. 551. n. 4 (1870).	
Acridium Pectoralis, Thomas, l. c. p. 229 (1873).	
‖ *Acridium (Schistocerca) Pallens, Stal* (*nec Thunb.*), l. c. p. 66. n. 14 (1873).	
S. Pallens, Scudd. Proc. Amer. Acad. xxxiv. pp. 446, 473. n. 41 (1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 69 (1900); Proc. U.S. Nat. Mus. xxx. pp. 675, 676 (1906).	
54. **S. Cancellata, Serv.** (*Acridium Cancellatum*) l. c. p. 664. n. 25 (1839); Blanch. Gay, Hist. Chil., Zool. vi. p. 71. n. 1 [pl. 2. f. 7, ined.] (1851).	Chile.
S. Cancellata, Scudd. l. c. pp. 447, 473. n. 42	

(1899); Brun. 2nd Rep. Locust Comm. B. Aires, p. 3. f. 2, pp. 69. 70. f. 33 (1900).	
55. **S. Viridis, Phil.** (*Acridium Viride*) Zeits. ges. Naturw. xxi. p. 238. n. 2 (1863).	
56. **S. Brachyptera, Phil.** (*Acridium Brachypterum*) l. c. p. 239. n. 3 (1863).	Chile.
57. **S.** (?) **Cristagalli, Phil.** (*Acridium C.*) Reise Wueste Atacama, p. 173, n. 2 (1860).	id.
58. **S. Maculipennis, Blanch.** (*Acridium Maculipenne*) l. c. p. 72. n. 2 (1851).	id.
59. **S. Vittigera, Blanch.** (*Acridium Vittigerum*) l. c. p. 73. n. 3. [pl. 3. f. 8, ined.] (1851).	id.
60. **S. Democratica, Blanch.** (*Acridium Democraticum*) l. c. p. 74. n. 4 (1851).	id.
*61. **S. Americana, Drury,** (*Libellula Americanus*) Ill. Exot. Ent. i. p. 128, pl. 49. f. 2 (1773).	N. & S. America, W. Indies.
Acridium Americanum, Scudd. Bost. Journ. Nat. Hist. vii. p. 466. n. 2 (1862); Glover, Ill. N. Amer. Orth. pl. 1. f. 15 (1872); Thomas, Syn. Acrid. N. Amer. p. 172 (1873); Rep. Ins. Illinois, x. p. 81 (1880).	
Acridium (Schistocerca) Americanum, Stål, l. c. p. 66. n. 13 (1873).	
S. Americana, Scudd. Proc. Amer. Acad. xxxiv. pp. 447, 474. n. 43 (1899); Brun. 1st Rep. Locust Comm. B. Aires, i. p. 7, plate, f. 7 (1898); Nebraska State Board Agric., Rep. Ent. 1896, pp. 107, 122. f. 24 (1897); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Bull. U.S. Dept. Agric., Ent. xxviii. p. 10, f. 1 (1893).	
Gryllus Serialis, Thunb. l. c. v. p. 241 (1815), ix. pp. 399, 424. n. 89 (1824).	
‖*Locusta Tartarica, Westw.* (*nec Linn.*) Drury, Ill. Exot. Ent. i. p. 121, pl. 49. f. 2 (1837).	
‖*Acridium Obscurum, Bol.* (*nec Fabr.*) Mém. Soc. Zool. France, p. 144. n. 83 (1888).	
** *Cyrtacanthacris Interrupta, Walk.* l. c. iii. p. 572 n. 45 (1870).	
62. **S. Ambigua, Thomas,** (*Acridium Ambiguum*) Rep. Geol. Surv. Montana, p. 447 (1872); Syn. Acrid. N. Amer. p. 173 (1873).	Illinois, Kansas, Montana
*63. **S. Vittata, Beauv.** (*Acridium Vittatum*) Ins. Afr. Amér. p. 116. Orth. pl. 1. f. 5 (1805).	Mexico.

** *Acridium Piceifrons, Walk.* l. c. iii. p. 578. n. 9 (1870) ; Thomas, Syn. Acrid. N. Amer. p. 232 (1873).	
64. **S. Varipes, Walk. (*Acridium V.*) l. c. iii. p. 581. n. 14 (1870) ; Thomas, l. c. p. 235 (1873).	St.Domingo
♂. *Cyrtacanthacris Simulatrix, Walk.* l. c. iv. p. 610 (1870).	
Acridium Simulatrix, Thomas, l. c. p. 230 (1873).	
S. Simulatrix, Scudd. Proc. Amer. Acad. xxxiv. pp. 443, 454. n. 11 (1899).	
65. **S. Vittafrons, Brun.** Biol. Centr.-Amer., Orth. ii. p. 298. n. 32 (1908).	Costa Rica.
66. **S. Semivittata, Walk. (*Acridium Semivittatum*) l. c. iii. p. 583. n. 25 (1870).	Venezuela, Iguarassu, Ecuador.
*67. **S. Peruviana, Arribálzaga,** An. Mus. Nac. B. Aires, iii. (2) p. 2 (1903).	Peru.
68. **S. Subspurcata, Walk. (*Cyrtacanthacris S.*) l. c. iii. p. 552. n. 6 (1870).	Guayaquil.
69. **S. Cribrata, Serv.** (*Acridium Cribratum*) l. c. p. 648. n. 8 (1839).	Brazil.
*70. **S. Damnifica, Sauss.** (*Acridium Damnificum*) l. c. (2) xiii. p. 164 (1861).	United States.
S. Damnifica, Scudd. l. c. pp. 447, 475. n. 44 (1899).	
** *Cyrtacanthacris Unilineata, Walk.* l. c. iv. p. 611 (1870).	
Acridium Unilineatum, Thomas, Syn. Acrid. N. Amer. pp. 169, 170 (1873).	
‖ *Acridium Rubiginosum, Glover* (*nec Scudd.*), l. c. pl. 5. f. 5 (1872) ; Thomas, l. c. pp. 169, 170 (1873).	
Acridium Rugosum, Prov. Nat. Canad. viii. p. 111 (1876).	
Acridium Appendiculatum, Scudd. Proc. Bost. Soc. Nat. Hist. xix. p. 86 (1877).	
71. **S. Frontalis, Thomas,** (*Acridium F.*) Rep. U.S. Geol. Surv. Montana, p. 448, pl. 2. f. 1 (1871) ; Syn. Acrid. N. Amer. p. 169 (1873) ; Glover, l. c. pl. 11. f. 1 (1872) ; Brun. Bull. U.S. Dept. Agric., Ent. xxviii. p. 12, f. 3 (1893).	id.
72. **S. (?) Milberti, Serv.** (*Acridium M.*) l. c. p. 648. n. 9 (1839).	N. America.

Genus 706. **Oncolopha.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 30, 47 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878); Brunn. Ann. Soc. Genova, xxxiii. p. 142 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898).

1. **O. Guttata, Thunb.** (*Gryllus Guttatus*) Mém. Acad. Pétersb. ix. pp. 397, 415. n. 55 (1824). *O. Guttata, Stål*, Recens. Orth. i. p. 47. n. 1 (1873).	Hab. —— ?
2. **O. Carbunculus, Gerst.** (*Monachidium C.*) Stett. Ent. Zeit. xxxiv. p. 185. n. 1 (1873).	Brazil.

Genus 707. **Monachidium.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 281 (1831); Ins. Orth. p. 635 (1839); Brullé, Hist. Ins. ix. p. 223 (1835); Burm. Handb. Ent. ii. pp. 602, 625 (1838); Stal, Recens. Orth. i. p. 30 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 20 (1878); Thomas, Syn. Acrid. N. Amer. p. 238 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 49 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 216, 299 (1907, 1908).

*1. **M. Lunus, Joh.** (*Gryllus L.*) Amœn. Acad. vi. p. 397. n. 30 (1763). *Acrydium Lunum, Oliv.* Encycl. Méth., Ins. vi. p. 216. n. 6 (1791). *M. Lunum, Serv.* Ins. Orth. p. 636. n. 1 (1839); Brun. l. c. p. 299. n. 1 (1908). *M. Lunus, Burm.* l. c. p. 626. n. 1 (1838). *Gryllus Mithras, Licht.* Cat Mus. Zool. Hamburg, iii. p. 87. n. 123 (1796). *Gryllus Locusta Vexillatus, Stoll*, Spectres, Saut. p. 40, pl. 22 *b*. f. 84 (1813). *M. Flavipes, Serv.* Ann. Sci. Nat. xxii. p. 281. n. 1 (1831); Brullé, l. c. p. 223, pl. 19. f. 2 (1835); Burm. l. c. p. 626. n. 3 (1838).	Cayenne, Brazil.
2. **M. Crista-flammea, Perty,** Del. Anim. Art. p. 124, pl. 24. f. 6 (1832); Burm. l. c. p. 626. n. 2 (1838); Serv. Ins. Orth. p. 637. n. 2 (1839).	Brazil.
3. **M. Opulentum, Gerst.** Mitth. Ver. Neu-Vorpomm. xx. p. 5. n. 1 (1889).	Amazons.

4. **M. Chelonia, Serv.** l. c. p. 638. n. 4 (1839).	Minas Geraes.
5. **M. Superbum, Stål,** Œfv. Vet.-Akad. Förh. xii. p. 352. n. 1 (1855); Thomas, l. c. p. 239 (1873).	Honduras.

Genus 708. **Antiphon.** (*Type* no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 20, 55 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 142 (1893).

*1. **A. Acropyrinon, Perty,** (*Monachidium A.*) Del. Anim. Art. p. 123, pl. 24. f. 5 (1833); Burm. Handb. Ent. ii. p. 626. n. 4 (1838); Serv. Ins. Orth. p. 637. n. 3 (1839).	Brazil.
*2. **A. Ornatum, Sauss.** (*Monachidium O.*) Rev. Zool. (2) xi. p. 393 (1859).	id.
3. **A. Gallus, Stål,** l. c. p. 55. n. 1 (1878).	id.

Genus 709. **Ecphantus.** (*Type* no. 1.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 26, 71 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

*1. **E. Quadrilobus, Stål,** l.c. p.71. n.1 (1878); Frogg. Agric. Gaz. N. S. Wales, xv. p. 242, plate, f. 1 (1904).	N. Australia Queensland, N.S. Wales.
2. **E. Cristatus, Tepp.** Horn Exped. Centr. Australia, ii. p. 374 (1901).	Central Australia.
3. **E. Ayersii, Tepp.** l. c. (1901).	id.

Genus 710. **Pelecinotus.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. p. 619 (1902).

1. **P. Brachypterus, Bol.** l. c. p. 620, pl. 9. ff. 35, 35 *a* (1902).	Kodaikanal.
2. **P. Cristagalli, Bol.** l. c. f. 36 (1902).	Madura.

Genus 711. **Exochoderes.**

Bol. Jorn. Sci. Lisb. viii. p. 113 (1881).
Exochoderus, Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1903).

1. **E. Aurantiacus, Bol.** l. c. p. 114. n. 27 (1881).	Angola.

Genus 712. **Teratodes.**

Brullé, Hist. Ins. ix. p. 222 (1835); Burm. Handb. Ent. ii. p. 618 (1838); Serv. Ins. Orth. p. 633 (1839); Stål, Bihang Svensk. Akad. Handl. v. (4) p. 26 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

1. **T. Monticollis, Gray, (*Gryllus M.*) Griffith, Anim. Kingd. xv. p. 215, pl. 64 (1832); Brullé, l. c. p. 222 (1835). *T. Monticollis, Serv.* l. c. p. 634. n. 1 (1839); Willey, Spol. Zeyl. ii. p. 200. n. 4, plate (1905).	India, Ceylon.

Genus 713. **Acrostegastes.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 303 (1896).

1. **A. Mollipes, Karsch,** l. c. n. 65. f. 26 (1896).	Zanzibar.
2. **A. (?) Glaber, Karsch,** l. c. p. 304. n. 66. f. 27 (1896).	Somali.
*3. **A. Affinis, Schulth.** Ann. Mus. Genova, xxxix. p. 192. n. 1 (1898).	id.

Genus 714. **Eremidium.**

Karsch, Stettin. Ent. Zeit. lvii. p. 280 (1896).

1. **E. Equuleus, Karsch,** l. c. p. 281. n. 44, f. 15 (1896).	S. Africa.

Genus 715. **Bocagella.**

Bol. Jorn. Sci. Lisboa, (2) i. p. 161 (1889); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

1. **B. Lanuginosa, Bol.** l. c. p. 162. n. 153, plate, ff. 5, 5 *a* (1889)	Caconda.

Genus 716. **Robecchia.**

Schulth. Ann. Mus. Genova, xxxix. p. 193 (1890).

1. **R. Obesa, Schulth.** l. c. p. 194. n. 1, pl. 2. f. 11 (1890). Somali.

Genus 717. **Althæmenes.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 27 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

1. **A. Macula-lutea, De Haan,** (*Acridium M.*) Temminck, Verhandel., Orth. p. 159, pl. 21. f. 3 (1842). Sumatra.

Genus 718. **Abisares.**

Stål. Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893).

*1. **A. Viridipennis, Burm.** (*Monachidium Viridipenne*) Handb. Ent. ii. p. 626. n. 5 (1838). E. Africa.

Genus 719. **Aresceutica.**

Karsch, Stettin. Ent. Zeit. lvii. p. 308 (1896).

1. **A. Subnuda, Karsch,** l. c. p. 309. n. 72 (1896). E. Africa.

Genus 720. **Bibracte.** (*Type* no. 4.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 27, 71 (1878 Brunn. Ann. Mus. Genova, xxxiii. p. 143 (1893); Abhand Senckenb. Ges. xxiv. p. 240 (1898).

1. **B. Cristulata, Stål,** l. c. p. 71. n. 1 (1878); Brunn. Abhandl. Senckenb. Ges. xxiv. p. 241. n. 1 (1898). Java.

2. **B. Deminuta, Brunn.** l. c. pp. 241, 242. n. 2, pl. 18. f. 38 (1898); Karsch, Denkschr. Med.-nat. Ges. Jena, viii. p. 762, pl. 67. f. 9 (1903). Java.

3. **B. Rugulosa, Bol.** Ann. Soc. Ent. France, lxx. p. 620 (1902). Kodaikanal.

4. **B. Hagenbachii, De Haan,** (*Acridium H.*) Temminck, Verhandel., Orth. pp. 153, 154. n. 34, pl. 21. f. 2 (1842). Java.
   B. Hagenbachii, Stål, l. c. p. 71 (1878); Brunn. l. c. pp. 241, 242. n. 3 (1898).

5. **B. Maculata, Brunn.** ll. cc. n. 4 (1898). id.

6. **B. Unicolor, Brunn.** l. c. pp. 241, 243. n. 5 (1898). Sumatra.

*7. **B. Acuminata, Brunn.** ll. cc. n. 6 (1898). Borneo.

Genus 721. **Alectorolophus.** (*Type* no. 1.)

Brunn. Abhandl. Senckenb. Ges. xxiv. p. 244 (1898).

1. **A. Speciosus, Brunn.** l. c. n. 1, pl. 18. f. 39 (1898). Celebes.

2. **A. Applicatus, Brunn.** l. c. pp. 244, 245. n. 2 (1898). id.

3. **A. Unilobatus, Brunn.** ll. cc. n. 3 (1898). id., Lombock.

4. **A. Subapterus, Brunn.** ll. cc. n. 4 (1898). Lombock.

5. **A. Obscœnus, Brunn.** l. c. pp. 244, 246. n. 5 (1898). id.

Genus 722. **Coptacra.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 37, 58 (1873); Brunn. Ann. Mus. Genova. xxxiii. p. 143 (1893); Bol. Ann. Soc. Ent. France. lxx. p. 624 (1902).

*1. **C. Fœdata, Serv.** (*Acridium Fœdatum*) Ins. Orth. p. 662. n. 23 (1839). Java.
   Catantops Fœdatus, Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 47. n. 25 (1907).

2. **C. Stricta, Walk. (*Caloptenus Strictus*) Cat. Derm. Salt. B. M. iv. p. 707. n. 63 (1870).	Sarawak.
3. **C. Dominans, Walk. (*Caloptenus D.*) l. c. p. 705. n. 58 (1870).	Silhet.
4. **C. Tenella, Walk. (*Cyrtacanthacris T.*) l. c. p. 618 (1870).	Hab. —— ?
5. **C. Ensifera, Bol.** Ann. Soc. Ent. France, lxx. p. 621 (1902).	Madura.
*6. **C. Succinea, Krauss,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 34, n. 2 (1877); Karsch, Berlin. Ent. Zeitschr. xxxviii. p. 92. n. 53 (1893).	W. Africa, Natal, Cameroons.
7. **C. Mellifica, Bol.** Mem. Soc. Españ. i. p. 235 (1905).	Biafra.
8. **C. Anguliflava, Karsch,** l. c. p. 92. n. 54 (1893).	Cameroons.
9. **C. Paupercula, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 238. n. 108, A.	Transvaal.

Genus 723. **Coptacrella.**

Bol. Ann. Soc. Ent. France. lxx. pp. 622, 624 (1902).

1. **C. Martini, Bol.** l. c. p. 622, pl. 9. ff. 37, 37 *a* (1902).	India.

Genus 724. **Sauracris.**

Burr, Proc. Zool. Soc. Lond. 1900, p. 40.

*1. **S. Locusta, Burr.** l. c. p. 41, pl. 2. f. 3 (1900).	Somaliland.

Genus 725. **Paracoptacra.** (*Type* no. 1.)

Karsch, Stettin. Ent. Zeit. lvii. p. 304 (1896);
Bol. Ann. Soc. Ent. France. lxx. p. 625 (1902).

1. **P. Cauta, Karsch,** l. c. p. 304. n. 67 (1896).	E. Africa.
2. **P. Ascensi, Giglio-Tos,** Boll. Mus. Torino. xxii. (554) p. 16 (1907).	Lake Mœris.

Genus 726. **Phyxacra.** (*Type* no. 1.)

Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. (1) p. 307 (1907).

1. **P. Variolosa, Krauss,** (*Coptacra V.*) Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 33. n. 1 (1877). — Senegal.
2. **P. Cœruleus, Karny,** l. c. p. 308. n. 61 (1907). — Gondokoro.

Genus 727. **Eucoptacra.** (*Type* no. 1.)

Bol. Ann. Soc. Ent. France, lxx. pp. 623, 625 (1902).

*1. **E. Præmorsa, Stål,** (*Acridium* (*Catantops?*) *Præmorsum*) Eugenies Resa, Orth. p. 330. n. 76 (1860). — China, India.
  Coptacra Præmorsa, Stål, Recens. Orth. i. p. 58. n. 2 (1873).
  E. Præmorsa, Bol. l. c. p. 623 (1902).
  Catantops Præmorsus, Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. pp. 311, 325. n. 9 (1907).
  ***Caloptenus Sinensis, Walk.* Cat. Derm. Salt. B. M. iv. p. 704. n. 57 (1870).
  ***Caloptenus Obliterans, Walk.* l. c. p. 712. n. 71 (1870).

2. **E. Inamœna, Walk. (*Caloptenus Inamœnus*) l. c. v. Suppl. p. 68 (1871). — Yunnan.

3. **E. Incompta, Walk. (*Caloptenus Incomptus*) l. c. p. 69 (1871). — id.

4. **E. Contracta, Walk. (*Acridium Contractum*) l. c. iii. p. 591. n. 51 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 337 (1907). — Philippines.
  Coptacra Cyanoptera, Stål, Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 52. n. 1 (1877).
  Coptacra Annulipes, Bol. An. Soc. Españ. xix. p. 320 (1890).

5. **E. Saturata, Walk. (*Acridium Saturatum*) l. c. iv. p. 628 (1870); Finot, l. c. p. 334 (1907). — S. India.

6. **E. Strigifer, Walk. (*Caloptenus S.*) l. c. v. Suppl. p. 66 (1871). — Bombay.

7. **E. Cingulatipes, Bol.** (*Coptacra C.*) Ann. Mus. Genova, xxxix. p. 99. n. 56 (1898). Sumatra.
Coptacra Sumatrensis, Fritze, Rev. Suisse Zool. vii. p. 339 (1899).

8. **E. Virescens, Walk. (*Acridium V.*) l. c. iv. p. 635 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 340 (1907). Australia.

9. **E. Mundata, Walk. (*Heteracris M.*) l. c. p. 672. n. 37 (1870). Port Essington.

10. **E. Nanula, Walk. (*Cyrtacanthacris N.*) l. c. p. 616 (1870). N. Australia.
Acridium Nanulum, Finot, l. c. p. 338 (1907).

Genus 728. **Patocra.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 16 (1907).

1. **P. Viridula, Giglio-Tos,** l. c. p. 17 (1907). Congo.

Genus 729. **Kassongia.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 113 (1908).

1. **K. Flavovittata, Bol.** l. c. p. 114. n. 119 (1908). Stanley Falls.

Genus 730. **Acridoderes.** (*Type* no. 2.)

Bol. Jorn. Sci. Lisboa, (2) i. p. 163 (1889); Ann. Soc. Ent France, lxx. p. 624 (1902); Brunn. Ann. Mus. Genova xxxiii. p. 143 (1893).

1. **A. Strenuus, Walk. (*Caloptenus S.*) Cat. Derm. Salt. B. M. iv. p. 699. n. 49 (1870). Gambia.

*2. **A. Crassus, Bol.** Jorn. Sci. Lisboa, (2) i. p. 163. n. 155 (1889). Angola, E. Africa.

3. **A. Prasinus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 182. n. 21 (1891). Cameroons

4. **A. Punctatus, Kirb.** Trans. Ent. Soc. Lond. 1902, p. 239. n. 108, c.	Transvaal.
5. **A. Amethystinus, Bol.** Mém. Soc. Ent. Belge, xvi. p. 114. n. 120 (1908).	Stanley Falls.

Genus 731. **Cyphocerastis.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. p. 181 (1891).
Cyphocerastes, Bol. Ann. Soc. Ent. France, lxx. p. 625 (1902).

1. **C. Læta, Karsch,** l. c. p. 182. n. 19 (1891).	Cameroons.
2. **C. Tristis, Karsch,** l. c. n. 20 (1891).	id.
3. **C. Clavareaui, Bol.** Mém. Soc. Ent. Belg. xvi. p. 115. n. 124 (1908).	Congo.

Genus 732. **Epistaurus.** (*Type* no. 1.)

Bol. Jorn. Sci. Lisboa, (2) i. p. 164 (1889): Ann. Soc. Ent. France, lxx. p. 625 (1902); Brunn. Ann. Mus. Genova, xxxiii. pp. 143, 160 (1893).

1. **E. Crucigerus, Bol.** Jorn. Sci. Lisboa. (2) i. p. 164. n. 156 (1889); Mem. Soc. Españ. i. p. 236 (1905); Brunn. l. c. p. 160 (1893).	W. Africa.
2. **E. Signatus, Bol.** Jorn. Sci. Lisboa, (2) i. p. 164. n. 157 (1889).	Caconda.
3. **E. Aberrans, Brunn.** l. c. p. 160. n. 1, pl. 5. f. 55 *a*, *b* (1893).	Burma.
4. **E. Sinetyi, Bol.** Ann. Soc. Ent. France, lxx. p. 623 (1902).	Trichinopoly.
5. **E. Bolivari, Karny,** Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 309. n. 82 (1907).	Gondokoro.

Genus 733. **Parepistaurus.**

Karsch, Stettin. Ent. Zeit. lvii. p. 305 (1896); Bol. Ann. Soc. Ent. France, lxx. p. 625 (1902).

1. **P. Deses, Karsch,** l. c. p. 305. n. 68 (1896).	Kilimanjaro.

Genus 734. **Gerenia.** (*Type* no. 3.)

Stål, Bihang Svensk. Akad. Handl. v. (4) pp. 28, 73 (1878); Brunn. Ann. Mus. Genova, xxxiii. pp. 144, 161 (1893).

1. **G. Dorsalis, Walk. (*Acridium Dorsale*) Cat. Derm. Salt. B. M. iv. p. 630 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 334 (1907).	S. India.
2. **G. Pustulipennis, Walk. (*Caloptenus P.*) l. c. v. Suppl. p. 68 (1871).	Bombay.
3. **G. Obliquinervis, Stål,** l. c. p. 73. n. 1 (1873).	India (?).
4. **G. Ambulans, Stål,** l. c. p. 74. n. 2 (1873).	Cambodia.
*5. **G. Intermedia, Brunn.** l. c. p. 161. n. 1, pl. 5. f. 56 (1893).	Burma.
6. **G. Abbreviata, Brunn.** l. c. p. 162. n. 2 (1893).	id.
7. **G. Dilatata, Tepp.** Horn Exped. Centr. Austral. ii. p. 374 (1896).	Central Australia.

Genus 735. **Sedulia.**

Stål, Bihang Svensk. Akad. Handl. v. (4) p. 28 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1902).

1. **S. Specularia, Stål,** (*Traulia S.*) l. c. iii. (14) p. 31. n. 1 (1875).	Malacca.

Genus 736. **Segellia.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 184, 188 (1891); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

1. **S. Nitidula, Karsch,** l. c. p. 185. n. 23, fig. (1891).	Cameroons.
2. **S. Lepida, Karsch,** l. c. xxxviii. p. 90. n. 51 (1893).	Adeli.

Genus 737. **Pteropera.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 185, 189 (1891).

1. **P. Verrucigena, Karsch,** l. c. p. 186. n. 24 (1891).	Cameroons.
2. **P. Pictipes, Bol.** Mém. Soc. Ent. Belg. xvi. p. 117. n. 128 (1908).	Congo.
3. **P. Karschi, Bol.** (*Arescentica K.*) Mem. Soc. Españ. i. p. 238 (1905).	Biafra.

Genus 738. **Cœnona.**

Karsch, Stettin. Ent. Zeit. lvii. p. 307 (1896).

1. **C. Brevipedalis, Karsch,** l. c. n. 70 (1896).	Zanzibar.

Genus 739. **Serpusia.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxvi. pp. 187, 189 (1891); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

1. **S. Opacula, Karsch,** l. c. p. 188. n. 25, fig. (1891).	Cameroons.
2. **S. Blanchardi, Bol.** Mem. Soc. Españ. i. p. 238 (1905).	Liberia.
3. **S. Catamita, Karsch,** l. c. xxxviii. p. 91. n. 52 (1893).	Cameroons.
4. **S. Spleniata, Karsch,** Stettin. Ent. Zeit. lvii. p. 308. n. 71 (1896).	Guinea.
5. **S. Femorata, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 18 (1907).	Congo.

Genus 740. **Phialosphæra.**

Karsch, Stettin. Ent. Zeit. lvii. p. 309 (1896).

1. **P. Globulifera, Karsch,** l. c. p. 310. n. 73, f. 29 (1896).	W. Africa.

Genus 741. **Ptemoblax.**

Karsch, Stettin. Ent. Zeit. lvii. p. 311 (1896).

1.	**P. Ludius, Karsch,** l. c. n. 74, f. 30 (1896); Bol. Mem. Soc. Españ. i. p. 237 (1905).	Togo.

Genus 742. **Antita.**

Bol. Mém. Soc. Ent. Belg. xvi. p. 116 (1908).

1.	**A. Alca, Bol.** l. c. n. 126 (1908).	Popocabacca.

Genus 743. **Orbillus.** (*Type* no. 1.)

Stål, Recens. Orth. i. pp. 37. 71 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

*1.	**O. Cœruleus, Drury,** (*Gryllus C.*) Ill. Exot. Ent. ii. p. 79, pl. 42. f. 1 (1773). *Locusta Cœrulea, Westw.* Drury, Ill. Exot. Ent. ii. p. 89, pl. 42. f. 1 (1837).	Sierra Leone.
2.	**O. Namaqua, Krauss,** Verh. zool.-bot. Ges. Wien, li. p. 288. n. 22 (1901).	S.W.Africa.
3.	**O. Nyassicus, Karsch,** Stettin. Ent. Zeit. lvii. p. 313. n. 77 (1896); Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 19 (1907).	Nyasa.
**4.	**O. Finalis, Walk.** (*Acridium Finale*) Cat. Derm. Salt. B. M. iv. p. 625 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 319 (1907).	Fantee.
5.	**O. Roseoviridis, Bol.** Mém. Soc. Ent. Belg. xvi. p. 118. n. 130 (1908).	Congo.
6.	**O. Elegantulus, Bol.** l. c. n. 131 (1908).	id.

Genus 744. **Traulia.** (*Type* no. 8.)

Stål, Recens. Orth. i. pp. 37, 58 (1873); Bihang Svensk. Akad. Handl. v. (4) pp. 28, 72 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893); Abh. Senckenb. Ges. xxiv. p. 246 (1898).

1. **T. Azureipennis, Serv.** (*Xiphicera A.*) Ins. Orth. p. 616. n. 6, pl. 14. f. 4 (1839). *T. Azureipennis, Stål*, Bihang Svensk. Akad. Handl. v. (4) p. 72. n. 1 (1878).	Java.
*2. **T. Dimidiata, De Haan,** (*Acridium* (*Oxya*) *Dimidiatum*) Temminck, Verhandel., Orth. pp. 156, 157. n. 18, pl. 21. ff. 4, 4 *a*, *b* (1842). *T. Dimidiata, Brunn.* ll. cc. p. 160. n. 1 (1893); pp. 247, 248. n. 1 (1898).	id., Borneo, Malay Peninsula. Burma.
3. **T. Ferruginata, Brunn.** Abhandl. Senckenb. Ges. xxiv. pp. 247, 249. n. 2 (1898).	Borneo, Celebes.
*4. **T. Obliqueannulata, Brunn.** ll. cc. n. 3 (1898).	Sumatra, Malay Pen.
*5. **T. Pictilis, Stål,** Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 52. n. 1 (1877); Brunn. l. c. pp. 248, 250. n. 4 (1898).	Philippines.
6. **T. Sanguinipes, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 72. n. 3 (1878); Brunn. l. c. pp. 248, 250. n. 5 (1898).	Borneo, Celebes.
7. **T. Stigmatica, Bol.** Ann. Mus. Genova, xxxix. p. 100. n. 57 (1898).	Sumatra.
*8. **T. Flavoannulata, Stål,** (*Acridium Flavoannulatum*) Eugenies Resa, Orth. p. 329. n. 75 (1860). *T. Flavoannulata, Stål,* Recens. Orth. i. p. 58. n. 1 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 72. n. 2 (1878); Brunn. l. c. pp. 248, 251. n. 6 (1898). *Acridium* (*Oxya*) *Dimidiatum*, ♀, *De Haan,* l. c. p. 158, pl. 21. f. 5 (1842).	Java, Sumatra, Amboina.
9. **T. Lineata, Brunn.** l. c. pp. 248, 251. n. 7 (1898).	Sumatra.
*10. **T. Affinis, De Haan,** (*Acridium* (*Oxya*) *Affine*) l. c. pp. 156, 158. n. 19, pl. 21. f. 9 (1842).	id., Singapore.

T. Affinis, Brunn. l. c. pp. 248, 252. n. 8 (1898).	
*11. **T. Microptera, De Haan,** (*Acridium* (*Oxya*) *Micropterum*) l. c. pp. 156, 158. n. 20, pl. 21. f. 6 (1842).	Java, Annam, Singapore.
T. Microptera, Brunn. l. c. pp. 248, 252. n. 9 (1898).	
12. **T. Diminuta, Walk. (*Oxya D.*) Cat. Derm. Salt. B. M. v. Suppl. p. 64 (1871).	Yunnan.
13. **T. (?) Violacea, Serv.** (*Acridium Violaceum*) Ins. Orth. p. 669. n. 30 (1839).	Hab. —— ?

Genus 745. **Catantops.** (*Type* no. 49.)

Schaum, Ber. Akad. Berlin, 1853, p. 779; Peters, Reise Mossamb., Zool. v. p. 134 (1862); Stal, Recens. Orth. i. pp. 37, 69 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893); Karsch, Ent. Nachr. xxvi. p. 277 (1900); Karny, Sitz. Akad. Wiss. Wien, Math.-nat. Kl. cxvi. p. 309 (1907).

Apalacris, Walk. Cat. Derm. Salt. B. M. iv. p. 641 (1870). (*Type* no. 89.)

Eupropacris, Walk. l. c. p. 642 (1870). (*Type* no. 12.)

*1. **C. Opulentus, Karsch,** Stettin. Ent. Zeit. lvii. p. 314. n. 78, f. 33 (1896); Ent. Nachr. xxvi. p. 277 (1900); Karny, l. c. pp. 310, 324. n. 5 (1907).	Tanganyika, Uganda.
*2. **C. Putidus, Karsch,** ll. cc. p. 315. n. 79 (1896); p. 278 (1900); Karny, l. c. pp. 310, 323. n. 2 (1907).	Nyasa, Zomba.
***Stenocrobylus* (?) *Whytei, Kirb.* Trans. Ent. Soc. Lond. 1902, p. 108. n. 116.	
3. **C. (?) Trifasciatus, Kirb. (*Stenocrobylus* (?) *T.*) l. c. n. 115 (1902).	Transvaal. BechuanaL.
4. **C. Ineptus, Karsch,** ll. cc. p. 515. n. 80 (1896); p. 278 (1900); Karny, l. c. pp. 310, 323. n. 3 (1907).	Nyasa.
5. **C. Regalis, Karny,** l. c. pp. 310, 323. n. 4 (1907).	Zanzibar.
6. **C. Pauperatus, Karny,** l. c. pp. 311, 324. n. 6 (1907).	S. Africa.
7. **C. Lucrosus, Karsch,** Stettin. Ent. Zeit. lvii. p. 316. n. 81 (1896); Karny, l. c. pp. 311, 324. n. 7 (1907).	W. Africa.

8. **C. Rufipes, Karny,** l. c. pp. 311, 325. n. 8 (1907).	German E. Africa.
9. **C. Bifidus, Karsch,** l. c. p. 317. n. 82 (1896) ; Karny, l. c. pp. 315, 335. n. 35 (1907).	Delagoa Bay.
10. **C. Pompalis, Karsch,** l. c. p. 318. n. 83. f. 54 (1896) ; Ent. Nachr. xxvi. p. 278 (1900) ; Karny, l. c. pp. 322, 348. n. 78 (1907).	Usambara.
11. **C. Urania, Kirb. l. c. p. 107. n. 114 (1902) ; Karny, l. c. pp. 322, 348. n. 75 (1907).	Transvaal, Nyasa.
*12. **C. Cylindricollis, Schaum,** (*Pœcilocerus C.*) Ber. Akad. Berlin, 1853, p. 779. n. 17 ; Peters' Reise Mossamb., Zool. v. p. 132, pl. 7 A. f. 3 (1862).	S. & E. Africa.
C. Cylindricollis, Karsch, Ent. Nachr. xxvi. p. 278 (1900) ; Karny, l. c. pp. 322, 348. n. 79 (1907).	
** ♂. *Eupropacris Spectabilis, Walk.* Cat. Derm. Salt. B. M. iv. p. 643. n. 1 (1870).	
***Acridium Genuale, Walk.* l. c. p. 625 (1870) ; Finot, Ann. Soc. Ent. France, lxxvi. p. 331 (1907).	
Eupropacris Genuale, Kirb. l. c. p. 105. n. 109 (1902).	
***Acridium Fumidum, Walk.* l. c. p. 626 (1870) ; Finot, l. c. p. 329 (1907).	
13. **C. Ornatus, Karny,** l. c. pp. 322. 349. n. 80 (1907).	Zanzibar.
14. **C. Sulphureus, Walk. (*Caloptenus S.*) l. c. p. 695. n. 42 (1870).	Natal, BechuanaL.
15. **C. Vanus, Karsch,** Stettin. Ent. Zeit. lvii. pp. 318, 319. n. 84, f. 35 (1896) ; Ent. Nachr. xxvi. p. 279 (1900) ; Karny, l. c. pp. 312, 329. n. 20 (1907).	Zanzibar.
16. **C. Viridulus, Karny,** ll. cc. n. 21 (1907).	German E. Africa.
17. **C. Cyanipes, Karny,** l. c. pp. 312, 330. n. 22, pl. 2. ff. 11–15, pp. 350, 351. nn. 1, 63 (1907).	Gondokoro, Uganda.
18. **C. Ophthalmicus, Karny,** l. c. pp. 313. 330. n. 23 (1907).	Ceylon.
19. **C. Angustulus, Bol.** Ann. Soc. Ent. France, lxx. p. 627 (1902) ; Karny, l. c. pp. 313, 331. n. 24 (1907).	Madura.

*20. **C. Annulipes, Stål,** Recens. Orth. i. p. 70. n. 6 (1873); Karny, l. c. pp. 317, 339. n. 46 (1907).	W. Africa.
21. **C. Taramassi, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 19 (1907).	Somali.
22. **C. Fretus, Giglio-Tos,** l. c. p. 21 (1907).	Congo.
23. **C. Spissa, Walk. (*Cyrtacanthacris S.*) l. c. iv. p. 618 (1870). *C. Præmonstrator, Karsch,* Berlin. Ent. Zeitschr. xxxviii. pp. 94, 95. n. 59 (1893); Ent. Nachr. xxvi. p. 279 (1900); Karny, l. c. pp. 321, 348. n. 72 (1907).	E. & W. Africa.
24. **C. Adustus, Walk. (*Acridium Adustum*) l. c. p. 624 (1870); Finot, l. c. p. 330 (1907).	E. Africa.
25. **C. Insulanus, Karny,** l. c. pp. 319, 342. n. 58 (1907).	I. Aldabra.
26. **C. Brunneri, Karny,** l. c. pp. 319, 343. n. 59 (1907).	Massowa. Zanzibar.
*27. **C. Axillaris, Thunb.** (*Gryllus A.*) Mém. Acad. Pétersb. ix. pp. 399, 426. n. 96 (1824). *C. Axillaris, Stål,* l. c. p. 70. n. 4 (1873); Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 35. n. 1 (1877); Karsch, Ent. Nachr. xxvi. p. 279 (1900); Karny, l. c. pp. 319, 343. n. 60 (1907). *Acridium Debilitatum, Serv.* Ins. Orth. p. 684. n. 49 (1839). (?) ‖ *Oxya Vicina, Burr (nec Brunn.)*, Nat. Hist. Sokotra, p. 420. n. 23 (1903).	Cape Verde I., W. & S. Africa.
28. **C. Saucia, Burm.** (*Acridium Saucium*) Handb. Ent. ii. p. 633. n. 17 (1838). *C. Saucius, Karny,* l. c. pp. 320, 344. n. 61, p. 351. nn. 3, 65, pl. 2. ff. 21–25 (1907).	I. St. Johanna.
29. **C. Modicus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. pp. 94, 96. n. 60 (1893); Karny, l. c. pp. 322, 348. n. 74 (1907).	Adeli.
30. **C. Mellitus, Karsch,** l. c. pp. 94, 97. n. 61 (1893); Karny, l. c. pp. 315, 335. n. 36 (1907).	id.
31. **C. Stylifer, Krauss,** l. c. p. 35. n. 2, pl. 1. f. 2 (1877); Karsch, l. c. pp. 95, 99. n. 64 (1893); Karny, l. c. pp. 320, 344. n. 62, p. 351. nn. 4, 66, pl. 2. ff. 26–30 (1907).	Senegal, Adeli.

32. **C. Cephalotes, Bol.** Jorn. Sci. Lisboa, (2) i. p. 166. n. 164 (1890); Karny, l. c. pp. 317, 339. n. 47 (1907).	Caconda. Benguela.
33. **C. Minimus, Karny,** l. c. pp. 320, 344. n. 63, pl. 2. ff. 31–33, pp. 351, 352. nn. 5, 67 (1907).	Gondokoro.
34. **C. Elegans, Karny,** l. c. pp. 320, 345. n. 64 (1907).	Hereroland.
35. **C. Basifer, Walk. l. c. p. 713. n. 73 (1870).	Africa (?).
*36. **C. Decoratus, Gerst.** Arch. Naturg. xxxv. p. 219. n. 70 (1869); Von der Decken, Reise Ost-Afrika, Ins. p. 44. n. 70, pl. 3. f. 4 (1873); Karsch, Ent. Nachr. xxvi. p. 280 (1900); Karny, l. c. pp. 312, 328. n. 18 (1907).	E. Africa.
37. **C. Stæli, Kirb.** (n. n.) ‖ *C. Decoratus, Stål (nec Gerst.),* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 40. n. 2 (1876).	Damara Land, Zanzibar.
38. **C. Major, Karny,** l. c. pp. 312, 329. n. 19 (1907).	Zanzibar.
39. **C. Areolatus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 119. n. 136 (1908).	Congo.
40. **C. Schoutedeni, Bol.** l. c. p. 120. n. 137 (1908).	id.
41. **C. Imperator, Bol.** l. c. p. 121. n. 138 (1908).	id.
42. **C. Signatus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 190. n. 28 (1891); Karny, l. c. pp. 322, 348. n. 73 (1907).	Cameroons.
43. **C. Exsul, Karny,** l. c. pp. 321, 346. n. 69 (1907).	Hab. —— ?
*44. **C. Solitarius, Karsch,** Ent. Nachr. xxvi. p. 280 (1900); Krauss, Verh. zool.-bot. Ges. Wien, li. p. 289. n. 23 (1901); Karny, l. c. pp. 321, 347. n. 70, pp. 351, 352. nn. 6, 68, pl. 2. ff. 34–38 (1907).	S. & E. Africa.
45. **C. Wernerellus, Karny,** l. c. pp. 321, 347. n. 71, pp. 351, 352. nn. 7, 69, pl. 2. ff. 39–43 (1907).	Gondokoro.
46. **C. Kraussi, Karny,** l. c. pp. 321, 345. n. 66 (1907).	Accra.
47. **C. Hæmorrhoidalis, Krauss,** Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 36. n. 3, pl. 1. ff. 3, 3 A, B (1877); Karny, l. c. pp. 321, 346. n. 67 (1907).	Senegal.

*48. **C. Notatus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 190. n. 29 (1891); Karny, l. c. pp. 321, 346. n. 68 (1907).	Cameroons, Congo.
*49. **C. Melanostictus, Schaum,** ll. cc. p. 779. n. 19 (1853); p. 134, pl. 7 A. f. 5 (1862); Stål, l. c. p. 70. n. 5 (1873); Krauss, l. c. p. 37. n. 4 (1877); Bol. Jorn. Sci. Lisboa, (2) i. p. 165. n. 161 (1889); Karsch, Ent. Nachr. xxvi. p. 280 (1900); Karny, l. c. pp. 315, 336. n. 37, pl. 2. ff. 16–20, pp. 350, 351. nn. 2, 64 (1907).	E. & W. Africa.
***Caloptenus Quadratus, Walk.* l. c. iv. p. 698. n. 47 (1870).	
***Caloptenus Stramineus, Walk.* l. c. p. 697. n. 45 (1870).	
***Caloptenus Sordidus, Walk.* l. c. n. 44 (1871).	
50. **C. Decipiens, Karsch,** l. c. p. 281 (1900); Karny, l. c. pp. 315, 336. n. 38 (1907).	Nyasa.
51. **C. Debilis, Krauss,** Verh. zool.-bot. Ges. Wien, li. p. 291. n. 25 (1901); Karny, l. c. pp. 322, 348. n. 77 (1907).	S.W.Africa.
*52. **C. Mimulus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 189. n. 27 (1891), xxxviii. pp. 94, 98. n. 62, f. 13 (1893); Ent. Nachr. xxvi. p. 281 (1900); Bol. Mém. Soc. Ent. Belg. xvi. p. 122. n. 141 (1908); Karny, l. c. pp. 316, 336. n. 40 (1907).	W. & E. Africa.
53. **C. Captiosus, Bol.** l. c. p. 122. n. 142 (1908).	Stanley Falls.
54. **C. Asthmaticus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. pp. 95, 98. n. 63, f. 14 (1893); Karny, l. c. pp. 316, 336. n. 39 (1907).	Adeli.
55. **C. Stipatus, Walk. (*Acridium Stipatum*) l. c. p. 624 (1870); Finot, Ann. Soc. Ent. France, lxxvi. p. 319 (1907).	Congo.
56. **C. Villosus, Karsch,** l. c. xxxviii. pp. 95, 99. n. 65 (1893); Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 320, 345. n. 65 (1907).	E. & W. Africa.
57. **C. Tæniolatus, Karsch,** Berlin. Ent. Zeitschr. xxxviii. pp. 95, 100. n. 67 (1893); Karny, l. c. pp. 311, 326. n. 12 (1907).	Adeli.

58. **C. Fuscipes, Karny,** l. c. p. 311, 326. n. 13 (1907).	German E. Africa.
59. **C. Nigricornis, Karny,** l. c. pp. 312, 327. n. 14 (1907).	Milanji, Dar-es-Salaam.
60. **C. Nudulus, Karsch,** l. c. pp. 95, 100. n. 66 (1893); Karny, l. c. pp. 312, 328. n. 15 (1907).	Adeli.
61. **C. Pallens, Karny,** ll. cc. n. 16 (1907).	Kilimanjaro
62. **C. Vittatus, Kirb.** (*C. Vittata*) Trans. Ent. Soc. Lond. 1902, p. 106. n. 111. *C. Vittatus, Karny,* l. c. pp. 313, 331. n. 26 (1907).	Pretoria, Delagoa Bay.
63. **C. Fasciatus, Karny,** ll. cc. n. 27 (1907).	German E. Africa.
64. **C. Exiguus, Karny,** l. c. pp. 314, 332. n. 28 (1907).	Delagoa Bay.
65. **C. Sulcifer, Karny,** ll. cc. n. 29 (1907).	Milanji.
66. **C. Humeralis, Thunb.** (*Gryllus H.*) Mém. Acad. Pétersb. v. p. 255 (1815). ix. pp. 398, 429. n. 77 (1824).	Africa (?).
*67. **C. Capicolus, Stål,** (*Acridium* (*Catantops*) *Capicola*) Eugenies Resa, Ins. p. 331. n. 78 (1860). *C. Capicola. Kirb.* Trans. Ent. Soc. Lond. 1902, p. 106. n. 110. *C. Humeralis, Stål* (*nec Thunb.?*), Recens. Orth. i. p. 69. n. 1 (1873); Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 40. n. 1 (1876); Karsch, Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 314, 333. n. 30 (1907). ***Caloptenus Conscitus, Walk.* Cat. Derm. Salt. B. M. iv. p. 700. n. 50 (1870).	S. & E. Africa.
68. **C. Distinguendus, Stål,** (*Acridium* (*Catantops*) *Distinguendum*) l. c. p. 331. n. 79 (1860). *C. Distinguendus, Stål,* Recens. Orth. i. p. 69. n. 2 (1873); Karny, l. c. pp. 314, 333. n. 31 (1907).	Cape.
69. **C. Basalis, Walk. (*Heteracris B.*) l. c. p. 658. n. 7 (1870).	Sierra Leone.
70. **C. Digitatus, Bol.** Jorn. Sci. Lisboa. (2) i. p. 166. n. 163 (1890); Karny, l. c. pp. 312, 328. n. 17 (1907).	W. Africa.
71. **C. Maculatus, Karny,** l. c. pp. 314, 334. n. 32 (1907).	Milanji.

72. **C. Marginatus, Karny,** l. c. pp. 315, 334. n. 33 (1907).	Sierra Leone.
*73. **C. Comis, Karsch,** l. c. pp. 95, 101. n. 68 (1893); Ent. Nachr. xxvi. p. 281 (1900); Karny, l. c. pp. 322, 348. n. 76 (1907).	E. & W. Africa.
74. **C. Miles, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 22 (1907).	Congo.
75. **C. Bipunctatus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 123. n. 144 (1908).	id.
76. **C. Karschi, Karny,** l. c. pp. 316, 337. n. 41 (1907).	Soudan.
77. **C. Sacalava, Brancs.** Jahresh. Ver. Trencs. Com. xv.–xvi. p. 193, pl. 12. f. 3 *a, b* (1893); Karny, l. c. pp. 316, 337. n. 42 (1907).	Madagascar
78. **C. Stenocrobyloides, Karny,** l. c. pp. 316, 338. n. 43 (1907).	id.
79. **C. Malagassus, Karny,** ll. cc. n. 44 (1907).	id.
80. **C. Aberrans, Karny,** l. c. pp. 318, 341. n. 53 (1907).	Celebes.
81. **C. Acuticercus, Bol.** Ann. Soc. Ent. France, lxx. p. 626 (1902); Karny, l. c. pp. 318, 341. n. 54 (1907).	Madura.
82. **C. Consobrinus, Karny,** l. c. pp. 319, 341. n. 55 (1907).	India (?).
83. **C. Coreanus, Walk. (*Acridium Coreanum*) l. c. iv. p. 629 (1870); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. p. 308 (1902); Finot, Ann. Soc. Ent. France, lxx. p. 333 (1907).	Corea, China, Yerzand.
***Cyrtacanthacris Obliqua, Walk.* l. c. v. Suppl. p. 58 (1871).	
*84. **C. Splendens, Thunb.** (*Gryllus S.*) Mém. Acad. Pétersb. v. p. 236 (1815), ix. pp. 395, 408. n. 30 (1824).	India, Ceylon, Borneo, Philippines, Celebes, Amboina, Ceram, &c.
C. Splendens, Stål, Recens. Orth. i. p. 71. n. 8 (1873); Karny, l. c. pp. 311, 326. n. 11 (1907).	
C. Splendens, var. *Pallipes*, *Karny*, l. c. pp. 311, 326. n. 11 *a* (1907).	
C. Splendens, var. *Vitrea*, *Karny*, l. c. p. 326 (1907).	
Acridium Luteolum, *Serv.* Ins. Orth. p. 661. n. 21 (1839).	

***Acrydium Rufitibia, Walk.* Ann. Nat. Hist. (3) iv. p. 223 (1859).	
***Cyrtacanthacris Nana, Walk.* Cat. Derm. Salt. B. M. iii. p. 568. n. 37 (1870). *Acridium Nanum, Finot*, l. c. p. 327 (1907).	
***Cyrtacanthacris Ferrina, Walk.* l. c. p. 568. n. 38 (1870). *Acridium Ferrinum, Finot,* l. c. p. 336 (1907).	
***Acridium Ceramicum, Walk.* l. c. p. 591. n. 52 (1870) ; Finot, l. c. p. 326 (1907).	
85. **C. Infuscata, De Haan,** (*Acridium* (*Oxya*) *Infuscatum*) Temminck, Verhandel., Orth. pp. 155, 156. n. 13 (1842). *C. Infuscatus, Bol.* Ann. Mus. Genova, xxxix. p. 101. n. 59 (1898) ; Karny, l. c. pp. 311, 325. n. 10 (1907).	Borneo, Celebes, New Guinea.
86. **C. Pulchellus, Walk. (*Cyrtacanthacris Pulchella*) l. c. iii. p. 574. n. 47 (1870).	India (?).
87. **C. Erubescens, Walk. (*Caloptenus E.*) l. c. iv. p. 703. n. 55 (1870).	Bengal.
88. **C. Pinguis, Stål,** (*Acridium* (*Catantops*) *Pingue*) Eugenies Resa, Orth. p. 330. n. 77 (1860). *C. Pinguis, Karny,* l. c. pp. 319, 342. n. 56 (1907).	China.
89. **C. Varicornis, Walk. (*Apalacris V.* l. c. iv. p. 642. n. 1 (1870).	N. India.
*90. **C. Karnyi, Kirb.** (n. n.). ‖ *C. Pulchellus, Karny* (*nec Walk.*), l. c. pp. 317, 339. n. 48 (1907).	India (?).
91. **C. Indicus, Bol.** Ann. Soc. Ent. France, lxx. p. 626 (1902) ; Karny, l. c. pp. 319, 342. n. 57 (1907).	N. & S. India.
*92. **C. Humilis, Serv.** (*Acridium Humile*) Ins. Orth. p. 662. n. 22 (1839). *Acridium* (*Oxya*) *Humile, De Haan*, l. c. pp. 156, 157. n. 16 (1842). *C. Humilis, Stål*, Recens. Orth. i. p. 71. n. 7 (1873) ; Karny, l. c. pp. 317, 342. n. 49 (1907). ***Acridium Innotabile, Walk.* l. c. iv. p. 629 (1870) ; Finot, l. c. p. 336 (1907). ***Acridium Delineolatum, Walk.* l. c. p. 631 (1870) ; Finot, l. c. p. 335 (1907). ***Caloptenus Ferrugineus, Walk.* l. c. p. 705. n. 59 (1870).	China, India, Ceylon, Malay Archipelago.

***Caloptenus Signatipes, Walk.* l. c. p. 706. n. 60 (1870).	
***Cyrtacanthacris Punctipennis, Walk.* l. c. v. Suppl. p. 60 (1871).	
Acridium Punctipenne, Finot, l. c. p. 335 (1907).	
***Caloptenus Immunis, Walk.* l. c. p. 67 (1871).	
93. **C. Interruptus, Bol.** (*C. Humilis,* var. *Interruptus*) l. c. p. 625 (1902).	Madura.
C. Interruptus, Karny, l. c. pp. 317, 339. n. 45 (1907).	
94. **C. Orientalis, Kirb. (*Primnia* (?) *O.*) Proc. Zool. Soc. Lond. 1888, p. 549.	Christmas Island.
Oxya Orientalis, Kirb. Mon. Christmas Island, p. 150. n. 21, pl. 13. f. 1, pl. 14. f. 2 (1900).	
95. **C. Tenebrifer, Walk. (*Acridium Tenebriferum*) l. c. iv. p. 633 (1870) ; Finot, l. c. p. 336 (1907).	Celebes.
96. **C. Speciosus, Brancs.** Jahresh. Ver. Trencs. Com. xix.–xx. p. 77 (1897) ; Karny, l. c. pp. 318, 341. n. 52 (1907).	New Guinea.
97. **C. Papuanus, Brancs.** l. c. p. 78 (1897) ; Karny, l. c. pp. 318, 340. n. 51 (1907).	id.
98. **C. Intermedius, Bol.** Ann. Mus. Genova. xxxix. p. 100. n. 58 (1898) ; Karny, l. c. pp. 317, 340. n. 50 (1907).	id.
99. **C. Angustifrons, Walk. (*Acridium A.*) l. c. iii. p. 593. n. 57 (1870) ; Finot, l. c. p. 338 (1907).	N. Australia.
***Cyrtacanthacris Rubiginosa, Walk.* l. c. iv. p. 615 (1870).	
Acridium Rubiginosum, Finot, l. c. p. 338 (1907).	
***Acridium Obtusum, Walk.* l. c. iv. p. 634 (1870) ; Finot, l. c. p. 340 (1907).	
100. **C. Obtusifer, Walk. (*Acridium Obtusiferum*) l. c. v. Suppl. p. 63 (1871).	Hab. ——
101. **C. (**?**) **Perficita, Walk.** (*Heteracris P.*) l. c. iv. p. 660. n. 11 (1870).	S. Africa.
102. **C.** (**?**) **Abbreviatus, Karny,** l. c. pp. 310, 322. n. 1 (1907).	Natal.
103. **C. Arthritica, Serv.** (*Acridium Arthriticum*) Ins. Orth. p. 685. n. 50 (1839).	Cape.

Genus 746. **Stenocrobylus.** (*Type* no. 1.)

Gerst. Arch. Naturg. xxxv. p. 219 (1869); Von der Decken, Reisen in Ost-Afrika, iii. (2) p. 45 (1873); Stal, Bihang Svensk. Akad. Handl. v. (4) p. 29 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 144 (1893).

1. **S. Cervinus, Gerst.** ll. cc. p. 220. n. 71 (1869); p. 45. n. 71, pl. 3. f. 5 (1873).	Zanzibar.
2. **S. Festivus, Karsch,** Berlin. Ent. Zeitschr. xxxvi. p. 190. n. 30 (1891).	Cameroons.
3. **S. Fumosus, Bol.** Jorn. Sci. Lisboa, (2) i. p. 166. n. 165 (1890).	Angola.
4. **S. Femoratus, Bol.** Ann. Soc. Ent. France, lxx. p. 628 (1902).	S. India, Madura.
5. **S. Roseus, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 23 (1907).	Congo.
6. **S. Ornatus, Giglio-Tos,** l. c. p. 25 (1907).	id.
7. **S. Cyaneus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 124. n. 146 (1908).	id.
8. **S. Antennatus, Bol.** l. c. n. 147 (1908).	id.

Genus 747. **Allaga.**

Karsch, Stettin. Ent. Zeit. lvii. p. 319 (1896).

1. **A. Ambigua, Karsch,** l. c. p. 320. n. 85, ff. 36, 36 *a–c* (1896).	Zanzibar.

Genus 748. **Ischnansis.**

Karsch, Stettin. Ent. Zeit. lvii. p. 312 (1896).

1. **I. Insitiva, Karsch,** l. c. p. 313. n. 76, f. 32 (1896).	Zanzibar.

Genus 749. **Atrachelacris.**

Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 19, 20 (1894), xiii. (311) p. 49 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 54, 70 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 677 (1906).

1. **A. Unicolor, Giglio-Tos,** l. c. ix. (184) p. 21 (1894); Brun. ll. cc. pp. 70, 71. ff. 34, 35 (1900); p. 677, pl. 38. ff. 8, 9 (1906).	Argentina, Paraguay.

Genus 750. **Gymnoscirtetes.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. (9) pp. 195, 204 (1897); Guide N. Amer. Orth. p. 41 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 14 (1898).

1. **G. Pusillus, Scudd.** Proc. U.S. Nat. Mus. xx. p. 15, pl. 2. f. 1 (1898); Rehn & Hebard, Proc Acad. Nat. Sci. Philad. lvi. p. 789 (1904).	Florida.

Genus 751. **Netrosoma.** (*Type* no. 1.)

Scudd. Proc. Amer. Arts Sci. xxxii. (9) pp. 195, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 16 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 217, 299 (1907–8).

1. **N. Uniformis, Scudd.** Proc. U.S. Nat. Mus. xx. p. 17. n. 1, pl. 2. f. 2 (1898). *N. Uniforme, Brun.* l. c. p. 300. n. 1 (1908).	Mexico.
2. **N. Nigropleura, Scudd.** l. c. pp. 17, 18. n. 2, pl. 2. f. 3 (1898). *N. Nigropleurum, Brun.* l. c. p. 300. n. 2 (1908).	id.

Genus 752. **Trigonophymus.** (*Type* no. 5.)

Stål, Recens. Orth. i. p. 77 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 32 (1878).

Dichroplus, *Stål*, ll. cc. p. 78 (1873); p. 32 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Giglio-Tos, Boll. Mus. Torino, ix. (184) pp. 20, 21 (1894), xiii. (311) pp. 49, 67 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 71 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 677 (1906); Biol. Centr.-Amer., Orth. ii. pp. 217, 300 (1907–8). (*Type* no. 15.)

1. **T. (?) Mexicanus, Sauss.** (*Pezotettix Mexicana*) Rev. Zool. (2) xiii. p. 160 (1861). *Dichroplus Mexicanus*, *Brunn.* Berlin. Ent. Zeitschr. xlv. p. 257. n. 21 (1900); Brun. Biol. Centr.-Amer., Orth. ii. p. 300. n. 1 (1908).	Mexico.
2. **T. Obscurus, Brun.** (*Dichroplus O.*) 2nd Rep. Locust Comm. B. Aires, pp. 71, 73 (1900); Proc. U.S. Nat. Mus. xxx. p. 677 (1906).	Argentina, Paraguay.
3. **T. Cliens, Stål,** (*Acridium* (*Podisma*) *C.*) Eugenies Resa, Orth. p. 335. n. 86 (1860). *Pezotettix* (*Dichroplus*) *Cliens*, *Stål*, Recens. Orth. i. p. 78. n. 12 (1873). *Pezotettix Cliens*, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 1 (1878). *Dichroplus Cliens*, *Brun.* ll. cc. pp. 71, 73 (1900); p. 677 (1906).	iid.
4. **T. Lemniscatus, Stål,** (*Acridium* (*Podisma*) *Lemniscatum*) Eugenies Resa, Orth. p. 334. n. 84 (1860). *Pezotettix* (*Dichroplus*) *Lemniscatus*, *Stål*, Recens. Orth. i. p. 78. n. 13 (1873). *Pezotettix Lemniscatus*, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 2 (1878). *Dichroplus Lemniscatus*, *Brun.* l. c. pp. 71, 73 (1900); pp. 677, 679 (1906).	Argentina, Brazil.
*5. **T. Fuscus, Thunb.** (*Gryllus F.*) Mém. Acad. Pétersb. v. p. 235 (1815), ix. pp. 398, 421. n. 80 (1824). *Pezotettix* (*Trigonophymus*) *Fuscus*, *Stål*, Recens. Orth. i. p. 78. n. 9 (1873). *Pezotettix Fuscus*, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 4 (1878). *Dichroplus Fuscus*, *Giglio-Tos*, l. c. ix. (184) p. 21 (1894); Brun. ll. cc. pp. 72, 73 (1900); pp. 678, 679 (1907); Biol. Centr.-Amer., Orth. ii. pp. 300, 301. n. 4 (1908).	S. America.

6. **T. Cinereus, Brun.** (*Dichroplus C.*) 2nd Rep. Locust Comm. B. Aires, pp. 72, 73 (1900); Proc. U.S. Nat. Mus. xxx. p. 678 (1906).	Mendoza.
7. **T. Bicolor, Giglio-Tos,** (*Dichroplus B.*) l. c. ix. (184) p. 21 (1894); Brun. ll. cc. pp. 72, 73 (1900); pp. 678, 679 (1906).	Argentina, Paraguay, Bolivia.
8. **T. Robustus, Brun.** (*Dichroplus R.*) Proc. U.S. Nat. Mus. xxx. pp. 678, 679 (1906).	Paraguay.
9. **T. Paraguayensis, Brun.** (*Dichroplus P.*) l. c. pp. 678, 680 (1906).	id.
*10. **T. Patruelis, Stål,** (*Acridium (Podisma) Patruele*) Eugenies Resa, Orth. p. 334. n. 83 (1860). *Pezotettix* (*Dichroplus*) *Patruelis, Stål,* Recens. Orth. i. p. 78. n. 11 (1873). *Pezotettix Patruelis, Stål,* Bihang Svensk. Akad. Handl. v. (9) p. 6 (1878). *Dichroplus Patruelis, Giglio-Tos,* l. c. ix. (184) p. 21 (1894); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 72, 73 (1900); Proc. U.S. Nat. Mus. xxx. pp. 678, 681 (1906).	id., Argentina.
11. **T. Pratensis, Brun.** (*Dichroplus P.*) ll. cc. pp. 72, 74. 75. f. 37 (1900); p. 678 (1906).	Argentina.
12. **T. Exilis, Giglio-Tos,** (*Dichroplus E.*) l. c. ix. (184) p. 23 (1894); Brun. l. c. pp. 72, 75 (1900); pp. 678, 681 (1906).	id., Paraguay.
13. **T. Elongatus, Giglio-Tos,** (*Dichroplus E.*) l. c. ix. (184) p. 23 (1894); Brun. ll. cc. pp. 72, 75, 76. f. 38 (1900); pp. 678, 681, pl. 36. f. 10 (1906).	Buenos Aires, Paraguay.
14. **T.** (**?**) **Frenatus, Marsch.** (*Gryllus F.*) Ann. Wien. Mus. i. p. 212. n. 5, pl. 18. f. 4 (1835); Giglio-Tos, l. c. ix. (184) p. 24 (1894).	Brazil.
15. **T. Arrogans, Stål,** (*Acridium (Podisma) A.*) Eugenies Resa, Orth. p. 333. n. 81 (1860). *Pezotettix* (*Dichroplus*) *Arrogans, Stål,* Recens. Orth. i. p. 78. n. 10 (1873). *Pezotettix Arrogans, Stål,* Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 5 (1898). *Dichroplus Arrogans, Brun.* ll. cc. pp. 72, 75, 76. ff. 36, 42 (1900); p. 678 (1906).	Buenos Aires, Montevideo.

*16. **T. Punctulatus, Thunb.** (*Gryllus P.*) l. c. ix. pp. 395, 408. n. 31 (1824).	Mexico. Central & S. America.
Pezotettix (*Trigonophymus*) *Punctulatus*, *Stål*, Recens. Orth. i. p. 77. n. 8 (1873).	
Pezotettix Punctulatus, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 6 (1878).	
Dichroplus Punctulatus, *Giglio-Tos*, l. c. ix. (184) p. 21 (1884); Brun. ll. cc. pp. 72, 76. ff. 39, 40 (1900); pp. 678, 681, pl. 38. ff. 3, 4 (1906); Biol. Centr.-Amer., Orth. ii. pp. 300, 301. n. 2 (1908).	
Acridium (*Podisma*) *Fraternum*, *Stål*, Eugenies Resa, Orth. p. 333. n. 82 (1860).	
** *Cyrtacanthacris Munda*, *Walk.* Cat. Derm. Salt. B. M. iv. p. 612 (1870).	
17. **T. Morosus, Rehn,** (*Dichroplus M.*) Proc. Acad. Nat. Sci. Philad. lvii. pp. 442, 805 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 300, 301. n. 3 (1908).	Costa Rica.
18. **T. Conspersus, Brun.** (*Dichroplus C.*) 2nd Rep. Locust Comm. B. Aires, pp. 72, 76. f. 41 (1900); Proc. U.S. Nat. Mus. xxx. pp. 678, 682 (1906).	Argentina.
19. **T. Dubius, Brun.** (*Dichroplus D.*) Proc. U.S. Nat. Mus. xxx. pp. 678, 682 (1906).	Paraguay.
20. **T. Brasiliensis, Brun.** (*Dichroplus B.*) ll. cc. (1906).	Brazil.
21. **T. Vittatus, Brun.** (*Dichroplus V.*) 2nd Rep. Locust Comm. B. Aires, pp. 72, 77, 78. ff. 43, 44 (1900); Proc. U.S. Nat. Mus. xxx. pp. 678, 683 (1906).	Argentina.
22. **T. Bergii, Stål,** (*Pezotettix B.*) Bihang Svensk. Akad. Handl. v. (9) p. 6. n. 7 (1878).	id., Paraguay.
Dichroplus Bergii, *Giglio-Tos*, l. c. ix. (184) p. 21 (1894); Brun. ll. cc. pp. 72, 77 (1900); pp. 679, 683 (1906).	
23. **T. Robustulus, Stål,** (*Pezotettix R.*) l. c. p. 7. n. 8 (1878).	S. Brazil.
Dichroplus Robustulus, *Brun.* Proc. U.S. Nat. Mus. xxx. pp. 679, 683 (1906).	
24. **T. Distinguendus, Giglio-Tos,** (*Dichroplus D.*) l. c. ix. (184) p. 22 (1884); Brun. Proc. U.S. Nat. Mus. xxx. pp. 679, 683 (1906).	Paraguay.

25. **T. Cinctipes, Brun.** (*Dichroplus C.*) Proc. U.S. Nat. Mus. xxx. pp. 679, 683 (1906).	Paraguay.
26. **T. Peruvianus, Stål,** (*Pezotettix P.*) l. c. p. 7. n. 9 (1878); Brun. l. c. p. 679 (1906).	Peru.
27. **T. Amœnus, Stål,** (*Pezotettix A.*) l. c. p. 8. n. 10 (1878). *Dichroplus Amœnus, Brun.* 2nd Rep. Locust Comm. B. Aires, pp. 72, 78 (1900); Proc. U.S. Nat. Mus. xxx. p. 679 (1906).	Argentina.
28. **T. Schulzi, Brun.** (*Dichroplus S.*) Proc. U.S. Nat. Mus. xxx. p. 679 (1906).	Paraguay.
29. **T. Notatus, Brun.** (*Dichroplus N.*) Biol. Centr.-Amer., Orth. ii. pp. 300, 301. n. 5 (1908). ‖*Dichroplus Mexicanus, Brunn.* (*nec Sauss.*) l. c. pl. 4. ff. 16, 16 *a* (1908).	Mexico.

Genus 753. **Leiotettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 684 (1906).

1. **L. Viridis, Brun.** l. c. p. 685 (1906).	Paraguay.
2. **L. Punctipes, Brun.** l. c. pp. 685, 686 (1906).	id.
3. **L. Sanguineus, Brun.** l. c. pp. 685, 687 (1906).	id.
4. **L. Flavipes, Brun.** ll. cc. (1906).	id.
5. **L. Hastatus, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. p. 189, f. 13 (1907).	id.

Genus 754. **Scotussa.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, ix. (184) p. 24 (1894), xiii. (311) p. 49 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 79 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 688 (1906).

1. **S. Impudica, Giglio-Tos,** l. c. ix. (184) p. 24 (1894); Brun. ll. cc. p. 79 (1900); pp. 688, 689 (1906).	Argentina, Paraguay.
2. **S. Rubripes, Brun.** Proc. U.S. Nat. Mus. xxx. pp. 688, 689 (1906).	Paraguay.
3. **S. Brasiliensis, Brun.** l. c. p. 689 (1906).	São Paulo.

Genus 755. **Parascopas.**

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 689 (June, 1906).
Giglio-Tosia, *Bol.*, Bol. Soc. Españ. Hist. Nat. vi. p. 393 (July, 1906).
‖*Scopas*, *Giglio-Tos* (*nec Bon.*), Boll. Mus. Torino, ix. (184) p. 28 (1894), xiii. (311) p. 50 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 79 (1900).

1. **P. Obesus, Giglio-Tos,** (*Scopas O.*) l. c. p. 29 (1894); Brun. l. c. p. 79 (1900). *P. Obesus*, *Brun.* Proc. U.S. Nat. Mus. xxx. p. 689 (1906).	Paraguay.

Genus 756. **Eurotettix.** (*Type* no. 1.)

Brun. Proc. U.S. Nat. Mus. xxx. pp. 643, 691 (1906).

1. **E. Femoratus, Brun.** l. c. pp. 691, 692 (1906).	Paraguay.
2. **E. Minor, Brun.** ll. cc. (1906).	id.

Genus 757. **Chlorus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 50 (1898).

1. **C. Borellii, Giglio-Tos,** (*Paradichroplus B.*) l. c. ix. (184) p. 27 (1894).	Paraguay.
2. **C. Varicolor, Stål,** (*Pezotettix V.*) l. c. p. 9. n. 2 (1878). *Paradichroplus Varicolor*, *Scudd.* Proc. U.S. Nat. Mus. xx. pp. 19, 21. n. 2, pl. 2. f. 6 (1898); Brun. l. c. p. 303. n. 2 (1908).	id., Colombia.
3. **C. Vittatus, Brun.** Proc. U.S. Nat. Mus. xxx. p. 690 (1906).	Paraguay.

Genus 758. **Paradichroplus.** (*Type* no. 1.)

Brunn. Ann. Mus. Geneva, xxxiii. p. 145 (1893); Giglio-Tos Boll. Mus. Torino, ix. (184) pp. 20, 25 (1884), xiii. (311) p. 50 (1898); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. (9) pp. 196, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 18 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 79 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 692 (1906); Biol. Centr.-Amer., Orth. ii. pp. 217, 302 (1907–8).

Pezotettix, div. 2 *a*, *Stål*, Bihang Svensk. Akad. Handl. v. (9) pp. 4, 8 (1878).

*1. **P. Mexicanus, Brunn.** (*Platyphyma Mexicanum*) Verh. zool.-bot. Ges. Wien, xi. p. 224 (1861); Thomas, Syn. Acrid. N. Amer. p. 224 (1873). ***Caloptenus Mexicanus*, *Walk.* Cat. Derm. Salt. B. M. iv. p. 682. n. 16 (1870); Thomas, l. c. p. 227 (1873). *Pezotettix Mexicanus*, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 8. n. 1 (1878). *Paradichroplus Mexicanus*, *Scudd.* Proc. U.S. Nat. Mus. xx. p. 19. n. 1. pl. 2. ff. 4, 5 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 302. n. 1 (1908).	Mexico.
2. **P. Bilobus, Giglio-Tos,** l. c. xii. (302) p. 34 (1897); Brun. ll. cc. p. 79 (1900); pp. 692, 693 (1906).	Argentina, Bolivia.
3. **P. Brunneri, Giglio-Tos,** l. c. ix. (184) p. 25 (1894); Brun. ll. cc. p. 79, ff. 45, 46 (1900); pp. 692, 693, pl. 37. f. 5, pl. 38. f. 6 (1906).	Argentina, Paraguay.
4. **P. Bipunctatus, Giglio-Tos,** l. c. p. 26 (1894); Brun. l. c. pp. 692, 693 (1906).	iid.
5. **P. Alienus, Walk. (*Caloptenus A.*) Cat. Derm. Salt. B. M. iv. p. 684. n. 19 (1870).	Quito.
6. **P. Fusiformis, Giglio-Tos,** l. c. xii. (302) p. 35 (1897); Brun. l. c. p. 79 (1900); pp. 692, 693 (1906).	id., Brazil.
7. **P. Aberrans, Giglio-Tos,** l. c. ix. (184) p. 28 (1894); Brun. Proc. U.S. Nat. Mus. xxx. pp. 692, 693 (1906).	Paraguay.

Genus 759. **Dasyscirtus.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 217, 303 (1907–8).

1. **D. Olivaceus, Brun.** l. c. p. 303. n. 1 (1908).	Mexico.

Genus 760. **Phædrotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 196, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 22 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 218, 304 (1907–8).

1. **P. Angustipennis, Scudd.** Proc. U.S. Nat. Mus. xx. p. 22, pl. 2. f. 7 (1898); Rehn, Proc. Acad. Nat. Sci. Philad. lvi. p. 534 (1904). *P. Angustipennis, Brun.* l. c. p. 304. n. 1 (1908).	Texas, Mexico.

Genus 761. **Conalcæa.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 196. 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus. xx. pp. 9, 23 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 218, 304 (1907–8).

1. **C. Miguelitana, Scudd.** Proc. U.S. Nat. Mus. xx. p. 24. n. 1, pl. 2. f. 8 (1898); Brun. l. c. p. 304. n. 1 (1908).	Mexico.
2. **C. Truncatipennis, Scudd.** l. c. pp. 24, 25. n. 2 (1898); Brun. l. c. p. 305. n. 2 (1908).	id.
3. **C. Neomexicana, Scudd.** l. c. pp. 24, 26. n. 3, pl. 2. f. 9 (1898); Caud. Proc. U.S. Nat. Mus. xxviii. p. 476 (1905).	Mexico, Arizona.
4. **C. Humphreysii, Thomas,** (*Pezotettix H.*) Wheeler's Rep. Explor. W. 100th Merid. v. p. 890, pl. 45. ff. 1, 2 (1875).	Arizona.
5. **C. Huachucana, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. pp. 48–50. ff. 6, 7 (1907).	id.

Genus 762. **Barytettix.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1896); Proc. U.S. Nat. Mus. xx. pp. 10, 27 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 218, 305 (1907–8).

1. **B. Crassus, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 27, 28. n. 1, pl. 2. f. 10 (1898); Brun. l. c. p. 305. n. 1, pl. 4. ff. 8, 8 *a*, *b*, 9 (1908).	Lower California.
2. **B. Peninsulæ, Scudd.** l. c. pp. 27, 28. n. 2 (1898); Brun. l. c. p. 305. n. 2 (1908).	id.

Genus 763. **Phaulotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 29 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 218, 306 (1908).

1. **P. Compressus, Scudd.** Proc. U.S. Nat. Mus. xx. p. 30, pl. 2. f. 11 (1908); Brun. l. c. p. 306. n. 1 (1908).	Mexico.

Genus 764. **Cephalotettix.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 30 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 306 (1907–8).

1. **C. Parvulus, Scudd.** Proc. U.S. Nat. Mus. xx. p. 31, pl. 3. f. 1 (1898); Brun. l. c. p. 306. n. 1 (1908).	Mexico.

Genus 765. **Rhabdotettix.** (*Type* no. 3.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Pr. U.S. Nat. Mus. xx. pp. 10, 32 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 306 (1907–8).

1. **R. Concinnus, Scudd.** Proc. U.S. Nat. Mus. xx. p. 33, n. 1, pl. 3. f. 2 (1898); Brun. l. c. p. 306. n. 1 (1908).	Texas.

2. **R. Palmeri, Scudd.** l. c. pp. 33, 34. n. 2, pl. 3. f. 3 (1898); Brun. l. c. p. 307. n. 2 (1908). — Mexico.

3. **R. Pilosus, Stål,** (*Pezotettix P.*) Bihang Svensk. Akad. Handl. v. (9) p. 10. n. 2 (1878). — id.
   Paraidemona Pilosus, Brunn. Ann. Mus. Genova, xxxiii. p. 145, note (1893).
   R. Pilosus, Scudd. l. c. pp. 33, 35. n. 3 (1898); Brun. l. c. p. 307. n. 3 (1908).

Genus 766. **Cyclocercus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 36 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 307 (1907–8).

1. **C. Bistrigatus, Scudd.** (*C. Bistrigata*) Proc. U.S. Nat. Mus. xx. p. 37. n. 1, pl. 3. f. 4 (1898). — Mexico.
   C. Bistrigatus, Brun. l. c. p. 307. n. 1 (1908).
2. **C. Accola, Scudd.** l. c. pp. 37, 38. n. 2, pl. 3. f. 5 (1898); Brun. l. c. p. 307. n. 2 (1908). — Texas, Mexico.
3. **C. Gracilis, Brun.** l. c. n. 3 (1908). — Mexico.
4. **C. Valgus, Scudd.** (*C. Valga*) l. c. pp. 37, 39. n. 3, pl. 3. f. 6 (1898); Brun. l. c. p. 308. n. 1 (1908). — id.

Genus 767. **Sinaloa.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 40 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 308 (1907–8).

1. **S. Behrensii, Scudd.** Proc. U.S. Nat. Mus. xx. p. 40, pl. 3. f. 7 (1898); Brun. l. c. p. 309. n. 1, pl. 4. ff. 11, 11 *a–c* (1908). — Mexico.

Genus 768. **Calotettix.** (*Type* no. 1.)

Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 309 (1907–8).

1. **C. Bicoloripes, Brun.** l. c. p. 309. n. 1 (1908). — Mexico.
2. **C. Flavopictus, Brun.** l. c. pp. 309, 310. n. 2 (1908). — id.
3. **C. Brevispinis, Rehn,** (*Sinaloa R.*) Proc. Acad. Nat. Sci. Philad. lvi. p. 535 (1904). — id.
   C. Brevispinis, Brun. l. c. pp. 309, 311. n. 3 (1908).
4. **C. Obscurus, Brun.** ll. cc. n. 4 (1908). — id.

Genus 769. **Agrœcotettix.**

Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 311 (1907–8).

1. **A. Modestus, Brun.** l. c. p. 312. n. 1, pl. 4. ff. 13, 13 *a* (1908). — Mexico.

Genus 770. **Paraidemona.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova. xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 197, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Pr. U.S. Nat. Mus. xx. pp. 10, 41 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 219, 312 (1907–8).

1. **P. Punctata, Stål,** (*Pezotettix Punctatus*) Bihang Svensk. Akad. Handl. v. (9) p. 11. n. 3 (1878). — Texas.
   Paraidemona Punctata, Scudd. Pr. U.S. Nat. Mus. xx. p. 42. n. 1, pl. 3. ff. 8, 9 (1898); Brun. l. c. p. 312. n. 1 (1908).
   Pezotettix Nudus, Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 77. n. 83 (1879).
2. **P. Mimica, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 42, 43. n. 2, pl. 3. f. 10 (1898); Brun. l. c. p. 313. n. 2, pl. 4. ff. 20. 20 *a*, *b* (1908). — id., Mexico.

Genus 771. **Aidemona.**

Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 44 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 313 (1907–8).

1. **A. Azteca, Sauss.** (*Platyphyma Aztecum*) Rev. Zool. (2) xiii. p. 161 (1861); Thomas, Syn. Acrid. N. Amer. p. 223 (1873). *Pezotettix Aztecus, Stål,* Bihang Svensk. Akad. Handl. v. (9) p. 10. n. 1 (1878). *A. Azteca, Scudd.* Pr. U.S. Nat. Mus. xx. p. 45, pl. 4. f. 1 (1898); Brun. l. c. p. 313. n. 1 (1908).	Mexico, Central America.

Genus 772. **Hypochlora.**

Brunn. Ann. Mus. Genova, xxxiii. p. 145 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Guide N. Amer. Orth. p. 42 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 46 (1898).

1. **H. Alba, Dodge,** (*Pezotettix A.*) Canad. Ent. viii. p. 10 (1876). *H. Alba, Brunn.* l. c. p. 145, note (1893); Scudd. Proc. U.S. Nat. Mus. xx. p. 47, pl. 4. f. 2 (1898).	Nebraska, Dacota, Kansas, Colorado.

Genus 773. **Campylacantha.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Guide N. Amer. Orth. p. 43 (1897); Proc. U.S. Nat. Mus. xx. pp. 10, 48 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 313 (1908).

1. **C. Acutipennis, Scudd.** (*Pezotettix A.*) Proc. Boston Soc. Nat. Hist. xvii. p. 472. n. 22 (1875). *C. Acutipennis, Scudd.* Proc. U.S. Nat. Mus. xx. p. 50. n. 1, pl. 4. f. 3 (1898); Brun. l. c. p. 314. n. 1 (1908).	Texas, Kansas.

2. **C. Olivacea, Scudd.** (*Pezotettix O.*) Proc. Boston Soc. Nat. Hist. xvii. p. 472. n. 21 (1875). *C. Olivacea, Scudd.* Pr. U.S. Nat. Mus. xx. pp. 50, 51. n. 2, pl. 4. f. 4 (1898); Brun. l. c. p. 314. n. 2 (1908).	Texas, Kansas, Nebraska.
3. **C. Similis, Scudd.** l. c. pp. 50, 52, pl. 4. f. 5 (1898); Brun. l. c. p. 314. n. 3 (1908).	Mexico.
4. **C. Vivax, Scudd.** (*Pezotettix V.*), Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 284. n. 21. *C. Vivax, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 50, 52. n. 4, pl. 4. f. 6 (1898); Scudd. & Cock. Proc. Davenport Acad. Sci. ix. p. 40 (1902).	New Mexico.
*5. **C. Vegana, Scudd. & Cock.** l. c. (1902).	id.

Genus 774. **Eotettix.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 198, 204 (1897); Guide N. Amer. Orth. p. 43 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 53 (1898).

1. **E. Signatus, Scudd.** Proc. U.S. Nat. Mus. xx. p. 54, pl. 4. f. 7 (1898).	E. Florida.
2. **E. Palustris, Morse,** Psyche, xi. p. 7 (1904).	Florida.
3. **E. Pusillus, Morse,** l. c. (1904).	Georgia, &c.
4. **E. Hebardi, Rehn,** Ent. News, xvii. pp. 234, 235. ff. 1, 2 (1906).	Georgia.

Genus 775. **Hesperotettix.** (*Type* no. 1.)

Scudd. Bull. U.S. Geol. Surv. Territ. ii. p. 262 (1876); Proc. Amer. Acad. Arts Sci. xxxii. pp. 199, 205 (1897); Guide N. Amer. Orth. p. 44 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 55 (1898); Lugger. Orth. Minnesota, p. 266 (1897); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 297 (1903); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 62 (1904); Biol. Centr.-Amer., Orth. ii. pp. 220, 314 (1907–8).

1. **H. Viridis, Thomas,** (*Caloptenus V.*) Rep. U.S. Geol. Surv. Montana, p. 450, pl. 2. f. 3 (1872); Glover. Ill. N. Amer. Orth. pl. 11. f. 3 (1872).	Southern United States, Mexico.

Ommatolampis Viridis, *Thomas*, Syn. Acrid. N. Amer. p. 156 (1873).	
Pezotettix Viridis, *Stål*, Bihang Svensk. Akad. Handl. v. (9) p. 11. n. 1 (1878).	
H. Viridis, *Uhl.* Bull. U.S. Geol. Surv. Territ. iii. p. 795 (1877); Scudd. Proc. U.S. Nat. Mus. xx. pp. 56, 57. n. 1, pl. 4. f. 8 (1898); Brun. Rep. Ent. Agric. Exper. Stat. Colorado, xciv. p. 62 (1904); Biol. Centr.-Amer., Orth. ii. p. 314. n. 1 (1908).	
2. **H. Meridionalis, Scudd.** l. c. pp. 56, 59. n. 2, pl. 4. f. 9 (1898); Brun. ll. cc. p. 62 (1904); p. 315. n. 2 (1908).	Mexico.
3. **H. Festivus, Scudd.** l. c. pp. 56, 60. n. 3, pl. 4. f. 10 (1898); Brun. ll. cc. p. 62 (1904); p. 315. n. 3 (1908).	California, Utah, Ariz., New Mex.
4. **H. Gillettei, Brun.** Rep. Ent. Agric. Exper. Stat. Colorado, xciv. pp. 61, 62 (1904).	Colorado.
5. **H. Pacificus, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 57, 61. n. 4, pl. 5. f. 1 (1898); Brun. l. c. p. 63 (1904).	California.
6. **H. Coloradensis, Brun.** l. c. pp. 61, 63 (1904).	Colorado.
7. **H. Curtipennis, Scudd.** l. c. pp. 57, 62. n. 5 (1898); Brun. l. c. p. 63 (1904); Caud. Pr. U.S. Nat. Mus. xxviii. p. 465 (1905).	id., Arizona.
8. **H. Brevipennis, Thomas,** (*Ommatolampis B.*) Bull. U.S. Surv. Territ. i. p. 67 (1874).	New Jersey, Massachusetts, Georgia.
H. Brevipennis, *Scudd.* l. c. pp. 57, 63. n. 6, pl. 5. f. 2 (1898); Brun. l. c. p. 63 (1904).	
Hesperotettix Viridis, pt., *Uhl.* l. c. p. 795 (1877).	
9. **H. Nevadensis, Morse,** Psyche, x. p. 115 (1903).	Nevada.
10. **H. Pratensis, Scudd.** l. c. pp. 57, 64. n. 7, pl. 5. f. 3 (1898); Lugger, l. c. p. 267. f. 107 (1897); Hunt. & Sutt. Psyche, ix. p. 63 (1900); Blatchley, l. c. pp. 297, 298. n. 59, f. 64 (1903); Brun. l. c. p. 63 (1904); Biol. Centr.-Amer., Orth. ii. p. 315. n. 4 (1908).	United States, Mexico.

11. **H. Speciosus, Scudd.** (*Pezotettix Speciosa*) Final Rep. U.S. Geol. Surv. Nebraska, p. 250. n. 17 (1871); Glover, l. c. pl. 17. f. 4 (1874). *H. Speciosus, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 57, 66. n. 8, pl. 5. f. 4 (1898); Hunt. & Sutt. l. c. p. 63 (1900); Brun. ll. cc. p. 63 (1904); p. 315. n. 5 (1908). *Acridium Frontalis, Thomas,* Rep. Geol. Surv. Montana, p. 448, pl. 2. f. 1 (1872); Syn. Acrid. N. Amer. p. 169 (1873); Glover, l. c. pl. 11. f. 1 (1872).	N. America, Mexico.
12. **H. Floridensis, Morse,** Canad. Ent. xxxiii. p. 130 (1901); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 63 (1904).	Florida, Colorado.

Genus 776. **Æoloplus.** (*Type* no. 8.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 199, 205 (1897); Guide N. Amer. Orth. p. 44 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 68 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 220, 316 (1907–8).

1. **Æ. Tenuipennis, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 69, 70. n. 1, pl. 5. f. 5 (1898); Brun. l. c. p. 316. n. 1 (1908).	Arizona.
2. **Æ. Elegans, Scudd.** l. c. pp. 69, 71. n. 2, pl. 5. f. 6 (1898).	New Mexico.
3. **Æ. Regalis, Dodge,** (*Caloptenus R.*) Canad. Ent. viii. p. 11 (1876); Hunt. & Sutt. Psyche, ix. p. 64 (1900).	Colorado.
4. **Æ. Crassus, Scudd.** Proc. Davenport Acad. Sci. ix. p. 42 (1902); Brun. l. c. p. 316. n. 3 (1908).	New Mexico, Mexico.
5. **Æ. Californicus, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 69, 73. n. 4, pl. 5. f. 8 (1898).	California.
6. **Æ. Chenopodii, Brun.** (*Pezotettix C.*) Ins. Life, vii. p. 41 (1894). *Æ. Chenopodii, Scudd.* l. c. pp. 69, 74. n. 5, pl. 5. f. 9 (1898).	Colorado.
7. **Æ. Arcuatus, Rehn,** (*Æ. Chenopodii Arcuatus*) Canad. Ent. xxxiv. p. 146 (1902).	California.

8. **Æ. Turnbullii, Thomas,** (*Caloptenus T.*) Rep. Geol. Surv. Montana, p. 452, pl. 2. f. 10 (1872); Syn. Acrid. N. Amer. p. 158 (1873); Glover, Ill. N. Amer. Orth. pl. 11. f. 10 (1872). *Æ. Turnbullii, Scudd.* l. c. pp. 69, 75, pl. 5. f. 10 (1898).	Wyoming.
9. **Æ. Plagosus, Scudd.** (*Pezotettix P.*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 284. n. 19. *Æ. Plagosus, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 69, 76. n. 7, pl. 6. f. 1 (1898); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 61 (1904); Biol. Centr.-Amer., Orth. ii. p. 316. n. 4 (1908).	New Mexico, Arizona.
10. **Æ. Minor, Brun.** Bull. Agric. Exper. Stat. Colorado, xciv. pp. 60, 61 (1904).	Colorado.
11. **Æ. Uniformis, Scudd.** l. c. pp. 70, 77. n. 8, pl. 6. f. 2 (1898); Brun. l. c. p. 316. n. 5 (1908).	Arizona, Nevada.
12. **Æ. Arizonensis, Scudd.** l. c. pp. 70, 78. n. 9, pl. 6. f. 3 (1898); Brun. l. c. p. 317. n. 6 (1908).	Arizona.
13. **Æ. Oculatus, Scudd.** l. c. pp. 70, 79. n. 10, pl. 6. f. 4 (1898); Brun. l. c. p. 317. n. 7 (1908).	id.

Genus 777. **Bradynotes.** (*Type* no. 5.)

Scudd. Canad. Ent. xii. p. 76 (1880); Proc. Amer. Acad. Arts Sci. xxxii. pp. 199, 205 (1897); Guide N. Amer. Orth. p. 44 (1897); Proc. U.S. Nat. Mus. xx. pp. 11, 80 (1898).

1. **B. Hispida, Brun.** (*Pezotettix H.*) Canad. Ent. xvii. p. 12 (1885). *B. Hispida, Scudd.* Proc. U.S. Nat. Mus. xx. p. 81. n. 1, pl. 6. f. 5 (1898).	Washington
2. **B. Caurus, Scudd.** l. c. pp. 81, 83. n. 2, pl. 6. f. 6 (1898).	id., Oregon.
3. **B. Expleta, Scudd.** l. c. pp. 81, 84. n. 3, pl. 6. f. 7 (1898).	Washington
4. **B. Pinguis, Scudd.** l. c. pp. 81, 85. n. 4, pl. 6. f. 8 (1898).	id., Nevada.

5. **B. Obesa, Thomas,** *(Pezotettix O.)* Rep. U.S. Geol. Surv. Montana, p. 454, pl. 2. ff. 13, 14 (1872); Syn. Acrid. N. Amer. p. 146 (1873); Glover, Ill. N. Amer. Orth. pl. 11. ff. 13, 14 (1872).	California, Montana, Nevada, Wyoming, Idaho.
Pezotettix Obesus, Stål, Bihang Svensk. Akad. Handl. v. (9) p. 15. n. 1 (1878).	
B. Obesa, Scudd. Canad. Ent. xii. p. 76 (1880); Proc. U.S. Nat. Mus. xx. pp. 81, 87. n. 5, pl. 6. f. 9 (1898).	
B. Opiurus, Scudd. Rep. U.S. Ent. Comm. ii. App. ii. p. 24 (1880).	
6. **B. Referta, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 81, 88. n. 6, pl. 6. f. 10 (1898).	Idaho, California.
7. **B. Satur, Scudd.** l. c. pp. 81, 89. n. 7, pl. 7. f. 1 (1898).	California.
8. **B. Excelsa, Rehn,** Ent. News. xviii. p. 352 (1907).	id.
9. **B. Compacta, Morse,** Psyche, x. p. 116 (1903).	Nevada.

Genus 778. **Dendrotettix.**

Riley, Proc. Ent. Soc. Washington. i. p. 86 (1886); Ins. Life, v. p. 254 (1893); Scudd. Proc. Amer. Acad. xxxii. pp. 200, 205 (1897); Guide N. Amer. Orth. p. 45 (1897); Proc. U.S. Nat. Mus. xx. pp. 12, 91 (1898).

1. **D. Quercus, Riley,** Proc. Ent. Soc. Washington, i. p. 88 (1886); Pack. Rep. U.S. Ent. Comm. v. p. 214 (1890); Scudd. Proc. U.S. Nat. Mus. xx. p. 92, pl. 7. f. 2 (1898).	United States.
D. Longipennis, Riley, Ins. Life, v. p. 255 (1893); Brun. Bull. U.S. Dept. Agric. Div. Ent. xxviii. pp. 14, 15. f. 4 (1893).	

Genus 779. **Prumna.** (*Type* no. 1.)

Motsch. Études Ent. viii. p. 11 (1859); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 204, 314 (1902).

Eupodisma, Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 200, 205 (1897); Proc. U.S. Nat. Mus. xx. pp. 12, 117 (1898). (*Type* no. 1.)

1. **P. Primnoa, Fisch.-Waldh.** (*Podisma P.*) Orth. Ross. p. 248. n. 1 (1846); Scudd. Proc. U.S. Nat. Mus. xx. p. 112. n. 22 (1898); Jacobs. & Bianchi, l. c. pp. 204, 314 (1902). — E. Siberia.
   Podisma (Prumna) Primnoa, Jacobs. & Bianchi, l. c. p. 314, f. 37 (1902).
   Eupodisma Primnoa, Scudd. Proc. Amer. Acad. Arts Sci. xxxii. p. 205 (1897).
   Podisma (Eupodisma) Primnoa, Scudd. Proc. U.S. Nat. Mus. xx. p. 117. n. 22, pl. 9. f. 3 (1898.)
   Prumna Viridis, Motsch. l. c. p. 11 (1859).
2. **P. Mikado, Bol.** (*Pezotettix M.*) An. Soc. Españ. xix. p. 323 (1891). — Japan.
   Podisma Mikado, Rehn, Proc. Acad. Nat. Sci. Philadelphia, liv. p. 637 (1902).

Genus 780. **Halmenus.** (*Type* no. 1.)

Scudd. Bull. Mus. Zool. Harvard Coll. xxv. p. 17 (1893).

1. **H. Robustus, Scudd.** l. c. p. 18, pl. 1. ff. 6, 7 (1893); Snodgr. Proc. Washington Acad. Sci. iv. p. 447 (1902). — Galapagos.
2. **H. Choristopterus, Snodgr.** l. c. p. 450 (1902). — id.
3. **H. Cuspidatus, Snodgr.** l. c. (1902). — id.

Genus 781. **Brachaspis.** (*Type* no. 1.)

Hutton, Trans. N. Zealand Inst. xxxi. pp. 44, 48 (1899).
‖*Pezotettix, Hutton* (*nec Burm.*), l. c. xxx. pp. 139, 143 (1898).

1. **B. Petricolus, Hutt.** (*Pezotettix Petricola*) l. c. pp. 144, 145 (1898). — New Zealand.
   B. Petricolus, Hutt. l. c. xxxi. p. 49, pl. 2. f. 13 *a*, *b* (1899).

*2. **B. Nivalis, Hutt.** (*Pezotettix N.*) l. c. xxx. p. 144 (1898). — id.
   B. Nivalis, Hutt. l. c. xxxi. p. 49, pl. 2. f. 11 *a–c* (1899).

3. **B. Collinus, Hutt.** (*Pezotettix Collina*) l. c. xxx. p. 144, pl. 14. f. 4 *a–c* (1898). — id.
   B. Collinus, Hutt. l. c. xxxi. p. 49. pl. 2. f. 12 (1899).

4. **B. Terrestris, Hutt.** (*Pezotettix T.*) l. c. xxx. pp. 144, 145 (1898), *B. Terrestris, Hutt.* l. c. xxxi. p. 50, pl. 2. f. 14 (1899).	New Zealand.

Genus 782. **Paratylotropidia.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893); Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 201, 205 (1897); Guide N. Amer. Orth. p. 46 (1897); Proc. U.S. Nat. Mus. xx. pp. 12, 117 (1898).

1. **P. Brunneri, Scudd.** Proc. U.S. Nat. Mus. xx. p. 118, pl. 9. ff. 4, 5 (1898); McNeill, Psyche, viii. p. 334 (1899).	Texas, Dacota.
2. **P. Beutenmuelleri, Morse,** Psyche, xiv. p. 14 (1907).	N. Carolina.

Genus 783. **Pegasidion.**

Sauss. Rev. Zool. (2) xiii. p. 319 (1861); Thomas, Syn. Acrid. N. Amer. p. 198 (1873); Brun. Biol. Centr.-Amer., Orth. ii. p. 202 (1907).

1. **P. Volitans, Sauss.** l. c. p. 319 (1861); Thomas, l. c. p. 198 (1873).	Mexico.

Genus 784. **Phœtaliotes.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 202, 205 (1897); Guide N. Amer. Orth. p. 47 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 376 (1898); Lugger, Orth. Minnesota, pp. 266, 302 (1897); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 334 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 328 (1907–08).

1. **P. Nebrascensis, Thomas,** (*Pezotettix N.*) Rep. Geol. Surv. Montana, p. 455 (1872); Syn. Acrid. N. Amer. p. 151 (1873); Glover, Ill. N. Amer. Orth. pl. 13. f. 2 (1872); Stål, Bihang Svensk. Akad. Handl. v. (9) p. 14 (1873).	United States, Mexico.

Phætaliotes Nebrascensis, Scudd. Proc. U.S. Nat. Mus. xx. p. 377 (1898); Blatchley, l. c. pp. 334, 335. n. 77, f. 74 (1903); Rehn, Proc. Acad. Nat. Sci. Philad. lix. p. 56 (1907); Brun. l. c. p. 328. n. 1 (1908).

Phætaliotes Nebrascensis Nebrascensis, Scudd. l. c. p. 377, pl. 25. f. 6 (1898).

Pegotettix Autumnalis, Dodge, Canad. Ent. viii. p. 10 (1876).

Caloptenus Sanguineocephalus, La Munyon, Proc. Nebraska Assoc. Adv. Sci., March. 1877.

Var. *Caloptenus Volucris, Dodge,* Canad. Ent. ix. p. 112 (1877).

Phætaliotes Nebrascensis Volucris, Lugger, l. c. p. 303, f. 137 (1897); Scudd. l. c. p. 378, pl. 1. f. *e*, pl. 25. f. 7 (1908).

Genus 785. **Paroxya.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 28 (1877); Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 205 (1897); Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 380 (1898); Beut. Bull. Amer. Mus. Nat. Hist. v. pp. 305, 313 (1894); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 335 (1903); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 328 (1908).

1. **P. Atlantica, Scudd.** Proc. Boston Soc. Nat. Hist. xix. p. 29. n. 62 (1877); Proc. U.S. Nat. Mus. xx. pp. 381, 382. n. 1, pl. 25. f. 8 (1898); Morse, Psyche, vi. p. 401 (1893).	Georgia, Florida.
2. **P. Scudderi, Blatchley,** Canad. Ent. xxx. p. 59. n. 6 (1898); Rep. Indiana Dept. Geol. xxvii. p. 338. n. 79, f. 76 *a, b* (1903).	Indiana.
3. **P. Hoosieri, Blatchley,** (*Pezotettix H.*) Canad. Ent. xxiv. p. 31. n. 4 (1892). *Paroxya Hoosieri, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 381, 382. n. 2, pl. 25. f. 9 (1898); Blatchley, Rep. Indiana Dep. Geol. xxvii. p. 336. n. 78, f. 75 (1903).	id., Ohio.
4. **P. Floridana, Thomas,** (*Caloptenus Floridianus*) Bull. U.S. Surv. Territ. i. p. 68 (1874).	United States.

Caloptenus Floridanus, Glover, Ill. N. Amer. Orth. pl. 17. f. 3 (1874).	
Paroxya Floridana, Beut. l. c. pp. 305, 313. pl. 8. f. 5 (1894); Scudd. l. c. pp. 381, 383. n. 3, pl. 25. f. 10 (1898); Brun. l. c. p. 328. n. 1 (1908).	
Paroxya Recta, Scudd. Proc. Boston Soc. Nat. Hist. xix. pp. 30, 88. n. 63 (1877).	
5. **P. Dissimilis, Morse,** Psyche, xii. pp. 19–24. n. 14 (1905).	Bahamas.
6. **P. Diversifera, Walk. (*Cyrtacanthacris D.*) Cat. Derm. Salt. B. M. iv. p. 611 (1870).	N. America.
Acridium Diversiferum, Thomas, Syn. Acrid. N. Amer. p. 231 (1873).	
7. **P. Dominator, Walk. (*Caloptenus D.*) l. c. iv. p. 683. n. 18 (1870).	Para.

Genus 786. **Pœcilotettix.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897); Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 385 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 329 (1907–8).

*1. **P. Pantherinus, Walk.** (*Acridium Pantherinum*) Cat. Derm. Salt. B. M. iv. p. 623 (1870); Thomas, Syn. Acrid. N. Amer. p. 236 (1870).	Arizona, Mexico.
P. Pantherinus, Rehn. Proc. Acad. Nat. Sci. Philad. lvi. p. 538 (1904); Brun. l. c. p. 329. n. 1 (1908).	
Caloptenus (*Hesperotettix*) *Picticornis, Thomas,* Proc. Davenport Acad. Sci. ii. p. 124, pl. 4. ff. 1, 2 (1877).	
P. Picticornis, Scudd. Proc. U.S. Nat. Mus. xx. p. 386. n. 1, pl. 26. f. 1 (1898).	
2. **P. Sanguineus, Scudd.** l. c. pp. 386, 387. n. 2, pl. 26. f. 2 (1898); Brun. l. c. p. 329. n. 2 (1908).	Arizona.
3. **P. Coccinatus, Scudd.** l. c. pp. 386, 389. n. 3, pl. 26. f. 3 (1898); Brun. l. c. p. 329. n. 3 (1908).	California.

Genus 787. **Œdaleonotus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897); Guide N. Amer. Orth. p. 48 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 390 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 329 (1907–8).

1. **Œ. Enigma, Scudd.** (*Pezotettix E.*) Wheeler. Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, pp. 282, 285. n. 23; Brun. U.S. Dept. Agric. Bull. Ent. xxviii. p. 33, f. 17 (1893). *Œ. Enigma, Scudd.* Proc. U.S. Nat. Mus. xx. p. 391, pl. 26. ff. 4–6 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 330. n. 1 (1908). *Pezotettix Jucundus, Scudd.* Wheeler, l. c. pp. 282, 285. n. 22 (1876). *Melanoplus Collaris, Scudd.* Proc. Boston Soc. Nat. Hist. xix. pp. 288, 289 (1878). *Melanoplus Flavoannulatus, Brun.* Ins. Life, iii. p. 140 (1890). ‖*Caloptenus Flavolineatus, Brun.* (*nec Thomas*) U.S. Dept. Agric. Bull. Ent. xxviii. p. 33 (1893).	Western United States, Mexico.
2. **Œ. Truncatus, Rehn,** Entom. News, xviii. p. 353 (1907).	California.

Genus 788. **Asemoplus.** (*Type* no. 1.)

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897); Guide N. Amer. Orth. p. 49 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 394 (1898).

1. **A. Montanus, Brun.** (*Bradynotes M.*) Canad. Ent. xvii. p. 16 (1885). *A. Montanus, Scudd.* Proc. U.S. Nat. Mus. xx. p. 394, pl. 26. f. 7 (1898).	Washington Territory, Montana.
2. **A. Nudus, Walk.** Canad. Ent. xxx. p. 197. pl. 6 (1898); Caud. Proc. Ent. Soc. Washington, viii. p. 138 (1907).	Canada.
3. **A. Bruneri, Caud.** l. c. p. 131 (1907). ‖*Æoloplus Regalis, Scudd.* (*nec Dodge*) Proc. U.S. Nat. Mus. xx. pp. 69, 71. n. 3, pl. 5. f. 7 (1898).	Kansas, Colorado, Texas, &c.
4. **A. Rainierensis, Caud.** l. c. pp. 134, 135 (1907).	Washington

Genus 789. **Aptenopedes.** (*Type* no. 1.)

Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 83 (1877); Proc. Amer. Acad. Arts Sci. xxxii. pp. 204, 206 (1897); Guide N. Amer. Orth. p. 49 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 398 (1898).

1. **A. Sphenarioides, Scudd.** Proc. Boston Soc. Nat. Hist. xix. p. 84 (1877); Proc. U.S. Nat. Mus. xx. pp. 399, 400. n. 1, pl. 26. f. 10 (1898); Rehn & Heb. Proc. Acad. Nat. Sci. Philad. lvi. p. 793 (1905).	Florida.
2. **A. Clara, Rehn,** Ent. News. xiii. p. 14 (1902); Proc. Acad. Nat. Sci. Philad. lvii. p. 41 (1905).	id.
3. **A. Rufovittata, Scudd.** ll. cc. p. 85 (1877); pp. 399, 401. n. 2, pl. 26. f. 11 (1898).	id.
4. **A. Aptera, Scudd.** ll. cc. p. 86 (1877); pp. 399, 402, pl. 26. f. 12 (1898).	id., Texas.

Genus 790. **Desmopleura.**

Scudd. Bull. Mus. Zool. Harvard Coll. xxv. p. 18 (1893).

1. **D. Concinna, Scudd.** l. c. p. 19, pl. 2. ff. 2. 4 (1893).	Galapagos.

Genus 791. **Philocleon.**

Scudd. Proc. Amer. Acad. Arts Sci. xxxii. pp. 203, 206 (1897); Proc. U.S. Nat. Mus. xx. pp. 14, 396 (1898); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 330 (1907–8).

1. **P. Nigrovittatus, Stål,** (*Pezotettix N.*) Bihang Svensk. Akad. Handl. iii. (14) p. 32. n. 1 (1875), v. (9) p. 15. n. 8 (1878). *Philocleon Nigrovittatus. Scudd.* Proc. U.S. Nat. Mus. xx. pp. 396, pl. 26. ff. 8, 9 (1898); Brun. l. c. p. 330. n. 1, pl. 4. ff. 17, 17 *a*, (1908).	Mexico.

Genus 792. **Melanoplus.** (*Type* no. 118.)

Stål, Recens. Orth. i. p. 79 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 32 (1876), v. (9) p. 13 (1878); Beut. Bull. Amer. Mus. Nat. Hist. vi. pp. 306, 313 (1894); Scudd. Psyche, vii. p. 367 (1895); Proc. Amer. Phil. Soc. xxxvi. p. 5 (1897); Proc. Amer. Acad. xxxii. pp. 202, 205 (1897); Guide N. Amer. Orth. p. 47 (1897); Proc. U.S. Nat. Mus. xx. pp. 13, 120 (1898); Proc. Davenport Acad. Sci. vii. p. 161 (1901); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 287, 298 (1903); Lugger, Orthopt. Minnesota, pp. 266, 268 (1897); Brun. Biol. Centr.-Amer., Orth. ii. pp. 221, 317 (1907–8).

1. **M. Marculentus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 6 (1897); Proc. U.S. Nat. Mus. xx. pp. 124, 139. n. 1, pl. 10. f. 1 (1898).	Mexico.
2. **M. Lakinus, Scudd.** (*Pezotettix L.*) Proc. Boston Soc. Nat. Hist. xx. p. 79 (1879). *M. Lakinus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 6 (1897); Proc. U.S. Nat. Mus. xx. pp. 124, 141. n. 2, pl. 10. f. 2 (1898); Brun. Rep. Ent. Bull. Agric. Exper. Soc. Colorado, xciv. p. 51 (1904).	Nebraska, Kansas, Colorado, New Mexico.
3. **M. Sonoræ, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 6 (1897); Proc. U.S. Nat. Mus. xx. pp. 124, 143. n. 3, pl. 10. f. 3 (1898).	Arizona, Mexico.
4. **M. Occidentalis, Thomas,** (*Caloptenus O.*) Rep. Geol. Surv. Montana, p. 453, pl. 2. f. 2 (1872); Syn. Acrid. N. Amer. p. 161 (1873); Glover, Ill. N. Amer. Orth. pl. 11. f. 2 (1872). *Pezotettix Occidentalis, Brun.* Canad. Ent. viii. p. 124 (1876). *M. Occidentalis, Scudd.* ll. cc. p. 17 (1897); pp. 130, 145. n. 4, pl. 10. f. 4 (1898); Lugger, l. c. pp. 270, 279, 280. f. 115 (1897); Caud. Proc. U.S. Nat. Mus. xxvi. p. 803. n. 115 (1903); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 53 (1904). *M. Variolosus, Scudd.* Proc. Boston Soc. Nat. Hist. xx. p. 67. n. 74 (1879).	Western United States.

5. **M. Cuneatus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 17 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 130, 147. n. 5, pl. 10. f. 5 (1898).	Arizona, Mexico, New Mexico.
6. **M. Flabellifer, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 68. n. 75 (1879) ; Proc. Amer. Phil. Soc. xxxvi. p. 17 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 130, 148. n. 6, pl. 10. f. 6 (1898).	Western United States, Mexico.
M. Flabellifer et var. *Brevipennis, Brun.* Bull. Agric. Exper. Stat. Colorado, xciv. pp. 65, 66 (1904).	
7. **M. Discolor, Scudd.** (*Pezotettix D.*) Proc. Boston Soc. Nat. Hist. xx. p. 81. n. 86 (1879).	Texas.
M. Discolor, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 7 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 121, 149. n. 7, pl. 10. f. 7 (1898).	
8. **M. Simplex, Scudd.** ll. cc. p. 7 (1897) ; pp. 124, 150. n. 8, pl. 10. f. 8 (1898) ; Brun. l. c. p. 55 (1904).	Colorado.
9. **M. Rileyanus, Scudd.** ll. cc. p. 7 (1897) ; pp. 125, 151. n. 9, pl. 10. f. 9 (1898).	California.
10. **M. Herbaceus, Brun.** Bull. U.S. Dept. Agric. Ent. xxviii. p. 25, f. 13 (1893) ; Scudd. ll. cc. p. 17 (1897) ; pp. 131, 153. n. 10, pl. 10. f. 10 (1898).	Texas, Arizona, New Mex., Mexico.
11. **M. Flavescens, Scudd.** ll. cc. p. 17 (1897) ; pp. 131, 155. n. 11, pl. 11. f. 1 (1898).	California.
12. **M. Pictus, Scudd.** ll. cc. p. 18 (1897) ; pp. 131, 156. n. 12, pl. 11. f. 2 (1898).	Arizona.
13. **M. Brownii, Caud.** Canad. Ent. xxxiv. p. 169 (1902) ; Proc. Ent. Soc. Washington, v. p. 164 (1903).	id.
14. **M. Bowditchi, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 72. n. 79 (1879) ; Proc. Amer. Phil. Soc. xxxvi. p. 18 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 131, 157. n. 13, pl. 11. f. 3 (1898).	Kansas, Colorado, New Mex., Mexico.
15. **M. Flavidus, Scudd.** ll. cc. p. 74. n. 80 (1879) ; p. 18 (1897) ; pp. 131, 158. n. 14, pl. 11. f. 4 (1898) ; Brun. Bull. Agric. Exper. Stat. Colorado. xciv. p. 50 (1904).	Western U. States, Mexico.

M. Cenchri, McNeill, Psyche, vi. p. 74. n. 86 (1891).	
16. **M. Elongatus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 18 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 160. n. 15, pl. 11. f. 5 (1898).	Kansas, New Mex., Mexico.
17. **M. Glaucipes, Scudd.** (*Caloptenus G.*) Proc. Boston Soc. Nat. Hist. xvii. p. 476. n. 28 (1875).	Texas, Mexico.
M. Glaucipes, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 161. n. 16, pl. 11. f. 6 (1898).	
18. **M. Kennicottii, Scudd.** Proc. Boston Soc. Nat. Hist. xix. p. 289 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897): Proc. U.S. Nat. Mus. xx. pp. 131, 163. n. 17, pl. 11. f. 8 (1898).	Alaska, Assiniboia, Montana.
19. **M. Picturatus, Brun.** Biol. Centr.-Amer., Orth. ii. p. 318. n. 5 (1908).	Mexico.
20. **M. Regalis, Dodge,** (*Caloptenus R.*) Canad. Ent. viii. p. 11 (1876).	Nebraska, Colorado.
M. Regalis, Morse, Furth. Res. N. Amer. Acrid. p. 51 (1907).	
21. **M. Sanguineus, Brun.** Bull. Agric. Exper. Stat. Colorado, xciv. pp. 63, 64 (1904).	Colorado.
22. **M. Bruneri, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 19 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 164. n. 18, pl. 11. f. 7 (1898).	Canada, United States.
23. **M. Excelsus, Scudd.** ll. cc. p. 19 (1897); pp. 132, 166. n. 19, pl. 11. f. 9 (1898); Appalachia, viii. p. 313. n. 29, pl. 42. ff. 4, 5 (1896).	Colorado.
24. **M. Scitus, Scudd.** Proc. Davenport Acad. Sci ix. p. 44 (1902).	New Mexico.
25. **M. Utahensis, Scudd.** Proc. Amer. Phil Soc. xxxvi. p. 19 (1897); Proc. U.S Nat. Mus. xx. pp. 132, 167. n. 20, pl. 11. f. 10 (1898).	Utah.
26. **M. Alaskanus, Scudd.** ll. cc. p. 20 (1897); pp. 132, 169. n. 21. pl. 12. f. 1 (1898).	Alaska, British Columbia.
27. **M. Affinis, Scudd.** ll. cc. p. 20 (1897); pp. 132, 171. n. 22, pl. 12. f. 2 (1898).	Br.Columb., W. U. Stat.

28. **M. Intermedius, Scudd.** ll. cc. p. 20 (1897); pp. 132, 172. n. 23, pl. 12. ff. 3, 4 (1898).	Colorado, Montana, Idaho, &c.
29. **M. Bilituratus, Walk. (*Caloptenus B.*) Cat. Derm. Salt. B. M. iv. p. 679. n. 10 (1870); Thomas, Syn. Acrid. N. Amer. pp. 158, 160 (1873).	Vancouver, Br.Columb., W. U. Stat.
M. Bilituratus, Scudd. ll. cc. p. 20 (1897); pp. 132, 174. n. 24, pl. 12. f. 5 (1898).	
30. **M. Scriptus, Walk. (*Caloptenus S.*) l. c. p. 680. n. 12 (1870); Thomas, l. c. pp. 158, 160 (1873); Scudd. Proc. U.S. Nat. Mus. xx. p. 406. n. 8 (1898).	Vancouver.
31. **M. Defectus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 20 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 177. n. 25, pl. 12. f. 6 (1898).	Colorado.
32. **M. Atlanis, Riley,** (*Caloptenus A.*) Rep. Ins. Missouri, vii. p. 169 (1875), viii. pp. 113, 153 (1876); Rep. U.S. Ent. Comm. i. pp. 220, 225, 232, 237, 284, 299, 446, 558, pl. 3 (1878); Pack. Rep. U.S. Ent. Comm. iii. p. 273, pls. 20, 21 (1883).	N. America, Mexico.
Caloptenus Atlantis, Thomas, Bull. Ill. Mus. Nat. Hist. i. p. 68 (1876).	
‖ *Caloptenus Femur-rubrum, Prov.* (*nec De Geer*) Nat. Canad. viii. pp. 109, 110. f. 12 (1876); Faune Ent. Canad. ii. pp. 35, 36. n. 3, f. 9 (1877).	
M. Atlanis, Scudd. Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. f. 6 (1881); Proc. Amer. Phil. Soc. xxxvi. p. 20 (1897); Proc. U.S. Nat. Mus. xx. pp. 132, 178. n. 26, pl. 12. f. 7 (1898); Riley, Rep. U.S. Comm. 1885, p. 233, pl. 8. f. 7 *a–c* (1886); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 29, f. 14 *a–c* (1893); Biol. Centr.-Amer., Orth. ii. p. 320. n. 14 (1908); Beut. Bull. Amer. Mus. Nat. Hist. vi. p. 306 (1894); Lugger, l. c. pp. 270, 280–283. ff. 116–118 (1897); Morse, Psyche, viii. pp. 256, 259, 279. n. 36, pl. 7. f. 36 *a–d* (1898); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 301, 314–316. f. 70 (1903).	

33. **M. Mexicana, Sauss.** (*Pezotettix M.*) Rev. Zool. (2) xiii. p. 160 (1861); Thomas, Syn. Acrid. N. Amer. p. 222 (1873).	Mexico.
*34. **M. Spretus, Thomas,** (*Acridium Spretis*) Trans. Illinois State Agric. Soc. v. p. 450 (1865). *Caloptenus Spretus, Walsh,* Pract. Ent. ii. p. 1 (1866); Walsh & Riley, Amer. Ent. i. pp. 16, 73. f. 65 *a, b* (1868); Glover, Rep. U.S. Dept. Agric. 1867, p. 65, fig.; 1870, p. 76, f. 31; 1873, pp. 125, 136. f. 8 (1873); Ill. N. Amer. Orth. pl. 8. f. 1, pl. 13. f. 15 (1872); Thomas, Syn. Acrid. N. Amer. pp. 158, 164 (1873); Packard, Guide Study Ins. p. 570, f. 564 *a* (1869); Amer. Nat. xv. pp. 285–302, 372–379, pls. 2–5 (1881); Riley, Rep. Ins. Missouri, vii. p. 121, figs. (1875), viii. pp. 57–156, fig. 39 *a–e* (1876), ix. pp. 57–124, figs. 18–22, maps (1877); Bull. U.S. Ent. Comm. ii. pp. 1–15, figs. & map (1877); Locust Plague (1877); Riley & Packard, Rep. U.S. Comm. i.–iii. (1878–1883). *Pezotettix Spretus, Stål,* Bihang Svensk. Akad. Handl. v. (9) p. 14 (1878). *M. Spretus, Scudd.* Proc. Boston Soc. Nat. Hist. xix. p. 287 (1878); Proc. U.S. Nat. Mus. xx. pp. 132, 184. n. 27, pl. 12. f. 8 (1898); Proc. Amer. Phil. Soc. xxxvi. p. 20 (1897); Brun. Bull. Agric. Exper. Stat. xiii. pp. 44, 46, 47. ff. 5–10 (1901); Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 27 (1893); Lugger, l. c. pp. 270, 283. f. 119 (1897). *M. Spretus Cæruleipes, Cockerell,* Ent. xxii. p. 127 (1889).	United States. Mexico.
35. **M. Diminutus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 21 (1897); Proc. U.S. Nat. Mus. xx. pp. 133, 190. n. 28, pl. 12. f. 9 (1898).	California.
36. **M. Consanguineus, Scudd.** ll. cc. p. 21 (1897); pp. 133, 192. n. 29, pl. 12. f. 10 (1898).	id.
37. **M. Sierranus, Scudd.** ll. cc. p. 21 (1897); pp. 133, 193. n. 30, pl. 13. f. 1 (1898).	id.

38. **M. Ater, Scudd.** ll. cc. p. 22 (1897); pp. 133, 194. n. 31, pl. 13. f. 2 (1898).	California.
39. **M. Devastator, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 285–289 (1878); Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. ff. 2, 3, 19, 20 (1880); Proc. Amer. Phil. Soc. xxxvi. p. 22 (1897); Proc. U.S. Nat. Mus. xx. pp. 133, 196. n. 32, pl. 13. ff. 3–7 (1898); Riley, Rep. U.S. Ent. 1885, pp. 229–232, pl. 8. ff. 1–5 *a–c* (1886); Brun. U.S. Dept. Agric. Bull. Ent. xxviii. pp. 22–24. ff. 10 *a–d*, 11 *a–c* (1893); Rep. Nebraska State Board Agric. 1893, p. 460. f. 102.	id., Oregon, Nevada, Arizona.
M. Devastator Obscurus, Scudd. Proc. U.S. Nat. Mus. xx. p. 198, pl. 13. ff. 3, 4 (1898).	
M. Devastator Typicalis, Scudd. l. c. p. 199, pl. 13. f. 5 (1898).	
‖ *M. Devastator Affinis, Scudd.* l. c. f. 6 (1898).	
M. Devastator Conspicuus, Scudd. l. c. f. 7 (1898).	
40. **M. Virgatus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 22 (1897); Proc. U.S. Nat. Mus. xx. pp. 133, 199. n. 33, pl. 13. f. 8 (1898).	California.
41. **M. Uniformis, Scudd.** ll. cc. p. 22 (1897); pp. 133, 201. n. 34, pl. 13. f. 9 (1898).	id.
42. **M. Angelicus, Scudd.** ll. cc. p. 22 (1897); pp. 133, 202. n. 35, pl. 13. f. 10 (1898).	id.
43. **M. Impudicus, Scudd.** ll. cc. p. 22 (1897); pp. 134, 204. n. 36, pl. 14. f. 1 (1898); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 301, 316. n. 68 (1903).	Georgia, Mississippi, Arkansas, Indiana.
44. **M. Humphreysii, Thomas,** (*Pezotettix H.*) Wheeler, Rep. Geogr. Geol. Explor. W. 100th Merid. v. p. 890 (1875); Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 85 (1879).	Arizona.
M. Humphreysii, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 7 (1897); Proc. U.S. Nat. Mus. xx. pp. 125, 206. n. 37 (1898).	
45. **M. Nitidus, Scudd.** ll. cc. p. 7 (1897); pp. 125, 207. n. 38, pl. 14. f. 2 (1898).	Mexico, Low. Calif.

46. **M. Aridus, Scudd.** (*Pezotettix A.*) Proc. Boston Soc. Nat. Hist. xx. p. 84. n. 89 (1879). *M. Aridus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 8 (1897); Proc. U.S. Nat. Mus. xx. pp. 125. 209. n. 39, pl. 14. f. 3 (1898). *Pezotettix Humphreysii* ♀, *Thomas*, l. c. p. 890, pl. 45. ff. 1, 2 (1875).	Arizona, New Mexico.
47. **M. Tristis, Brun.** Bull. Exper. Stat. Colorado, xciv. p. 64 (1904).	Colorado.
48. **M. Indigens, Scudd.** ll. cc. p. 8 (1897); pp. 125, 211. n. 40, pl. 14. f. 4 (1898).	Idaho.
49. **M. Baconi, McNeill,** Psyche, viii. p. 369 (1899).	Arkansas.
✓ 50. **M. Scudderi, Uhler,** (*Pezotettix S.*) Proc. Ent. Soc. Philad. ii. p. 555 (1864); Thomas, Syn. Acrid. N. Amer. p. 152 (1873); Beut. l. c. pp. 309, 313, pl. 8. f. 6 (1894). *M. Scudderi, Scudd.* ll. cc. p. 8 (1897); pp. 125, 212. n. 41, pl. 14. ff. 5, 6 (1898); Lugger, l. c. pp. 269, 274 (1897); Morse, l. c. pp. 257. 258, 280. n. 37, pl. 7. ff. 37, 37 *a, b* (1898); Blatchl. l. c. pp. 300, 302. n. 60 (1903); Rehn & Hebard, Proc. Acad. Nat Sci. Philad. lvi. p. 790 (1905). *M. Scudderi*, var. *Texensis, McNeill*, Ent. News, xvii. p. 158 (1906). *M. Scudderi*, var. *Latus, Morse*, Psyche, xiii p. 122 (1906); Furth. Res. N. Amer. Acrid. p. 52 (1907). *Pezotettix Unicolor, Glover*, Ill. N. Amer. Orth. pl. 13. f. 9 (1872); Thomas, l. c. p. 151 (1873); Wheeler, Rep. Geogr. Geol. Exped. W. 100th Merid. v. p. 888, pl. 45. f. 4 (1875).	United States.
51. **M. Latens, Morse,** ll. cc. p. 120 (1906); p. 49 (1907).	Texas. Arkansas.
52. **M. Carnegiei, Morse,** Psyche, xi. p. 10 (1904).	S. Carolina, Georgia.
53. **M. Strumosus, Morse,** l. c. p. 11 (1904).	S. Carolina, Florida.
54. **M. Tribulus, Morse,** l. c. (1904).	Georgia.
55. **M. Devius, Morse,** l. c. p. 12 (1904).	Virg. N. Car.
56. **M. Tribuloides, Morse,** Psyche, xiii. p. 121 (1906); Furth. Res. N. Amer. Acrid. p. 52 (1907).	Alabama.

57. **M. Tuberculatus, Morse,** ll. cc. p. 121 (1906); p. 53 (1907).	Texas.
58. **M. Gillettei, Scudd.** ll. cc. p. 8 (1897); pp. 125, 215. n. 42, pl. 14. f. 7 (1898); Appalachia, viii. p. 314. n. 32, pl. 43. ff. 1, 2 (1898).	Colorado.
59. **M. Artemisiæ, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 8 (1897); Proc. U.S. Nat. Mus. xx. pp. 125, 217. n. 43, pl. 14. f. 8 (1898).	Idaho.
60. **M. Mancus, Smith,** (*Pezotettix Manca*) Proc. Portland Soc. Nat. Hist. i. p. 149 (1868): Thomas, Syn. Acrid. N. Amer. p. 149 (1873).	Maine, New Hampshire, Illinois.
M. Mancus, Scudd. ll. cc. p. 8 (1897); pp. 126, 218. n. 44, pl. 14. f. 9 (1898); Morse, Psyche, viii. pp. 256, 257, 280. n. 37, pl. 7. ff. 38, 38 *a–c* (1898).	
61. **M. Latifercula, Caud.** Proc. U.S. Nat. Mus. xxvi. p. 802. n. 113, pl. 55. ff. 4, 4 *a* (1903).	Colorado.
62. **M. Cancri, Scudd.** ll. cc. p. 9 (1897); pp. 126, 219. n. 45, pl. 14. f. 10 (1898).	Lower California.
63. **M. Reflexus, Scudd.** ll. cc. p. 9 (1897); pp. 126, 221, pl. 15. f. 1 (1898).	Mexico.
64. **M. Meridionalis, Scudd.** ll. cc. p. 9 (1897); pp. 126, 223. n. 47, pl. 15. f. 2 (1898).	id.
65. **M. Militaris, Scudd.** ll. cc. p. 9 (1897); pp. 126, 224. n. 48, pl. 15. f. 3 (1898).	Idaho.
66. **M. Zimmermanni, Sauss.** (*Pezotettix Z.*) l. c. p. 159 (1861); Thomas, Syn. Acrid. N. Amer. pp. 146, 150 (1873).	Carolina.
67. **M. Nigrescens, Scudd.** (*Caloptenus N.*) Proc. Boston Soc. Nat. Hist. xix. p. 27. n. 61 (1877).	N. Carolina, Georgia.
M. Nigrescens, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 10 (1897); Proc. U.S. Nat. Mus. xx. pp. 126, 225. n. 49, pl. 15. f. 4 (1898); Rehn & Heb. l. c. p. 791 (1905).	
68. **M. Selectus, Walk. (*Caloptenus S.*) Cat. Derm. Salt. B. M. iv. p. 682. n. 15 (1870); Thomas, l. c. p. 226 (1873).	Mexico.
69. **M. Dawsoni, Scudd.** (*Pezotettix D.*) Dawson's Rep. Geol. Res. 49th Par. p. 343 (1875).	Canada, Western U. States.

M. Dawsoni, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 10 (1897); Proc. U.S. Nat. Mus. xx. pp. 126, 134, 227. n. 50, pl. 1. f. *a*, pl. 15. f. 5 (1898); Lugger, l. c. pp. 269, 275, 276. ff. 109–111 (1897); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 47 (1904).

Pezotettix Tellustris, Scudd. Ann. Rep. Chief of Engineers, 1876, p. 502.

Pezotettix Abditum, Dodge, Canad. Ent. ix. p. 113 (1877).

M. Dawsoni Completus, Scudd. Proc. U.S. Nat. Mus. xx. p. 229 (1898).

70. **M. Cockerelli, Scudd.** Psyche, ix. p. 124 (1900). — New Mexico.

71. **M. Dimidipennis, Brun.** Bull. Exper. Stat. Colorado, xciv. p. 66 (1904). — Colorado.

72. **M. Gladstoni, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 23 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 229. n. 51, pl. 1. f. *b*, pl. 15. f. 6 (1898). — id., Montana, Nebraska, &c.

73. **M. Palmeri, Scudd.** ll. cc. p. 23 (1897); pp. 134, 230. n. 52, pl. 15. f. 7 (1898); Morse, Furth. Res. N. Amer. Acrid. p. 50 (1907). — Arizona, New Mexico.

74. **M. Montanus, Thomas,** (*Platyphyma Montana*) Syn. Acrid. N. Amer. p. 155 (1873); Glover, l. c. pl. 18. f. 11 (1874). — Montana.

M. Montanus, Scudd. ll. cc. p. 10 (1897); pp. 127, 232. n. 53, pl. 15. f. 8 (1898).

75. **M. Washingtonius, Bruner,** (*Pezotettix W.*) Canad. Ent. xvii. p. 14 (1885). — Washington.

M. Washingtonianus, Scudd. ll. cc. p. 11 (1897); pp. 127, 233. n. 54, pl. 15. f. 9 (1898).

76. **M. Walshii, Scudd.** ll. cc. p. 11 (1897); pp. 127, 235. n. 55, pl. 15. f. 10 (1898). — Illinois, Michigan.

77. **M. Altitudinum, Scudd.** (*Pezotettix A.*) Proc. Boston Soc. Nat. Hist. xx. p. 86 (1879). — Western United States.

M. Altitudinum, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 11 (1897); Proc. U.S. Nat. Mus. xx. pp. 127, 236. n. 56, pl. 16. f. 1 (1898); Appalachia, viii. p. 313. n. 31, pl. 43. ff. 3, 5 (1898).

‖*Pezotettix Marshalli, Scudd.* (*nec Thom.*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 282. n. 17.	
M. Huroni, Blatchl. Psyche, viii. p. 195 (1898); Scudd. Proc. Davenport Acad. Sci. vii. pp. 175, 182 (1899).	
78. **M. Sapellanus, Scudd.** Psyche, ix. p. 125 (1900).	New Mexico.
79. **M. Gracilipes, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 11 (1897); Proc. U.S. Nat. Mus. xx. pp. 127, 238. n. 57, pl. 16. f. 2 (1898).	California.
80. **M. Geniculatus, Scudd.** ll. cc. p. 11 (1897); pp. 127, 239. n. 58, pl. 16. f. 3 (1898).	Mexico.
81. **M. Rusticus, Stål,** (*Pezotettix R.*) l. c. p. 13. n. 4 (1878).	Texas.
M. Rusticus, Scudd. ll. cc. p. 11 (1897); pp. 127, 240. n. 59, pl. 16. f. 4 (1898).	
82. **M. Pacificus, Scudd.** (*Pezotettix P.*) Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. f. 16 (1880).	California.
M. Pacificus, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 12 (1897); Proc. U.S. Nat. Mus. xx. pp. 127, 241. n. 60, pl. 16. f. 5 (1898).	
83. **M. Borckii, Stål,** (*Acridium* (*Podisma*) *B.*) Eugenies Resa, Orth. p. 332. n. 80 (1860).	id., Idaho, Washington
Pezotettix Borckii, Thomas, Syn. Acrid. N. Amer. pp. 146, 149 (1873).	Montana, Wyoming.
Pezotettix (*Melanoplus*) *Borckii, Stål,* Recens. Orth. i. p. 79. n. 16 (1873)	
M. Borckii, Scudd. ll. cc. p. 12 (1897); pp. 127, 243. n. 61, pl. 16. f. 6 (1898).	
84. **M. Neomexicanus, Scudd.** Proc. Davenport Acad. Sci. ix. p. 46 (1902).	New Mexico.
85. **M. Tenuipennis, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 12 (1897); Proc. U.S. Nat. Mus. xx. pp. 127, 244. n. 62, pl. 16. f. 7 (1898).	California.
86. **M. Missionum, Scudd.** ll. cc. p. 12 (1897); pp. 127, 246. n. 63, pl. 16. f. 8 (1898).	id.

87. **M. Fuscipes, Scudd.** ll. cc. p. 12 (1897); pp. 128, 247. n. 64, pl. 16. f. 9 (1898).	California.
88. **M. Scitulus, Scudd.** ll. cc. p. 12 (1897); pp. 128, 249. n. 65, pl. 16. f. 10 (1898).	Mexico.
89. **M. Flabellatus, Scudd.** (*Pezotettix F.*) Proc. Boston Soc. Nat. Hist. xx. p. 82. n. 87 (1879). *M. Flabellatus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 12 (1897); Proc. U.S. Nat. Mus. xx. pp. 128, 251. n. 66, pl. 17. f.1 (1898).	Texas.
90. **M. Puer, Scudd.** (*Pezotettix P.*) Proc. Boston Soc. Nat. Hist. xix. p. 87 (1877). *M. Puer, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 12 (1897); Proc. U.S. Nat. Mus. xx. pp. 128, 252, pl. 17. f. 2 (1898).	Florida.
91. **M. Sonomaensis, Caud.** Proc. Ent. Soc. Washington, vii. p. 124 (1906).	California.
92. **M. Islandicus, Blatchley,** Psyche, viii. p. 196 (1898). *M. Abortivus, Walk.* Canad. Ent. xxx. p. 90 (1898).	Michigan, Ontario.
93. **M. Celatus, Morse,** Psyche, xi. p. 10 (1904).	Virginia.
94. **M. Sylvestris, Morse,** l. c. (1904).	N. Carolina.
95. **M. Divergens, Morse,** l. c. p. 8 (1904).	id.
96. **M. Inornatus, Scudd.** ll. cc. p. 13 (1897); pp. 128, 254. n. 68, pl. 17. f. 3 (1898).	Mexico.
97. **M. Viridipes, Scudd.** ll. cc. p. 13 (1897); pp. 128, 255. n. 69, pl. 17. f. 4 (1898); Blatchley, Rep. Indiana Dept. Geol. xxvii. pp. 300, 305. n. 61, f. 65 (1903).	Illinois, Indiana.
98. **M. Deceptus, Morse,** l. c. p. 9 (1904).	Indiana.
99. **M. Similis, Morse,** l. c. (1904).	N. Carolina
100. **M. Decorus, Scudd.** ll. cc. p. 13 (1897); pp. 128, 257. n. 70, pl. 17. f. 5 (1898).	id.
101. **M. Decoratus, Morse,** l. c. p. 12 (1904).	id., Georgia, &c.
102. **M. Attenuatus, Scudd.** ll. cc. p. 13 (1897); pp. 128, 259. n. 71, pl. 17. f. 6 (1898).	N. Carolina.
103. **M. Australis, Morse,** l. c. p. 13 (1904).	Georgia.
104. **M. Amplectens, Scudd.** ll. cc. p. 14 (1897); pp. 128, 260. n. 72, pl. 17. f. 7 (1898).	Kentucky.

105. **M. Saltator, Scudd.** ll. cc. p. 14 (1897); pp. 129, 261. n. 73, pl. 17. f. 8 (1898). ‖ *Pezotettix Borckii, Scudd.* (*nec Stål*) Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. f 17 (1881).	Oregon, Washington Montana, Idaho, Wyoming.
106. **M. Rotundipennis, Scudd.** (*Pezotettix R.*) Proc. Boston Soc. Nat. Hist. xix. p. 86 (1877). *M. Rotundipennis, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 14 (1897); Proc. U.S. Nat. Mus. xx. pp. 129, 263. n. 74, pl. 17. f. 9 (1898).	Florida.
107. **M. Longicornis, Sauss.** (*Pezotettix L.*) Rev. Zool. (2) xiii. p. 159 (1861); Thomas, Syn. Acrid. N. Amer. pp. 146, 150 (1873).	Carolina.
108. **M. Obovatipennis, Blatchl.** (*Pezotettix O.*) Canad. Ent. xxvi. p. 241 (1894). *M. Obovatipennis, Scudd.* ll. cc. p. 14 (1897); pp. 129, 264. n. 75, pl. 17. f. 10 (1898); Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 300, 306–308. f. 66 (1903).	Indiana.
109. **M. Tepidus, Morse,** Psyche, xiii. p. 121 (1906); Furth. Res. N. Amer. Acrid. p. 52 (1907).	Mississippi
110. **M. Juvencus, Scudd.** ll. cc. p. 14 (1897); pp. 129, 266. n. 76, pl. 18. f. 1 (1898).	Florida.
111. **M. Inconspicuus, Caud.** Trans. Amer. Ent. Soc. xxviii. p. 87. n. 38 (1902).	Oklahoma.
112. **M. Fasciatus, Walk.** (*Caloptenus F.*) l. c. iv. p. 680. n. 11 (1870); Thomas, l. c. p. 224 (1873). *M. Fasciatus, Caulf.* Rep. Ent. Soc. Ontario, xviii. p. 71 (1886); Lugger, l. c. pp. 300, 301. f. 136½ (1897); Scudd. ll. cc. p. 14 (1897); pp. 129, 134, 267. n. 77, pl. 1. f. *c*, pl. 18. ff. 2–4 (1898); Morse, l. c. viii. pp. 256, 260, 281. n. 39, pl. 7. f. 39 *a* (1898); Furth. Res. N. Amer. Acrid. p. 47 (1907); Blatchl. l. c. pp. 301, 311. n. 65 (1903); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 48 (1904).	North America.

‖ *Pezotettix Borealis, Scudd.* (*nec Fieb.*) Canad. Nat. vii. p. 286 (1862); Boston Journ Nat. Hist. vii. p. 464. n. 1 (1868); Thomas, Syn. Acrid. N. Amer. pp. 146, 153 (1873).	
M. Borealis, Beut. l. c. pp. 308, 313 (1894); Lugger, l. c. p. 271 (1897).	
M. Rectus, Scudd. Proc. Boston Soc. Nat. Hist. xix. p. 284 (1878).	
M. Curtus, Scudd. l. c. xx. p. 70. n. 77 (1879).	
M. Fasciatus Volaticus, Scudd. Proc. U.S. Nat. Mus. xx. p. 270 (1898).	
113. **M. Borealis, Fieb.** (*Caloptenus B.*) Lotos, iii. p. 120. n. 2 (1853); Syn. Eur. Orth. p. 20. n. 2 (1854); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 223 (1861); Thomas, l. c. p. 227 (1873).	North Cape, Labrador, Greenland, Alaska.
M. Borealis, Caulf. l. c. p. 71 (1886); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 23 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 270. n. 78, pl. 1. f. *d*, pl. 18. f. 5 (1898); Caud. Proc. Washington Acad. Sci. ii. p. 511, figs. (1900); Harriman, Alaska Exped. viii. Ins. i. p. 117, figs. (1894).	
Pezotettix Septentrionalis, Sauss. l. c. p. 160 (1861); Thomas, l. c. p. 222 (1873).	
114. **M. Alleni, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 129, 273. n. 79, pl. 18. f. 6 (1898).	Iowa.
115. **M. Snowii, Scudd.** l. c. pp. 129, 274. n. 80, pl. 18. f. 7 (1898).	New Mexico.
116. **M. Arcticus, Walk. (*Caloptenus A.*) l. c. p. 681. n. 14 (1870); Thomas, l. c. p. 226 (1873).	Arctic America.
117. **M. Plumbeus, Dodge,** (*Caloptenus Plumbum*) Canad. Ent. ix. p. 112 (1877).	Colorado, Kansas, Nebraska.
M Plumbeus, Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 32, f. 16 (1893); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 24 (1897); Proc. U.S. Nat. Mus. xx. pp. 131, 276. n. 81, pl. 18. f. 8 (1898); Caud. Proc. U.S. Nat. Mus. xxvi. p. 801. n. 117 (1903).	

*118. **M. Femur-rubrum, DeGeer,** (*Acrydium F.*) Mém. Ins. iii. p. 498. n. 14, pl. 42. f. 5 (1773). N. America, Mexico.

Acrydium Femur-rubrum, Harr. Rep. Ins. Mass. p. 141. n. 3 (1841), (ed. 3) p. 174. n. 3, f. 80 (1862).

Caloptenus Femur-rubrum, Burm. Handb. Ent. ii. p. 638. n. 2 (1838) ; Glover, l. c. pl. 5. f. 11, pl. 8. f. 2 (1872) ; Thomas, l. c. pp. 158, 163 (1873) ; Riley, Rep. Ins. Missouri, viii. p. 114 (1876) : Locust Plague, p. 14. ff. 1, 4 (1877) ; Rep. U.S. Ent. Comm. i. pp. 220, 224–226, 284, 299, 444–447, 458, pl. 2 (1878) ; Willcox, Bull. Mus. Comp. Zool. xxvii. p. 9, pls. 3–5 (1895), xxix. p. 193, pls. 1–3 (1896).

Pezotettix (Melanoplus) Femur-rubrum, Stål, Recens. Orth. i. p. 79. n. 14 (1873).

M. Femur-rubrum, Scudd. Hitchcock's Rep. Geol. N. Hampshire, i. p. 375 (1874) ; Proc. Boston Soc. Nat. Hist. xix. pp. 285, 287 (1878) ; Proc. Amer. Phil. Soc. xxxvi. p. 24 (1897) ; Proc. U.S. Nat. Mus. xx. pp. 134, 278, pl. 1. f. *h*, pl. 19. ff. 1–4 (1898) ; Brun. Bull. Agric. Exper. Stat. Nebraska, xiii. pp. 44, 45. f. 3 (1901) ; Bull. Div. Ent. U.S. Dept. Agric. xxviii. pp. 30, 31. f. 15 (1893) ; Bull. Agric. Exper. Stat. Colorado, xciv. p. 48 (1904) ; Beut. l. c. pp. 306, 313, pl. 8. f. 7 (1894) ; Lugger, l.c. pp. 271, 285–288, ff. 121, 122 (1897) ; Blatchl. Rep. Indiana Dept. Geol. xxvii. pp. 301, 317–319. n. 69, f. 71 (1903) ; Morse, Psyche, viii. pp. 257, 258, 281. n. 40, pl. 7. f. 40 *a-d* (1898) : Furth. Res. N. Amer. Acrid p. 47 (1907).

Gryllus Locusta Erythropus, Gmel. Syst. Nat. i. (4) p. 2086 (1788).

Acridium Femorale, Oliv. Encycl. Méth., Ins. p. 228. n. 59 (1791).

Pezotettix Femur-rubrum, Stål, Bihang Svensk. Akad. Förh. v. (9) p. 13 (1878).

	Caloptenus Devorator, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 474. n. 25 (1875). *Caloptenus Sanguinolentus, Prov.* Nat. Canad. viii. p. 109 (1876). ‖*Caloptenus Atlanis, Prov. (nec Riley)* Faune Canad., Orth. p. 35. n. 2 (1877). *M. Interior, Scudd.* l. c. xx. p. 71. n. 79 (1879).	
119.	**M. Propinquus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 24 (1897); Proc. U.S. Nat. Mus. xx. pp. 134, 285, pl. 18. f. 9 (1898).	N. Carolina, Georgia, Florida.
120.	**M. Coloradus, Caud.** Proc. U.S. Nat. Mus. xxvi. p. 799. n. 103, pl. 55. ff. 1, 1 *a* (1903).	Colorado.
121.	**M. Leucostoma, Kirb.** (*Locusta L.*) Faun. Bor.-Amer. iv. p. 250 (1837).	Mackenzie River.
**122.	**M. Extremus, Walk.** (*Caloptenus E.*) l. c. iv. p. 681. n. 13 (1870); Thomas, Syn. Acrid. N. Amer. p. 225 (1873). *M. Extremus, Caulf.* l. c. p. 71 (1886); Scudd. ll. cc. p. 24 (1897); pp. 135, 287. n. 84, pl. 1. ff. *f, g*, pl. 18. f. 10 (1898): Appalachia, viii. p. 315. n. 38, pl. 43. ff. 4, 6 (1898); Morse, Psyche, viii. pp. 257, 259, 292. n. 41, pl. 7. ff. 41, 41 *a* (1898): Blatchley, l. c. pp. 302, 319. n. 70 (1903). *Pezotettix Junius, Dodge*, Canad. Ent. viii. p. 9 (1876). *M. Junius, Scudd.* Proc. Boston Soc. Nat. Hist. xix. p. 286 (1878); Morse, Psyche, vii. p. 53 (1894). *Caloptenus Parvus, Prov.* Nat. Canad. viii. p. 110 (1876).	Canada, Northern United States.
123.	**M. Monticola, Scudd.** ll. cc. p. 24 (1897); pp. 135, 290. n. 85, pl. 19. f. 5 (1898); p. 316. n. 39, pl. 44. ff. 1, 2 (1898). ‖*Platyphyma Montana, Scudd. (nec Thomas)*. Appalachia, i. p. 263 (1878).	Colorado.
124.	**M. Bispinosus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 25 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 292. n. 86, pl. 19. f. 6 (1898).	Texas.

125. **M. Terminalis, Scudd.** l. c. p. 25 (1897); pp. 135, 293. n. 87, pl. 19. f. 7 (1898).	Texas.
126. **M. Cyanipes, Scudd.** ll. cc. p. 25 (1897); pp. 135, 295. n. 88, pl. 19. f. 8 (1898).	California, Mexico.
127. **M. Cinereus, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 288, 290 (1878); Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. ff. 1, 4, 5 (1880); Proc. Amer. Phil. Soc. xxxvi. p. 25 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 296. n. 89, pl. 19. f. 9 (1898).	Western United States.
128. **M. Complanatipes, Scudd.** Proc. Amer. Phil. Soc. xxxvi. pp. 25, 26 (1897); Proc. U.S. Nat. Mus. xx. pp. 135, 298. n. 90, pl. 19. f. 10 (1898).	Low. Calif., Mexico.
129. **M. Canonicus, Scudd.** ll. cc. p. 26 (1897); pp. 135, 300. n. 91, pl. 20. f. 1 (1898).	Arizona.
130. **M. Comptus, Scudd.** ll. cc. p. 26 (1897); pp. 136, 302. n. 92, pl. 20. f. 2 (1898).	Minnesota, Nebraska.
131. **M. Coccineipes, Scudd.** ll. cc. p. 26 (1897); pp. 136, 303. n. 93, pl. 20. ff. 3–5 (1898).	Ontario, Western Un. States.
132. **M. Angustipennis, Dodge,** (*Caloptenus A.*) l. c. ix. p. 111 (1877). *M. Angustipennis, Brun.* Bull. Washburn Coll. i. p. 138 (1885); Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 24. f. 12 (1893); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Lugger, l. c. pp. 272, 288, 289. f. 123 (1897); Scudd. ll. cc. p. 26 (1897); pp. 136, 305. n. 94, pl. 20. f. 6 (1898); Blatchl. l. c. pp. 302, 321. n. 71 (1903).	Nebraska, Montana, Indiana.
133. **M. Macneillei, Hart,** Bull. Illinois State Lab. vii. pp. 234, 261 (1906).	Illinois.
134. **M. Impiger, Scudd.** ll. cc p. 26 (1897); pp. 136, 306. n. 95, pl. 20. ff. 7, 8 (1898); Lugger, l. c. pp. 272, 289–291. ff. 124-126 (1897); Morse, Furth. Res. N. Amer. Acrid. p. 48 (1907).	Texas, Kansas.
135. **M. Packardii, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 287, 288 (1878); Rep. U.S. Ent. Comm. ii. App. p. 24, pl. 17. ff. 7, 8 (1881); Proc. Amer.	Western United States.

Phil. Soc. xxxvi. p. 27 (1897): Proc. U.S. Nat. Mus. xx. pp. 136. 309. n. 96. pl. 21. ff. 1–4 (1898): Brun. Bull. Exper. Stat. Colorado, xciv. p. 54 (1904); Morse, Furth. Res. N. Amer. Acrid. p. 50 (1907).

‖ *Caloptenus Fasciatus, Scudd.* (*nec Walk.*) Proc. Boston Soc. Nat. Hist. xvii. p. 477. n. 29 (1875).

M. Packardii Rufipes, Cockerell, Ent. xxii. p. 127 (1889).

136. **M. Stonei, Rehn,** Ent. News, xv. p. 85 (1904). — New Jersey.

137. **M. Bicoloratus, Scudd.** Proc. Davenport Acad. Sci. ix. p. 48 (1902). — New Mexico.

138. **M. Fluviatilis, Brun.** Ann. Rep. Ent. Nebraska State Board Agric. 1896, p. 136, f. 34 (1897). — Nebraska.

139. **M. Fœdus, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 69. n. 76 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 27 (1897); Proc. U.S. Nat. Mus. xx. pp. 136, 311. n. 97, pl. 20. f. 9 (1898); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 21, ff. 9 *a. b* (1893); Bull. Agric. Exper. Stat. Nebraska, xiii. p. 44 (1901); Morse, Furth. Res. N. Amer. Acrid. p. 48 (1907). — Colorado.

140. **M. Corpulentus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 27 (1897); Proc. U.S. Nat. Mus. xx. pp. 136, 313. n. 98, pl. 20. f. 10 (1898). — Mexico, New Mex., Arizona.

141. **M. Conspersus, Scudd.** ll. cc. p. 27 (1897); pp. 136, 315. n. 99, pl. 21. f. 5 (1898). — Nebraska.

142. **M. Compactus, Scudd.** ll. cc. p. 27 (1897); pp. 136, 316. n. 100, pl. 21. f. 6 (1898). — id., Dacota.

143. **M. Dumicolus, Scudd.** (*Pezotettix Dumicola*) Proc. Boston Soc. Nat. Hist. xx. p. 76. n. 82 (1879). — Texas.

M. Dumicola, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 15 (1897); Proc. U.S. Nat. Mus. xx. pp. 129, 318. n. 101, pl. 21. f. 7 (1898).

144. **M. Variabilis, Scudd.** ll. cc. p. 15 (1897); pp. 129, 319. n. 102, pl. 21. f. 8 (1898). — Mexico.

145. **M. Lepidus, Scudd.** ll. cc. p. 15 (1897); pp. 129, 321. n. 103, pl. 21. f. 9 (1898).	California, Nevada.
146. **M. Blatchleyi, Lugger,** l. c. pp. 269, 276–278. ff. 112–114 (1897); Scudd. ll. cc. p. 15 (1897); pp. 129, 322. n. 104, pl. 21. f. 10 (1898); Blatchl. l. c. pp. 301, 313. n. 66, f. 69 (1903). ‖ *Pezotettix Occidentalis, Brun.* (*nec Thomas*) Canad. Ent. viii. p. 124 (1876).	Nebraska, Missouri, Illinois, Indiana, Iowa.
147. **M. Texanus, Scudd.** (*Pezotettix T.*) Proc. Boston Soc. Nat. Hist. xx. p. 80. n. 85 (1879). *M. Texanus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 15 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 324. n. 105, pl. 22. f. 1 (1898).	Texas, Kansas.
148. **M. Quadratus, Scudd.** Proc. Davenport Acad. ix. p. 49 (1902).	New Mexico.
149. **M. Plebejus, Stål,** (*Pezotettix P.*) Bihang Svensk. Akad. Handl. v. (9) p. 12. n. 3 (1878). *M. Plebejus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 16 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 326. n. 106, pl. 22. f. 2 (1898). *Pezotettix Pupæformis, Scudd.* Proc. Boston Soc. Nat. Hist. xx. p. 83. n. 88 (1879).	Texas.
150. **M. Morsei, Blatchley,** Rep. Indiana Dept. Geol. xxvii. pp. 301, 309–311. n. 64. f. 68 (1903).	Indiana.
151. **M. Gracilis, Brun.** (*Pezotettix G.*) Canad. Ent. viii. p. 124 (July, 1876). *M. Gracilis, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 16 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 327. n. 107, pl. 22. f. 3 (1898); Lugger, l. c. p. 278 (1897); Blatchl. l. c. pp. 301, 308–309. n. 63, f. 67 (1903). *Pezotettix Minutipennis, Thomas,* Bull. Illinois Mus. Nat. Hist. i. p. 66. n. 34 (Dec. 1876).	United States.
152. **M. Sylvaticus, McNeill,** Psyche, viii. p. 345 (1899).	Arkansas.
153. **M. Inops, Scudd.** ll. cc. p. 16 (1897); pp. 130, 329. n. 108, pl. 22. f. 4 (1898).	Florida.

154. **M. Marginatus, Scudd.** (*Pezotettix M.*) Wheeler, Ann. Rep. Geogr. Surv. W. 100th Merid, 1876, App. JJ, pp. 282, 284. n. 20. *M. Marginatus, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 16 (1897); Proc. U.S. Nat. Mus. xx. pp. 130, 137, 330. n. 109, pl. 22. f. 5 (1898). *M. Marginatus Amplus, Scudd.* Proc U.S. Nat. Mus. xx. pp. 330, 331, pl. 1. f. *i* (1898). *M. Marginatus Pauper, Scudd.* ll. cc. (1898).	California.
155. **M. Paroxyoides, Scudd.** Proc. Amer. Acad. xxxvi. p. 28 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 331. n. 110, pl. 1. f. *k*, pl. 22. f. 6 (1898).	Florida.
156. **M. Alpinus, Scudd.** ll. cc. p. 28 (1897): pp. 137, 333. n. 111, pl. 22. f. 7 (1898).	Br. Columb. Idaho, Colorado.
157. **M. Infantilis, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 65. n. 73 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 28 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 335. n. 112, pl. 22. f. 8 (1898); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 51 (1904).	Colorado, Washington Wyoming, Nebraska, &c.
158. **M. Minor, Scudd.** (*Caloptenus M.*) Proc. Boston Soc. Nat. Hist. xvii. p. 478. n. 30 (1875). *M. Minor, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 337. n. 113, pl. 22. f 9 (1898); Beut. l. c. pp. 307, 313 (1894); Lugger, l. c. pp. 272, 291–293. f. 127 (1897); Morse, l. c. pp. 256, 259, 293. n. 42, pl. 7. f. 42 *a* (1898); Blatchl. l. c. pp. 302, 322. n. 72 (1903); Brun. l. c. p. 52 (1904).	United States.
159. **M. Confusus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 339. n. 114, pl. 22. f. 10 (1898).	Kentucky.
160. **M. Arizonæ, Scudd.** Proc. Boston Soc. Nat. Hist. xx. p. 64. n. 72 (1879); Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 340. n. 115 (1898).	Arizona.

161. **M. Keeleri, Thomas,** (*Caloptenus K.*) Bull. U.S. Geol. Surv. Territ. i. p. 69 (1874); Glover, l. c. pl. 17. f. 1 (1874). *M. Keeleri, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 341. n. 116, pl. 23. f. 1 (1898); Morse, Furth. Res. N. Amer. Acrid. p. 49 (1907). *M. Tenebrosus, Scudd.* Proc. Boston Soc. Nat. Hist. xx. p. 63. n. 71 (1879). Var. *Caloptenus Deletor, Scudd.* l. c. xvii. p. 475 (1875). *M. Deletor, Scudd.* Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 343. n. 117. pl. 23. f. 2 (1898).	N. Carolina, Florida, Missouri, Texas.
162. **M. Luridus, Dodge,** (*Caloptenus Lurida*) Canad. Ent. viii. p. 11 (1876). *M. Luridus, Brun.* Rep. U.S. Ent. Comm. iii. p. 60. n. 238 (1883); Bull. Exper. Stat. Colorado, xciv. p. 52 (1904); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 137, 344. n. 118, pl. 23. f. 7 (1898); Lugger, l. c. pp. 272, 293, 294. ff. 128, 129 (1897); Blatchl. l. c. pp. 302, 324. n. 73 (1903).	United States.
163. **M. Collinus, Scudd.** Proc. Boston Soc. Nat. Hist. xix. pp. 281, 285 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 29 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 346. n. 119, pl. 23. f. 6 (1898); Beut. l. c. pp. 306, 313 (1894); Morse, Psyche, viii. pp. 256, 259, 294. n. 43, pl. 7. f. 43 *a*, *b* (1898).	id.
164. **M. Differentialis, Thomas,** (*Acridium Differentiale*) Trans. Illinois State Agric. Soc. v. p. 450 (1865). *Caloptenus Differentialis, Walsh & Riley.* Amer. Ent. i. pp. 16, 187 (1868–9); Glover, l. c. pl. 8. f. 12, pl. 9. f. 4, pl. 11. f. 6 (1872); Thomas, Syn. Acrid. N. Amer. pp. 158, 166, pl. 1. f. 5 (1873); Riley, Rep. Ins. Missouri, vii. pp. 124, 173. f. 33 (1875); Locust Plague, pp. 89, 194, 198–201. f. 34 (1877); Rep. U.S.	id.

Ent. Comm. i. pp. 220–228, 298–301, 327, 447. 459. ff. 32, 110, pl. 1. f. 1 (1878).

Œdipoda Differentialis, Riley. Rep. Ins. Missouri, v. p. 14, fig. (1873).

Pezotettix Differentialis, Stål, l. c. p. 14 (1878).

M. Differentialis, Brun. Bull. Washb. Coll. i. p. 139 (1885); Bull. U.S. Dept. Agric. Div. Ent. xxviii. pp. 15, 16. f. 5 (1893); Bull. Exper. Stat. Colorado. xciv. p. 47 (1894); Bull. Agric. Exper. Stat. Nebraska. xiii. pp. 44, 45. f. 2 (1901); Lugger, l. c. pp. 273, 294–296. ff. 130, 131 (1897); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 349. n. 120, pl. 23. ff. 3, 4 (1898); Blatchl. l. c. pp. 302, 326. n. 74, f. 72 (1903).

165. **M. Sumichrasti, Sauss.** (*Pezotettix S.*) Rev. Zool. (2) xiii. p. 160 (1861); Thomas, Syn. Acrid. N. Amer. p. 223 (1873). — Mexico.

M. Sumichrasti, Brun. Biol. Centr.-Amer., Orth. ii. p. 326. n. 46, pl. 4. ff. 6, 6 *a–c* (1908).

166. **M. Robustus, Scudd.** (*Caloptenus R.*) Proc. Boston Soc. Nat. Hist. xvii. p. 473. n. 24 (1875). — Texas.

Pezotettix Robustus, Stål, l. c. p. 14 (1878).

M. Robustus, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 354. n. 121, pl. 23. f. 5 (1898); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. pp. 17–19. ff. 6, 7 (1893); Morse, Furth. Res. N. Amer. Acrid. p. 51 (1907).

Caloptenus Ponderosus, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 473. n. 23 (1875).

167. **M. Symmetricus, Morse,** Psyche. xi. p. 8 (1904). — United States.

168. **M. Repletus, Walk.** (*Caloptenus R.*) l. c. iv. p. 678. n. 9 (1870); Thomas, Syn. Acrid. N. Amer. p. 159 (1873). — Vancouver.

169. **M. Viola, Thomas,** (*Pezotettix V.*) Bull. Illinois Mus. Nat. Hist. i. p. 66, n. 36 (1876). — Missouri, Illinois, Kentucky,

M. Viola, Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 355. n. 122, pl. 24. f. 1 (1898). *Pezotettix Affiliatus, Scudd.* Canad. Ent. xii. p. 75 (1880).	Nebraska.
170. **M. Clypeatus, Scudd.** (*Caloptenus C.*) Proc. Boston Soc. Nat. Hist. xix. p. 40 (1877). *M. Clypeatus, Scudd.* Canad. Ent. xii. p. 75 (1880); Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 357. n. 123, pl. 24. f. 2 (1898).	Georgia.
171. **M. Furcatus, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 30 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 358. n. 124, pl. 24. f. 3 (1898).	Florida.
172. **M. Bivittatus, Say,** (*Gryllus B.*) Journ. Acad. Nat. Sci. Philad. iv. p. 308. n. 3 (1825). *Caloptenus Bivittatus, Scudd.* Canad. Nat. vii. p. 287 (1862); Glover, l. c. pl. 1. f. 16, pl. 5. f. 16 (1872); Thomas, l. c. p. 166 (1873); Riley, Rep. Ins. Missouri, vii. pp. 124, 173. f. 34 (1875); Locust Plague, pp. 89, 194. f. 38 (1877); Bull. Div. Ent. U.S. Dept. Agric. xxv. p. 31, f. 9 (1891); Smith, Rep. Connect. Board Agric. 1872, pp. 362. 381. f. 7: Prov. Nat. Canad. viii. p. 109. n. 1 (1876). *M. Bivittatus, Scudd.* Hitchcock's Rep Geol. New Hampshire, i. p. 376. n. 28 (1874); Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 363. n. 126, pl. 24. f. 5 (1898); Brun. Bull. Div. Ent. U.S. Dept. Agric. xxviii. p. 19, f. 8 (1883); Beut. l. c. pp. 308, 313 (1894): Lugger, l. c. pp. 274, 296–298. ff. 133–135 (1897); Blatchl. l. c. pp. 302, 329–331. n. 75, f. 73 (1903). *Pezotettix Bivittatus, Stål,* Bihang Svensk. Akad. Handl. v. (9) p. 14 (1878). *Acridium Milberti, Serv.* Ins. Orth. p. 648. n. 9 (1838). *Caloptenus Femoratus, Burm.* Handb. Ent. ii. p. 638. n. 1 (1838): Brun. Verh.	N. America.

zool.-bot. Ges. Wien, xi. p. 224 (1861); Prov. Faune Ent. Canad. ii. p. 35. n. 1 (1877).

M. Femoratus, Scudd. Proc. Boston Soc. Nat. Hist. xix. pp. 285, 288 (1877); Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 360. n. 125, pl. 24. f. 4 (1898); Fernald, Orth. N. England, p. 31, f. 13 (1888); Morse, Psyche, viii. pp. 257, 258, 294. n. 44, pl. 7. f. 44 (1898).

Acrydium Flavovittatum, Harr. ll. cc. p. 140. n. 5 (1841), p. 173. n. 2 (1862).

M. Bivittatus Femoratus, Morse, Furth. Res. N. Amer. Acrid. p. 47 (1907).

Pezotettix Edax, Sauss. l. c. p. 161 (1861); Thomas, Syn. Acrid. N. Amer. p. 152 (1873).

***Heteracris Rejecta, Walk.* Cat. Derm. Salt. B. M. iv. p. 675. n. 42 (1870).

173. **M. Thomasi, Scudd.** Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 138, 368. n. 127, pl. 25. f. 1 (1898); Brun. Biol. Centr.-Amer., Orth. ii. p. 327. n. 49, pl. 4. ff. 7, 7 *a, b* (1908). — Mexico, New Mex., Arizona.

174. **M. Yarrowii, Thomas,** (*Caloptenus Y.*) Wheeler's Rep. Geogr. Geol. Expl. W. 100th Merid. v. p. 894, p. 45. f. 5 (1875); Scudd. Proc. Amer. Phil. Soc. xxxvi. p. 31 (1897); Proc. U.S. Nat. Mus. xx. pp. 139, 369. n. 128, pl. 25. f. 2 (1898); Brun. Bull. Agric. Exper. Stat. xciv. p. 55 (1904). — Colorado, Arizona.

175. **M. Olivaceus, Scudd.** ll. cc. p. 31 (1897); pp. 139, 370. n. 129, pl. 25. f. 3 (1898). — California, Arizona.

176. **M. Arboreus, Scudd.** ll. cc. p. 31 (1897); pp. 139, 372. n. 130, pl. 25. f. 5 (1898). — Texas, Arizona.

177. **M. Punctulatus, Scudd.** (*Caloptenus P.*) Boston Journ. Nat. Hist. vii. p. 465. n. 2 (1862); Thomas, Syn. Acrid. N. Amer. p. 163 (1873). — United States.

M. Punctulatus, Scudd. Hitchcock, Rep. Geol. New Hampshire, i. p. 376. n. 27

(1874); Proc. Boston Soc. Nat. Hist. xix. p. 285 (1878); Proc. Amer. Phil. Soc. xxxvi. p. 32 (1897); Proc. U.S. Nat. Mus. xx. pp. 139, 374. n. 131, pl. 25. f. 4 (1898); Beut. l. c. pp. 307, 313 (1894); Lugger, l. c. pp. 274, 298–300. f. 136 (1897); Morse, l. c. pp. 257, 258, 295. n. 45, pl. 7. f. 45 *a* (1898); Blatchley, l. c. pp. 302, 331. n. 76 (1903).

Caloptenus Griseus, Thomas, Rep. Geol. Surv. Montana, pp. 450, 454 (1872); Syn. Acrid. N. Amer. pp. 158, 165 (1873); Glover, Ill. N. Amer. Orth. pl. 12. f. 14 (1872).

M. Griseus, Blatchl. Canad. Ent. xxiv. p. 30. n. 3 (1892).

Caloptenus Helluo, Scudd. Proc. Boston Soc. Nat. Hist. xvii. p. 476. n. 27 (1875).

178. **M. Desultorius, Rehn,** Proc. Acad. Nat. Sci. Philad. lix. p. 51 (1907). Arizona.

179. **M. Macneilli, Hart,** Bull. Illinois Lab. Nat. Hist. vii. p. 261 (1907). Illinois.

180. **M. (?) Antisanæ, Bol.** (*Pezotettix A.*) An. Soc. Españ. x. p. 482 (1881); Viaje al Pacif., Artr. p. 45 (1884). Antisana.

181. **M. Blandus, Scudd.** Proc. Davenport Acad. Nat. Sci. vii. pp. 160, 161, pl. 7. f. 3 (1899). California.

182. **M. Incisus, Scudd.** l. c. pp. 162, 163 (1899). Colorado.

183. **M. Femur-Nigrum, Scudd.** l. c. p. 165, pl. 7. f. 4 (1899). Arizona.

184. **M. Varicus, Scudd.** l. c. pp. 167, 168, pl. 7. ff. 5, 6 (1899). California.

185. **M. Immunis, Scudd.** l. c. pp. 167, 170 (1899). Oregon.

186. **M. Acutus, Scudd.** l. c. pp. 168, 171 (1899). Minnesota.

187. **M. Usitatus, Scudd.** l. c. pp. 168, 172 (1899). Oregon.

188. **M. Pinctus, Scudd.** l. c. pp. 174, 175, pl. 7. f. 7 (1899). California.

189. **M. Truncatus, Scudd.** l. c. pp. 175, 177, pl. 7. f. 8 (1899). Arizona.

190. **M. Phœtaliotiformis, Scudd.** l. c. pp. 175, 179, pl. 7. f. 9 (1899). California.

191. **M. Incultus, Scudd.** l. c. pp. 175, 181. pl. 7. f. 10 (1899). Colorado.

192. **M. Franciscanus, Scudd.** l. c. p. 183, pl. 8. ff. 1, 2 (1899). Arizona.

193. **M. Ablutus, Scudd.** l. c. p. 185, pl. 8. f. 3 (1899). California.

194. **M. Nanus, Scudd.** l. c. p. 187, pl. 8. f. 4 (1899). id.

195. **M. Ligneolus, Scudd.** l. c. pp. 187, 188, pl. 8. ff. 5, 6 (1899). id.

196. **M. Dealbatus, Scudd.** l. c. p. 190, pl. 8. ff. 7, 8 (1899). id.

197. **M. Pilatus, Scudd.** l. c. p. 192, pl. 9. ff. 1, 2 (1899). Colorado.

198. **M. Ascensus, Scudd.** l. c. pp. 195, 196, pl. 9. f. 3 (1899). California, Oregon.

199. **M. Validus, Scudd.** l. c. pp. 195, 197, pl. 9. ff. 4, 5 (1899). Oregon.

200. **M. Algidus, Scudd.** l. c. pp. 195, 199, pl. 9. f. 6 (1899). id.

201. **M. Debilis, Scudd.** l. c. pp. 196, 201, pl. 9. f. 7 (1899). id.

202. **M. Calidus, Scudd.** l. c. p. 203 (1899). New Mex.

Genus 793. **Podisma.** (*Type* no. 24.)

Latr. Cuv. Règne Anim. (ed. 2) v. p. 188 (1829); Serv. Ann. Sci. Nat. xxii. p. 289 (1831); Ins. Orth. p. 679 (1839); Steph. Ill. Brit. Ent., Mand. vi. p. 29 (1835); Borck, Skand. Rätv. Ins. p. 87 (1848); Fieb. Lotos, iii. p. 119 (1853), iv. p. 196 (1854); Syn. Eur. Orth. p. 19 (1854); Fisch.-Waldh. Orth. Ross. pp. 228, 245 (1846); Scudd. Psyche, vii. p. 195 (1895); Proc. Amer. Acad. Arts Sci. xxxii. pp. 200, 205 (1897); Guide N. Amer. Orth. p. 45 (1897); Proc. U.S. Nat. Mus. xx. pp. 12, 94 (1898); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 203, 309 (1902).

Pezotettix, *Burm.* Germ. Zeitsch. Ent. ii. p. 51 (1840); Fisch. Orth. Eur. pp. 298, 365 (1853); Friv. Ertek. Termész. Kör. i. (12) pp. 136, 169 (1867); Stål, Recens. Orth. i. pp. 39, 71, 77 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (4) p. 32, v. (9) pp. 3. 14 (1878); Thomas, Syn. Acrid. N. Amer. pp. 145, 222 (1873); Bol. Ortópt. Españ. pp. 87, 96 (1876); An. Soc. Españ. v. pp. 293, 302 (1876); An. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 32

(1898); Brunn. Prodr. Eur. Orth. pp. 86. 222 (1882); Finot, Orth. France, pp. 45. 80 (1883); Faune France, Orth. pp. 102, 162 (1889); Auriv. Ent. Tidskr. vi. pp. 241, 247 (1900); Tümpel, Geradfl. Mitteleuropas, pp. 215, 220, 251 (1900).

1. **P. Glacialis, Scudd.** (*Pezotettix G.*) Bost. Journ. Nat. Hist. vii. p. 630. pl. 14. ff. 9, 10 (1863); Hitchcock, Rep. Geol. N. Hampshire, i. p. 374. n. 25, pl. A. ff. 5, 10 (1874); Thomas, Syn. Acrid. N. Amer. p. 148 (1873). *Podisma Glacialis, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 97, 98. n. 1, pl. 7. f. 3 (1898). *Pezotettix Glacialis, E. M. Walk.* Canad. Ent. xxxv. pp. 295–301, pl. 6. ff. 1–9, 48, 49, 53, 61 (1903). *Pezottix Borealis, Glover*, Ill. N. Amer. Orth. pl. 6. ff. 16–18 (1872).	Northern United States, Canada.
2. **P. Variegata, Scudd.** l. c. pp. 97, 101. n. 2. pl. 7. f. 4 (1898). *P. Glacialis Variegata, E. M. Walk.* l. c. pp. 295–301, pl. 6. ff. 32–47, 51, 52, 57–60, 64, 65 (1903).	Canada, New York.
3. **P. Canadensis, E. M. Walk.** (*P. Glacialis Canadensis*) l. c. p. 300, pl. 6. ff. 10–31, 50, 54–56, 62, 63 (1903).	Canada.
4. **P. Polita, Scudd.** Proc. Davenport Acad. Sci. vii. p. 158, pl. 7. ff. 1, 2 (1901).	Oregon.
5. **P. Nubicola, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 98, 102. n. 3. pl. 7. f. 5 (1898).	Colorado.
6. **P. Stupefacta, Scudd.** (*Pezotettix Stupefactus*) Wheeler's Ann. Rep. Geogr. Surv. W. 100th Merid. 1876, App. JJ, p. 283. n. 18. *Podisma Stupefacta, Scudd.* Proc. U.S. Nat. Mus. xx. pp. 98, 104. n. 4, pl. 7. f. 6 (1898).	New Mexico, Colorado.
7. **P. Dodgei, Thomas,** (*Caloptenus D.*) Canad. Ent. iii. p. 168 (1871): Rep. U.S. Geol. Surv. Montana, p. 451, pl. 2. ff. 4, 5, 9 (1872); Syn. Acrid. N. Amer. p. 153 (1873); Glover. Ill. N. Amer. Orth. pl. 11. ff. 4, 5, 9 (1872). *Podisma Dodgei, Scudd.* l. c. pp. 98, 105. n. 5, pl. 7. f. 7 (1898); Brun. Bull. Agric. Exper. Stat. Colorado, xciv. p. 41 (1904).	Colorado, Wyoming, Montana, Utah.

Pezotettix Bohemani, Stål, Bihang Svensk. Acad. Handl. v. (9) p. 15. n. 8 (1878).	
Pezotettix Aspirans, Scudd. Proc. Boston Soc. Nat. Hist. xx. p. 85. n. 90 (1879).	
8. **P. Ascensor, Scudd.** Proc. U.S. Nat. Mus. xx. pp. 98, 107. n. 6, pl. 7. f. 8 (1898).	Utah.
9. **P. Oreas, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lviii. pp. 402, 403. f. 15. 16 (1906).	Wyoming.
10. **P. Marshallii, Thomas,** (*Pezotettix M.*) Wheeler, Rep. Geogr. Geol. Surv. W. 100th Merid. v. p. 889. pl. 45. f. 3 (1875).	Colorado.
Podisma Marshallii, Scudd. Proc. U.S. Nat. Mus. xx. pp. 98, 108. n. 7, pl. 7. f. 9 (1898).	
11. **P. Oregonensis, Thomas,** (*Pezotettix O.*) l. c. p. 888 (1875).	Oregon, Idaho, Montana.
Podisma Oregonensis, Scudd. l. c. pp. 98, 110. n. 8, pl. 7. f. 10 (1898).	
12. **P. Scudderi, Morse,** Psyche, xiii. p. 120 (1906).	Alabama.
P. Australis, Morse, l. c. xiv. p. 57 (1907); Furth. Res. N. Amer. Acrid. p. 45 (1907).	
13. **P. Pedemontana, Brunn.** (*Pezotettix Pedemontanus*) l. c. pp. 223, 230. n. 9 (1882).	Piedmont.
Podisma Pedemontana, Scudd. Proc. U.S. Nat. Mus. xx. pp. 111, 112. n. 9, pl. 8. f. 1 (1898).	
14. **P. Kœppeni, Zub.** Hor. Soc. Ent. Ross. xxxiv. p. 20. n. 40 (1900); Jacobs. & Bianchi, l. c. pp. 203, 310 (1902).	Siberia.
15. **P. Cobellii, Krauss,** (*Pezotettix C.*) Verh. zool.-bot. Ges. Wien, xxxiii. p. 222, f. 2 (1883).	Tyrol.
Podisma Cobellii, Scudd. l. c. pp. 111, 113. n. 10, pl. 8. f. 2 (1898); Jacobs. & Bianchi, l. c. pp. 203. 310 (1902).	
16. **P. Costæ, Targ.-Tozz.** (*Pezotettix C.*) Bull. Soc. Ent. Ital. xiii. p. 185. n. 8 (1881); Brunn. l. c. pp. 223, 229. n. 8 (1882)	Italy.
Podisma Costæ, Scudd. l. c. pp. 111, 113. n. 11 (1898).	
17. **P. Parnassica, Scudd.** l. c. pp. 111, 113. n. 12, pl. 8. f. 3 (1898); Jacobs. & Bianchi, l. c. pp. 203. 310 (1902).	Parnassus.

18. **P. Pyrenæa, Fisch.** (*Pezotettix P.*) l. c. p. 373, pl. 15. ff. 22*, 22* *a* (1853); Bol. Ortópt. Españ. pp. 96, 97. n. 2 (1876); Finot, Faune France, Orth. pp. 162, 164 (1889). *Pezotettix Pyrenæus, Brunn.* l. c. pp. 223, 229. n. 7 (1882); Finot, Orth. France. pp. 80, 81 (1883); Bol. Ann. Sci. Nat. Porto, v. pp. 32, 33. n. 2 (1898). *Podisma Pyrenæa, Scudd.* l. c. pp. 111. 114. n. 13. pl. 8. f. 4 (1898).	Pyrenees.
19. **P. Salamandra, Fisch.** (*Pezotettix S.*) l. c. p. 372. n. 5. pl. 15. ff. 22, 22 *a–e* (1853); Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (9) p. 15. n. 6 (1878); Brunn. l. c. p. 223. n. 6 (1882). *Pezotettix Salmandra, Brunn.* l. c. p. 228. n. 6 (1882); Tümp. l. c. pp. 220, 252, pl. 20 (1900); Jacobs. & Bianchi, l. c. pl. 7 (1902). *Podisma Salamandra, Scudd.* l. c. pp. 111. 114, pl. 8. f. 5 (1898); Jacobs. & Bianchi. l. c. pp. 203. 311 (1902).	Corinthia, Istria, Croatia, Herzegovina.
20. **P. Baldensis, Krauss,** (*Pezotettix B.*) Verh. zool.-bot. Ges. Wien, xxxiii. p. 220. f. 1 (1883). *Podisma Baldensis, Scudd.* l. c. pp. 112. 114. n. 15, pl. 8. f. 6 (1898); Jacobs. & Bianchi, l. c. pp. 203, 311 (1902).	S. Tyrol. Lombardy.
21. **P. Dairisama, Scudd.** l. c. pp. 112. 114. n. 16. pl. 8. f. 7 (1898); Rehn, Proc. Acad. Nat. Sci. Philad. liv. p. 636 (1903); Jacobs. & Bianchi, l. c. pp. 203. 311 (1902).	Japan.
22. **P. Schmidtii, Fieb.** Lotos, iii. p. 119. n. 3 (June, 1853); Syn. Eur. Orth. p. 19. n. 3 (1854); Scudd. l. c. pp. 112, 115. n. 17, pl. 8. f. 9 (1898); Jacobs. & Bianchi, l. c. pp. 204, 312 (1902). *Pezotettix Mendax, Fisch.* l. c. p. 371. n. 4, pl. 15. ff. 23. 23 *a, b* (Nov. 1853); Brunn. Verh. zool.-bot. Ges. Wien, xi. p. 306 (1861); Prodr. Eur. Orth. pp. 223, 227. n. 5 (1882); Friv. l. c. p. 173. n. 4, pl. 7. ff. 3, 3 *a*, *b* (1867); Stål, ll. cc. iv. (5) p. 17 (1876), v. (9) p. 15. n. 4 (1878); Tümp. l. c. pp. 220, 251, pl. 20 (1900); Jacobs. & Bianchi, l. c. pl. 7 (1902).	Austria, Hungary, Ticino, Bosnia, Roumania, &c.

*23. **P. Fieberi, Scudd.** l. c. pp. 112, 115. n. 18, pl. 8. f. 8 (1898); Jacobs. & Bianchi, l. c. pp. 204, 312 (1902). ‖*Pezotettix Schmidtii, Brunn.* (*nec Fieb.*) Verh. zool.-bot. Ges. Wien, xi. p. 306, pl. 16. f. 23 A, B (1861); Prodr. Eur. Orth. pp. 223, 225. n. 3 (1882); Friv. l. c. pp. 172. n. 3, pl. 7. ff. 2, 2 *a*, *b* (1867).	S.E. Europe.
*24. **P. Pedestris, Linn.** (*Gryllus Locusta P.*) Syst. Nat. (ed. x.) i. p. 433. n. 59 (1758); Faun. Suec. (ed. ii.) p. 239. n. 878 (1761). *Gryllus Pedestris, Fabr.* Syst. Ent. p. 293. n. 31 (1775); Panz. Faun. Ins. Germ. fasc. xxxiii. pl. 8 (1796); Zett. Orth. Suec. p. 102. n. 14 (1821); Thunb. Mém. Acad. Pétersb. v. p. 251 (1815), ix. pp. 400, 429. n. 106 (1824). *Gryllus Pedester, Charp.* Hor. Ent. p. 174 (1825); Latr. l. c. p. 188 (1829). *Acrydium Pedestre, Oliv.* Encycl. Méth., Ent. vi. p. 232. n. 71 (1791). *Acridium Pedestre, Serv.* Ins. Orth. p. 679. n. 42 (1839). *Podisma Pedestris, Steph.* Ill. Brit. Ent., Mandib. vi. p. 29. n. 1 (1835); Borck, Skand. Rätv. Ins. p. 87. n. 1 (1848); Fisch.-Waldh. Orth. Ross. p. 247. n. 1, pl. 30. f. 4 (1846); Fieb. l. c. iii. p. 119. n. 2 (1853), iv. p. 196. n. 2 (1851); p. 19. n. 2 (1854); Scudd. l. c. pp. 112, 116. n. 19, pl. 8. f. 10 (1898); Jacobs. & Bianchi, l. c. pp. 204, 312 (1902). *Pezotettix Pedestris, Fisch.* l. c. p. 369. n. 3, pl. 15. ff. 17, 17*, 18, 18 *a* (1853); Friv. l. c. p. 171. n. 2 (1867); Stål, Recens. Orth. i. p. 77. n. 7 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (9) p. 15. n. 2 (1878); Bol. ll. cc. p. 96. n. 1 (1876); v. p. 302. n. 1 (1876); v. p. 32. n. 1 (1898); Brunn. Prodr. Eur. Orth. pp. 223, 226. n. 4 (1882); Finot, ll. cc. pp. 80, 81 (1883); pp. 162, 163, pl. 8. f. 111 (1889); Auriv. l. c. p. 247. n. 1 (1900); Tümp. l. c. pp. 220, 252, pl. 20 (1900); Jacobs. & Bianchi, l. c. pl. 7 (1902).	Europe, W. Asia.

Acrydium Apterum, De Geer, Mém. Ins. iii. p. 474. n. 4, pl. 23. ff. 8, 9 (1773).	
Pezotettix Pedestris, var. *Carpetanus, Bol.* Ann. Sci. Nat. Porto, v. p. 33 (1898).	
*25. **P. Alpina, Koll.** (*Gryllus Alpinus*) Beitr. Landesk. Œsterr. iii. p. 83 (1833).	Europe.
Podisma Alpina, Fieb. ll. cc. iii. p. 119. n. 1 (1853), iv. p. 196. n. 1 (1854); p. 19. n. 1 (1854); Scudd. l. c. pp. 112, 116. n. 20, pl. 9. f. 1 (1898); Jacobs. & Bianchi, l. c. pp. 204, 313 (1902).	
Pezotettix Alpina, Fisch. l. c. p. 368. n. 2, pl. 15. ff. 19, 20 (1853); Friv. l. c. p. 170. n. 1 (1867); Finot, Faune France, Orth. p. 162 (1889).	
Pezotettix Alpinus, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 17 (1876), v. (9) p. 15. n. 3 (1878); Brunn. l. c. pp. 223, 224. n. 2, pl. 7. f. 53 A (1882); Finot, Orth. France, p. 80 (1883); Bol. l. c. p. 32. n. 1 (1898); Tümp. l. c. pp. 220, 252 (1900).	
Acridium Pulchellum, Herr.-Schäff. Nomencl. Ent. ii. Orth. p. 8. n. 19 (1840).	
[*Podisma Frigidum, Fisch.* (*nec Boh.*) Jahresb. Ver. Naturk. Mannh. xv. p. 38 (1849).	
Podisma Subalpinum, Fisch. l. c. xvi. p. 28 (1850).	
Pezotettix Alpinus, var. *Collina, Brunn.* l. c. p. 224. pl. 7. f. 53 B (1882); Friv. l. c. p. 170, pl. 7. ff. 1, 1 *a*, *b* (1867).	
Pezotettix Alpina, var. *Collina, Finot,* Faune France, Orth. p. 163 (1889).	
*26. **P. Frigida, Boh.** (*Gryllus Frigidus*) Œfv. Vet.-Akad. Förh. p. 80 (1846).	N. Europe, Alps, Altai.
Podisma Frigida, Borck, l. c. p. 90. n. 2, pl. 3. f. 2 (1848); Scudd. l. c. pp. 112, 117. n. 21, pl. 9. f. 2 (1898); Auriv. l. c. p. 247. n. 2 (1900); Jacobs. & Bianchi, l. c. pp. 204, 314 (1902).	
Pezotettix Frigida, Fisch. l. c. p. 368. n. 1, pl. 15. f. 21 (1853).	
Pezotettix Frigidus, Stål, l. c. iv. (5) p. 17 (1876), v. (9) p. 15. n. 7 (1878); Brunn. l. c. pp. 222, 223. n. 1 (1882); Tümp. l. c. pp. 220, 252 (1900).	

Pezotettix Alpicola, Fisch. Stett. Ent. Zeit. xiii. p. 21 (1852).	
27. **P. Syriaca, Brunn.** (*Pezotettix S.*) Verh. zool.-bot. Ges. Wien. xi. p. 225 (1861).	Beyrout.
28. **P. Rufipes, Fisch.-Waldh.** l. c. p. 249. n. 3 (1846); Fieb. ll. cc. iii. p. 120. n. 4 (1853). iv. p. 196. n. 4 (1854); p. 19. n. 4 (1854); Jacobs. & Bianchi, l. c. p. 314 (1902).	Caucasus.
29. **P. Almasyi, Kuthy,** Ann. Mus. Nat. Hungar. iii. p. 218 (1905).	Central Asia.
30. **P. Fauriei, Bol.** (*Pezotettix F.*) An. Soc. Españ. xix. p. 322 (1890); Jacobs. & Bianchi, l. c. p. 315 (1902).	Japan.
31. **P. Mikado, Bol.** (*Pezotettix M.*) l. c. p. 323 (1890); Jacobs. & Bianchi, l. c. p. 315 (1902).	id.

Genus 794. **Osmilia.** (*Type* no. 1.)

Stål. Recens. Orth. i. p. 68 (1873); Bihang Svensk. Akad. Handl. v. (4) p. 33 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893); Giglio-Tos, Boll. Mus. Torino, xiii. (311) p. 50 (1898); Brun. 2nd Rep. Locust Comm. B. Aires, pp. 55, 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 643, 693 (1906); Biol. Centr.-Amer., Orth. ii. pp. 222, 330 (1907-8).

*1. **O. Flavolineata, De Geer,** (*Acrydium Flavolineatum*) Mém. Ins. iii. p. 497. n. 13. pl. 42. f. 4 (1773).	Surinam. Demerara, Brazil, Guayaquil.
Acridium Flavolineatum, Burm. Handb. Ent. ii. p. 634. n. 20 (1838).	
Acridium (*Osmilia*) *Flavolineatum, Stål,* Recens. Orth. i. p. 68. n. 18 (1873).	
Osmilia Flavolineata, Brun. l. c. pp. 330, 331. n. 1 (1908).	
‖ *O. Violacea, Brun.* (*nec Thunb.*) 2nd Rep. Locust Comm. B. Aires, p. 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 693, 694 (1906).	
Acridium Cœlestre, Burm. l. c. p. 634. n. 21 (1838).	
Osmilia Cœlestis, Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 331. n. 3 (1908).	

‖***Acridium Obliquum, Walk.* (*nec Thunb.*) l. c. iv. p. 637 (1870).	
2. **O. Saussurei, Scudd.** (*Acridium* (*Osmilia*) *S.*) Proc. Boston Soc. Nat. Hist. xvii. p. 274. n. 31 (1875).	Peru.
*3. **O. Violacea, Thunb.** (*Gryllus Violaceus*) Mém. Acad. Pétersb. ix. pp. 396, 413. n. 49 (1824). *Acridium* (*Osmilia*) *Violaceum, Stål,* l. c. p. 68. n. 19 (1873). *O. Violacea, Giglio-Tos,* Boll. Mus. Torino, ix. (184) p. 18 (1894); Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 332. n. 4 (1908).	Panama, Brazil.
4. **O. Tolteca, Sauss.** (*Acridium Toltecum*) Rev. Zool. (2) xiii. p. 163 (1861): Thomas. Syn. Acrid. N. Amer. p. 232 (1873). *Aleuas Toltecus, Rehn,* Trans. Amer. Ent. Soc. xxix. p. 14 (1902). *Osmilia Tolteca, Rehn,* Proc. Acad. Nat. Sci. Philad. lvii. p. 443 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 330, 331. n. 2 (1908). *Osmilia Toltecum, Rehn,* l. c. lvi. p. 539 (1904).	Mexico, Central America.
*5. **O. Rufipes, Thunb.** (*Gryllus R.*) l. c. pp. 395, 408. n. 32 (1824). *Acridium* (*Osmilia*) *Rufipes, Stål,* l. c. p. 68. n. 20 (1873). ***Acridium Decoripes, Walk.* Cat. Derm. Salt. B. M. iv. p. 621 (1870).	Brazil.
6. **O. Coriacea, Giglio-Tos,** l. c. ix. (184) p. 18 (1894).	Paraguay.
*7. **O. Obliqua, Thunb.** (*Gryllus Obliquus*) l. c. pp. 396, 414. n. 51 (1824). *Acridium* (*Osmilia*) *Obliquum, Stål,* l. c. p. 69. n. 21 (1873). *O. Obliqua, Brun.* 2nd Rep. Locust Comm. B. Aires. p. 80 (1900); Proc. U.S. Nat. Mus. xxx. pp. 693, 694 (1906). *Acridium Consors, Stål.* Eugenies Resa, Orth. p. 327. n. 71 (1860).	Brazil, Argentina.
8. **O. Labrata, Scudd.** (*Acridium Labratum*) Proc. Boston Soc. Nat. Hist. xii. p. 339. n. 20 (1869).	Napo.
9. **O. Vittiger, Blanch.** (*Acridium Vittigerum*), Gay, Hist. Chile, Zool. vi. p. 73. n. 3 [Orth. pl. 3. f. 8, ined.] (1851).	Chile.

Genus 795. **Teinophaus.**

Brun. Biol. Centr.-Amer., Orth. ii. p. 332 (1908).
Tænophaus, Brun. (*err. impr.*) l. c. p. 222 (1907).

1. **T. Saussurei, Brun.** l. c. p. 332. n. 1 (1908). *Ommatolampis Saussurei, Brun.* l. c. pl. 4. ff. 3, 3 *a*, 4, 4 *a*, 5 (1908).	Mexico.

Genus 796. **Perixerus.** (*Type* no. 1.)

Gerst. Stettin. Ent. Zeit. xxxiv. p. 192 (1873); Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 333 (1907–8).

1. **P. Squamipennis, Gerst.** l. c. p. 192. n. 21 (1873); Brun. l. c. pp. 333, 334. n. 1 (1908).	Mexico.
2. **P. Lævis, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 98 (1900); Brun. l. c. pp. 333, 334. n. 2. pl. 3. ff. 20, 20 *a* (1908).	id.
3. **P. Variabilis, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 541 (1904); Brun. l. c. pp. 333, 335. n. 3 (1908).	id.

Genus 797. **Dactylotum.** (*Type* no. 1.)

Charp. Orth. pl. 52 (1843): Thomas, Syn. Acrid. N. Amer. p. 219 (1873): Stål, Bihang Svensk. Akad. Handl. v. (4) p. 33 (1878); Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1893): Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 335 (1907–8).

1. **D. Bicolor, Charp.** l. c. pl. 52 (1843); Thomas, l. c. p. 220 (1873); Brun. l. c. pp. 335, 336. n. 1 (1908).	Mexico, California.
2. **D. Flavopictum, Brun.** ll. cc. n. 2 (1908).	Mexico.
*3. **D. Variegatum, Scudd.** (*Pezotettix Variegatus*) Proc. Boston Soc. Nat. Hist. xx. p. 75. n. 81 (1879). *D. Variegatum, Towns.* Ins. Life, vi. p. 30 (1893); Brun. l. c. pp. 335, 336. n. 3 (1908).	Western U. States.

4. **D. Flavoannulatum, La Munyon,** (*Pezotettix Flavoannulatus*) Proc. Nebraska Assoc. Adv. Sci. 1877; Scudd. Canad. Ent. xii. p. 75 (1880).	Nebraska, Mexico.
‖*D. Pictum, Gerst.* (*nec Thomas*) Stettin. Ent. Zeit. xxxiv. p. 192. n. 20 (1873); Brun. Sp. Bull. Dept. Ent. Univ. Nebraska, (2) vii. f. 4 *a* (1895).	
D. Picturatum, Brun. Biol. Centr.-Amer., Orth. ii. pp. 335, 336. n. 4 (1908).	
5. **D. Longipenne, Towns.** (*D. Longipennis*) l. c. p. 30 (1893).	Arizona.
6. **D. Histricum, Rehn,** Proc. Acad. Nat. Sci. Philad. lvi. p. 539 (1904): Brun. l. c. pp. 335, 337. n. 5 (1908).	Mexico.

Genus 798. **Pedies.**

Sauss. Rev. Zool. (2) xiii. p. 157 (1861); Thomas, Syn. Acrid. N. Amer. p. 221 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 333 (1907–8).

1. **P. Virescens, Sauss.** l. c. p. 157 (1861): Thomas, l. c. p. 221 (1873); Brun. l. c. p. 333. n. 1 (1908).	Mexico.

Genus 799. **Pœpedetes.** (*Type* no. 1.)

Sauss. Rev. Zool. (2) xiii. p. 158 (1861): Thomas, Syn. Acrid. N. Amer. p. 220 (1873); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 333 (1907–8).

‖1. **P. Corallinus, Sauss.** l. c. p. 158 (1861): Thomas, l. c. p. 221 (1873); Brun. l. c. p. 333. n. 1 (1908).	Mexico.
*2. **P. Pictum, Thomas,** (*Pezotettix Picta*) Proc. Acad. Nat. Sci. Philad. 1870, p. 78; Syn. Acrid. N. Amer. pp. 146, 147 (1873).	Western U. States, Mexico (eadem ?), Colombia.
Dactylotum Pictum, Brun. l. c. pp. 335, 337. n. 6 (1908).	

Genus 800. **Agesander.**

Stål. Bihang Svensk. Akad. Handl. v. (4) pp. 35, 81 (1878) ; Brunn. Ann. Mus. Genova, xxxiii. p. 147 (1907) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 337 (1907–8).

1. **A. Ruficornis, Stål,** l. c. p. 81. n. 1 (1878) ; Brun. l. c. p. 337. n. 1 (1908).	Colombia.

Genus 801. **Rhytidochrota.** (*Type* no. 7.)

Stål, Recens. Orth. i. pp. 35, 54 (1873) ; Bihang Svensk. Akad. Handl. v. (4) pp. 34, 75 (1878) ; Brunn. Ann. Mus. Genova, xxxiii. p. 148 (1893) ; Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 337 (1907–8).

1. **R. Ensicornis, Stål,** Bihang Svensk. Acad. Handl. v. (4) p. 76. n. 1 (1878) ; Brun. l. c. p. 338. n. 1 (1908).	Panama.
2. **R. Varicolor, Stål,** l. c. p. 76. n. 2 (1878) ; Brun. l. c. p. 338. n. 2 (1908).	Colombia.
3. **R. Sellata, Stål,** Recens. Orth. i. p. 55. n. 3 (1873) ; Bihang Svensk. Akad. Handl. v. (4) p. 77. n. 3 (1878) ; Brun. l. c. p. 338. n. 3 (1908).	N. Granada.
4. **R. Pilosa, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 77. n. 4 (1878).	Peru.
5. **R. Antennata, Stål,** Recens. Orth. i. p. 55. n. 2 (1873) ; Bihang Svensk. Akad. Handl. v. (4) p. 78. n. 5 (1878) ; Brun. l. c. p. 338. n. 4 (1908).	N. Granada.
6. **R. Lævifrons, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 78. n. 6 (1878).	Amazons.
7. **R. Turgida, Stål,** Recens. Orth. i. p. 54. n. 1 (1873) ; Bihang Svensk. Akad. Handl. v. (4) p. 78. n. 7 (1878) ; Brun. l. c. pp. 338, 339. n. 5 (1908).	Colombia.
8. **R. Brunneri, Stål,** Bihang Svensk. Akad. Handl. v. (4) p. 78. n. 8 (1878) ; Brun. l. c. pp. 338, 339. n. 6 (1908).	id.

Genus 802. **Opaon.**

Kirb. Ann. Nat. Hist. (7) x. p. 380 (1902).

1. **O. Granulosus, Kirb. l. c. p. 381, fig. (1902).	Ecuador.

Genus 803. **Rhachicreagra.** (*Type* no. 1.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 444 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 339 (1907–8).

1. **R. Nothra, Rehn,** l. c. pp. 444–448, ff. 36–39 (1905); Brun. l. c. p. 339. n. 1 (1908).	Costa Rica.
2. **R. Pallipes, Brun.** l. c. pp. 339, 340. n. 2 (1908).	id.
3. **R. Æruginosa, Brun.** ll. cc. n. 3 (1908).	id.
4. **R. Gracilis, Brun.** ll. cc. n. 4 (1908).	id.

Genus 804. **Microtylopteryx.** (*Type* no. 2.)

Rehn, Proc. Acad. Nat. Sci. Philad. lvii. p. 448 (1905); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 341 (1907–8).

1. **M. Hebardi, Rehn,** l. c. pp. 448–451, ff. 40–42 (1905).	Costa Rica.
2. **M. Fusiformis, Rehn,** l. c. pp. 451–454, f. 43 (1905). *Aspidophyma Americana, Brun.* l. c. pl. 4. ff. 26, 26 *a* (1908).	id.

Genus 805. **Pycnosarcus.**

Bol., Bol. Soc. Esp. vi. p. 392 (1906).
‖ *Polysarcus, Sauss.* (*nec Fisch.*) Rev. Zool (2) xi. p. 392 (1859); Brunn. Ann. Mus. Genova, xxxiii. p. 148 (1893); Brun. Biol. Centr.-Amer., Orth. ii. pp. 222, 341 (1907–8).

1. **P. Atavus, Sauss.** (*Polysarcus A.*) l. c. p. 393 (1859).	Bahia.

Genus 806. **Plegmapterus.**

Mart. Actas Soc. Españ. 1898, p. 35: An. Soc. Españ. xxx. pp. 257, 258 (1902).

1. **P. Ferruginosus, Stål,** (*Calliptenus* (*Euryphymus*) *F.*) Recens. Orth. i. p. 72. n. 2 (1873). *P. Ferruginosus, Mart.* An. Soc. Españ. xxx. p. 259 (1902).	Cape.

Genus 807. **Phymeurus.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 27 (1907).

1. **P. Pardalis, Giglio-Tos,** l. c. p. 28 (1907).	Congo.
*2. **P. Eremobicides, Bol.** (*Euryphymus E.*) Jorn. Sci. Lisb. (2) i. p. 168. n. 168 (1889); Mart. An. Soc. Esp. xxx. pp. 260, 262 (1902).	Mossamedes

Genus 808. **Euryphymus.** (*Type* no. 14.)

Stål, Recens. Orth. i. p. 72 (1873): Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 40 (1876); Bihang Svensk. Akad. Handl v. p. 30 (1878); Mart. An. Soc. Españ. xxx. pp. 258, 259 (1902).

1. **E. Melanopus, Burm.** (*Calopteuus M.*) Handb. Ent. ii. p. 640. n. 5 (1838).	Cape.
2. **E. Saphiripes, Serv.** (*Calliptamus S.*) Ins. Orth. p. 690. n. 4, pl. 14. f. 13 (1839). *E. Saphiripes, Mart.* l. c. pp. 260, 263 (1902).	id.
*3. **E. Sigmoidalis, Bol.** Jorn. Sci. Nat. Lisb. (2) i. p. 168. n. 167 (1889); Mart. l. c. pp. 260, 264 (1902).	Congo, Pedlfontein.
*4. **E. Squamipennis, Brancs.** Jahresh. Ver. Trencs. Com. xix.–xx. p. 79, pl 3. f. 20 *a–c* (1898); Mart. l. c. pp. 262, 277 (1902).	Zambesi, Mashona Land.
5. **E. Cuspidatus, Karsch,** Ent. Nachr. xxvi. p. 282, fig. (1900).	E. Africa.
6. **E. Brachypterus, Bol.** l. c. p. 167. n. 166 (1889); Mart. l. c. pp. 261, 264 (1902).	Angola.
7. **E. Adspersus, Bol.** An. Soc. Españ. xix. p. 320, pl. 1. ff. 8, 8 *a* (1890): Mart. l. c. pp. 261, 266 (1902).	Lozenzo Marquez.
*8. **E. Irisus, Serv.** (*Calliptamus I.*) l. c. p. 691. n. 6 (1839). *E. Irisus, Mart.* l. c. pp. 261, 266 (1902).	Cape.

9. **E. Xanthocnemis, Brancs.** Jahresh. Ver. Trencs. Com. xix.–xx. p. 78 (1897); Mart. l. c. pp. 262, 277 (1902).	Cape.
10. **E. Tuberculatus, Mart.** Actas Soc. Españ. 1898, p. 35; An. Soc. Españ. xxx. pp. 261, 267 (1902).	id.
11. **E. Capensis, Mart.** An. Soc. Españ. xxx. pp. 261, 267 (1902).	id.
12. **E. Saturatus, Walk. (*Caloptenus S.*) l. c. iv. p. 692. n. 34 (1870).	Zululand.
*13. **E. Erythropus, Thunb.** (*Gryllus E.*) Mém. Acad. Pétersb. v. p. 248 (1815); ix. pp. 399, 426. n. 94 (1824). *Calliptenus* (*Euryphymus*) *Erythropus, Stål,* Recens. Orth. i. p. 73. n. 4 (1873). *E. Erythropus, Mart.* l. c. pp. 261, 268 (1902).	S. Africa.
*14. **E. Hæmatopus, Linn.** (*Gryllus Locusta H.*) Syst. Nat. (ed. x.) i. p. 432. n. 44 (1758). *Acrydium Hæmatopum, Oliv.* Encycl. Méth., Ins. vi. p. 219. n. 19 (1791). *Gryllus Hæmatopus, Thunb.* l. c. ix. pp. 398, 423. n. 84 (1824). *Caloptenus Hæmatopus, Burm.* Handb. Ent. ii. p. 639. n. 4 (1838). *Calliptamus Hæmatopus, Serv.* l. c. p. 688. n. 1 (1839). *Calliptenus* (*Euryphymus*) *Hæmatopus, Stål,* Recens. Orth. i. p. 73. n. 3 (1873). *E. Hæmatopus, Mart.* l. c. pp. 261, 269 (1902). *Acrydium Rubripes, De Geer,* Mém. Ins. iii. p. 490. n. 6, pl. 40. f. 10 (1773). *Gryllus Pilosus, Thunb.* l. c. p. 248 (1815); ix. pp. 399, 425. n. 93 (1824).	id.
*15. **E. Semiroseus, Serv.** (*Calliptamus S.*) l. c. p. 692. n. 7 (1839). ** ♂. *Caloptenus Semiroseus,* var. (?), *Walk.* l. c. p. 691. n. 32 (1870). *E. Semiroseus, Mart.* l. c. pp. 262, 276 (1902). *Acridium* (*Calliptamus*) *Hottentottum, Stål,* Eugenies Resa. Orth. p. 337. n. 90 (1860). *E. Hottentottus, Stål,* Œfv. Vet.-Akad. Handl xxxiii. (3) p. 13 (1876).	id.

Calliptenus Hottentottus, *Stål.* Recens. Orth. i. p. 73. n. 5 (1873).

Caloptenus Hottentottus, *Walk.* l. c. p. 692. n. 33 (1870).

Caloptenus Minor, *Walk.* l. c. p. 699. n. 48 (1870).

Calliptamus Minor, *Kirb.* Trans. Ent. Soc. Lond. 1902, p. 240. n. 118 B.

16. **E. Antennatus, Kirb.** l. c. p. 109. n. 118 (1902). Pretoria.

17. **E. Crassus, Walk. (*Caloptenus C.*) l. c. iv. p. 694. n. 39 (1870). S. Africa.

***Caloptenus Illepidus*, *Walk.* l. c. n. 40 (1870).

***Caloptenus Pinguis*, *Walk.* l. c. p. 695. n. 41 (1870).

18. **E. Curvipes, Stål,** (Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 41. n. 1 (1876); Mart. l. c. pp. 261, 271 (1902). Damara Land.

19. **E. Unicarinatus, Krauss,** (*Caloptenus C.*) Sitz. Akad. Wiss. Wien. lxxvi. (1) p. 37. n. 1 (1861). Senegal.

*20. **E. Vylderi, Stal,** Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 42. n. 2 (1876): Mart. l. c. pp. 261, 273 (1902). S. Africa.

21. **E. Sinuosus, Mart.** Actas Soc. Españ. 1898. p. 35: An. Soc. Españ. xxx. pp. 261, 274 (1902). Namaqua Land.

22. **E. Tricostatus, Bol.** Jorn. Sci. Lisb. (2) i. p. 169. n. 169 (1889): Mart. An. Soc. Españ. xxx. pp 261, 274 (1902). Braganza, W. Africa.

23. **E. Stolidus, Bol.** l. c. p. 169. n. 170 (1889); Mart. l. c. pp. 261, 271 (1902). id.

24. **E. Marginipennis, Karsch,** Berlin. Ent. Zeitschr. xxxviii. p. 104. n. 71 (1893); Mart. l. c. p. 307 (1902). Adeli.

25. **E. Nigropunctatus, Bol.** (*Caloptenus N.*) l. c. viii. p. 114. n. 29 (1881): (2) i. p. 173. n. 177 (1889). Congo Braganza.

26. **E. Cicatricosus, Bol.** (*Caloptenus C.*) l. c. (2) i. p. 170. n. 172 (1889). Braganza.

27. **E. (?) Exemptus, Walk. (*Acridium Exemptum*) l. c. p. 626 (1870): Finot. Ann. Soc. Ent. France, lxxvi. p. 331 (1907). Madagascar

28. **E. Glaucopsis, Walk. (*Caloptenus G.*) l. c. p. 702. n. 53 (1870). N. India.

29. **E. Testaceus, Walk.** (*Caloptenus T.*) l. c. p. 685. n. 22 (1870).	Arabia.
30. **E. Concisus, Walk.** (*Caloptenus C.*) l. c. p. 687. n. 25 (1870).	E. Africa.
31. **E. Signatus, Walk.** (*Caloptenus S.*) l. c. p. 687. n. 26 (1870).	Suakim.
32. **E. Turbidus, Walk.** (*Caloptenus T.*) l. c. p. 688. n. 27 (1870).	Egypt.
33. **E. Mutator, Walk.** (*Caloptenus M.*) l. c. p. 689. n. 28 (1870).	id., Arabia.
34. **E. Cincticollis, Walk.** (*Caloptenus C.*) l. c. n. 29 (1870).	Sinai.
35. **E.** (?) **Reductus, Walk.** (*Caloptenus R.*) l. c. p. 713. n. 74 (1870).	Hab. —— ?
36. **E. Nodulus, Giglio-Tos,** Boll. Mus. Torino, xxii. (554) p. 26 (1907).	Mozadisciu.

Genus 809. **Acorypha.**

Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxvi. (1) p. 38 (1877) ; Mart. An. Soc. Españ. xxx. pp. 258, 278 (1902).

1. **A. Picta, Krauss,** l. c. p. 39. n. 1, pl. 1. ff. 4, 4 A–C (1877) ; Mart. l. c. p. 278 (1902).	Senegal.

Genus 810. **Acoryphella.** (*Type* no. 1.)

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 28 (1907).

1. **A. Zonata, Giglio-Tos,** l. c. p. 29 (1907).	Somali.
2. **A. Punctata, Giglio-Tos,** l. c. p. 30 (1907).	id.

Genus 811. **Sphodromerus.** (*Type* no. 1.)

Stål, Recens. Orth. i. p. 72 (1873) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 204, 315 (1902).

1. **S. Serapis, Serv.** (*Calliptamus S.*) Ins. Orth. p. 689. n. 2 (1839) ; Jacobs. & Bianchi, l. c. pp. 204. 315 (1902).	Egypt, Syria, Palestine.

Caloptenus Serapis, var. (?), *Walk.* Cat. Derm. Salt. B. M. iv. p. 685. n. 29 (1870).	
2. **S. Sacer, Giglio-Tos,** (*Caloptenus S.*) Boll. Mus. Torino, viii. (164) p. 10. n. 52. plate f. 1 (1893).	Jericho.
3. **S. Cœlesyriensis, Giglio-Tos,** (*Caloptenus S.*) l. c. n. 51, plate f. 4 (1893). *Calliptamus Cœlosyriensis, Jacobs. & Bianchi,* l. c. p. 317 (1902).	W. Asia.
4 **S. Decoloratus, Finot,** Bull. Soc. Ent. France, lxiii. p. xiii. n. 3 (1894).	Algeria.
5. **S. Cruentatus, Krauss,** Verh. zool.-bot. Ges. Wien, lii. p. 247. n. 28 (1902).	Sahara.
*6. **S. Inconspicuus, Schulth.** Zool. Jahrb. Syst. viii. p. 78 (1894); Mart. An. Soc. Españ. xxx. p. 305 (1902).	Somali.
7. **S. Sanguiniferus, Rehn,** Proc. Acad. Nat. Sci. Philad. liii. p. 379 (1901).	Galla Land.
*8. **S. Scriptipennis, Walk.** (*Caloptenus S.*) l. c. p. 686. n. 24 (1870).	Arabia, Midian.
9. **S. Pilipes, Jans. (*Caloptenus P.*) Hart. Fauna & Flora of Sinai, p. 185. plate. f. 4 (1891).	Dead Sea.

Genus 812. **Caloptenopsis.** (*Type* no. 2.)

Bol. Jorn. Sci. Lisb. (2) i. p. 173 (1889); Kirb. Proc. Zool. Soc. Lond. 1902, p. 100; Mart. An. Soc. Españ. xxx. pp. 258, 281 (1902).

1. **C. Plenipennis, Walk. (*Caloptenus P.*) Cat. Derm. Salt. B. M. iv. p. 696. n. 43 (1870).	S. Africa.
2. **C. Vittatus, Bol.** (*Caloptenus V.*) l. c. p. 171. n. 173 (1889). *Caloptenopsis Vittatus, Mart.* An. Soc. Españ. xxx. pp. 282, 283 (1902).	Caconda, W. Africa.
3. **C. Angusticeps, Bol.** (*Caloptenus A.*) l. c. p. 172. n. 176 (1889). *Caloptenopsis Angusticeps, Mart.* l. c. pp. 282, 283 (1902).	id.
4. **C. Ferrifer, Walk. (*Caloptenus F.*) l. c. p. 698. n. 46 (1870). ***Caloptenopsis Johnstoni, Kirb.* l. c. p. 101. n. 23 (1902). *Calliptenus Pallidicornis, Stål,* Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 43. n. 1 (1876).	S. & E. Africa.

Caloptenopsis Pallidicornis, Mart. l. c. pp. 282, 286 (1902).	
5. **C. Fratercula, Kirb. Trans. Ent. Soc. Lond. 1902, p. 111. n. 120.	Pretoria, Delagoa Bay
6. **C. Uniformis, Kirb. l. c. p. 112. n. 121 (1902).	Pretoria.
7. **C. Tibialis, Kirb. l. c. p. 110. n. 119 (1902).	Transvaal, Pemba I.
** ♂. *C. Femoralis, Kirb.* Ann. Nat. Hist. (7) x. p. 241. n. 5 (1902).	
*8. **C. Calcaratus, Stål,** (*Calliptenus C.*) Bihang Svensk. Akad. Handl. iv. (5) p. 13. n. 3 (1876).	Massowa, Mombasa.
Caloptenopsis Calcaratus, Mart. l. c. pp. 282, 287 (1902).	
9. **C. Macracanthus, Mart.** l. c. pp. 282, 287 (1902).	Angola.
‖*Caloptenus Calcaratus, Bol.* (*nec Stål*) l. c. p. 172. n. 175 (1889).	
10. **C. Mossambicus, Brancs.** (*Caloptenus M.*) Jahresh. Ver. Trencs. Com. xv.–xvi. p. 194, pl. 12. f. 4 (1893).	Mozambique.
Caloptenopsis Mossambicus, Mart. l. c. pp. 282, 288 (1902).	
11. **C. Orientalis, Schulth.** (*Caloptenus O.*) Ann. Mus. Genova. xxxix. p. 194. n. 1 (1898).	Somali.
Caloptenopsis Orientalis, Mart. l. c. pp. 282, 292 (1902).	
12. **C. Nigrovariegatus, Bol.** (*Caloptenus N.*) l. c. p. 171. n. 174 (1889).	Braganza, W. Africa.
Caloptenopsis Nigrovariegatus, Mart. l. c. pp. 282, 289 (1902).	
13. **C. Angusticosta, Karsch,** Stettin. Ent. Zeit. lvii. p. 321. n. 86, f. 37 (1896); Mart. l. c. pp. 282, 293 (1902).	Nyasa.
14. **C. Laticosta, Karsch,** l. c. p. 322. n. 87 (1896); Mart. l. c. pp. 282, 294 (1902).	id.
C. Laticosta, var. *Marginalis, Karsch,* l. c. p. 322 (1896).	
15. **C. Karschi, Mart.** l. c. p. 307 (1902).	Adeli.
‖*Euryphymus Calcaratus, Karsch* (*nec Stål*), Berlin. Ent. Zeitschr. xxxviii. p. 103. n. 70 (1893).	
16. **C. Baliensis, Brancs.** (*Caloptenus B.*) l. c. p. 195, pl. 12. f. 5 (1893).	Bali (?).
Caloptenopsis Baliensis, Mart. l. c. pp. 282, 292 (1902).	

17. **C. Liturifer, Walk. (*Caloptenus L.*) l. c. p. 703. n. 51 (1870).	S. India.
18. **C. Insignis, Walk. (*Caloptenus I.*) l. c. p. 701. n. 52 (1870). ***Caloptenus Spissus, Walk.* l. c. v. p. 70 (1871).	India.
19. **C. Crassiusculus, Mart.** Actas Soc. Españ. 1896, p. 11 ; An. Soc. Españ. xxx. pp. 282, 281 (1902) ; Bol. Ann. Soc. Ent. France, lxx. p. 628, pl. 9. f. 38 (1902).	id.
20. **C. Clarus, Walk. (*Caloptenus C.*) l. c. iv. p. 711. n. 70 (1870). *Caloptenopsis Saussurei, Mart.* ll. cc. p. 11 (1896) ; pp. 282, 290 (1902).	id.

Genus 813. **Calliptamus.** (*Type* no. 1.)

Serv. Ann. Sci. Nat. xxii. p. 284 (1831) ; Hist. Orth. p. 686 (1839) ; Fisch. Orth. Ross. pp. 228, 236 (1846) ; Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173, 204, 316 (1902).

Calliptenus, Stal, Recens. Orth. i. p. 72 (1873) ; Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 43 (1876) ; Bihang Svensk. Akad. Handl. v. (4) pp. 31, 74 (1878).

Caloptenus, Burm. Handb. Ent. ii. p. 637 (1838) ; Fieb. Lotos, iii. p. 120 (1853), iv. p. 196 (1854) ; Syn. Eur. Orth. p. 19 (1854) ; Fisch. Orth. Eur. pp. 298, 375 (1846) ; Friv. Értek. Termész. Kör. i. (12) pp. 136, 175 (1867) ; Bol. Ortópt. Esp. pp. 86, 90 (1876) ; An. Soc. Españ. v. pp. 292, 296 (1876) ; Ann. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 33 (1898) ; Brunn. Prodr. Eur. Orth. pp. 86, 216 (1882) ; Finot, Orth. France, pp. 46, 79 (1883) ; Faune France, Orth. pp. 102, 160 (1889) ; Tümp. Geradfl. Mitteleuropas, pp. 215, 220, 251 (1900) ; Mart. An. Soc. Españ. xxx. pp. 258, 295 (1902).

*1. **C. Italicus, Linn.** (*Gryllus Locusta I.*) Syst. Nat. (ed. x.) i. p. 432. n. 49 (1758) ; Stoll, Spectres, Saut. p. 26, pl. 12 *b*. f. 43 (1813). *Gryllus Italicus, Thunb.* Mém. Acad. Pétersb. v. p. 227 (1815), ix. pp. 395, 407. n. 27 (1824) ; Charp. Hor. Ent. p. 135 (1825). *Acrydium Italicum, Oliv.* Encycl. Meth., Ins. vi. p. 224. n. 40 (1791). [Roes. Ins. Belust. ii. Locust. Germ. p. 134, pl. 21. f. 6.]	S. & Centr. Europe, N. Africa, W. Asia.

Acridium Italicum, *Brullé*. Hist. Ins. ix. p. 226. n. 2 (1835); Costa, Faun. Nap., Ortott. p. 15. n. 7. pl. 2. f. 2 A–*d* (1836).

Calliptamus Italicus, *Serv.* ll. cc. p. 285. n. 2 (1831); p. 693. n. 9, pl. 14. f. 14 (1839); Fisch. Orth. Ross. p. 237. n. 1, pl. 13. f. 3 (1846); Jacobs. & Bianchi, l. c. pp. 204, 316 (1902).

Calliptenus Italicus, *Stål*, Recens. Orth. i. p. 73. n. 6 (1873).

Caloptenus Italicus, *Burm.* Handb. Ent. ii. p. 639. n. 3 (1838); Fieb. Lotos, iii. p. 120. n. 1 (1853); Syn. Eur. Orth. p. 19. n. 1 (1854); Fisch. l. c. p. 377. n. 2, pl. 15. ff. 25, 25 *a*, 26, 26*, 26** (1853); Friv. l. c. p. 165. n. 1 (1867); Bol. ll. cc. p. 90. n. 1, pl. 2. ff. 9, 9 *a* (1876); v. p. 296. n. 1, pl. 11. ff. 9, 9 *a* (1876); v. p. 33. n. 1 (1898); Krauss, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. p. 474. n. 20 (1879); Brunn. l. c. p. 217. n. 1 (1882); Finot, ll. cc. p. 79 (1883); p. 160, pl. 8. f. 113 (1889); Tümp. l. c. pp. 220, 251, pl. 19 (1901); Mart. l. c. p. 298 (1902); Jacobs. & Bianchi, l. c. pls. 6 & 10 (1902).

Caloptenus Italicus, var. *Wattenwyliana*, *Pant.* An. Soc. Españ. xxv. p. 76 (1897); Bol. Ann. Sci. Nat. Porto, v. p. 33 (1898); Mart. l. c. p. 298 (1902).

Caloptenus Italicus, var. *Wattenwylianus*, *Jacobs. & Bianchi*, l. c. p. 317 (1902).

Gryllus Germanicus, *Fabr.* Syst. Ent. p. 291. n. 20 (1775); Ahrens, Faun. Ins. Eur. i. pl. 14 (1812).

Acrydium Germanicum, *Oliv.* l. c. p. 224. n. 41 (1791).

Acridium Fasciatum, *Hahn*, Icon. Orth. i. pl. B. f. 6 (1836).

Gryllus Affinis, *Thunb.* l. c. v. p. 228 (1815); pp. 394, 406. n. 21 (1824).

Calliptamus Ictericus, *Serv.* Ins. Orth. p. 689. n. 3 (1839).

Caloptenus Ictericus, *Fisch.* l. c. p. 380 (1853); Bol. Ortópt. Españ. p. 92. n. 2 (1876); An. Soc. Españ. v. p. 298. n. 2 (1876).

Calliptamus Marginellus, Serv. l. c. p. 694. n. 10 (1839); Fisch. l. c. p. 379 (1853).
Calliptamus Cerisanus, Serv. l. c. p. 695. n. 11 (1839).
Caloptenus Cerasinus, Fisch. l. c. p. 379 (1853).
Caloptenus Siculus, Burm. l. c. p. 639 (1838); Fisch. l. c. p. 379 (1853).
Acridium Barbarum, Costa, l. c. p. 13. pl. 2. f. 1 A–D (1836).
Caloptenus (Acridium) Barbarus, Fisch. l. c. p. 380 (1853).

2. **C. Discoidalis, Walk. (*Caloptenus D.*) Cat. Derm. Salt. B. M. iv. p. 686. n. 23 (1870). — Egypt.
3. **C. Vulcanius, Krauss,** (*Caloptenus V.*) Zool. Anz. xv. p. 167. n. 42 (1892). — Canary Islands.
4. **C. Marmoratus, Fisch.-Waldh.** l. c. p. 242. n. 5 (1846); Jacobs. & Bianchi, l. c. p. 317 (1902). — Transcaucasia.
5. **C. Cephalotes, Fisch.-Waldh.** l. c. p. 243. n. 6 (1846); Jacobs. & Bianchi, l. c. p. 317 (1902). — Transbaical.
6. **C. Tarsius, Fisch.-Waldh.** l. c. p. 241. n. 4 (1846); Jacobs. & Bianchi, l. c. p. 318 (1902). — Caucasus.
7. **C. (??) Scutifer, Walk. (*Caloptenus S.*) l. c. p. 704. n. 56 (1870). — S. India.

Genus 814. **Paracaloptenus.** (*Type* no. 2.)

Bol. Ortópt. Españ. p. 296 (1876); An. Soc. Españ. vii. p. 92 (1878); Ann. Sci. Nat. Porto, iv. p. 220 (1897), v. p. 31 (1898); Brunn. Ann. Mus. Genova, xxxiii. p. 150 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 173. 205, 318 (1902); Mart. An. Soc. Españ. xxx. pp. 258. 300 (1902).

1. **P. Obesus, Bol.** (*Caloptenus O.*) J. Sci. Lisb. (2) i. p. 170. n. 171 (1889). — W. Africa.
P. Obesus, Mart. l. c. p. 301 (1902).
*2. **P. Caloptenoides, Brunn.** (*Platyphyma C.*) Verh. zool.-bot. Ges. Wien, xi. p. 307, pl. 16. f. 24 A. B (1861); Friv. Ertek. Termész. Kör. i. (12) p. 174. n. 1. pl. 7. ff. 4. 4 *a* (1867). — S.E. Europe, W. Asia.

Caloptenus Caloptenoides, *Krauss*, Sitz. Akad. Wiss. Wien, Math.-nat. Cl. lxxviii. p. 474. n. 21, pl. 1. ff. 2, 2 *a* (1879).
Paracaloptenus Caloptenoides, *Jacobs. & Bianchi*, l. c. pp. 205, 318 (1902).
Calliptenus Brunneri, *Stål*, Bihang Svensk. Akad. Handl. iv. (5) p. 14. n. 4 (1876).
Caloptenus Brunneri, *Brunn.* Prodr. Eur. Orth. p. 219. n. 2, pl. 7. f. 51 A, B (1882); Finot, Faune France, Orth. pp. 160, 162 (1889).
P. Brunneri, *Bol.* Ann. Sci. Nat. Porto, v. p. 34. n. 1 (1898).
Paracaloptenus Typus, *Bol.* Ortópt. Españ. p. 296 (1876); An. Soc. Españ. vii. p. 92 (1878).

Genus 815. **Peripolus.**

Mart. An. Soc. Españ. xxx. p. 303 (1902).

1. **P. Pedarius, Stål,** (*Calliptenus P.*) Bihang Svensk. Akad. Handl. v. (4) p. 75. n. 1 (1878). India.
P. Pedarius, *Mart.* l. c. p. 303 (1902).

Genus 816. **Heteracris.** (*Type* no. 4.)

Walk. Cat. Derm. Salt. B. M. iv. p. 655 (1870); Kirb. Trans. Ent. Soc. Lond. 1902, p. 113.
‖ *Demodocus*, *Stål* (*nec Guér.*), Bihang Svensk. Akad. Handl. v. (4) p. 75 (1878); Brun. Ann. Mus. Genova, xxxiii. p. 150 (1893).

*1. **H. Capensis, Thunb.** (*Gryllus C.*) Mém. Acad. Pétersb. v. p. 240 (1815), ix. pp. 399, 423. n. 87, pl. 14. f. 6 (1824). S. Africa.
Pezotettix (*Euprepocnemis*) *Capensis*, *Stål*, Recens. Orth. i. p. 76. n. 6 (1873).
Calliptenus Capensis, *Stål*, Bihang Svensk. Akad. Handl. v. (4) p. 75. n. 2 (1878).
2. **H. Cognata, Walk. l. c. pp. 656, 658. n. 6 (1870); Kirb. Trans. Ent. Soc. Lond. 1902, p. 113. n. 122. Natal, Transvaal, Nyasa.
*3. **H. Somali, Schulth.** (*Demodocus S.*) Zool. Jahrb. Syst. viii. p. 78 (1894). Somali.

*4. **H. Herbacea, Serv.** (*Acridium Herbaceum*) Ins. Orth. p. 684. n. 48 (1839); Charp. Orth. pl. 48 (1843). *Pezotettix (Euprepocnemis) Herbaceus, Stål*, l. c. p. 76. n. 5 (1873). *H. Herbacea, Walk.* l. c. p. 656. n. 3 (1870).	Cape. Natal.
5. **H. Adjuncta, Walk. l. c. pp. 656, 657. n. 5 (1870).	Sierra Leone.
6. **H. Amphiprosopus, Karsch,** (*Demodocus A.*) Berlin. Ent. Zeitschr. xxxviii. pp. 106, 107. n. 74. f. 16 (1893).	Adeli.
*7. **H. Calceata, Serv.** (*Acridium Calceatum*) l. c. p. 683. n. 47 (1839). ***H. Annulifera, Walk.* l. c. pp. 656, 659. n. 9 (1870).	Cape.
8. **H. Speciosa, Walk. l. c. p. 661. n. 12 (1870), *immature*.	Sierra Leone.
9. **H. Punctipennis, Walk. l. c. p. 659. n. 8 (1870).	Angola.
10. **H. Bettoni, Kirb. Proc. Zool. Soc. Lond. 1902, (i.) p. 100. n. 22.	E. Africa.
11. **H. (?) Continua, Walk. (*Acridium Continuum*) l. c. v. Suppl. p. 61 (1871): Finot. Ann. Soc. Ent. France. lxxvi. p. 342 (1907).	Sinai.
12. **H. Elegans, Walk. l. c. iv. pp. 662, 663. n. 18 (1870).	N. India.
13. **H. Insignis, Walk. l. c. pp. 663, 664. n. 20 (1870).	Calcutta.
14. **H. Illustris, Walk. l. c. pp. 662, 663. n. 17 (1870).	S. India.
*15. **H. Robusta, Serv.** (*Acridium Robustum*) l. c. p. 647. n. 7 (1839). ***H. Ducalis, Walk.* l. c. pp. 663, 665. n. 21 (1870).	China, Silhet.
16. **H. (?) Coniceps, Walk.** l. c. p. 656. n. 4 (1870).	E. Africa.
17. **H. (?) Rufitibia, Walk.** l. c. v. Suppl. p. 65 (1871).	Java.
18. **H. (?) Sparsa, Serv.** (*Acridium Sparsum*) l. c. p. 646. n. 6 (1839). *H.* (?) *Sparsa, Walk.* l. c. iv. p. 670. n. 34 (1870).	Australia.
19. **H. Lineosa, Walk.** l. c. p. 673. n. 38 (1870).	id.
20. **H. Vittipes, Walk.** l. c. pp. 673, 675. n. 43 (1870).	Hab. —— ?

Genus 817. **Tylotropidius.** (*Type* no. 2.)

Stål, Recens. Orth. i. p. 74 (1873);
Brunn. Ann. Mus. Genova, xxxiii. p. 150 (1893).

1. **T. Didymus, Thunb.** (*Gryllus D.*) Mém. Acad. Pétersb. v. p. 241 (1815), ix. pp. 399, 424. n. 88 (1824).	Cape.
2. **T. Stæli, Kirb.** (n. n.). ‖*Pezotettix* (*Tylotropidius*) *Didymus*, *Stål* (*nec Thunb.*), Recens. Orth. i. p. 74. n. 1 (1873). *T. Didymus*, *Junod*, Bull. Soc. Vaud. xxxv. pp. 210–212, ff. 1, 1 *a* (1899); Giglio-Tos, Boll. Mus. Torino, xxii. (551) p. 30 (1907). *T. Didymus*, var. *Citrea*, *Karny*, Sitz. Akad. Wiss. Wien. Math.-nat. Cl. cxvi. p. 352 (1907).	Sierra Leone.
3. **T. Gaugeri, Junod,** l. c. pp. 209–212. n. 1, ff. 3, 3 *a* (1899). *T. Gaugeri*, varr. *Macroptera* & *Pallida*, *Karny*, l. c. p. 353 (1907).	Accra, Delagoa Bay.
4. **T. Gracilipes, Brancs.** Jahresh. Ver. Trencs. Com. xvii.–xviii. p. 256, pl. 8. f. 8 (1896).	Zambesi.
5. **T. Somalicus, Schulth.** Ann. Mus. Genova, xxxix. p. 195. n. 1 (1898); Junod, l. c. pp. 210–212. f. 4 (1899).	Somali.
6. **T. Ceylonicus, Brunn.** l. c. p. 164. n. 1, pl. 5. f. 57 (1893); Junod, l. c. pp. 210–212. ff. 2, 2 *a* (1899).	Ceylon, Burma.
7. **T. Brunni, Giglio-Tos,** l. c. p. 31 (1907). ‖*Euprepocnemis Cærulescens*, *Brunn.* (*nec Stål*) Mitth. Nat. Mus. Hamburg, xviii. p. 264. n. 132 (1901).	Somali.
8. **T. Haasi, Bol.** Mém. Soc. Ent. Belg. xvi. p. 126. n. 151 (1908).	Lukungu, Loagna.

Genus 818. **Cataloipus.** (*Type* no. 1.)

Bol. An. Soc. Españ. xix. p. 321 (1891);
Brunn. Ann. Mus. Genova, xxxiii. p. 151 (1893).

1. **C. Oberthuri, Bol.** (*Euprepocnemis* (*Cataloipus*) *O.*) l. c. p. 321, pl. 1. ff. 9, 9 *a* (1891).	Central Africa.

*2. **C. Brunneri, Bol.** (MSS.). ‖*C. Oberthuri, Burr* (*nec Bol.*). Nat. Hist. Socotra, p. 420. n. 24, pl. 25. ff. 2, 2*a* (1903).	Socotra.
3. **C. Cymbiferus, Krauss,** (*Euprepocnemis Cymbifera*) Sitz. Akad. Wiss. Wien. lxxvi. (1) p. 40. n. 1. pl. 1. ff. 5. 5 A (1877).	Senegal.
4. **C. Ambigua, Stål,** (*Euprepocnemis A.*) Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 44. n. 2 (1876).	Damara Land.

Genus 819. **Cyathosternum.**

Bol. Jorn. Sci. Lisboa, viii. p. 115 (1882).

1. **C. Prehensile, Bol.** l. c. n. 31 (1882).	Angola.

Genus 820. **Metaxymecus.** (*Type* no. 1.)

Karsch, Berlin. Ent. Zeitschr. xxxviii. pp. 87, 104 (1893).

1. **M. Patagiatus, Karsch,** l. c. p. 105. n. 73, f. 15 (1893).	Adeli.
2. **M. Pendulus, Karsch,** Stettin. Ent. Zeit. lvii. p. 323. n. 88 (1896).	Zanzibar.
3. **M. Laxus, Karsch,** l. c. p. 324. n. 89, f. 38 (1896).	Togoland.

Genus 821. **Paraeuprocnemis.** (*Type* no. 3.)

Brunn. Ann. Mus. Genova, xxxiii. p. 151 (1893).
Pareupocnemis, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 174, 205, 320 (1902).

1. **P. Cunctator, Karsch,** (*Pareuprocnemis C.*) Entom. Nachr. xxvi. p. 283 (1900).	Zanzibar.
2. **P. Pictipes, Bol.** Ann. Soc. Ent. France, lxx. p. 631 (1902).	Madura.
3. **P. Syriaca, Brunn.** (*Pezotettix S.*) Verh. zool.-bot. Ges. Wien, xi. p. 225 (1861). *Pareuprocnemis Syriaca, Jacobs. & Bianchi.* l. c. pp. 205, 320 (1902). *Euprocnemis Syriaca, Stål,* Bihang Svensk. Akad. Handl. iv. (5) p. 15. n. 2 (1876). *Caloptenus Festæ, Giglio-Tos,* Boll. Mus. Torino. viii. (164) p. 8. n. 50, plate f. 2 (1893).	Beyrout.

4. **P. Morbosa, Serv.** (*Acridium Morbosum*) Ins. Orth. p. 682. n. 44 (1839).
Egypt.
Arabia.
Pezotettix (Euprepocnemis) Morbosus, Stål, Recens. Orth. i. p. 75. n. 2 (1873).
Euprepocnemis Morbosa, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 15. n. 1 (1876).

Genus 822. **Thisoicetrus.** (*Type* no. 1.)

Brunn. Ann. Mus. Genova, xxxiii. p. 150 (1893).
Thisoecetrus, Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 174, 205, 318 (1902).

*1. **T. Littoralis, Ramb.** (*Gryllus L.*) Faune Andal. ii. p. 78. n. 3, pl. 7. ff. 1, 2 (1838).
Spain.
Grecian Archipel.,
N. Africa.
W. Africa.
Gryllus (Caloptenus) Littoralis, Fisch. Orth. Eur. p. 376 (1853).
Eyprepocnemis Litoralis, Fieb. Lotos, iii. p. 98. n. 2 (1853); Syn. Eur. Orth. p. 9. n. 2 (1854).
Eyprepocnemis Littoralis, Fieb. Lotos, iv. p. 178. n. 2 (1854).
Euprepocnemis Littoralis, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 15. n. 3 (1876); Bol. Ortópt. Españ. pp. 93, 94. n. 2. pl. 2. ff. 11, 11 *a* (1876); An. Soc. Españ. v. p. 300. n. 2. pl. 11. ff. 11, 11 *a* (1876); Brun. Syn. Eur. Orth. pp. 220, 221. n. 2, pl. 7. f. 52 A–C (1882).
Caloptenus Littoralis, Bol. An. Soc. Españ. ii. p. 232, pl. 9. f. 8 (1873).
Thisoicetrus Littoralis, Bol. An. Sci. Nat. Porto, v. p. 34. n. 1 (1898).
Thisoecetrus Litoralis, Jacobs. & Bianchi, l. c. pp. 205, 319 (1902).
***Cyrtacanthacris Notata, Walk.* Cat. Derm. Salt. B. M. iii. p. 574. n. 49 (1870); Jans. Hart. Faun. Flor. Sinai, p. 83, plate f. 6 (1891).
Acridium Notatum, Finot, Ann. Soc. Ent. France, lxxvi. p. 343 (1907).
Pezotettix (Euprepocnemis) Charpentieri, Stål, Recens. Orth. i. p. 75. n. 3 (1873).
Euprepocnemis Charpentierii, Stål, Bihang Svensk. Akad. Handl. iv. (5) p. 15. n. 4 (1873).

2. **T. Dorsatus, Fisch.-Waldh.** (*Acridium Dorsatum*) Bull. Soc. Nat. Mosc. 1839. p. 301. *Calliptamus Dorsatus, Fisch.-Waldh.* Orth. Ross. p. 240. n. 3. pl. 19. f. 2 (1846). *Thisoecetrus Dorsatus, Jacobs. & Bianchi,* l. c. pp. 205, 319 (1902). *Euprepocnemis Dorsata, Stål,* l. c. p. 16. n. 6 (1876). *Eyprepocnemis Fischeri, Fieb.* Lotos, iii. p. 98. n. 4 (1853); Syn. Eur. Orth. p. 9. n. 4 (1854).	Astrachan, Georgia. Asia Minor, Dauria (?).
3. **T. Pterostichus, Fisch.-Waldh.** (*Calliptamus Pterosticha*) l. c. p. 241. n. 7. pl. 16. f. 4 (1846). *T. Pterostichus, Jacobs. & Bianchi,* l. c. pp. 205, 319, f. 38 (1846).	Transcaucasia, Transcaspia, Siberia.
*4. **T. Adspersus, Redt.** (*Euprepocnemis Adspersa*) Wien. Ent. Zeit. viii. p. 30 (1889). *Thisoicetrus Adspersus, Bol.* Ann. Sci. Nat. Porto, v. pp. 34, 35. n. 2 (1898). *Thisoecetrus Adspersus, Jacobs. & Bianchi,* l. c. pp. 205, 319 (1902).	Cartagena, Turcomania.
5. **T. Cærulescens, Stål,** l. c. p. 16. n. 5 (1876).	Massowa.
*6. **T. Similis, Brunn.** (*Caloptenus S.*) Verh. zool.-bot. Ges. Wien. xi. p. 224 (1861); Jacobs. & Bianchi, l. c. p. 319 (1902).	Egypt, Syria.
*7. **T. Grossus, Schulth.** Zool. Jahrb. Syst. viii. p. 79. n. 2 (1894).	Somali.

Genus 823. **Platacanthoides,** Kirb. (n. n.).

‖ *Platacanthus, Walk.* (*nec Fisch.*) Cat. Derm. Salt. B. M. iv. p. 714 (1870).

1. **P. Morosus, Walk. (*Platacanthus M.*) l. c. n. 1 (1870).	S. Africa.

Genus 824. **Euprepocnemis.** (*Type* no. 1.)

Eyprepocnemis, Fieb. Lotos, iii. p. 98 (1853), iv. p. 178 (1854); Syn. Eur. Orth. p. 9 (1854).

Euprepocnemis, Stål, Recens. Orth. i. p. 75 (1873); Bihang Svensk. Akad. Handl. iv. (5) p. 11 (1876), v. (4) p. 31 (1878); Bol. Ortópt. Españ. pp. 87, 92 (1876); An. Soc. Españ. v. pp. 293, 298 (1876); Ann. Sci. Nat.

Porto. iv. p. 220 (1897). v. p. 35 (1898); Brunn. Prodr. Enc. Orth. pp. 86, 220 (1882); Ann. Mus. Genova, xxxiii. p 150 (1893); Jacobs. & Bianchi, Prem. i Lozhn. Ross. Imp. pp. 174, 205, 320 (1902).

*1. **E. Plorans, Charp.** (*Gryllus P.*) Hor. Ent. p. 134 (1825); Ramb. Faune Andal. ii. p. 78. n. 2 (1838). *Acridium Plorans, Serv.* Ins. Orth. p. 683. n. 46 (1839); Charp. Orth. pl. 47 (1843); Lucas, Expl. Alg., Zool. iii. p. 30. n. 50, iv. Orth. pl. 3. ff. 4, 4 *a* (1849). *Caloptenus Plorans, Fisch.* Orth. Eur. p. 376. n. 1 (1853); Bol. An. Soc. Esp. ii. p. 231, pl. 9. f. 7 (1873). *Eyprepocnemis Plorans, Fieb.* ll. cc. iii. p. 98. n. 1 (1853), iv. p. 178. n. 6 (1854); Syn. Eur. Orth. p. 9. n. 1 (1854). *Pezotettix (Euprepocnemis) Plorans, Stål*, Recens. Orth. i. p. 76. n. 4 (1873). *Euprepocnemis Plorans, Stål*, Bihang Svensk. Akad. Handl. iv. (5) p. 16. n. 7 (1878); Bol. Ortópt. Españ. p. 93. n. 1, pl. 2. ff. 10, 10 *a* (1876); An. Soc. Españ. v. p. 299. n. 1, pl. 11. ff. 10, 10 *a* (1876); Ann. Sci. Nat. Porto. v. p. 35. n. 1 (1898); Brunn. Prodr. Eur. Orth. p. 220. n. 1 (1882); Jacobs. & Bianchi, l. c. pp. 205, 320 (1902). *E. Plorans*, var. *Intermedia, Bol.* Ann. Soc. Ent. France, lxx. p. 630 (1902).	S. Europe, Africa, W. Asia, India, Japan.
2. **E. Scitulus, Walk. (*Acridium Scitulum*) Cat. Derm. Salt. B. M. v. Suppl. p. 62 (1871).	Hab. —— ?
*3. **E. Cinereus, Blanch.** (*Acridium Cinereum*) Voy. Pôle Sud, iv. p. 372, Orth. pl. 3. f. 8 (1853).	Tenerife.
4. **E. Annulosa, Walk. (*Heteracris A.*) l. c. iv. pp. 673, 674. n. 41 (1870).	Hab. —— ?
5. **E. Ibandana, Giglio-Tos,** Boll. Mus. Torino, xxii. (547) p. 1, (554) p. 30 (1907).	Ruwenzori.
6. **E. Somalicus, Rehn,** (*Eyprepocnemis S.*) Proc. Acad. Nat. Sci. Philad. liii. p. 377 (1901).	Somali.
7. **E. Guinneensis, Krauss,** Zool. Jahrb. Syst. v. p. 659. n. 14, pl. 45. f. 5 (1891).	Gold Coast, San Thomé.

E. Guineensis, var. *Maculosa*, *Krauss*, l. c. p. 660, pl. 45. ff. 6, 6 A (1891); Giglio-Tos, l. c. xxii. (554) p. 30 (1907).	
8. **E. Pulchripes, Schaum,** (*Caloptenus P.*) Ber. Akad. Berlin, 1853, p. 779. n. 21; Peters' Reise Mossamb., Zool. v. p. 138, pl. 7 A. f. 7 (1862).	Mozambique.
9. **E. Pictipes, Walk. (*Cyrtacanthacris P.*) l. c. iii. p. 575. n. 51 (1870).	S. Africa.
Acridium Pictipes, *Finot*, Ann. Soc. Ent. France, lxxvi. p. 328 (1907).	
10. **E. Nobilis, Brancs.** Jahresh. Ver Trencs. Com. xv.-xvi. p. 195, pl. 11. f. 10 (1893).	Nossi-Bé.
11. **E. Ornatipes, Walk. (*Cyrtacanthacris O.*) l. c. iii. p. 575. n. 50 (1870); Jans. Hart, Faun. Flor. Sinai, p. 183, plate f. 5 (1891).	Dead Sea.
12. **E. Consobrina, Walk. (*Heteracris C.*) l. c. iv. pp. 673, 674. n. 40 (1870).	Hab. —— ?
13. **E. Decisus, Walk. (*Caloptenus D.*) l. c. iv. p. 700. n. 51 (1870).	Madagascar
14. **E. Phronusa, Brancs.** l. c. p. 196, pl. 12. f. 6 (1893).	Mozambique.
*15. **E. Alacris, Serv.** (*Acridium Alacre*) Ins. Orth. p. 682. n. 45 (1839).	Ceylon.
***Acrydium Deponens*, *Walk.* Ann. Nat. Hist. (3) iv. p. 222 (1859).	
***Heteracris Rudis*, *Walk.* Cat. Derm. Salt. B. M. iv. pp. 662, 664. n. 19 (1870).	
16. **E. Varicornis, Walk. (*Heteracris V.*) l. c. p. 667. n. 25 (1870).	S. India.
17. **E. Pulchra, Bol.** l. c. p. 630 (1902).	Kodaikanal.
18. **E. Prasinata, Stål,** Œfv. Vet.-Akad. Förh. xxxiii. (3) p. 44. n. 1 (1876).	Damara Land.

Genus 825. **Taramassus.**

Giglio-Tos, Boll. Mus. Torino, xxii. (554) p. 34 (1907).

1. **T. Cervus, Giglio-Tos,** l. c. p. 35 (1907).	Somali.

Genus 826. **Horæocerus.**

Sauss. Abhandl. Senckenb. Ges. xxi. p. 635 (1899).

1. **H. Nigricornis, Sauss.** l. c. p. 636. n. 2. pl. 38. ff. 33-35 (1899).	Madagascar.

ADDITIONS AND CORRECTIONS.

The additions to Vols. I. & II. are limited (with the exception of renamed preoccupied genera) to genera and species described before the publication of those volumes. Omissions discovered in Vol. III. are inserted up to the end of 1908. Further explanations will be found in the Introduction.

Vol. I.

BLATTIDÆ.

Genus 1. **Ectobia,** Westw. (p. 61).

Phyllodromica, Fieb. Lotos, iii. p. 93 (1853). (*Type* no. 6.)

6. **E. Perspicillaris, Herbst** (p. 63).

Genus 7. **Hololampra,** Sauss. (p. 68).

1. **H. Marginata, Schreb.** (p. 68).
Blatta Marginata, Risso, Hist. Nat. Eur. Mér. v. p. 210 (1826).

Genus 19. **Ischnoptera,** Burm. (p. 80).

74. **I. Pennsylvanica, De Geer** (p. 85).
Temnopteryx Marginata, Scudd. Final Rep. U.S. Geol. Surv. Nebraska, p. 251 (1872).

Genus 23. **Phyllodromia,** Serv. (p. 86).

1. **P. Germanica, Linn.** (p. 87).
Blatta Daurica, Laxm. Sibir. Briefe, p. 48 (1769).
Blatta Transfuga, Brünn. Pontoppidan, Kurzg. Nachr. Naturhist. Dännemark, p. 212. n. 3, pl. 16 (1765).
Blatta Obliquata, Dald. Skr. Nat. Selsk. ii. (2) p. 164 (1793).

2 *a*. **P. Magna, Tepp.** Trans. Roy. Soc. S. Australia. xix. p. 19 (1895). South Australia.

56 *a*. **P. Secura, Krauss,** (*Blatta S.*) Semon, Zool. Forsch. Austral. v. p. 749 (1903). Java.

59. **P. Adversa, Sauss. & Zehntn.** (*Blatta A.*).
P. Advena, Kirb. (p. 91, errore).

Genus 30. **Allacta,** Sauss. & Zehntn. (p. 99).

19 *a*. **P. Anceps, Krauss,** (*Blatta A.*) Semon, Zool. Forsch. Austral. v. p. 749 (1903). Java.

Genus 35. **Loboptera,** Brunn. (p. 101).

16. **L. Americana, Scudd.** Proc. Davenport Acad. Sci. viii. p. 93, pl. 2. f. 4 (1899): Canad. Ent. xxxii. p. 329 (1900). Arizona, California.

Genus 38. **Paratemnopteryx,** Sauss. (p. 106).

3. **P. Zietzii, Tepp.** Trans. R. Soc. S. Australia, xix. p. 25 (1895). South Australia.

Genus 49. **Phoraspis,** Serv. (p. 112).

Hys, Gistel, Naturg. Thierreichs, p. 137 (1848).

14. **P. Picta, Dru.** (p. 113).
Hys Cruentatus, Gistel, l. c. p. 137 (1848).

Genus 64. **Heterolampra,** Kirb. (p. 120).

18. **H. Rustica, Stål,** (*Epilampra R.*) Œfv. Vet.-Akad. Förh. xxxiv. (10) p. 34 (1877). Philippines.
H. Mutica, Kirb. (p. 121, errore).

38. **H. Lævicollis, Sauss.** (p. 122). *Epilampra Lævicollis, Krauss*, Semon, Zool. Forsch. Austral. v. p. 750 (1903).

Genus 71. **Syntomaptera,** Tepp. (p. 129).

3 *a*. **S. Ceratodi, Krauss,** Zool. Forsch. Austral. v. p. 751 (1903). Queensland.

Genus 77. **Cutilia,** Stål (p. 134).

15. **C. Triangulata, Brunn.** (*Polyzosteria T.*) Ann. Mus. Genova, xxxiii. p. 33, note (1893); Krauss, Semon, Zool. Forsch. Austral. v. p. 750, pl. 67. ff. 1, 1 A (1903). Queensland, Thursday I.

Genus 79. **Methana,** Stål (p. 135).

5 *a*. **M. Spinosostylata, Krauss,** Semon, Zool. Forsch. Austral. v. p. 752, pl. 67. ff. 2, 2 A (1903). Java.

Genus 81. **Blatta,** Linn. (p. 137).

26. **B. Jungii, Tepp.** (*Periplaneta J.*) Trans. Roy. Soc. S. Australia, xix. p. 162 (1895). Yorketown.

27. **P. Parva, Tepp.** (*Periplaneta P.*) l. c. (1895). Sydney.

28. **B. Semoni, Krauss,** (*Stylopyga S.*) Semon, Zool. Forsch. Austral. v. p. 751 (1903). Java.

Genus 82. **Periplaneta,** Burm. (p. 140).

7. **P. Methanoides, Brunn.** (p. 141); Krauss, Semon, Zool. Forsch. Austral. v. p. 752 (1903).

Genus 89. **Catara,** Walk. (p. 148).

2. **C. Minor, Krauss,** Semon, Zool. Forsch. Austral. v. p. 753, pl. 67. ff. 3, 3 A, B (1903). Java.

Genus 102 *a*. **Macrophyllodromia.**

Sauss. & Zehntn. Biol. Centr.-Amer., Orth. i. p. 46 (1893).

1. **M. Maximiliani, Sauss.** (*Zetobora M.*).
Phortiœca Maximiliani, Kirb. Cat. p. 159. n. 3 (1904).

Genus 108. **Monastria,** Sauss. (p. 161).

4. **M. Cassidea, Esch.** (p. 162).
Blatta Papillosa, Thunb. Mém. Acad. Pétersb. x. p. 276, pl. 14 (1826).

Genus 117. **Euthyrrhapha,** Burm. (p. 168).

1. **E. Pacifica, Coq.** (p. 168).
Blatta Ciliata, Thunb. K. Vet.-Acad. Nya Handl. xxxi. p. 189. n. 7, pl. 5. f. B (1810).

Genus 123. **Holocompsa,** Burm. (p. 169).

10. **H. Vestita, Brullé,** (*Blatta V.*) Webb & Berthelot, Hist. Nat. Canar., Ins. p. 75. n. 11 (1838). Canaries.

Genus 126. **Polyphaga,** Brullé (p. 171).

1 *a*. **P. Punctata, Fisch.-Waldh.** (*Heterogamia P.*) Orth. Ross. p. 74 (1846). S. Russia.
9. **P. Spinifer, Fisch.-Waldh.** (*Heterogamia S.*) l. c. (1846).
P. Camelorum, Kirb. (p. 172).

Genus 163 *a*. **Tepperia,** Kirb. (n. n.).

‖ *Lepidophora, Tepp.* (*nec Westw.*) Trans. Roy. Soc. S. Australia, xix. p. 20 (1895).

1. **T. Furcata, Tepp.** (*Lepidophora F.*) l. c. p. 21 (1895). South Australia.

Genus 178. **Mioblatta,** Sauss. & Zehntn. (p. 196).

1. **M. Fornicata, Sauss. & Zehntn.**
M. Forficata, Kirb. (p. 196, errore).

Genus 191. **Panesthia,** Serv. (p. 202).

1. **P. Ferrugin[e]ipes, Brunn.** (p. 202); Krauss, Semon, Zool. Forsch. Austral. v. p. 754 (1903).	Java. Borneo.
43 *a*. **P. Polita, Krauss,** l. c. (1903).	

Genus **Blatta.**

[*Species described under this heading by the older authors, but not yet satisfactorily determined.*]

1. **B. Abdomen-nigrum, De Geer,** Mém. Ins. iii. pp. 537, 538. n. 3. pl. 44. f. 5 (1773).	Surinam.
2. **B. Rufa, De Geer,** l. c. p. 539. n. 5, pl. 44. f. 7 (1773).	id.
B. Cinerea, Thunb. Mém. Acad. Pétersb. x. p. 277 (1826).	
3. **B. Anelytra, Schrank,** Beitr. Naturg. p. 73 (1776).	
4. **B. Alba, Ström,** Nye K. Danske Vid. Selsk. Skrifter, ii. p. 66. n. 56, plate, f. 15 (1783).	
5. **B. Punctulata, Gmel.** Syst. Nat. i. (4) p. 2047. n. 43 (1788).	
6. **B. Ocellata, Gmel.** l. c. n. 44 (1788).	
7. **B. Longicornis, Fabr.** Mant. Ins. i. p. 226. n. 22 (1787).	India.
8. **B. Ingens, Licht.** Cat. Mus. Zool. Hamburg, iii. p. 94. n. 200 (1796).	Surinam.
9. **B. Longicornis, Licht.** l. c. n. 202 (1796).	India.
10. **B. Heteroceros, Licht.** l. c. p. 95. n. 112 (1796).	Hab. —— ?
11. **B. Longipalpa, Fabr.** Ent. Syst. Suppl. p. 185 (1798).	India.
12. **B. Reticulata, Fabr.** l. c. p. 186 (1798).	id.
13. **B. Palliata, Fabr.** l. c. (1798).	id.
14. **B. Ferruginea, Thunb.** (*B. Ferrigunea*) K. Vet.-Akad. Handl. xxxi. p. 187. n. 1 (1810).	
15. **B. Bicolor, Thunb.** l. c. n. 2, pl. 5. f. A (1810).	
16. **B. Tuberculata, Thunb.** l. c. n. 3 (1810).	

17. **B. Guttata, Thunb.** l. c. p. 188. n. 4 (1810).	I. Barthelemy.
18. **B. Scabra, Thunb.** l. c. n. 5 (1810).	
19. **B. Hirta, Thunb.** l. c. p. 189. n. 6 (1810).	China.
20. **B. Lineolata, Dalm.** Anal. Ent. p. 87. n. 96 (1823).	W. Indies.
21. **B. Succinea, Risso,** Hist. Nat. Eur. Mér. v. p. 210 (1826).	Nice.
22. **B. Rupestris, Risso,** l. c. (1826).	id.
23. **B. Domicola, Risso,** l. c. (1826).	id.
24. **B. Asellus, Thunb.** Mém. Acad. Pétersb. x. p. 277, pl. 14 (1826).	
25. **B. Cylindrica, Thunb.** l. c. p. 279 (1826).	
26. **B. Gibba, Thunb.** l. c. (1826).	
27. **B. Limbata, Thunb.** l. c. p. 278 (1826).	
28. **B. Acutipennis, Serv.** Ins. Orth. p. 91. n. 10 (1839).	Hab. —— ?
29. **B. Decorata, Serv.** l. c. p. 99. n. 23 (1839).	Hab. —— ?
30. **B. Punctata, Gistel,** Nat. Thierreichs, p. 137 (1848).	
31. **B. Pumila, Stål,** Eugenie's Resa, Orth. p. 309. n. 27 (1860).	Rio Janeiro.

MANTIDÆ.

Genus 72. **Hierodula,** Burm. (p. 245).

8. **H. Biroi, Brancs.** (p. 245); Krauss, Semon, Zool. Forsch. Austral. v. p. 755 (1903).

Genus 73. **Rhombodera,** Burm. (p. 248).

19. **R. Pectoralis, Westw.** (p. 249).
R. Pectoralis, var. *Denticulata, Krauss,* Semon, Zool. Forsch. Austral. v. p. 756, pl. 67. f. 4 (1903).

Genus 74. **Mantis,** Linn. (p. 249).

8. **M. Octospilota, Westw.** (p. 251); Krauss, Semon, Zool. Forsch. Austral. v. p. 757 (1903).

Genus 85. **Calidomantis,** Rehn (p. 257).

3. **C. Fenestrata, Fabr.** (p. 298).
Mantis Crystallina, Licht. Cat. Mus. Zool.
Hamb. iii. p. 81. n. 57 (1796).

Genus 127. **Oligonyx,** Sauss. (p. 278).

3. **O. Scudderi, Sauss.** (p. 278).
Mantis Missouriensis, Glover, Ill. N. Amer.
Orth. pl. 13. f. 11 (1872).

Genus 129. **Spanionyx,** Sauss. (p. 279).

3. **S. Filum, Licht.** (*Mantis F.*) Cat. Mus.
Zool. Hamb. iii. p. 81. n. 63 *a* (1796).
S. Filum, Kirb. (p. 279).

Genus 136. **Acanthops,** Serv. (p. 282).

2. **A. Falcataria, Goeze** (p. 282).
Mantis Angulata, Licht.
Pseudocanthops (?) *Angulata, Kirb.* (p. 284).

Genus 203. **Empusa,** Illiger (p. 311).

1 *a*. **E. Egena, Charp.** (p. 311).
E. Pectinicornis, Risso, Hist. Nat. Eur. Mér.
v. p. 212 (1826).

Genus **Phantoma** (*incertæ sedis*).

Risso, Hist. Nat. Eur. Mér. v. p. 211 (1826).

1. **P. Variabilis, Risso,** l. c. p. 212 (1826). | Nice.

Genus **Mantis,** auct.

1. **M. Hogeditica, Licht.** Cat. Mus. Zool. | Surinam.
Hamb. iii. p. 79. n. 31 (1796).
‖ *M. Sancta, Stoll (nec Fabr.),* Spectres, p. 52,
pl. 17. f. 63 (1813).
2. **M. Acridea, Licht.** l. c. p. 80. n. 40 | Hab. —— ?
(1796).

3. **M. Gracilis, Licht.** l. c. p. 80. n. 4 (1796).	Hab. —— ?
4. **M. Testacea, Licht.** l. c. n. 50 (1796).	America.
5. **M. Tinctipennis, Wood,** Insects Abroad, p. 292, pl. 5 (1883).	Ceram.

PHASMIDÆ.

Genus 53. **Charmides,** Stal (p. 313).

Charnidas, Kirb. (errore).

Genus 60. **Pseudosermyle,** Caud. (p. 345).

(*Type* no. 5, *nec* no. 1.)

5. **P. Banksii, Caud.** (p. 346, *type*).

Genus 90. **Tænionema.**

Bol., Bol. Soc. Españ. vi. p. 393 (1906).
|| *Tæniosoma, Bol.* (*nec Stimps.*) (p. 361).

Genus 96. **Haplopus** (*Aplopus*), Gray (p. 363).

(*Type* no. 6, *nec* no. 4.)

6. **H. Micropterus, St. Farg. & Serv.** (p. 363, *type*).

Genus 113. **Tropidoderus,** Gray (p. 380).

1. **T. Childreni, Gray,** (p. 380) Krauss, Semon, Zool. Forsch. Austral. v. p. 757, pl. 67. f. 5 (1903).

Genus 136. **Eurycnema,** Serv. (p. 391).

7. **E. Cercata, Redt.** Semon, Zool. Forsch. Austral. v. p. 390, pl. 67. f. 6 (1903).	Thursday I.

Genus 186. **Metriotes,** Westw. (p. 415).

8. **M. Cincrea, Oliv.** (p. 416).
Mantis Chloropus, Licht. Cat. Mus. Zool. Hamb. iii. p. 81. n. 63 (1796).

Vol. II.

ACHETIDÆ.

Genus 45 *a*. **Paralucina,** Kirb. (n. n.).

‖*Lucina, Walk.* (*nec Brug.*) Cat. Derm. Salt. B. M. i. p. 212 (1869).

1. **P. Opilioides, Walk. (*Lucina O.*) l. c. p. 213. n. 1 (1869).	Brazil.
2. **P. (?) Palliceps, Walk.** (*Lucina (?) P.*) l. c. n. 2 (1869).	Cambodia.

Genus 113. **Heterotrypus,** Sauss. (p. 91).

11. **H. Mimulus, Krauss,** Semon, Zool. Forsch. Austral. v. p. 767 (1903).	British N. Guinea.

Genus **Haustellaria** (*incertæ sedis*).

Gistel, Nat. Thierreichs, p. 137 (1848).

1. **H. Umbraculata, Gistel,** l. c. (1848).	Cape.

Genus **Calvarias** (*incertæ sedis*).

Gistel, Nat. Thierreichs, p. 137 (1848).

1. **C. Stupida, Gistel,** l. c. (1848).	Andalusia.

Genus **Acheta,** auct.

1. **A. Femoralis, Licht.** Cat. Mus. Zool. Hamburg, iii. p. 86. n. 110 (1796).	Surinam.
2. **A. Heteroclita, Licht.** l. c. n. 111 (1796).	id.

PHASGONURIDÆ.

Genus 24. **Magrettia,** Brunn. (p. 120).

6. **M. Longipes, Walk. (*Lezina L.*) Cat. Derm. Salt. B. M. v. Suppl. p. 21 (1871).	Hab. —— ?

Genus 67. **Gryllacris,** Serv. (p. 139).

134 *a*. **G. Auriculata, Krauss,** Semon, Zool. Forsch. Austral. v. p. 766. pl. 67. ff. 14, 14 A (1903). | Java.

Genus 67 *a*. **Sia,**

Gieb. Zeitschr. Naturw. xviii. p. 114 (1861).

1. **S. Ferox, Gieb.** l. c. p. 116. n. 6 (1861). | Java.

Genus 101. **Præphippigerida** (p. 172).

Read *Præphippigera*, Bol.

Genus 122. **Stipator,** Rehn (p. 183).

‖ *Orchesticus, Sauss. (nec Cab.).*
Orchamus, Bol., Bol. Soc. Españ. vi. p. 392 (1906).

Genus 126 *a*. **Scirtobænus** (p. 186).

Pant. Ann. Soc. Esp. xv. p. 252 (1886);
Bol. Ann. Sci. Nat. Porto, vi. p. 15 (1900).

1. **S. Grallatus, Pant.** l. c. p. 253, pl. 2. f. 3 (1886); Bol. l. c. pp. 15, 16. n. 1 (1900). | Spain. Portugal.
2. **S. Lusitanus, Bol.** ll. cc. n. 2 (1900). | Portugal.

Genus 132. **Rhachidorus,** Herm. (p. 190).

2. **R. Semoni, Krauss,** Semon, Zool. Forsch. Austral. v. p. 765, pl. 67. ff. 13, 13 A, B (1903).

Genus 153. **Platycleis,** Fieb. (p. 203).

‖ *Chelidoptera, Wesm. (nec Gould)* (p. 203).

12. **P. Affinis, Fieb.** (p. 206).
P. Boscæ, Bol. An. Soc. Españ. ii. p. 228, pl. 9. f. 6 (1873).

Genus 177. **Copiphora,** Serv. (p. 230).

14. **C. Brevicornis, Redt.** (p. 232).
Copiophora Brevicornis, Bol. Rev. Chilena, vii. p. 140 (1903).

Genus 182. **Moncheca,** Walk. (p. 233).

|| *Exocephala, Serv.* (*nec Latr.*).

Genus 275. **Cratioma.**

Bol., Bol. Soc. Españ. vi. p. 391 (1906).
|| *Cratylus, Stål* (*nec Meyer*) (p. 293).

Genus 278. **Cleandrus,** Stål (p. 294).

1. **C. Neriifolius, Licht.** (*Locusta Neriifolia*) Cat. Mus. Zool. Hamb. iii. p. 82. n. 68 (1796).
   Gryllus Tettigonia Neriifolia, Stoll (*Cleandrus*, p. 295. n. 1).

Genus 299 *a*. **Tympanophyllum.**

Krauss, Semon, Zool. Forsch. Austral. v. p. 764 (1903).

1. **T. Extraordinaria, Brunn.** (*Tympanoptera E.*).
   Aprion Extraordinarius, Kirb. (p. 302. n. 3).
2. **T. Atroterminatus, Brunn.** (*Tympanoptera Atroterminatum*).
   Aprion Atroterminatus, Kirb. (p. 302. n. 4).

Genus 305 *a*. **Heteraprium.**

Krauss, Semon, Zool. Forsch. Austral. v. p. 764 (1903).

1. **H. Brunneri, Krauss,** l. c. p. 764, pl. 67. f. 12 (1903). N. Guinea, Waigiou.
2. **H. Inversum, Brnnn.** (*Aprion Inversus*).
   Morsimus Inversus, Kirb. (p. 305. n. 11).

Genus 313. **Sanaa,** Walk.

Sanna, Kirb. (errore, p. 309).

Genus 400. **Pterochroza,** Serv. (p. 346).

3. **P. Pavonina, Licht.** (*Locusta P.*) Cat. Mus. Zool. Hamb. iii. p. 82. n. 66 (1796).
   P. Stolli, Brunn. (p. 347).

Genus 406. **Typophyllum,** Serv. (p. 351).

9. **T. Dædaleum, Licht.** (*Locusta Dædalea*) Cat. Mus. Zool. Hamb. iii. p. 82. n. 71 (1796).
T. Erosum, Stoll (p. 352).

Genus 410. **Cycloptera,** Serv. (p. 353).

1. **C. Aurantiæfolia, Licht.** (*Locusta A.*) Cat. Mus. Zool. Hamb. iii. p. 82. n. 67 (1796).
Gryllus Tettigonia Aurantifolia, Stoll (*Cycloptera*, p. 353. n. 1).

Genus 457. **Hyperhomala,** Serv. (p. 368).

6. **H. Variegata, Brunn.** (p. 368).
Phyllophora Variegata, Krauss, Semon, Zool. Forsch. Austral. v. p. 763 (1903).

Genus 477. **Dichopetala,** Brunn. (p. 388).

4. **D. Pulchra, Rehn,** Ent. News, xii. p. 207 (1901). Mexico.

Genus 493. **Elimæa,** Stål (p. 394).

21. **E. Signata, Brunn.** (p. 396); Krauss, Semon, Zool. Forsch. Austral. v. p. 762 (1903).

Genus 497. **Deflorita.**

Bol., Bol. Soc. Españ. vi. p. 392 (1906).
‖ *Exora, Brunn.* (*nec Chevr.*) (p. 397).

Genus 512. **Aniarella.**

Bol., Bol. Soc. Españ. vi. p. 391 (1906).
‖ *Aniara, Brunn.* (*nec Hope*) (p. 402).

Genus 557 *a*. **Dicorypha.**

Krauss, Semon, Zool. Forsch. Austral. v. p. 763 (1903).

1. **D. Furcifera, Krauss,** l. c. pl. 67. ff. 11, 11 A, B (1903). Thursday I.

Genus 597. **Sympæstria,** Brunn. (p. 432).

‖ *Stibara, Brunn. (nec Hope).*
Stibaroptera, Bol., Bol. Soc. Españ. vi. p. 393 (1906).

Genus 602. **Phaneroptera,** Serv. (p. 434).

21. **P. Cornuta, Walk.** Cat. Derm. Salt. B. M. v. Suppl. p. 40 (1871).	Australia.
22. **P. Oceanica, Blanch.** Voy. Pôle Sud, iv. p. 365, pl. 3. f. 4 (1853).	N. Guinea.
23. **P. Lætabilis, Serv.** Ins. Orth. p. 415. n. 1 (1839).	Hab. —— ?
24. **P. Venusta, Serv.** l. c. p. 419. n. 10 (1839).	Hab. —— ?

Genus 609. **Pelerinus.**

Bol., Bol. Soc. Españ. vi. p. 390 (1906).

‖ *Allodapa, Brunn. (nec Dies.)* (p. 438).

Genus 623. **Symmetropleura,** Brunn. (p. 446).

6. **S. Teocelæ, Rehn,** Trans. Amer. Ent. Soc. xxvii. p. 222 (1901).	Vera Cruz.

Genus 630. **Ligocatinus,** Rehn (p. 449).

6. **L. Virgo, Stoll,** (*Gryllus Tettigonia V.*) Spectres. Saut. p. 21, pl. 9 *a*. f. 35 (1813).	Surinam.

Genus 646. **Peucestes** (p. 457).

3. **P. Dentatus, Stål** (p. 457).
‖ *Gryllus Tettigonia Citrifolia, Stoll (nec Linn.)*, Spectres, Saut. p. 11, pl. 4 *a*. f. 12 (1813).

Genus 668. **Phylloptera,** Serv. (p. 472).

19. **P. Famula, Brunn.** (p. 474); Bol. Viaje al Pacif. p. 55 (1884).	
35. **P. Proteifolia, Burm.** Handb. Ent. ii. p. 692. n. 3 (1838).	Cape.
36. **P. Retifolia, De Haan,** (*Locusta Phylloptera R.*) Temminck, Verhandel., Orth. pp. 196, 198. n. 10 (1846).	Java.

Genus 670. **Puerula.**

Bol. Bol. Soc. Españ. vi. p. 391 (1906).

‖*Cora, Brunn.* (*nec Selys*) (p. 476).

Genus **Servillia** (*incertæ sedis*).

Blanch. Gay, Hist. Chile, Zool. vi. p. 35 (1851).

1. **S. Spinifera, Blanch.** l. c. p. 37. n. 1 [pl. 2. f. 1, ined.] (1851). Chile.

Genus **Locusta,** auct.

1. **L. Ocymifolia, Licht.** Cat. Mus. Zool. Hamb. iii. p. 82. n. 70 (1796).
   Gryllus Tettigonia Discolor, Stoll, Spectres, Saut. p. 10. pl. 3 *a.* f. 8 (1813).
2. **L. Salmiæfolia, Licht.** l. c. p. 82. n. 72 (1796).
3. **L. Quadrimaculata, Licht.** l. c. p. 83. n. 73 (1796).
   Gryllus Tettigonia Oleifolia, Stoll, l. c. p. 15, pl. 6 *a.* f. 19 (1813).
4. **L. Bracteata, Licht.** l. c. p. 84. n. 93 (1796).
5. **L. Sima, Licht.** l. c. p. 84. n. 95 (1796).
6. **L. Conica, Licht.** l. c. n. 96 (1796). Coromandel
7. **L. Atrata, Licht.** l. c. n. 97 (1796).
8. **L. Triglina, Licht.** l. c. p. 85. n. 100 (1796).
9. **L. Asina, Licht.** l. c. n. 101 (1796). Cape.
10. **L. Catoptrica, Licht.** l. c. n. 103 (1796).
11. **L. Achetioides, Licht.** l. c. n. 104 (1798).

VOL. III.

LOCUSTIDÆ.

Genus 4. **Discotettix,** Costa (p. 2).

3 *a.* **D. Shelfordi, Hanc.** Trans. Ent. Soc. Lond. 1907. p. 211. n. 2. N.W. Borneo.

Genus 7. **Phæstus,** Bol. (p. 3).

2. **P. Insularis, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 214. n. 1. — N.W. Borneo.

Genus 17. **Deltonotus,** Hanc. (p. 7).

1. **D. Subcucullatus, Walk.** (p. 7). — Ceylon.
D. Tectiformis, Hanc. Trans. Ent. Soc. Lond. 1907, p. 215.

Genus 24 *a*. **Epitettix.**

Hanc. Trans. Ent. Soc. Lond. 1907, p. 216.

1. **E. Punctatus, Hanc.** l. c. p. 216. n. 1, pl. 21. f. 1 (1907). — N.W. Borneo.

Genus 25 *a*. **Cladoramus.**

Hanc. Trans. Ent. Soc. Lond. 1907, p. 217.

1. **C. Crenulatus, Hanc.** l. c. n. 1, pl. 21. f. 2 (1907). — Rhodesia.

Genus 30. **Trachytettix,** Stal (p. 11).

3. **T. Heros, Bol.** Mém. Soc. Ent. Belg. xvi. p. 84. n. 6 (1908). — Congo.

Genus 34. **Scelimena** (p. 12).

1 *a*. **S. India, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 219. n. 5. — Assam.

Genus 38. **Tefrinda,** Bol. (p. 15).

1. **T. Palpatus, Stål** (p. 15).
Chthonotettix Palpatus, Hanc. Trans. Ent. Soc. Lond. 1907, p. 219. n. 1, pl. 21. f. 3.

Genus 40 *a*. **Ocytettix.**

Hanc. Trans. Ent. Soc. Lond. 1907, p. 226.

1. **O. Latihumerus, Hanc.** l. c. p. 227. n. 1. pl. 21. f. 4 (1907). — N.E. Madagascar

Genus 41. **Criotettix,** Bol. (p. 16).

4 *a*.	**C. Magnus, Hanc.** (*C. Cristatus Magnus*) Trans. Ent. Soc. Lond. 1907. p. 221. n. 3.)	Java.

(Genus 41 *a*. **Bolotettix.** (*Type* no. 1.)

Hanc. Trans. Ent. Soc. Lond. 1907, p. 223.

1.	**B. Validispinus, Hanc.** l. c. p. 224. n. 1. pl. 21. f. 5 (1907).	N.W. Borneo.
2.	**B. Planus, Hanc.** l. c. p. 225. n. 2 (1907).	id.

Genus 42. **Acanthalobus,** Hanc. (p. 17).

10.	**A. Longinotus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 221. n. 3.	N.W. Borneo.
11.	**A. Fuscus, Hanc.** l. c. p. 222. n. 4 (1907).	id.
12.	**A. Robustus, Hanc.** l. c. n. 7 (1907).	id.

Genus 43. **Loxilobus,** Hanc. (p. 18).

1 *a*.	**L. Assamus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 223. n. 1.	Assam.
1 *b*.	**L. Truncatus, Hanc.** l. c. n. 2 (1907).	N.W. Borneo.

Genus 46. **Systolederus,** Bol. (p. 20).

10.	**S. Parvus, Hanc.** Trans. Ent. Soc. Lond. 1907. p. 227. n. 2.	N.W. Borneo.

Genus 63. **Mazarredia,** Bol. (p. 24).

3 *a*.	**M. Planitarsus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 231. n. 3.	N.W. Borneo.

Genus 65. **Otumba,** Morse (p. 26).

1 *a*.	**O. Quadrata, Hanc.** Trans. Ent. Soc. Lond. 1907. p. 235. n. 1.	Ecuador.

Genus 67. **Xistra,** Bol. (p. 27).

2 *a*.	**X. Stylata, Hanc.** Trans. Ent. Soc. Lond. 1907. p. 231. n. 1.	Ceylon.

Genus 71. **Allotettix,** Hanc. (p. 28).

5.	**A. Americanus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 231. n. 1.	Ecuador.

Genus 72. **Notocerus,** Hanc. (p. 29).

1. **N. Cornutus, Hanc.** (p. 29) Trans. Ent. Soc. Lond. 1907, p. 232. n. 1.

Genus 72 *a*. **Camelotettix.**

Hanc. Trans. Ent. Soc. Lond. 1907, p. 233.

1. **C. Curvinotus, Hanc.** l. c. n. 1, pl. 21. f. 6 (1907). — Bali.

Genus 75 *a*. **Rhynchotettix.**

Hanc. Trans. Ent. Soc. Lond. 1907, p. 228.

1. **R. Rostratus, Hanc.** l. c. n. 1, pl. 21. f. 7 (1907). — N.E. Madagascar

Genus 76. **Miriatra,** Bol. (p. 29).

3. **M. Processus, Hanc.** (*Mitritettix P.*) Trans. Ent. Soc. Lond. 1907, p. 229. n. 1, pl. 21. f. 8. — N.W. Borneo.

Genus 80. **Euparatettix,** Hanc. (p. 31).

6. **E. Similis, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 238. n. 4. — Borneo, Philippines.

Genus 81. **Paratettix,** Bol. (p. 32).

1. **P. Meridionalis, Ramb.** (p. 32).
   P. Meridionalis, varr. *Concolor*, *Livida*, *Notata*, *Lineata* (p. 277), *Bimaculata*, *Oculata*, et *Marginata* (p. 278), *Karny*, Wien. Ent. Zeit. xxvi. (1907).

13. **P. Variabilis, Bol.** (p. 33) Hanc. Trans. Ent. Soc. Lond. 1907, p. 236. n. 1. — N.W. Borneo.

13 *a*. **P. Angulobus, Hanc.** l. c. n. 2 (1907). — id.

15. **P. Histrica, Stål** (p. 33). — id.
   P. Histricus (?), *Hanc.* l. c. pp. 236, 237. n. 3 (1907).

44. **P. Lineatus, Hanc.** ll. cc. n. 4 (1907). — id.

Genus 82. **Acrydium,** Geoffr. (p. 35).

1. **A. Subulatum, Linn.** (p. 36).
   A. Subulatum, varr., *Karny*, Wien. Ent. Zeit. xxvi. pp. 276, 277. n. 3 (1907).

2. **A. Bipunctatum, Linn.** (p. 39). *A. Bipunctatum*, varr., *Karny*, l. c. pp. 274–276. n. 2 (1907). *A. Bipunctatum*, var. π. *Pulchra, Karny*, l. c. p. 276 (1907).	
4. **A. Depressum, Bris.** (p. 42). *A. Depressum*, varr. *Concolor*, *Contigua*, *Dimidiata*, *Conspersa*, et *Circumscripta*, *Karny*, l. c. p. 274. n. 1 (1907).	
7. **A. Tuerki, Krauss** (p. 43). *A. Tuerki*, varr. *Concolor* et *Signata*, *Karny*, l. c. p. 277. n. 4 (1907).	
59. **A. Cuspidata, Hanc.** (*Tetrix Cuspidatus*) Trans. Ent. Soc. Lond. 1907, p. 239. n. 4.	Macassar.

Genus 84. **Hedotettix,** Bol. (p. 49).

19. **H. Celebicus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 241. n. 2.	

Genus 90. **Apotettix,** Hanc. (p. 53).

8. **A. Proximus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 237. n. 1.	Ecuador.

Genus 92. **Coptotettix,** Bol. (p. 55).

12 *a*. **C. Angulatus, Bol.** Mém. Soc. Ent. Belg. xvi. p. 88. n. 15 (1908).	Kinchassa.
16 *a*. **C. Rotundatus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 241. n. 2.	Borneo.
17 *a*. **C. Parvus, Hanc.** l. c. p. 242. n. 3 (1907).	N.W. Borneo.

Genus 95. **Tettigidea,** Scudd. (p. 56).

14 *a*. **T. Plana, Hanc.** (*T. Planus*) Trans. Ent. Soc. Lond. 1907, p. 243. n. 1.	Ecuador.
16 *a*. **T. Davisi, Morse,** Psyche, xv. p. 25 (1908).	New York

Genus 97. **Scaria,** Bol. (p. 60).

5. **S. Fasciata, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 244. n. 1.	Ecuador.

Genus 102. **Phlœonotus,** Bol. (p. 61).

3. **P. Sinuatus, Hanc.** Trans. Ent. Soc. Lond. 1907, p. 242. n. 1.	Natal (?), Orange R. (?).

Genus 161 *a*. **Acridarachnea.**

Bol., Bol. Soc. Españ. viii. p. 418 (1908).

1. **A. Ophthalmica, Bol.** l. c. p. 419 (1908).	Senegal.

Genus 184. **Paropomala,** Scudd. (p. 106).

6. **P. Acris, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lx. pp. 371–373. ff. 3, 4 (1908).	Arizona.
7. **P. Perpallida, Rehn & Heb.** l. c. pp. 373–375. ff. 5, 6 (1908).	id.

Genus 202. **Amphitornus,** McNeill (p. 113).

3. **A. Nanus, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lx. pp. 376–378, f. 7 (1908).	Arizona.

Genus 225. **Horesidotes,** Scudd. (p. 127).

2. **H. Papagensis, Rehn & Heb.** Proc. Acad. Nat. Sci. Philad. lx. pp. 379–381. ff. 8, 9 (1908).	Arizona.

Genus 253. **Orthochtha,** Karsch (p. 141).

5. **O. Martini, Bol.** Bull. Soc. Ent. France, 1908, p. 242.	Natal.
6. **O. Prionocera, Bol.** l. c. p. 243 (1908).	Labadj.
7. **O. Alca, Bol.** l. c. (1908).	Dar-es-Salam. Congo.
8. **O. Schulthessi, Bol.** l. c. (1908). *Rodunia Schulthessi, Kirb.* p. 140. n. 7.	

Genus 270. **Platypterna,** Fieb. (p. 149).

1 *a*. **P. Acuta, Bol.** Bull. Soc. Ent. France, 1908, p. 244.	Mohammarah.
6 *a*. **P. Martini, Bol.** l. c. (1908).	Harrar.
11. **P. Curvifrons, Bol.** l. c. p. 245 (1908).	Mohammarah.

Genus 270 *a*. **Platypternodes.**

Bell. Bull. Soc. Ent. France. 1908. p. 215.

1. **P. Brevipes, Stål,** (*Platypterna*, p. 150. n. 7).
2. **P. Costulata, Caz.** (*Platypterna*, p. 150. n. 8).

Genus 279. **Gomphocerus,** Thunb. (p. 151).

Æropus, *Gistel*, Naturg. Naturreichs, p. 137 (1848).
(*Type* no. 1.)

1. **G. Sibiricus, Linn.** (p. 155).

Genus 281. **Stenobothrus,** Fisch. (p. 160).

2 *a*. **S. Montivagus, Azam,** Bull. Soc. Ent. France, 1908. p. 9.	Hautes Alpes.
35. **S. Rufescens, Ström,** (*Gryllus R.*) Nya K. Danske Vid. Selsk. Skrifter, ii. p. 66. n. 58, plate, f. 11 (1783).	Denmark.

Genus 290. **Arcyptera,** Serv. (p. 169).

6 *a*. **A. Mariæ, Navás,** Bol. Soc. Aragon, vii. pp. 99–101. ff. 1, 2 (1908).	Aragon.

Genus 291. **Omocestus,** Bol. (p. 172).

9 *a*. **O. Femoralis, Bol.,** Bol. Soc. Españ. viii. p. 317 (1908).	Spain.
16. **O. Navasi, Bol.** l. c. p. 319 (1908).	id.

Genus 292. **Stauroderus,** Bol. (p. 177).

30. **S. Chloroticus, Bol.,** Bol. Soc. Españ. viii. p. 320 (1908).	Spain.
31. **S. Ariasi, Bol.** l. c. p. 321 (1908).	id.

Genus 299. **Æolopus,** Fieb. (p. 190).

3. **Æ. Tergestinus, Charp.** (p. 192).
Aiolopus Tergestinus, *Karny*, Verh. zool.-bot. Ges. Wien, lvii. pp. 281–287 (1907).
Aiolopus Tergestinus, varr. *Viridis* (pp. 285, 286), *Ponticus*, *Pannonnicus*, *Crassus* (pp. 286, 287), *Chinensis* et *Maculatus* (pp. 285, 287). *Karny*, l. c. (1907).

Genus 354 *a*. **Thaleius.**

Azam, Bull. Soc. Ent. France, 1908, p. 27.

1. **T. Lemagneni, Azam,** l. c. p. 29 (1908). | W. Africa.

Genus 355. **Wernerella,** Karny (p. 246).

‖*Fortunata, Bol.* (*nec Chevr.*) Bol. Soc. Españ. viii. p. 323 (1908).

3. **W. Pachecoi, Bol.** (*Fortunata P.*) l. c. p. 324 (1908). — Lanzarote, Morocco.
4. **W. Sublævis, Bol.** (*Fortunata S.*) l. c. p. 325 (1908). — Grand Canary.

Genus 371. **Acrotylus,** Fieb. (p. 263).

23. **A. Longipes, Charp.** (p. 266). — Morocco.
    A. Longipes, var. *Rosea, Bol.*, Bol. Soc. Españ. viii. p. 325 (1908).

Genus 382. **Sphingonotus,** Fieb. (p. 271).

19. **S. Grobbeni, Wern.** (p. 274) Zool. Jahrb. Syst. xxvii. p. 116, pl. 5. f. 5 (1908).
52. **S. Dernensis, Wern.** Zool. Anz. xxxii. p. 715 (1908); Zool. Jahrb. Syst. xxvii. pp. 116, 117, pl. 5. f. 3 (1908). — Barra.
53. **S. Acrotyloides, Wern.** ll. cc. p. 715 (1908); pp. 115, 117, pl. 6. f. 12 (1908). — Tripoli.

Genus 384. **Hyalorhipis,** Sauss. (p. 279).

3. **H. Rhamses, Sauss.** (p. 280).
   Leptopternis Rhamses, Wern. Zool. Jahrb. Syst. xxvii. p. 119, pl. 5. f. 2 (1908).

Genus 398. **Tmethis,** Fieb. (p. 285).

23. **T. Maroccanus, Bol.,** Bol. Soc. Españ. viii. p. 326 (1908). — Morocco.
    T. Maroccanus, var. *Incristata, Bol.* l. c. (1908).

Genus 398 *a*. **Filchnerella.**

Karny, Attems, Wiss. Engebn. Exped. Filchner, i. p. 39 (1908).

1. **F. Pamphagoides, Karny,** l. c. p. 40 (1908). — China.

Genus 432. **Zonocerus,** Stal (p. 315).

6. **Z. Bilineatus, Scudd.** Proc. Boston Soc. Nat. Hist. xvii. p. 268. n. 20 (1874), xxvii. p. 210. n. 72 (1897). Peru.

Genus 449. **Pyrgomorpha,** Serv. (p. 324).

19. **P. Maruxina, Bol.,** Bol. Soc. Españ. viii. p. 326 (1908). Mogador.
20. **P. Candidina, Bol.** l. c. p. 327 (1908). id.
21. **P. Procera, Bol.** l. c. p. 328 (1908). Morocco.
22. **P. Acutegeniculata, Bol.** l. c. (1908). id.
23. **P. Albotæniata, Wern.** Zool. Anz. xxxii. p. 716 (1908); Zool. Jahrb. Syst. xxvii. p. 121, pl. 5. f. 6 (1908). Tripoli.

Genus 498. **Acinipe,** Ramb. (p. 350).

5. **A. Deceptoria, Bol.** (p. 350).
Pamphagus Deceptorius, var. *Segurensis*, *Bol.*, Bol. Soc. Españ. viii. p. 325 (1908).
6 *a*. **A. Crassicornis, Bol.** (*Pamphagus C.*) Bol. Soc. Españ. vii. p. 325 (1907). Mogador.
8 *a*. **A. Orientalis, Wern.** Zool. Anz. xxxii. p. 716 (1908); Zool. Jahrb. Syst. xxvii. p. 122, pl. 5. f. 4 (1908). Barca.
9. **A. Mauretanica, Bol.** (p. 351).
Pamphagus Mauritanicus, *Bol.* l. c. pp. 325, 327 (1907).
12 *a*. **A. Dolichocera, Bol.** (*Pamphagus Dolichocerus*) l. c. pp. 325, 328 (1907). Morocco.
13. **A. Expansa, Brunn.** (p. 351).
Pamphagus Expansus, *Bol.* l. c. pp. 325, 329 (1907).

Genus 499. **Eumigus,** Bol. (p. 351).

Bol., Bol. Soc. Españ. vii. p. 329 (1907).

3. **E. Fortius, Bol.** l. c. pp. 325, 330 (1907). Morocco.
4. **E. Parvulus, Bol.** l. c. pp. 325, 331 (1907). id.
5. **E. Nigroadspersus, Bol.** l. c. pp. 325, 332 (1907). id.

Genus 502. **Euryparyphes,** Fisch. (p. 353).

1 *a*. **E. Lætus, Bol.** (*Eunapius L.*) Bol. Soc. Españ. vii. pp. 325, 333 (1907). Morocco.
Eunapius Lætus, var. *Mazaganicus*, *Bol.* l. c. pp. 325, 335 (1907).

13. **E. Olcesei, Bol.** ll. cc. (1907). Tetuan.

Genus 502 *a*. **Eunapiodes.**

Bol., Bol. Soc. Españ. vii. p. 336 (1907).

1. **E. Granosus, Stål,** (*Euryparyphes Granosus*, p. 353. n. 6).
Eunapiodes Granosus, *Bol.* l. c. p. 325 (1907).

Genus 518. **Elæochlora,** Stål (p. 365).

17. **E. Arcuata, Rehn,** Proc. Acad. Nat. Sci. Philad. lx. pp. 13–15. f. 1 (1908). Brazil.

Genus 614 *a*. **Galideus.**

Finot, Ann. Soc. Ent. France, lxxvii. p. 1 (1908).

1. **G. Mocquerysi, Finot,** l. c. p. 3, pl. 1 (1908). Madagascar

Genus 621 *a*. **Mesopsera.**

Bol. Bull. Soc. Ent. France, 1908, p. 246.

1. **M. Filum, Bol.** (*Mesops*. p. 410. n. 5).

Genus 637. **Opsomala,** Serv. (p. 419).

7. **O. Varipes, Serv.** Ins. Orth. p. 588. n. 2 (1839) ; Thomas. Syn. Acrid. N. Amer. pp. 65. 196 (1873). Carolina.

8. **O. (?) Serrata, Walk.** (*Opomala S.*) Cat. Derm. Salt. B. M. iii. p. 517. n. 42 (1870). Hab. —— ?

Genus 641 *a*. **Homalosaparus.**

Rehn, Proc. Acad. Nat. Sci. Philad. lx. p. 17 (1908).

1. **H. Canonicus, Rehn,** l. c. pp. 17–20. ff. 2, 3 (1908). Brazil.

Genus 704. **Cyrtacanthacris,** Walk. (p. 446).

35. **C. Ranacea, Stoll,** (p. 451).

** *Cyrtacanthacris Sublituurata, Walk.* Cat. Derm. Salt. B. M. iii. p. 565. n. 31 (1870).

Acridium Sublituratum, Finot, Ann. Soc. Ent. France. lxxvi. p. 337 (1907).

Genus 705. **Schistocerca,** Stål (p. 451).

73. **S. Gratissima, Rehn,** Proc. Acad. Nat. Sci. Philad. lx. pp. 20–22. ff. 4. 5 (1908).	Brazil.

Genus 711. **Ptemoblax,** Karsch (p. 474).

2. **P. Succursor, Karsch,** Stett. Ent. Zeit. lvii. p. 312. n. 75. f. 31 (1896).	Congo
3. **P. Insidiosus, Bol.** Bull. Soc. Ent. France, 1908, p. 246. ‖*P. Succursor, Bol.* (*nec Karsch*) Mem. Soc. Españ. i. p. 237 (1905).	Biafra.

Genus 711 *a*. **Calderonia.**

Bol. Bull. Soc. Ent. France, 1908, p. 246.

1. **C. Biplagiata, Bol.** l. c. p. 247 (1908).	Diego Suarez.

Genus 742. **Antita,** Bol. (p. 474).

2. **A. Schulzi, Bol.** Bull. Soc. Ent. France, 1908, p. 248.	German E. Africa.

Genus 762. **Barytettix,** Scudd. (p. 494).

3. **B. Borealis, Caud.** Proc. Ent. Soc. Washington, ix. p. 70 (1908).	Arizona.

Genus 811. **Sphodromerus,** Stål (p. 548).

4 *a*. **S. Cœrulans, Wern.** Zool. Anz. xxxii. p. 716 (1908); Zool. Jahrb. Syst. xxvii. p. 127, pl. 5. f. 1 (1908).	Tripoli.

Genus **Truxalis** auct.

1. **T. Naso, Licht.** Cat. Mus. Zool. Hamb. iii. p. 93. n. 189 (1796).	Cape
2. **T. Ensifer, Licht.** l. c. n. 190 (1796).	Coromandel

Genus **Gryllus** auct.

1. **G. Incarnatus, Licht.** Cat. Mus. Zool. Hamb. iii. p. 87. n. 120 (1796).	
2. **G. Squalidus, Marsch.** Ann. Wien. Mus. i. p. 213. n. 6, pl. 18. f. 5 (1835).	Brazil.
3. **G. Venosus, Licht.** l. c. n. 135 (1796).	Cape.
4. **G. Zebra, Licht.** l. c. p. 89. n. 145 (1796).	Coromandel
5. **G. Viator, Licht.** l. c. n. 147 (1796).	
6. **G. Repandus, Licht.** l. c. n. 148 (1796).	S. America.
7. **G. Rubescens, Licht.** l. c. n. 149 (1796).	
8. **G. Nomada, Licht.** l. c. n. 150 (1796).	S. America.
9. **G. Viridans, Licht.** l. c. p. 90. n. 151 (1796).	
10. **G. Hæmatocnemis, Licht.** l. c. n. 152 (1796).	Surinam.
11. **G. Vitreus, Licht.** l. c. n. 153 (1796).	
12. **G. Linea, Licht.** l. c. n. 154 (1796).	Surinam.
13. **G. Sponsus, Licht.** l. c. n. 157 (1796).	Cape.
14. **G. Salinator, Licht.** l. c. n. 158 (1796).	id.
15. **G. Nuptus, Licht.** l. c. n. 161 (1796).	Surinam.
16. **G. Ochrostictus, Licht.** l. c. p. 91. n. 169 (1796).	China.
17. **G. Melanostictos, Licht.** l. c. n. 172 (1796).	Cape.
18. **G. Roseus, Licht.** l. c. n. 175 (1796).	id.
19. **G. Charopus, Licht.** l. c. n. 176 (1796).	India.
20. **G. Æthale, Licht.** l. c. p. 92. n. 177 (1796).	id.
21. **G. Pœcilopus, Licht.** l. c. n. 181 (1796).	Siberia.
22. **G. Ochraceus, Licht.** l. c. n. 184 (1796).	Cape.
23. **G. Fuscovittatus, Marsch.** Ann. Wien. Mus. i. p. 211. n. 4, pl. 18. f. 3 (1835).	India (?). Cape (?).

Genus **Elasmoderus** (*incerta sedis*).

Sauss. Mém. Soc. Genève, xxx. (1) p. 174 (1888).

| *Eremobius, Blanch.* (*nec Serv.*) Gay, Hist. Chile, Zool. vi. p. 80 (1851).

1. **E. Lutescens, Blanch.** (*Eremobius L.*) l. c. p. 81. n. 1 [Orth. pl. 2. ff. 9, 10, ined.] (1851).	Chile.

INDEX.

The names of Families and Subfamilies are printed in Capitals, and those of Genera are printed either in Capitals or enclosed in parentheses. The names of Species and Varieties are printed in Roman, and those of Synonyms in Italics. In case of an accidental duplication of entry of a species, the page indicating the reference to be erased is enclosed in square brackets.

Abbotti (Amphibotettix), 12.
Abbotti (Scelimena), 12.
Abbreviata (Gerenia), 472.
Abbreviata (Mazarredia), 25.
Abbreviata (Orphulella), 123.
Abbreviata (Tauchira), 397.
Abbreviatum (Acridium), 397.
Abbreviatum (Chrysochraon), 123.
Abbreviatum (Acridium), 146.
Abbreviatus (Catantops), 484.
Abbreviatus (Coptotettix), 56.
Abbreviatus (Mesops), 410.
Abbreviatus (Mesopsis), 410.
Abbreviatus (Tettix), 48.
Abbreviatus (Truxalis), 410.
Abditum (Paratettix), 517.
Abdomen - nigrum (Blatta), 566.
Abdominale (Acridium), 175.
Abdominalis (Chloëaltis), 126.
Abdominalis (Chrysochraon), 126.
Aberrans (Arphia), 196.
Aberrans (Atractomorpha), 331.
Aberrans (Catantops), 482.
Aberrans (Epistaurus), 471.
Aberrans (Paradichroplus), 492.
Aberrans (Scirtotypus), 68.
ABILA, 424.
ABISARES, 466.
Ablutus (Melanoplus), 533.
Abortiva (Chloëaltis), 126.
Abortiva (Locusta), 126.
Abortiva (Mesochloa), 112.
Abortivus (Eritettix), 112.
Abortivus (Melanoplus), 519.
Abortus (Hedotettix), 50.
ABRACHIS, 428.
Abrupta (Œdipoda), 245.
Abrupta (Tmetonota), 245.
Abruptipennis (Gomphocerus), 179.
Abruptipennis (Stenobothrus), 179.
Abruptus (Gryllus), 226.
Abruptus (Œdaleus), 226.
Abruptus (Pachytylus), 226.
Abyssinicus (Chrotogonus), 299.
Acadica (Tettigidea), 47.
Acadicum (Acrydium), 47.
Acadicus (Tettix), 47.
ACAMPTUS, 144.
ACANTHALOBUS, 17, 577.
ACANTHERUS, 103.
ACANTHOPS, 568.
Acanthopus (Ommatolampis), 434.
ACANTHOXIA, 407.
Accessoria (Tmethis), 287.
Accessorius (Tmethis), 287.
Accessorius (Thrinchus), 287.
Accola (Cyclocercus), 495.
ACENTETUS, 113.
ACHETA, 570.
ACHETIDÆ, 570.
Achetiones (Locusta), 575.
Achromoptera (Parga), 99.
Achromopterus (Amycus), 99.
ACHURUM, 102.

ACICERA, 342.
ACIDACRIS, 375.
ACINIPE, 350, 583.
ACMOPHYLLUM, 8.
ACOCERA, 342, 350.
ACORYPHA, 548.
ACORYPHELLA, 548.
ACRIDA, 90.
ACRIDARACHNEA, 580.
Acridea (Mantis), 568.
ACRIDELLA, 95.
ACRIDIIDÆ, 1.
ACRIDIUM, 36, 446, 561.
ACRIDODERES, 470.
Acridodes (Achurum), 102.
Acridodes (Truxalis), 102.
Acris (Paropomala), 580.
ACROCARA, 109.
ACROLOPHITUS, 108.
Acropyrinon (Antipl[illegible]), 464.
Acropyrinon (Monachidium), 464.
ACROSTEGASTES, 465.
Acrotyloides (Sphingonotus), 582.
ACROTYLUS, 263, 582.
ACRYDIINÆ, 1.
ACRYDIUM, 35, 228, 446, 578.
ACTEANA, 99.
Aculeata (Orphulella), 121.
Acuminata (Acrida), 91.
Acuminata (Bibracte), 467.
Acuminata (Bolivarella), 348.
Acuminata (Cephalocœma), 89.
Acuminata (Cœlopterna), 281.
Acuminata (Conozoa), 251.
Acuminata (Tryxalis), 91.
Acuminata (Wilverthia), 100.
Acuminata (*Proscopia*), 86.
Acuminata (*Tettix*), 43.
Acuminatum (Acrydium), 281.
Acuminatus (Nomotettix), 52.
Acuminatus (Coptotettix), 55.
Acuta (Orphulina), 118.
Acuta (Platypterna), 580.
Acuta (Tettigidea), 59.
Acuta (Tettix), 40.
Acutangulus (Chortoicetes), 193.
Acutangulus (Gastrimargus), 227.
Acutangulus (Œdaleus), 227.
Acutangulus (*Œdaleus*), 227.
Acutangulus (Pachytylus), 227.
Acutecarinatus (*Erianthus*), 70.
Acutegeniculata (Pyrgomorpha), 326, 583.
Acuticeps (Orthacris), 336.
Acuticercus (Catantops), 482.
Acuticornis (Syrbula), 108.
Acutilobus (Scabrotettix), 28.
Acutipennis (Atractomorpha), 332.
Acutipennis (Blatta), 567.
Acutipennis (Campylacantha), 497.
Acutipennis (Criotettix), 16.
Acutipennis (Erianthus), 70.
Acutipennis (Pezotettix), 497.
Acutipennis (Pyrgomorpha), 332.
Acutipennis (Truxalis), 332.
Acutispina (Dericorys), 583.
Acutus (Batrachotetrix), 292.
Acutus (Batrachotettix), 292.
Acutus (Bermius), 396.
Acutus (Chorthippus), 187.
Acutus (Lamellitettix), 24.
Acutus (Loxilobus), 18.
Acutus (Melanoplus), 532.
Acutus (Phymateus), 311.
Acutus (Rutidoderes), 311.
Acutus (Stenobothrus), 187.
ADEPHAGUS, 342.
ADIMANTUS, 126.
Adjuncta (Heteracris), 555.
Admirabilis (Stenobothrus), 107.
Admirabilis (Syrbula), 107.
ADRAPETES, 71.
Adspersa (Euprepocnemis),559.
Adspersa (*Truxalis*), 104.
Adspersus(Euryphymus), 545.
Adspersus (Thisoecetrus), 559.
Adspersus (Thisoicetrus), 559.
Adusta (*Morphacris*), 219.
Adusta (*Xiphocera*), 435.
Adustum (Acridium), 478.
Adustus (Catantops), 478.
Adversa (*Phyllodromia*), 563.
Adversa (Blatta), 563.
Adversa (Phyllodromia), 563.
Ægrota (Pœcilocera), 313.
Ægrotus (Phymateus), 313.
Ægyptia (Orthacanthacris), 444.
Ægyptiaca (Sphingonotus), 274.
Ægypticum (Acridium), 445.
Ægyptium (Acridium), 444.
Ægyptius (Gryllus), 444.
Ægyptius (Locusta), 444.
Ægyptius (*Gryllus*), 455.
Æneo-oculata (Vilerna), 430.
Æneo-oculatum (Acrydium), 430.
ÆOLACRIS, 367.
ÆOLOPLUS, 500.
ÆOLOPUS, 190, 581.
Æqua (*Phyllodromia*), 567.
Æquale (Spharagemon), 234.
Æquale (Xerophyllum), 8.
Æqualis (Dissosteira), 234.
Æqualis (Gryllus), 234.
Æqualis (Hypsæus), 8.
Æqualis (Locusta), 234.
Æqualis (Œdipoda), 234.
Æqualis (Orphula), 121.
Æqualis (Schistocerca), 456.
Æqualis (Stenobothrus), 120.

Æqualis (*Œdipoda*), 233.
Æquatorialis (Saparus), 431.
ÆROPUS, 581.
Æruginosa (Cyrtacanthacris), 451.
Æruginosa (Rhachicreagra), 544.
Æruginosum (Acridium), 451.
Æruginosus (Gryllus), 451.
Æruginosus (Locusta), 451.
Æstuans (Lamarckiana), 345.
Æstuans (Xiphocera), 345.
Æthale (Gryllus), 586.
Æthalinus (Stauroderus), 181.
Æthalinus (Stenobothrus), 181.
Æthiopica (Cyrtacanthacris), 445.
Æthiopicum (Acridium), 445.
Æthiops (Tettix), 42.
Affiliatus (*Pezotettix*), 530.
Affine (Acridium), 475.
Affine (Oxya), 475.
Affine (Sphenarium), 304.
Affine (*Acrydium*), 222.
Affinis (Acrostegastes), 465.
Affinis (Æolopus), 192.
Affinis (Chortoicetes), 194.
Affinis (Cocama), 432.
Affinis (Cordillacris), 117.
Affinis (Diedronotus), 361.
Affinis (Epacromia), 192.
Affinis (Erianthus), 70.
Affinis (Hedotettix), 50.
Affinis (Mastax), 70.
Affinis (Melanoplus), 511.
Affinis (Morphopus), 22.
Affinis (Ocnerodes), 356.
Affinis (Orphulella), 120.
Affinis (Pamphagus), 356.
Affinis (Platycleis), 571.
Affinis (Traulia), 475, 476.
Affinis (Tropinotus), 361.
Affinis (*Gryllus*), 551.
Affinis (*Melanoplus*), 511.
Affinis (*Œdipoda*), 222.
Affrictus (Hippiscus), 209.
Affrictus (Xanthippus), 209.
Africana (Œdaleus), 227.
Africanus (Gastrimargus), 227.
Africanus (Paratettix), 35.
Afrum (*Acrydium*), 49.
Agarena (Pyrgomorpha), 326.
AGENEOTETTIX, 134.
AGESANDER, 543.
Agomena (Caryanda), 395.
AGONOZOA, 251.
Agrestis (Pseudotrimerotropis), 258.
Agrestis (Trimerotropis), 258.
AGRIACRIS, 369.
Agrionoides (Acridium), 73.
Agrionoides (Mastax), 73.
AGROECOTETTIX, 496.
AGYMNASTUS, 212.
AIDEMONA, 497.
AIOLOPUS, 190.
AKENTETUS, 113.
AKICERA, 342.
Alacre (Acridium), 560.
Alacris (Euprepocnemis), 560.
Alacris (Mermiria), 105.
Alaskanus (Melanoplus), 511.
Alatus (Caletodes), 431.
Alatus (Trachytettix), 12.
Alba (Blatta), 566.
Alba (Hypochlora), 497.
Alba (Pezotettix), 497.
Albemarlensis (Sphingonotus), 275.
Albertisi (Trigoniza), 441.
Albescens (Acrydium), 46.
Albescens (Pseudotrimerotropis), 256.
Albescens (Tettix), 46.
Albescens (Trimerotropis), 256.
Albicornis (Dociostaurus), 154.
Albicornis (Stauronotus), 154.
Albidifera (Cyrtacanthacris), 454.
Albidiferum (Acridium), 454.
Albidula (Dericorys), 383.
Albidula (Dericorys), 383.
Albipes (Acridium), 377, 378.
Albipes (Acrydium), 378.
Albipes (Titanacris), 378.
Albolineata (Conozoa), 254.
Albolineata (Schistocerca), 458.
Albolineata (Trimerotropis), 254.
Albolineata (*Œdipoda*), 185.
Albolineatum (Acridium), 458.
Albolineatus (Gelastorrhinus), 409.
Albomarginatum (Acrydium), 185.
Albomarginatus (Chorthippus), 185.
Albomarginatus (Stenobothrus), 185.
Albotæniata (Pyrgomorpha), 583.
Albulus (Hippiscus), 209.
Albulus (Xanthippus), 209.
Alca (Orthochtha), 580.
ALCAMENES, 362.
Aldabræ (Conipoda), 280.
ALECTOROLOPHUS, 467.
ALEUAS, 427.
Algeriana (Œdipoda), 245.
Algeriana (Thalpomena), 245.
Algerica (Acinipe), 351.
Algerica (Eremobia), 289.
Algericus (Pamphagus), 351.
ALGETE, 334.
Algidus (Melanoplus), 533.
Aliena (Tettix), 54.
Alienum (*Acridium*), 439.
Alienus (Caloptenus), 182.
Alienus (Eotettix), 54.
Alienus(Paradichroplus), 482.
ALLAGTA, 563.
ALLAGA, 485.
Alleni (Melanoplus), 521
Alliaceus (Gryllus), 115.

Alliaceus (Mecostethus), 145.
Alliaceus (Parapleurus), 145.
Alliciens (Pseudotrimerotropis), 257.
Alliciens (Trimerotropis), 257.
Alligator (Gavialidium), 15.
Alligator (*Scelymena*), 15.
ALLODAPA, 574.
ALLOTETTIX, 28, 577.
ALLOTRIUSIA, 444.
Almasyi (Podisma), 538.
ALOPHONOTA, 369.
ALPHA, 116.
Alpicola (*Pezotettix*), 539.
Alpina (Pezotettix), 538.
Alpina (Podisma), 538.
Alpinus (Gryllus), 538.
Alpinus (Melanoplus), 527.
Alpinus (Pezotettix), 538.
Altaicus (Chrysochraon), 147.
Altaicus (Podismopsis), 147.
ALTHÆMENES, 466.
Alticeps (Thericles), 81.
Alticola (Platybothrus), 188.
Altitudinum (Melanoplus), 517.
Altitudinum (Pezotettix), 517.
Altus (Œonomus), 118.
Alutacea (Schistocerca), 457.
Alutaceum (Acridium), 457.
Amabile (Arcyptera), 171.
Amabile (Stethophyma), 171.
Amæna (Cervidia), 408.
Amæna (Opomala), 408.
Amaranthina (Taphronota), 310.
Amaranthinus (Sphingonotus), 278.
Amazonica (Acteana), 99.
Amazonica (Metrodora), 28.
Amazonica (Scabrotettix), 28.
Amazonus (Paurotarsus), 61.
Ambages (Lobopoma), 137.
Ambigua (Allaga), 485.
Ambigua (Atractomorpha), 333.
Ambigua (Euprepocnemis), 557.
Ambigua (Schistocerca), 461.
Ambiguum (Acridium), 461.
Ambiguus (Cataloipus), 557.
AMBLYSCAPHEUS, 166.
AMBLYTROPIDIA, 114.
Ambulans (Gerenia), 472.
Americana (Aspidophyma), 342.
Americana (Loboptera), 563.
Americana (Schistocerca), 461.
Americana (Xiphophora), 365.
Americana (*Aspidophyma*), 544.
Americanum (Acridium), 461.
Americanum (Schistocerca), 461.
Americanus (Allotettix), 577.
Americanus (Jivarus), 399.
AMESOTROPIS, 148.
Amethystina (Acidacris), 375.
Amethystinum (Acridium), 375.
Amethystinus (Acridoderes), 471.
Amœnula (Cyrtacanthacris), 452.
Amœnus (Acridium), 172.
Amœnus (Dichroplus), 190.
Amœnus (Omocestus), 172.
Amœnus (Pezotettix), 490.
Amœnus (Trigonophymus), 490.
AMORPHOPUS, 21.
AMPHIBOTETTIX, 12.
AMPHICREMNA, 99.
Amphiprosopus (Demodocus), 555.
Amphiprosopus (Heteracris), 555.
AMPHITORNUS, 113, 580.
Amplectens (Melanoplus), 519.
Amplicornis (Conozoa), 251.
Amplicornis (Psinidia), 251.
Amplipennis (Phymateus), 312.
Amplus (Melanoplus), 527.
AMYCUS, 98.
ANABLYSIS, 432.
ANARCHITA, 327.
Anatolicus (Dociostaurus), 153.
Anatolicus (Stenobothrus), 153.
ANAUA, 375.
Anceps (Allacta), 563.
Anceps (Blatta), 563.
Anchietæ (Gymnobothrus), 148.
Anchietæ (*Petasia*), 305.
Anchietæ (*Tapesia*), 305.
ANCHOTATUS, 88.
Ancisa (Pododula), 395.
ANCONIA, 250.
Anderssonii (Methone), 292.
Anderssonii (Trachypetrella), 292.
Andrei (Pterotettix), 26.
Anelytra (Blatta), 566.
Angelicus (Melanoplus), 514.
Angolensis (Lamarckiana), 344.
Angolensis (Pyrgomorpha), 324.
Angolensis (Xiphocera), 344.
Angulata (*Mantis*), 568.
Angulata (*Pseudacanthops*), 568.
Angulata (Syletria), 431.
Angulatus (*Acrotylus*), 266.
Angulatus (Coptotettix), 55, 579.
Angulatus (Diedronotus), 360.
Angulatus (Tropidonotus), 360.
Angulatus (Tropinotus), 360.
Angulifera (Cyrtacanthacris), 453.
Anguliferum (Acridium), 453.
Anguliflava (Coptacra), 468.

Angulobus (Paratettix), 578.
Angusta (Atractomorpha), 332.
Angustata (Phlæoba), 139.
Angustata (Rodunia), 139.
Angustatus (*Chrotogonus*), 269.
Angusticeps (Caloptenopsis), 549.
Angusticeps (Caloptenus), 549.
Angusticeps (Systolederus), 20.
Angusticeps (Tettix), 20.
Angusticollis (Diedronotus), 361.
Angusticollis (Tropinotus), 361.
Angusticornis (Truxalis), 104.
Angusticornis (*Truxalis*), 125.
Angusticosta (Caloptenopsis), 550.
Angustidorsis (Phlæoba), 138.
Angustifemur (*Epacromia*), 191.
Angustifrons (Acridium), 484.
Angustifrons (Catantops), 484.
Angustifrons (Hedotettix), 50.
Angustipenne (Sphargemon), 235.
Angustipennis (Acrotylus), 267.
Angustipennis (Chrotogonus), 267.
Angustipennis (Caloptenus), 524.
Angustipennis (Melanoplus), 524.
Angustipennis (Elæochlora), 366.
Angustipennis (Phædrotettix), 493.
Angustipennis (Phlæobida), 138.
Angustipennis (Sphingonotus), 274.
Angustirostris (Tetanorhynchus), 86.
Angustivertex (Paratettix), 35.
Angustula (Rhabdoplea), 147.
Angustulus (Catantops), 477.
Angustum (Acrydium), 48.
Angustum (Ommexycha), 269.
Angustus (Leptoscirtus), 269.
Angustus (Tettix), 48.
ANIARA, 573.
ANIARELLA, 573.
ANNANDALEA, 329.
Annandalei (Systella), 340.
ANNICERIS, 422.
Annulata (Dericorys), 383.
Annulata (Derocorys), 383.
Annulata (Trilophidia), 244.
Annulatus (Acrotylus), 264.
Annulatus (Cyphephorus), 383.
Annulatus (Gomphocerus), 158.
Annulatus (Gryllus), 244.
Annulatus (*Truxalis*), 96.
Annulicornis (Leioscapheus), 422.
Annulicornis (Ommatolampis), 434.
Annulicornis (Phæoparia), 425.
Annulicornis (*Stenobothrus*), 189.
Annulifera (*Heteracris*), 555.
Annulipes (Catantops), 478.
Annulipes (Coptacra), 469.
Annulipes (Coptotettix), 55.
Annulipes (*Stauronotus*), 153.
Annulosa (Euprepocnemis), 560.
Annulosa (Heteracris), 560.
Anoplosterna (Mestra), 330.
Anoplosterna (Tagasta), 330.
ANTANDRUS, 392.
Antennata (Gomphomastax), 72.
Antennata (Gonista), 410.
Antennata (Lucretilis), 388.
Antennata (Phlæoba), 137.
Antennata (Rhytidochrota), 543.
Antennata (Trilophidia), 245.
Antennata (*Phlæoba*), 140.
Antennatus (Amorphopus), 22.
Antennatus (Bufonides), 4.
Antennatus (Chorthippus), 157, 158.
Antennatus (Cotys), 21.
Antennatus (Eumorphopus), 22.
Antennatus (Euryphymus), 547.
Antennatus (Gomphocerus), 157, 158.
Antennatus (Gomphomastax), 72.
Antennatus (Parerucius), 72.
Antennatus (Puiggaria), 61.
Antennatus (Stenobothrus), 157, 158.
Antennatus (Stenocrobylus), 485.
ANTHERMUS, 443.
ANTHINOCHROMA, 420.
Antica (Oxya), 388.
Antica (Phalaca), 388.
Antica (*Heteracris*), 402.
Antigai (Omocestus), 177.
Antigai (Stenobothrus), 177.
Antillarum (Inusia), 415.
ANTIPHANES, 432.
ANTIPHON, 464.
Antisanæ (Melanoplus), 532.
Antisanæ (Pezotettix), 532.
Antistes (Brunniella), 339.
ANTITA, 174, 585.
Antivolus (*Hippiscus*), 209.
Antivolus (Hippiscus), 209.
Antivolus (Xanthippus), 209.
APALACRIS, 476.
Apicale (Acridium), 179.
Apicale (Pagopedilum), 346.
Apicalis (Acrotylus), 261.

Apicalis (Amniceris), 422.
Apicalis (Dociostaurus), 154.
Apicalis (Egnatius), 268.
Apicalis (Erucius), 72.
Apicalis (Gomphocerus), 180.
Apicalis (Mastax), 72.
Apicalis (Maura), 306.
Apicalis (Œdipoda), 268.
Apicalis (Pamphagus), 346.
Apicalis (Pterotiltus), 387.
Apicalis (Sphingonotus), 277, 278.
Apicalis (Stauroderus), 179.
Apicalis (Stenobothrus), 154, 179, 180.
Apicalis (Xiphocera), 346.
Apicicorne (Acridium), 310.
Apicicorne (Decticus), 310.
Apicicornis (Taphronota), 310.
Apiculata (Tettigidea), 59.
APIOSCELIS, 85.
APLATACRIS, 377.
APLOPUS, 569.
APLUSOTROPIS, 283.
APOBOLEUS, 441.
APOBOLUS, 441.
APOTETTIX, 53, 579.
APOTROPIS, 440.
Appendiculatum (*Acridium*), 462.
Appendiculatus (*Misythus*), 10.
Appendiculatus (Pœdes), 82.
Applicatus (Alectorolophus), 467.
Approximans (*Cyrtacanthacris*), 460.
Approximans (Epacromia), 191.
Appula (Cuculligera), 284.
Appula (Prionotropis), 284.
Appulum (Podisma), 284.
Aprica (*Locusta*), 176.
Apricaria (Œdipoda), 178.
Apricarius (Acrotylus), 266.
Apricarius (Chorthippus), 178.
Apricarius (Gomphocerus), 178.
Apricarius (Gryllus), 177, 178.
Apricarius (Locusta), 177.
Apricarius (Stauroderus), 177.
Apricarius (Stenobothrus), 178.
Apta (*Heteracris*), 394.
APTENOPEDES, 508.
Aptera (Anarchita), 327.
Aptera (Aptenopedes), 508.
Aptera (Mazarredia), 25.
Aptera (Ommatolampis), 434.
Aptera (Opomala), 102.
Aptera (Pseudopomala), 102.
Aptera (Pyrgomorpha), 327.
APTEROPŒDES, 83.
APTEROTETTIX, 21.
Apterum (*Acrydium*), 538.
Apterus (Caletes), 429.
APTOCERAS, 430.
Aptus (Criotettix), 16.
Aquaticum (Paracornops), 417.
ARÆOPTERYX, 249.
Arboreus (Melanoplus), 531.
ARBUSCULA, 329.
Arcta (Arphia), 196.
Arctata (Orphulella), 120.
Arctatus (Stenobothrus), 120.
Arcticus (Caloptenus), 521.
Arcticus (Melanoplus), 521.
Arcuata (Elæochlora), 584.
Arcuata (Goniæa), 437.
Arcuatum (Acridium), 6.
Arcuatum (Hymenotes), 6.
Arcuatus (Æoloplus), 500.
Arcuatus (Gryllus), 225.
Arcuatus (Nomotettix), 52.
Arcuatus (Œdaleus), 225.
Arcuatus (Piezotettix),
ARCYOPTERA, 169.
ARCYPTERA, 169, 581.
Arenaria (Œdipoda), 274.
Arenaria (Sphingonotus), 275.
Arenarius (*Sphinctonotus*), 275.
Arenarius (Sphingonotus), 274, 275.
Arenivolans (*Cyphohippus*), 225.
Arenosa (Lamarckiana), 343.
Arenosa (Tetrix), 48.
Arenosa (Xiphocera), 343.
Arenosum (Acrydium), 48.
Arenosus (Ageneotettix), 135.
Arenosus (Tettix), 48.
ARESCEUTICA, 466.
Argentatus (Bootettix), 110.
Argenteovittata (*Capellea*), 404.
Argentina (Fenestra), 127.
Argentina (Leptysma), 411.
Argentinus (Diponthus), 382.
Ariasi (Stauroderus), 581.
Aridus (Heliastus), 270.
Aridus (Melanoplus), 515.
Aridus (Pezotettix), 515.
Aridus (Telmatettix), 30.
Aridus (Thrincus), 270.
Arieticeps (Dæmonea), 271.
ARISTIA, 425.
Arizonæ (Melanoplus), 527.
Arizonensis (Æoloplus), 501.
Arizonensis (Papagoa), 107.
Armata (Pantelia), 10.
Armata (Pyrgodera), 214.
Armata (Tettigidea), 59.
Armaticollis (*Proscopia*), 90.
Armatum (Acrydium), 214.
Armatus (Pachytylus), 214.

Armatus (Pyrgodera), 214.
Armatus (*Discotettix*), 2.
Armigera (*Tettix*), 18.
Armillatus (Paprides), 442.
ARMINDA, 400.
ARNILIA, 413.
ARPHIA, 194.
Arrogans (Acridium), 488.
Arrogans (Dichroplus), 488.
Arrogans (Pezotettix), 488.
Arrogans (Podisma), 488.
Arrogans (Trigonophymus), 488.
Artemisiæ (Melanoplus), 516.
Arthritica (Catantops), 484.
Arthriticum (Acridium), 484.
ARULENUS, 2.
Arvalis (*Gomphocerus*), 183.
Ascensi (Paracoptacra), 468.
Ascensus (Melanoplus), 533.
Asellus (Blatta), 567.
ASEMOPLUS, 507.
Ashantica (Atractomorpha), 331.
Asina (Hoplolopha), 348.
Asina (Locusta), 575.
Asina (Phyllochoreia), 67.
Asina (Xiphocera), 348.
Asinus (Hyalopteryx), 105.
Asmodæus (Hylotettix), 29.
Asmodæus (Nephele), 29.
Aspera (*Epacromia*), 244.
Aspera (Trachyrhachys), 247.
Asperata (Cyrtacanthacris), 449.
Asperatum (Acridium), 449.
Asperatus (Coptotettix), 56.
Aspersata (Acrida), 94.
Asperula (Mazarredia), 25.
Asperulus (Micronotus), 53.
Asperulus (Tettix), 53.
Asperum (Acridium), 273.
Asperus (Sphingonotus), 273.
ASPIDOPHYMA, 342.
Aspirans (*Pezotettix*), 535.
Assamus (Loxilobus), 577.
Assimilis (Gastrimargus), 226.
Assimilis (Gryllus), 226.
Assumptio (Ctyphippus), 241.
Asthmaticus (Catantops), 480.
ASTROMA, 90.
Atacamensis (Œdipoda), 254.
Atacamensis (Trimerotropis), 254.
Atavus (Pycnosarcus), 544.
Ater (Melanoplus), 514.
Ater (Petasia), 305.
Aterrima (Phlæoba), 140.
Atlanis (Caloptenus), 512.
Atlanis (*Caloptenus*), 523.
Atlanis (Melanoplus), 512.
Atlantica (Paroxya), 505.
Atlantis (*Caloptenus*), 512.
Atra (Petasia), 305.
ATRACHELACRIS, 486.
ATRACTOMORPHA, 331.
Atrata (Locusta), 575.
Atriceps (Maura), 307.
Atriceps (Pœcilocera), 315.
Atriceps (Zonocerus), 315.
Atrocephala (Chrysopsacris), 429.
Atroterminatum (Tympanoptera), 572.
Atroterminatus (Aprion), 572.
Atroterminatus (Tympanophyllum), 572.
Atrox (Lamarckiana), 345.
Atrox (Pamphagus), 345.
Atrox (Xiphocera), 345.
Atrox (*Œdipoda*), 203.
Attenuata (Paratettix), 35.
Attenuata (Proscopia), 87.
Attenuata (Tettix), 55.
Attenuatus (Hedotettix), 50.
Attenuatus (Melanoplus), 519.
Attenuatus (Taxiarchus), 87.
Atypica (Mazarredia), 25.
ATYPHOSTERNUS, 337.
Atypicalis (Acrydium), 45.
Atypicalis (Tettix), 45.
Audouina (Ommexycha), 298.
Audouini (Spathalium), 298.
AULACOBOTHRUS, 189.
AULARCHES, 308.
AULOCARA, 135.
Aurantia (Schistocerca), 454.
Aurantia (Tæniopoda), 372.
Aurantiaca (Pyrgomorpha), 328.
Aurantiacus (Exochoderes), 464.
Aurantiacus (Stenoxyphus), 328.
Aurantiæfolia (Cycloptera), 573.
Aurantiæfolia (Locusta), 573.
Aurantifolia (Gryllus), 573.
Aurantifolia (Tettigonia), 573.
Aurantipennis (Arphia), 195.
Aureolus (*Gomphocerus*), 183.
Aureolus (*Gryllus*), 183.
Auricorne (*Acridium*), 453.
Auricornis (Rhomalea), 372.
Auricornis (Tæniopoda), 372.
Auricornis (*Cyrtacanthacris*), 453.
Auriculata (Gryllacris), 571.
Aurifera (*Œdipoda*), 267.
Aurilegulus (Hippiscus), 210.
Aurilegulus (Xanthippus), 210.
[illegible], 366.
Aurita (Osmilia), [illegible]

Auriventris (Amblytropidia), 115.
Auriventris (Boöpedon), 128.
Aurivillii (Atractomorpha), 332.
Aurivillii (Eugavialidium), 14.
Aurivillii (Gavialidium), 14.
Aurivilliusi (*Atractomorpha*), 333.
Aurora (Racilia), 397.
Aurora (Wernerella), 246.
Auroripennis (Xiphocera), 365.
Auroripennis (Xiphophora), 365.
Austera (Copiocera), 420.
Australasiæ (Goniæa), 436, 437.
Australasiæ (Gryllus), 436.
Australasiæ (Tropinotus), 437.
Australasiæ (Xiphocera), 436, 437.
Australe (Acrydium), 46.
Australe (Tettix), 46.
Australiana (Atractomorpha), 333.
Australiensis (Trigoniza), 441.
Australis (Ageneotettix), 135.
Australis (Amblytropidia), 114.
Australis (Atractomorpha), 334.
Australis (Cephalocœma), 89.
Australis (Chortoicetes), 193.
Australis (Cratypedes), 205.
Australis (Dichromorpha), 125.
Australis (Dociostaurus), 154.
Australis (Exarna), 443.
Australis (Heteracris), 443.
Australis (Hippiscus), 205.
Australis (Hyalopteryx), 193.
Australis (Locusta), 229.
Australis (Melanoplus), 519.
Australis (Meloscirtus), [160], 184.
Australis (Œdaleus), 225.
Australis (Pachytylus), 229.
Australis (Paprides), 442.
Australis (Proscopia), 89.
Australis (Schistocerca), 456.
Australis (Stauronotus), 154.
Australis (Tettigidea), 58.
Australis (*Manatia*), 364.
Australis (*Podisma*), 534.
Australis (*Tropinotus*), 437.
Autumnalis (*Pezotettix*), 505.
Avicolus (Leptoscirtus), 269.
Avidus (*Thrincus*), 270.
Axillaris (Catantops), 478.
Axillaris (Gryllus), 478.
Ayersii (Ecphantus), 464.
Azami (Stauroderus), 178.
Azami (Stenobothrus), 178.
AZELOTA, 442.
Azteca (Aidemona), 497.
Azteca (Œdipoda), 237.
Azteca (Orphula), 118.
Azteca (Telmatettix), 30.
Azteca (Tettix), 30.
Aztecum (Platyphyma), 497.
Aztecus (Heliastus), 270.
Aztecus (Oxycoryphus), 118.
Aztecus (Paratettix), 30.
Aztecus (Pezotettix), 497.
Aztecus (Telmatettix), 30.
Aztecus (Tomonotus), 237, 238.
Aztecus (Xyronotus), 340.
Azurea (Cuculligera), 284.
Azurescens (Circotettix), 253.
Azurescens (Gryllus), 276.
Azurescens (Œdipoda), 276.
Azurescens (Sphinctonotus), 276.
Azurescens (Sphingonotus), 276.
Azurescens (Trimerotropis), 253.
Azuripennis (Traulia), 475.
Azuripennis (Xiphicera), 475.

Baccatus (Maphyteus), 312.
Baccatus (Phymateus), 312.
Baconi (Melanoplus), 515.
BACTROPHORA, 406.
BADISTICA, 396.
Baeri (Criotettix), 16.
Baeri (Hedotettix), 50.
Baeri (Telmatettix), 50.
Baicalensis (Bryodema), 261.
Baicalensis (Gryllus), 261.
Baicalensis (Œdipoda), 261.
Baicalensis (Thrincus), 261.
Baldensis (Pezotettix), 535.
Baldensis (Podisma), 535.
Baliensis (Caloptenopsis), 550.
Baliensis (Caloptenus), 550.
Balloui (Orphulella), 118.
Balloui (Orphulina), 118.
Balteata (Dissosteira), 233.
Balteata (Œdipoda), 277.
Balteata (Tettix), 45.
Balteatum (Acrydium), 45.
Balteatum (Sphargemon), 233.
Balteatus (Sphingonotus), 277.
Balteatus (*Sphingonotus*), 278.
Banian (Gryllus), 396.
Banian (Hieroglyphus), 396.

Banksii (Pseudosermyle), 569.
Barabense (Bryodema), 261, 262.
Barbarum (*Acridium*), 552.
Barbipes (Gonophocerus), 156.
BAROMBIA, 386.
Barretti (Neotettix), 51.
Barretti (Ochotettix), 51.
Barrettii (Sphenarium), 304.
Barringtonensis (Sphingonotus), 275.
BARYTETTIX, 494, 585.
Basale (Acridium), 452.
Basalis (Catantops), 481.
Basalis (Cyrtacanthacris), 452.
Basalis (Heteracris), 481.
Basalis (Opomala), 139.
Basalis (Rhicnoderma) 391.
Basalis (Rodunia), 139.
Basalis (*Xiphocera*), 363.
Basifer (Catantops), 479.
BATRACHIDEA, 32, 52, 60.
BATRAĆHOPUS, 358.
BATRACHORNIS, 291.
BATRACHOTETRIGINÆ, 283.
BATRACHOTETRIX, 291.
BATRACHOTETTIX, 291.
Baumanni (Acridium), 453.
Baumanni (Cyrtacanthacris), 453.
Bauri (Closteridea), 110.
Bayaoi (Ocnocerus), 99.
Beari (*Criotettix*), 16.
Beccarii (Cladonotus), 9.
Bedeli (Atractomorpha), 333.
Behrensi (Arphia), 197.
Behrensi (Brachystola), 294.
Behrensi (Conozoa), 250.
Behrensi (Sinaloa), 495.
Behrensi (*Chimarocephala*), 200.
Belfragii (Œdipoda), 234.
Belfragii (Spharagemon), 234.
Belfragii (*Mermiria*), 105.
Bellula (Badistica), 396.
Belphegor (Tetrix), 23.
Belphegor (Tetticerus), 23.
Belzebuth (Discotettix), 2.
Belzebuth (Tetrix), 2.
Belzebuth (Tettix), 2.
Bengalensis (Sphingonotus), 275.
Benjamini (Heliastus), 270.
BENNIA, 71.
Bergi (*Tristira*), 212.
Bergii (Dichroplus), 489.
Bergii (Pezotettix), 489.
Bergii (Trigonophymus), 489.
BERMIUS, 396.
BETA, 117.
Bethlehemita (Pamphagus), 349.
Bethlehemita (Prionosthenus), 349.
Bettoni (Heteracris), 555.
Biafrensis (Dinotettix), 26.
Biafrensis (Odontomelus), 101.
BIBRACTE, 466.
Bicarinatus (Batrachopus), 358.
Bicarinatus (Tropidostethus), 358.
Bicolor (Acrida), 94.
Bicolor (Acridium), 409.
Bicolor (Amphitornus), 113.
Bicolor (Blatta), 566.
Bicolor (Dactylotum), 541.
Bicolor (Dicroplus), 488.
Bicolor (Gelastorrhinus), 409.
Bicolor (Gryllus), 181.
Bicolor (Inusia), 415.
Bicolor (Œdipoda), 182.
Bicolor (Opsomala), 409.
Bicolor (Stauroderus), 181.
Bicolor (Stenobothrus), 181.
Bicolor (Trigonophymus), 488.
Bicolor (Truxalis), 94.
Bicoloratus (Melanoplus), 525.
Bicristata (Tæniopoda), 372.
Bidens (*Gryllus*), 244.
Biemarginata (Xiphicera), 66.
Biemarginatus (Choroetypus), 66.
Bifasciata (Pseudotrimerotropis), 256.
Bifasciata (Tettix), 40.
Bifasciata (Trimerotropis), 256.
Bifasciatum (Acrydium), 40.
Bifasciatus (Erucius), 73.
Bifidus (Catantops), 477.
Bifoveolata (Pnorisa), 151.
Bigibbosus (Tetticerus), 23.
Biguttata (*Œdipoda*), 175.
Biguttatum (*Acridium*), 158.
Biguttatus (*Gomphocerus*), 158.
Biguttatus (*Gryllus*), 158.
Biguttatus (*Stenobothrus*), 158.
Biguttula (Œdipoda), 182.
Biguttula (*Œdipoda*), 182.
Biguttulum (Acridium), 182.
Biguttulum (Acrydium), 182.
Biguttulus (Gomphocerus), 183.
Biguttulus (Gryllus), 182.
Biguttulus (*Gryllus*), 158.
Biguttulus (Locusta), 182.
Biguttulus (Stauroderus), 182.
Biguttulus (Stenobothrus), 182, 183.
Bihastata (Tetanorhynchus), 86.
Bilineata (Machæridia), 100.
Bilineata (Tettix), 47.
Bilineatus (Coptotettix), [illegible].
Bilineatus (Tetrix), 47.

Bilineatus (Stenobothrus), 121.
Bilineatus (Truxalis), 96.
Bilineatus (Zonocerus), 583.
Bilituratus (Caloptenus), 512.
Bilituratus (Melanoplus), 512.
Biloba (Eremobia), 287.
Bilobata (Conozoa), 250.
Bilobata (Trimerotropis), 250.
Bilobus (Paradichroplus), 492.
Bilobus (Tmethis), 287.
Bilunata (Elæochlora), 366.
Bilunata (Xiphocera), 366.
Bimaculata (Dellia), 423.
Bimaculata (Ossa), 296.
Bimaculata (Paratettix), 578.
Bimaculata (Paulinia) 296.
Bimaculata (Prionidia), 218.
Bimaculata (Pternoscirta), 218.
Bimaculata (Tettix), 38.
Bimaculatum (Acridium), 37.
Bimaculatum (Acrydium), 37.
Bimaculatus (Gryllus), 218.
Bimaculatus (Tettix), 38.
Bimaculatus (Trybliophorus), 434.
Binotata (Tettix), 42.
Binotatum (Acrydium), 41.
Binotatus (Gomphocerus), 179.
Binotatus (Gryllus), 41, 179.
Binotatus (Stenobothrus), 179.
Biolleyi (Leuconotus), 112.
Biplagiata (Schulthessia), 335.
Biplagiata (Symbellia), 81.
Bipunctata (Tetrix), 39.
Bipunctata (Tettix), 40.
Bipunctata (Tettix), 44.
Bipunctatum (Acridium), 39.
Bipunctatum (Acrydium), 39, 579.
Bipunctatum (Acrydium), 37.
Bipunctatus (Batrachidea), 40.
Bipunctatus (Bulla), 39.
Bipunctatus (Catantops), 482.
Bipunctatus(Gryllus), 39.
Bipunctatus (Paradichroplus), 492.
BIRMANA, 1.
Birmani (Eugavialidium), 14.
Birmanicum (Eugavialidium), 14.
Birmanicum (Gavialidium), 14.
Birmanicus (Erianthus), 70.
BIROELLA, 76.
Biroi (Desmoptera), 329.
Biroi (Hierodula), 567.
Biroi (Stenobothrus), 165.
Bisignata (Œdipoda), 143.
Bisignatum (Acridium), 144.
Bisignatus (Gryllus), 143.
Bisignatus (Mecostethus), 144.
Bispina (Cota), 11.
Bispina (Tettix), 11.
Bispinosa (Acantholobus), 17.
Bispinosa (Pyrgomorpha), 326.
Bispinosa (Tettix), 17.
Bispinosum (Acridium), 18.
Bispinosum (Acrydium), 17.
Bispinosum (Tetrix), 18.
Bispinosus (Criotettix), 18.
Bispinosus (Melanoplus), 523,
Bispinosus (Tettix), 17.
Bistrigata (Cyclocercus), 495.
Bistrigatus (Cyclocercus), 495.
Bisulcata (Orthochtha), 141.
Bisulcata (Phlæoba), 141.
Bitæniata (Machæridia), 100.
Bitæniata (Ochrilidia), 150.
Bitæniata (Platypterna), 150.
Bitæniata (Pnorisa), 151.
Bivenosa (Diraneura), 246.
Bivenosa (Œdipoda), 246, [255].
Bivenosa (Trimerotropis), 255.
Bivittata (Apotropis), 440.
Bivittata (Elæochlora), 366.
Bivittata (Mermiria), 104.
Bivittata (Opomala), 104.
Bivittata (Opsomala), 104.
Bivittata (Schistocerca), 459.
Bivittata (Stropis), 440.
Bivittata (Xiphocera), 366.
Bivittatum (Acridium), 459.
Bivittatum (Cornops), 417,
Bivittatum (Cornops), 417.
Bivittatum (Schistocerca), 459.
Bivittatus (Caloptenus), 530.
Bivittatus (Gryllus), 530.
Bivittatus (Melanoplus), 530, 531.
Bivittatus (Pezotettix), 530.
Bivittatus (Trybliophorus), 392.
Blanchardi (Chrotogonus), 301.
Blanchardi (Serpusia), 473.
Blanchardiana (Quiroguesia), 217.
Blandus (Melanoplus), 532.
Blandus (Gryllus), 186.
Blatchleyi (Acrydium), 49.
Blatchleyi (Melanoplus), 526.
Blatchleyi (Tettix), 49.
BLATTA, 564, 566.

BLATTIDÆ, 562.
BLEPOMMA, 268.
Blondeli (Acrotylus), 267.
Bloveti (Chrotogonus), 302.
BOCAGELLA, 465.
Bogotensis (Schistocerca), 457.
Bohemani (Pezotettix), 533.
Bohlsii (Dichroatettix), 127.
Bohlsii (Fenestra), 127.
Bohlsii (Oxyblepta), 416.
Bohlsii (Paraleuas), 427.
Bohlsii (Stenopola), 416.
BOLIVARELLA, 318.
Bolivari (Abila), 424.
Bolivari (Epistaurus), 471.
Bolivari (Euthymia), 384.
Bolivari (Hymenotes), 4.
Bolivari (Maura), 306.
Bolivari (Monistria), 318.
Bolivari (Neotettix), 51.
Bolivari (Phymateus), 314.
Bolivari (Pseudothericles), 80.
Bolivari (Sphenarium), 303.
Bolivari (Stenobothrus), 164.
Bolivari (Stethophyma), 167, 168.
Bolivariana (Lamarckiana), 345.
Bolivariana (Xiphocera), 345.
Bolivarii (Eunapius), 354.
Bolivarii (Euryparyphes), 354.
Bolivarii (Gomphocerus), 164.
Bolivarii (Pamphagus), 354.
Bolivarii (Stenobothrus), 164.
Bolivianus (Scabrotettix), 28.
Bollii (Dissosteira), 233.
Bollii (Spharagemon), 233.
BOLOTETTIX, 577.
B[illegible] (Neotettix), 51.
Bonneti (Omocestus), 172.
Bonneti (Stenobothrus), 172.
BOOPEDON, 128.
BOOTETTIX, 110.
Borckii (Acridium), 518.
Borckii (Melanoplus), 518,
Borckii (Pezotettix), 518.
Borckii (*Pezotettix*), 520.
Borckii (Podisma), 518.
Boreale (Mestobregma), 248.
Borealis (Barytettix), 585.
Borealis (Caloptenus), 521.
Borealis (Melanoplus), 521.
Borealis (*Melanoplus*), 521.
Borealis (*Pezotettix*), 521, 531.
Borealis (Psinidia), 248.
Borealis (Trachyrhachys), 248.
Borealis (*Trachyrhachys*), 248.
BORELLIA, 167.
Borellii (Bucephalacris), 423.
Borellii (Cephalocœma), 89.
Borellii (Chlorus), 491.
Borellii (Masyntes), 79.
Borellii (Paratettix), 35.
Borellii (Plectrotettix), 133.
Borellii (Prosarthria), 89.
Borellii (Scyllina), 133.
Borellii (Tetanorhynchus), 86.
Borellii (Xiphiola), 432.
Bormansi (Chrotogonus), 302.
Borrei (Criotettix), 17.
Borrei (Sphenarium), 303.
Boscæ (Ochrilidia), 150.
Boscæ (*Platycleis*), 571.
Boscæ (Platypterna), 150.
Boscanus (Lactista), 238.
Boscanus (Trimerotropis), 238.
B[illegible] ([illegible]tum), 124.
Bowditchi (Melanoplus), 510.
BRACHASPIS, 503.
Brachycerus (Bermius), 396.
Bra[illegible] ([illegible]), 141.
BRACHYCROTAPHUS, 149.
BRACHYPEPLUS, 293.
Brachyptera (Chrotogonus), 300.
Brachyptera (Opomala), 100, 102.
Brachyptera (Pseudopomala), 102.
Brachyptera (*Pyrgomorpha*), 326.
Brachyptera (Schistocerca), 461.
Brachyptera (Stirapleura), 130.
Brachyptera (Tetratænia), 118.
Brachyptera (Tettix), 43.
Brachypterum (Acridium), 461.
Brachypterum (*A[illegible]*), 558.
Brachypterum (Acrydium), 43.
Brachyptera (*Pyrgomorpha*), 338.
Brachypterus (Aleuas), 427.
Brachypterus (Chrotogonus), 302.
Brachypterus (Chrysochraon), 146, 147.
Brachypterus (*[illegible]*), 544.
Brachypterus (Gryllus), 146.
Brachypterus (Odontomelus), 100.
Brachypterus (Pelecinotus), 464.
Brachypterus (Proctolabus), 421.
BRACHYSTOLA, 293.
BRACHYTYPUS, 69.
Bracteata (Locusta), 575.
Bracteata (Ophthalmolampis), 390.
Bracteatum (Acridium), 390.
Brady[illegible] (Xipho[illegible]), [illegible]

Bradyanum (Pagopedilum), 345.
BRADYNOTES, 501.
Bramina (Chlœbora), 216.
BRANCSIKELLUS, 194.
Brancsiki (Rubellia), 320.
Brasilianus (Sphingonotus), 275.
Brasiliensis (*Gryllus*), 96.
Brasiliensis (Plectrotettix), 132.
Brasiliensis (Scotussa), 490.
Brasiliensis (Scyllina), 132.
Brasiliensis (*Truxalis*), 96.
Breve (Acridium), 19.
Breve (Tetrix), 19.
Breviceps (Ochrophlebia), 323.
Breviceps (Pyrgomorpha), 323.
Breviceps (Tanita), 323.
Brevicollis (*Acrida*), 94.
Brevicollis (Alcamenes), 362.
Brevicollis (Dociostaurus), 153.
Brevicollis (Œdipoda), 153.
Brevicollis (Stauronotus), 153.
Brevicollis (*Tryxalis*), 94.
Brevicornis (Acinipe), 351.
Brevicornis (Copiophora), 571.
Brevicornis (Copophora), 571.
Brevicornis (Coryphistes), 436.
Brevicornis (Coryphosima), 147.
Brevicornis (Gryllus), 103.
Brevicornis (Opomala), 436.
Brevicornis (Porthetis), 351.
Brevicornis (Proscopia), 84.
Brevicornis (Pyrgomorpha), 103.
Brevicornis (Truxalis), 103.
Brevicornis (*Truxalis*), 351.
Brevifrons (Euthymia), 384.
Brevipedalis (Cœnona), 473.
Brevipenne (Acridium), 159.
Brevipenne (Aulocara), 136.
Brevipenne (Radinotatum), 101.
Brevipenne (Rhadinotatum), 101.
Brevipenne (Stethophyma), 170.
Brevipennis (Alcamenes), 362.
Brevipennis (Apotettix), 54.
Brevipennis (Arcyptera), 170.
Brevipennis (Aulocara), 129.
Brevipennis (Chortophaga), 199.
Brevipennis (Cœlopterna), 281.
Brevipennis (Gomphocerus), 159.
Brevipennis (Hesperotettix), 499.
Brevipennis (Leptomerinthophora), 431.
Brevipennis (Maura), 307.
Brevipennis (Melanoplus), 510.
Brevipennis (Ommatolampis), [434], 499.
Brevipennis (*Opomala*), 125.
Brevipennis (Paramastax), 78.
Brevipennis (Prionolopha), 362.
Brevipennis (Pyrgomorpha), 326.
Brevipennis (Staurorhectus), 166.
Brevipennis (Stenobothrus), 159.
Brevipennis (Stetheophyma), 170.
Brevipennis (Tragocephala), 199.
Brevipennis (Tryxalis), 101.
Brevipennis (Zapata), 129, 136.
Brevipennis (Zonocerus), 316.
Brevipes (Ochrilidia), 150.
Brevipes (Platypterna), 150, 581.
Brevipes (Platypternodes), 581.
Brevirostris (*Proscopia*), 86.
Brevis (Chrotogonus), 300.
Brevis (Criotettix), 19.
Brevis (Lamarckiana), 345.
Brevis (Loxilobus), 19.
Brevis (Pamphagus), 345.
Brevispinis (Calotettix), 496.
Brevispinis (Sinaloa), 496.
Brevitibia (Cervidia), 408.
Brevitibia (Opomala), 408.
Brevivalvatus (Penichrotes), 80.
Brœlemanni (Stenobothrus), 163.
Brownii (Melanoplus), 510.
Bruchii (Bufonacris), 296.
Brullei (*Œdipoda*), 217.
Brullei (Quiroguesia), 217.
Bruneri (Apotettix), 54.
Bruneri (Asemoplus), 507.
Bruneri (Colpolopha), 363.
Bruneri (Melanoplus), 511.
Bruneri (Pseudotrimerotropis), 256.
Bruneri (Sphenarium), 304.
Bruneri (Stirapleura), 131.
Bruneri (Tettigidea), 58.
Bruneri (Trimerotropis), 256.
BRUNERIA, 131.
Brunnea (Chloëaltis), 125.
Brunnea (Coloradella), 128.
Brunnea (Dichromorpha), 125.
Brunnea (Stirapleura), 131.
Brunnea (Stropis), 438.
BRUNNERELLA, 214.
Brunneri (Algete), 334.
Brunneri (Apotropis), 440.
Brunneri (Arminda), 400.

Brunneri (*Calliptenus*), 554.
Brunneri (*Caloptenus*), 554.
Brunneri (Cataloipus), 557.
Brunneri (Catantops), 478.
Brunneri (Charilaus), 341.
Brunneri (Diotarus), 10.
Brunneri (Elæochlora), [366], 368.
Brunneri (Episactus), 74.
Brunneri (Eunapius), 353.
Brunneri (Euryparyphes), 353.
Brunneri (Euthymia), 384.
Brunneri (Heteraprium), 572.
Brunneri (Locheuma), 368.
Brunneri (Ommexycha), 296.
Brunneri (Pamphagus), 353.
Brunneri (*Paracaloptenus*), 554.
Brunneri (Paradichroplus), 492.
Brunneri (Paratylotropidia), 504.
Brunneri (Penichrotes), 80.
Brunneri (Phymateus), 314.
Brunneri (Plectrotettix), 133.
Brunneri (Pseudostauronotus), 133.
Brunneri (Rhytidochrota), 543.
Brunneri (Scintharista), 216.
Brunneri (Scyllina), 133.
Brunneri (*Sphingonotus*), 278.
Brunneri (Tetrix), 46.
Brunneri (Tristria), 401.
Brunneri (Tritropis), 440.
Brunneri (Xiphicera), 66.
BRUNNERIA, 131.
Brunneriana (Bryodema), 261.
Brunneriana (Haplootropis), 283.
Brunneriana (Haplotropis), 283
Brunneriana (Lamarckiana), 344.
Brunneriana (Xiphocera), 344.
Brunnerianum (Bryodema), 261.
Brunnerianum (*Derotmema*), 243.
Brunnerianus (Pamphagus), 349.
Brunnerianus (Prionosthenus), 349.
Brunnerii (Acocera), 356.
Brunnerii (Acrydium), 46.
Brunnerii (Nocarodes), 356.
Brunnerii (Ocnerodes), 356.
Brunnerii (Tettix), 46.
Brunneus (Calliptamus), 438.
Brunneus (Caloptenus), 438.
Brunneus (Platybothrus), 188.
Brunneus (Stenobothrus), 188.
Brunni (Dictyophorus), 305.
Brunni (Tapesia), 305.
Brunni (Tylotropidius), 556.
BRUNNIELLA, 339.
BRYODEMA, 260.
Buæ (Tauchira), 397.
Bucephala (*Bucephalacris*), 423.
Bucephala (Chrysopsacris), 429.
BUCEPHALACRIS, 422.
Bucephalus (Gryllus), 429.
Buddiana (Psoloessa), 129.
Buettneri (Brachycrotaphus, 149.
Buettneri (Ochrilidia), 149.
Bufo (Batrachotetrix), 292.
Bufo (Batrachotettix), 292.
Bufo (Cratilopus), 439.
Bufo (Cratippus), 439.
Bufo (Tettix), 11.
Bufo (*Trachypetra*), 291.
Bufo (Trachytettix), 11, 12.
BUFONACRIS, 295.
Bufonia (Pœcilocerus), 318.
Bufonia (Pœcilocerus), 318.
Bufonia (Poekilocerus), 318.
Bufonia (Tettix). 110.
BUFONIDES, 4.
Bufonius (Decticus), 318.
Bufonius (Dictyophorus), 318.
Bulbosa (Apioscelis), 85.
Bulbosa (Proscopia), 85.
BULLA, 36, 49, 62.
Bullatus (Proctolabus), 421.
Burkhartianus (Oxycoryphus), 104.
Burmeisteri (Cephalocœma), 89.
Burmeisteri (Colpolopha), 362.
Burmeisteri (Tæniopoda), 371.
Burri (Atractomorpha), 332.
Burri (Xiphicera). 66.
Buyssoni (Phymateus), 315.
BUYSSONIELLA, 335.

Cabaceira (Acrotylus), 267.
CACONDA, 302.
Cacuminata (Taphronota), 309.
Cælestis (*Osmilia*), 539.
Cærulans (Ommexycha), 297.
Cærulea (Dittopternis), 220.
Cæruleipenne (*Acrydium*), 241.
Cæruleipennis (Abracris), 428.
Cæruleipennis (Anconia), 250.
Cæruleipennis (Jodacris), 428.
Cæruleipennis (Omalotettix), 428.
Cæruleipennis (Pseudotrimerotropis), 260
Cæruleipennis (Trimerotropis), 260
Cæruleipes (Melanoplus), 513.
Cæruleipes (Pseudotrimerotropis), 260
Cæruleipes (Trimerotropis), 260

Cæruleocephalus (Pterotiltus), 386.
Cærulescens (Acridium), 240.
Cærulescens (Acrydium), 240.
Cærulescens (Ctyphippus), 241.
Cærulescens (*Eupreponemis*), 556.
Cærulescens (Euthynous), 160.
Cærulescens (Gryllus), 240.
Cærulescens (*Gryllus*), 276.
Cærulescens (Locusta), 240.
Cærulescens (Œdipoda), 240, 241, 242.
Cærulescens (Thisoicetrus), 559.
Cafer (Gryllus) 322.
Cafer (Locusta), 322
Caffer (Œdaleus), 225.
Caffra (Ochrophlebia), 322.
Cafra (Ochrophlebia), 322.
Caiman (Amorphopus), 22.
Caizana (Cephalocœma), 89.
Calabra (*Podisma*), 352.
CALACRIS, 421.
CALAMACRIS, 337.
CALAMUS, 97.
Calamus (Cephalocœma), 89.
Calamus (Paropomala), 106.
CALANUS, 97.
Calcarata (Conipoda), 280.
Calcarata (Hyalorhipis), 280.
Calcarata (Leptopternis), 280.
Calcarata (Tinaria), 189.
Calcaratum (Acridium), 189.
Calcaratum(Tinaria),189.
Calcaratus (Calliptenus), 550.
Calcaratus (Caloptenopsis), 550.
Calcaratus (*Caloptenus*), 550.
Calcaratus (*Euryphymus*), 550.
Calceata (Heteracris), 555.
Calceata (Tapesia), 346.
Calceatum (Acridium), 555.
CALDERONIA, 585.
Calens (Bolivarella), 348.
CALEPHORUS, 136.
CALETES, 429.
CALETODES, 431.
Calida (Arphia), 195.
Calida (Scyllina, 134.
CALIDOMANTIS, 568.
Calidoniensis (Gomphocerus), 158.
Calidus (Melanoplus), 533.
Californica (Calamacris), 337.
Californica (Ichthiacris), 337.
Californica (Morsea), 79.
Californica (Pseudotrimerotropis), 258.
Californica (Trimerotropis), 258.
Californicus (Æoloplus), 500.
Californicus (Atyphoscirtus), 337.
Californicus (Dracotettix), 567.
Californicus (Eneoptolophus), 202.
Callifornicus (Hippiscus), 204.
Californicus (Heliastus), 270.
Californicus (Sticthippus), 204.
Californicus (Thrincus), 270.
Caliginosa (Acridium), 193.
Caliginosa (Œdipoda), 193.
Caliginosa (Pseudotrimerotropis), 256.
Caliginosa (Pternoscirta), 217.
Caliginosa (Pternosticta), 217.
Callginosa (Trimerotropis), 256.
Caliginosa (*Epacromia*), 221.
Caliginosum (Acridium), 217, 220, 221.
Caliginosum (Œdipoda), 217, 220, 221.
Caliginosum (Spathosternum), 400.
Caliginosus (Caloptenus), 400.
Callidus (Plectrotettix), 134.
Calliparea (Taphronota), 309.
Callipareus(Pœcilocerus), 309.
CALLIPTAMUS, 551.
CALLIPTENUS, 551.
CALLIRHIPIS, 262.
Callosa (Dnopherula), 151.
Callosa (Œdipoda), 272.
Callosus (Sphingonotus), 272.
Caloptenoides (Caloptenus), 554.
Caloptenoides (Paracaloptenus), 553, 554.
Caloptenoides (Platyphyma), 553.
CALOPTENOPSIS, 549.
CALOPTENUS, 551.
CALOTETTIX, 496.
Calotropidis (Pœcilocerus), 318.
Calthulus (Hippiscus), 210.
Calthulus (Xanthippus), 210.
CALVARIAS, 570.
Cambodjiana (Armiscula), 329.
Camelina (Hoplolopha), 348.
Camelina (Xiphocera), 348.
Camelorum (*Polyphaga*), 365.
CAMELOTETTIX, 578.
Camerata (Schistocerca), 455.
Camerunensis (Hemierianthus), 69.
CAMNULA, 202.
CAMOENSIA, 304.
Campanulata (Tmethis), 282.
Campanulatus (Thrinchus), 282.
Campanulatus (Thrincus), 282.
Campestris (*Podisma*), 445.
Campestris (Gomphocerus), 183.
Campestris (Pseudotrimerotropis), 256.
Campestris (Stauroderus), 183.

Campestris (Stenobothrus), 183.
Campestris (Trigoniza), 441.
Campestris (Trimerotropis), 256.
Camposi (Anchotatus), 88.
CAMPYLACANTHA, 497.
Camurus (Platythorus), 21.
Canadensis (Chloëaltis), 126.
Canadensis (Podisma), 534.
Canaliculata (Cephalocœma), 89.
Canaliculata (Proscopia), 89.
Canariensis (Œdipoda), 241.
Canariensis (Sphingonotus), 277.
Cancellata (Schistocerca), 460.
Cancellatum (Acridium), 460.
Caneri (Melanoplus), 516.
Candidina (Pyrgomorpha), 326, [583].
Candidus (Sphingonotus), 274.
Canescens (Hyalorhipis), 280.
Canescens (Leptopternis), 280.
Canescens (*Gryllus*), 346.
Canescens (*Pamphagus*), 343.
Canescens (*Porthetis*), 343.
Canescens (*Xiphocera*), 343.
CANNULA, 97.
Canonicus (Homalosaparus), 584.
Canonicus (Melanoplus), 524.
Canonicus (Nocarodes), 357.
Canonicus (Ocnerodes), 357.
Canonicus (Porthetis), 356.
Carora (Arphia), 196.
Cantans (Batrachotetrix), 291.
Cantans (Batrachotettix), 291.
Capensis (Calliptenus), 554.
Capensis (Euprepocnemis), 554.
Capensis (Euryphymus), 515.
Capensis (Gryllus), 554.
Capensis (Heteracris), 554.
Capensis (Pachytylus), 228.
Capensis (Pezotettix), 554.
Capensis (Pnorisa), 151.
Capensis (Pyrgomorpha), 326.
Capensis (Sphingonotus), 275.
Capensis (Stenobothrus), 151.
Capicola (Acridium), 481.
Capicola (Catantops), 481.
Capicolus (Catantops), 481.
Capitatus (Coptotettix), 55.
Capito (Locusta), 229.
Capito (Pachytylus), 229.
Capito (Psinidia), 248.
Capito (Trachyrhachys), 248.
Capitulus (Aerotylus), 267.
Capitulus (Chrotogonus), 267.
CAPRORHINUS, 337.
Capsitana (Bryodema), 281.
Capsitanus (Helioscirtus), 281.
Captiosus (Catantops), 480.
Capucina (Cuculligera), 285.
Capucina (Prionotropis), 285.
Carbonaria (Cirphula), 439.
Carbonaria (Œdipoda), 164.
Carbonarium (Acridium), 42.
Carbonarius (Calliptamus), 439.
Carbonarius (Stenobothrus), 164.
Carbunculus (Monachidium), 463.
Carbunculus (Oncolopha), 463.
Cardinalis (Ommatolampis), 434.
Cardinalis (Phymateus), 315.
Cardinalis (Tropidacris), 380.
Carenicolle (Acridium), 447.
Carenicollis (Cyrtacanthacris), 447.
Carinalis (Tettix), 40, 42.
Carinata (Arphia), 194, 195.
Carinata (Borellia), 167.
Carinata (Bulla), 63.
Carinata (Conozoa), 251.
Carinata (Eremobia), 288.
Carinata (Goniaea), 137.
Carinata (Œdipoda), 194.
Carinata (Paraphlæoba), 138.
Carinata (Parasphena), 321.
Carinata (Paratettix), 33.
Carinata (Porthetis), 346.
Carinata (Pyrgomorphella), 327.
Carinata (Schistocerca), 454.
Carinata (Sphingonotus), 274.
Carinata (Titanacris), 377.
Carinata (Xiphocera), 346.
Carinata (*Akicera*), 343.
Carinata (*Opomala*), 103.
Carinatum (Acrydium), 288.
Carinatum (Sphenarium), 303.
Carinatus (Acentetus), 113.
Carinatus (Akentetus), 113.
Carinatus (Batrachidea), 52.
Carinatus (Bulla), 63, 288, 346, 377.
Carinatus (Charilaus), 241.
Carinatus (Chrotogonus), 302.
Carinatus (Eritettix), 111.
Carinatus (Eupedetes), 112.
Carinatus (Gomphocerus), 111.
Carinatus (Nomotettix), 52.
Carinatus (Parepisactus), 75.
Carinatus (Pœcilotettix), 526.

Carinatus (Porthetis), 346.
Carinatus (Locusta), 377.
Carinatus (Tmethis), 288.
Carinatus (Tomonotus), 194.
Carinatus (*Gryllus*), 379.
Carinatus (*Mesops*), 103.
Carinatus (*Pamphagus*), 343.
Carinifrons (Thericles), 81.
Carinipes (Ommatolampis), 390, [434].
Carinipes (Tæniophora), 390.
Carinulata (Acrida), 92.
Carinulata (Tryxalis), 92.
Carinulatus (Mesopsis), 410.
Carlingiana (Circotettix), 252.
Carlingiana (Œdipoda), 252.
Carliniana (Œdipoda), 252.
Carlinianus (Circotettix), 252.
Carnegiei (Melanoplus), 515.
Carneipes (Acridium), 460.
Carneipes (Schistocerca), 460.
Carolina (Ædipoda), 232.
Carolina (Dissosteira), 231, 232.
Carolina (Gryllus), 231.
Carolina (Locusta), 231, 232.
Carolina (Œdipoda), 232.
Carolinanum (Acridium), 232.
Carolinum (Acrydium), 231.
Carolinus (Gryllus), 232.
Carpenterii (Gomphocerus), 159.
Carpenterii (Stenobothrus), 159.
Carpetanus (Pezotettix), 538.
CARSULA, 407.
Carthago-novæ (Diponthus), 383.
Carvalhoi (Arcyptera), 169.
Carvalhoi (Œdaleus), 226.
Carvalhoi (Pallasiella), 169.
CARYANDA, 395.
Cassidea (Monastria), 565.
Castanea (Opomala), 425.
Castanea (Phæoparia), 425.
Castaneopicta (Stauronotus), 153.
Castaneopictus (Stauronotus), 153.
CASTETSIA, 56.
CATALOIPUS, 556.
Catamita (Serpusia), 473.
CATANTOPS, 476.
CATARA, 564.
Caternaultii (Æolacris), 367.
Caternaultii (Xiphicera), 367.
Catoptrica (Locusta), 575.
CATREUS, 368.
Caucasica (Œdipoda), 242.
Caucasicus (Chorthippus), 156.
Caucasicus (Gomphocerus), 156.
Caudata (Tetrix), 4.
Caudata (Tettix), 53.
Caudata (Paratettix), 53.
Caudatus (Tettix), 53.
Caurus (Bradynotes), 501.
Cauta (Paracoptaera), 408.
Cavroisi (Acridium), 449.
Cavroisi (Cyrtacanthacris), 449.
CAWENDIA, 520.
Cayennensis (Allotettix), 28.
Cayennensis (Paratettix), 28.
Cazurroi (Stauroderus), 179.
Cazurroi (Stenobothrus), 179.
Celatus (Melanoplus), 519.
Celebense (Acridium), 454.
Celebensis (Cyrtocanthacris), 454.
Celebesica (Mestra), 330.
Celebesica (Tagasta), 330.
Celebica (Mazarredia), 25.
Celebicum (Eugavialidium), 14.
Celebicum (Gavialidium),
Celebicus (Hedotettix), 579.
CELES, 221.
Cenchri (*Melanoplus*), 511.
Centrosa (Mazarredia), 25.
Centurio (Gryllus), 372.
Centurio (Locusta), 372.
Centurio (Rhomalea), 372.
Centurio (Rutidoderes), 372.
Centurio (Tæniopoda), 372.
Centurio (*Gryllus*), 371.
Centurio (*Locusta*), 371.
Centurio (*Rhomalea*), 370, 371.
Centurio (*Tæniopoda*), 371.
Ceperoi (Acrydium), 43.
Cephalicum (Acridium), 20.
Cephalicum (Tetrix), 20.
Cephalicus (Anthermus), 413.
Cephalicus (Systolederus), 20.
CEPHALOCŒMA, 88.
Cephalotes (Calliptamus), 553.
Cephalotes (Catantops), 479.
Cephalotes (Madurea), 148.
CEPHALOTETTIX, 494.
CERACRIS, 144.
Ceramicum (*Acridium*), 483.
Ceratodi (Syntomaptera), 564.
Cercata (Eurycnema), 569.
CERCINA, 398.
Cerisanus (*Calliptamus*), 553.
Cerisinus (*Caloptenus*), 553.
CERVIDIA, 408.
Cervina (Azelota), 442.
Cervina (Mazarredia), 24.
Cervina (Tettix), 24.
Cervinus (Platacanthus), 442.
Cervinus (Stenocrobylus), 485.
Cervus (Taramassus), 561.
Ceylonica (Dittopternis), 219.
Ceylonica (Trilophidia), 244.
Ceylonicum (Acrydium), 45.
Ceylonicus (Choroetypus), 68.

Ceylonicus (Orchetypus), 68.
Ceylonicus (Tettix), 45.
Ceylonicus (Tylotropidius), 556.
Chapadensis (Abracris), 428.
Chapadensis (Amblytropidia), 115.
Chapadensis (Cephalocema), 89.
Chapadensis (Omalotettix), 428.
CHARAGOTETTIX, 16.
CHARIACRIS, 427.
CHARILAUS, 341.
Charlesensis (Sphingonotus), 275.
CHARMIDES, 569.
CHARNIDAS, 569.
Charopus (Gryllus), 586.
CHARORA, 268.
CHARORUS, 268.
Charpenterii (Gomphocerus), 159.
Charpentieri (Œdipoda), 242.
Charpentieri (*Euprepocnemis*), 558.
Charpentieri (*Œdipoda*), 242.
Charpentieri (*Pezotettix*), 558.
Charpentieri (*Tettix*), 43.
Chathamensis (Sphingonotus), 275.
CHELIDOPTERA, 571.
Chelonia (Monachidium), 464.
Chenopodii (Æoloplus), 500.
Chenopodii (Pezotettix), 500.
Chichimeca (Tettigidea), 58.
Chichimeca (Tettix), 58.
Childreni (Tropidoderus), 569.
Chilensis (Stenobothrus), 131, [165].
Chilensis (Stirapleura), 131.
CHIMAROCEPHALA, 200.
Chimpani (Inusia), 414.
CHINA, 75.
Chinensis (Acrida), 94.
Chinensis (Aiolopus), 581.
Chinensis (Truxalis), 94.
Chinensis (*Gryllus*) 394.
Chinensis (*Oxya*), 394.
Chipmani (Allotettix), 28.
Chipmani (Orphulella), 123.
Chipmani (Inusia), 414.
CHIRIQUIA, 23.
CHIRISTA, 142.
CHLOEALTIS, 126.
CHLŒBORA, 216.
Chloodes (Chorthippus), 174.
Chloodes (Omocestus), 174.
Chloris (Œdipoda), 255.
Chloris (Trimerotropis), 255.
Chlorizans (Arnilia), 413.
Chlorizans (Mesops), 413.
Chlorizans (Stenacris), 413.
CHLORIZEINA, 319.
Chloronota (Lauferia), 323.
Chloronota (Ochrophlebia), 323.
Chloronota (*Phlæoba*), 139.
Chlorophana (Œdipoda), 186.
Chlorophanus (Chorthippus), 186.
Chloropterum (Astroma), 90.
Chloropum (Acridium), 330.
Chloropum (Pyrgomorpha), 330.
Chloropus (Mantis), 569.
Chloroticus (Staurodérus), 581.
CHLORUS, 491.
CHORIPHYLLUM, 5.
Choristopterus (Halmenus), 503.
CHOROETYPUS, 65.
CHOROPHYLLUM, 5.
CHOROTYPUS, 65.
CHORTHIPPUS, 184.
CHORTOICETES, 193.
CHORTOPHAGA, 198.
Christii (*Locusta*), 231.
CHROMACRIS, 373.
CHROSTHEIPPUS, 119.
CHROTOGONUS, 299.
CHRYSOCHRAON, 145.
Chrysomelas (*Gryllus*), 199.
Chrysomelas (*Locusta*), 199.
CHRYSOPSACRIS, 429.
CHTHONIUS, 15.
CHTHONOTETTIX, 15.
CLEOTOPTERYX, 367.
Cicada (Rhombea), 4.
Cicatricosa (Coscineuta), 424.
Cicatricosus (Caloptenus), 547.
Cicatricosus (Euryphymus), 547.
Cicada (*Blatta*), 565.
Cimex (Lathicerus), 283.
Cincta (Œdipoda), 255.
Cincta (Ommatolampis), 434.
Cincta (Pseudotrimerotropis), 255.
Cincta (Trimerotropis), 255.
Cincta (*Pœcilocera*), 309.
Cincta (*Trimerotropis*), 259.
Cincticollis (Caloptenus), 548.
Cincticollis (Euryphymus), 548.
Cinctifemur (Acridium), 440.
Cinctifemur (Acrydium), 217.
Cinctifemur (Mesambria), 440.
Cinctifemur (Pternosticta), 217.
Cinctipennis (Ophthalmolampis), 389.
Cinctipennis (Trachyrachys), 248.
Cinctipes (Dichroplus), 490.
Cinctipes (Trigonophymus), 490.
Cinctum (*Mesobregma*), 248.
Cinctus (Gryllus), 314.
Cinctus (Phymateus), 314.
Cinerascens (Batrachopus), 358.
Cinerascens (Eremobia), 289.
Cinerascens (Eremocharis), 290.
Cinerascens (Eremopeza), 289.
Cinerascens (Eremoplana), 289.
Cinerascens (Lamarckiana), 345.
Cinerascens (Œdipoda), 254.
Cinerascens (Porthetis), 345.
Cinerascens (Trimerotropis), 254.

Cinerascens (Xiphocera), 345.
Cinerascens (*Acrydium*), 230.
Cinerascens (*Gryllus*), 230.
Cinerascens (*Œdipoda*), 230.
Cinerea (Acrida), 94.
Cinerea (Alpha), 116.
Cinerea (Cordillacris), 116.
Cinerea (Metriotes), 569.
Cinerea (Ochrilidia), 116.
Cinerea (Truxalis), 94.
Cinerea (*Blatta*) 566.
Cinereum (Acridium), 560.
Cinereus (Dichroplus), 488.
Cinereus (Euprepocnemis), 560.
Cinereus (Horesidotes), 127.
Cinereus (Melanoplus), 524.
Cinereus (Paratettix), 33.
Cinereus (Systolederus), 20.
Cinereus (Trigonophymus), 488.
Cingalensis (Euparatettix), 31.
Cingalensis (Tettix), 31.
Cingulata (Mazæa), 386.
Cingulata (Ommatolampis), 434.
Cingulata (*Opomala*), 325.
Cingulatipes (Coptacra). 470.
Cingulatipes (Eucoptacra), 470.
Cingulatus (Ommatolampis), 434.
Cinnabarina (Doriaella), 339.
Cinnabarina (Doriella), 339.
Cinnabarina (Trilophidia), 245.
Cinnamomeus (*Tropinotus*), 437.
CIRCOTETTIX, 251.
Circumscripta (Acrydium), 579.
Circumscripta (Tettix), 42.
CIRPHULA, 439.
Cisti (Acrydium), 288.
Cisti (Eremobia), 288.
Cisti (Gryllus), 288.
Cisti (Thrinchus), 288.
Cisti (Tmethis), 288.
Cisti (*Acrydium*), 288.
Cisti (*Eremobia*), 288, 289.
Cisti (*Tmethis*), 288.
Citrea (Tylotropidius), 556.
Citricornis (Tæniopoda), 371.
Citrifolia (*Gryllus*), 574.
Citrifolia (*Tettigonia*), 574.
Citrina (Cyrtacanthacris), 449.
Citrina (Morphacris), 219.
Citrina (Pseudotrimerotropis), 257.
Citrina (Trimerotropis), 257.
Citrina (*Œdipoda*), 227.
Citrinolimbatus (Hieroglyphus), 397.
Citrinum (Acridium), 449.
Citrinus (Hippiscus), 204.
Citrinus (Œdaleus), 225.
Citripennis (Pycnodyctia), 223.
CLADONOTUS, 9.
CLADORAMUS, 576.
Clara (Aptenopedes), 508.
Clarazianus (Alcamenes), 362.
Clarazianus (Diponthus), 382.
Clarazianus (Papipappus), 211.
Clarus (Caloptenopsis), 551.
Clarus (Caloptenus), 551.
Clausii (Hyalorhipis), 279.
Clausii (Leptopternis), 280.
Clausii (Œdipoda), 279.
Clausii (Sphingonotus), 279.
Clavareaui (Cyphocerastis), 471.
Clavata (Gomphomastax), 72.
Clavatus (Chrysochraon), 72, [147].
Clavatus (Falconius), 15.
Clavatus (Gomphocerus), 159.
Clavatus (Gomphomastax), 72.
Clavelii (Eremobia), 289.
Clavelii (Tmethis), 289.
Clavicorne (*Acrydium*), 157.
Clavimanus (*Gryllus*), 156.
Clavitarsis (Criotettix). 15.
Clavitarsis (Falconius), 15.
Clavuliger (Acridium), 395.
Clavuligera (Oxya), 395.
CLEANDRUS. 572.
CLEMATODES, 429.
Clendoni (Calamacris), 337.
CLEOSTRATUS. 2.
Clepsydra (Gomphocerus), 159.
Cliens (Acridium), 487.
Cliens (Dichroplus), 487.
Cliens (Pezotettix). 487.
Cliens (Podisma), 487.
Cliens (Trigonophymus), 487.
CLINOCEPHALUS, 124.
CLOSTERIDEA, 110.
Clypeatus (Caloptenus) 530.
Clypeatus (Melanoplus), 530.
Clypeatus (Piezotettix), 7.
CLYPEOTETTIX, 31.
Cnemidota (Tetrix), 22.
Cnemidotus (Amorphopus), 22.
Cnemidotus (Paratettix,) 22.
Coactus (Hedotettix), 50.
Coangustatum (*Acridium*). 448.
Coarctatus (Neotettix). 51.
Cobellii (Pezotettix), 535.
Cobellii (Podisma), 535.
COCAMA, 432.
Coccineipes (Arnilia), 419.
Coccineipes (Melanoplus), 524.
Coccineipes (Opshomala), 419.
Cockerelli (Melanoplus). 517.
COCYTOTETTIX 127.
Cœlestis (*Holoperna*), 143.
Cœlestre (*Acridium*), 539.

Cœlestis (*Osmilia*), 539.
Cœlesyriensis (Caloptenus), 549.
Cœlesyriensis (Sphodromerus), 549.
CŒLOPTERNA, 281.
Cœlosyriensis (Calliptamus), 549.
CŒNONA, 473.
Cœrulans (Acridium), 273.
Cœrulans (Acrotylus), 266
Cœrulans (Acrydium), 273.
Cœrulans (Egnatius), 268.
Cœrulans (Gryllus), 273.
Cœrulans (Locusta), 273.
Cœrulans (Machæridia), 100.
Cœrulans (Œdipoda), 273.
Cœrulans (Orbillus), 474.
Cœrulans (Sphinctonotus), 274.
Cœrulans (Sphingonotus), 273, 274.
Cœrulans (Sphodromerus), 585.
Cœrulea (Locusta), 474.
Cœrulea (Œdipoda), 239.
Cœrulescens (Prionacris), 377.
Cœruleum (Euparnops), 416.
Cœruleus (Gryllus), 474.
Cœruleus (Phyxacra), 469.
Cognata (Cyrtacanthacris), 447.
Cognata (Heteracris), 554.
Cognata (Pyrgomorpha), 326.
Cognatum (Acridium), 447.
Cognatus (Stauroderus), 181.
Cognatus (Stenobothrus), 181.
Coleoptrata (Phalaca), 388.
Colibri (Ophthalmolampis), 389.
Collare (Spharagemon), 234, 235.
Collaris (Abila), 121.
Collaris (Dissosteira), 235.
Collaris (Eumastax), 77.
Collaris (Gryllus), 379.
Collaris (Locusta), 379.
Collaris (Mastax), 77.
Collaris (Œdipoda), 234.
Collaris (Pseudotrimerotropis), 259.
Collaris (Trimerotropis), 259.
Collaris (Tropidacris), 379.
Collecta (*Œdipoda*), 267.
Collina (Pezotettix), 503, 538.
Collina (*Œdipoda*), 242.
Collinus (Brachaspis), 523.
Collinus (Melanoplus), 528.
Colombiæ (Arnilia), 413.
Colombiæ (Stenacris), 413.
COLORADELLA, 128.
Coloradensis (Chorthippus), 188.
Coloradensis (Eucoptolophus), 201.
Coloradensis (Hesperotettix), 499.
Coloradensis (Stenobothrus), 188.
Coloradensis (*Psoloessa*), 130.
Coloradus (Melanoplus), 523.
Coloradus (*Stenobothrus*), 113.
Colorata (Aplatacris), 377.
Coloratus (*Caloptenus*), 439.
COLPOLOPHA, 362.
Columbica (Apioscelis), 85.
Columbina (Schistocerca), 455.
Columbinum (Acridium), 455.
Columbinum (Schistocerca), 455.
Columbinus (Gryllus), 455.
COMACRIS, 141.
Comis (Catantops), 482.
Commune (Podisma), 399.
Communis (Diponthus), 382.
Communis (Silvitettix), 112.
Compacta (Apioscelis), 85.
Compacta (Bradynotes), 502.
Compacta (Trachyrhachus), 247.
Compacta (Trachyrhachys), 247.
Compactum (Astroma), 90.
Compactus (Loxilobus), 19.
Compactus (Melanoplus), 525.
Compactus (Tettix), 19.
Complanatipes (Melanoplus), 524.
Completus (Melanoplus), 517.
Compressa (Gyrtone), 340.
Compressa (Lamarckiana), 345.
Compressa (Phyllotettix), 5.
Compressa (Prionacris), 377.
Compressa (Systella), 340.
Compressa (Xiphicera), 345.
Compressicollis (Phymateus), 312.
Compressicornis (Acrydium), 137.
Compressicornis (Calephorus), 137.
Compressicornis (Oxycoryphus), 137.
Compressifrons (Pseudothericles), 80.
Compressifrons (Thericles), 80.
Compressum (Acrydium), 5.
Compressus (Hymenotes), 5.
Compressus (Nomotettix), 52.
Compressus (Phaulotettix), 494.
COMPSACRIS, 124.
COMPSORHIPIS, 262.
Compta (Chirista), 112.
Compta (Cyrtacanthacris), 150.
Compta (Orphulella), 119.
Comptum (Acridium), 150.

Comptus (Melanoplus), 524.
Comptus (Stenobothrus), 142.
CONALCÆA, 493.
Concinna (Chiriquia), 23.
Concinna (Metrodora), 23.
Concinna (Desmopleura), 508.
Concinna (Monistria), 319.
Concinna (Petasida), 319.
Concinna (*Œdipoda*), 265.
Concinnula (Orphulina), 119.
Concinnulus (Stenobothrus), 119.
Concinnus (Acrotylus), 264.
Concinnus (Œdipoda), 264.
Concinnus (Rhabdotettix), 494.
Concisa (*Cyrtacanthacris*), 450.
Concisum (*Acridium*), 450.
Concisus (Caloptenus), 548.
Concisus (Euryphymus), 548.
Concolor (Acrydium), 579.
Concolor (Eleutherotheca), 150.
Concolor (Hieroglyphus), 397.
Concolor (Mestra), 330.
Concolor (Oxya), 397.
Concolor (Paratettix), 578.
Concolor (Stenacris), 413.
Concolor (Tagasta), 330.
Concolor (*Acridium*), 458.
Concolor (*Cyrtacanthacris*), 458.
Concolor (*Perena*), 334.
Condylops (Acrydium), 44.
Condylops (Tettix), 44.
Confusus (Melanoplus), 527.
Conglobata (Exarna), 443.
Conglobata (Heteracris), 443.
Congrua (Omara), 334.
Conica (Acrida), 95.
Conica (Locusta), 575.
Conica (Pyrgomorpha), 325, 326.
Coniceps (Heteracris), 555.
Coniceps (Hybusa), 88.
Coniceps (Malagassa), 75.
Coniceps (Proscopia), 88.
Conicum (Acridium), 325.
Conicus (Truxalis), 95.
CONIPODA, 280.
CONISTICA, 223.
CONOMETOPUS, 368.
CONOPHYMA, 399.
Conops (Tristria), 401.
CONOZOA, 250.
Conradti (Acmophyllum), 8.
Consanguinea (Cyrtacanthacris), 446.
Consanguineum (Acridium), 446.
Consanguineus (Melanoplus), 513.
Conscitus (*Caloptenus*), 481.
Consobrina (Atractomorpha), 332.
Consobrina (Cyrtacanthacris), 448.
Consobrina (Euprepocnemis), 561.
Consobrina (Heteracris), 561.
Cousobrina (Porthetis), 347.
Consobrinum (Acridium), 448.
Consobrinus (Catantops), 482.
Consocia (Mazarredia), 25.
Consocia (Tettix), 25.
Consors (*Acridium*), 540.
Conspersa (Acrydium), 579.
Conspersa (Arphia), 196.
Conspersa (Chloëaltis), 126.
Conspersa (Locusta), 126.
Conspersa (Machæridia), 100.
Conspersa (Monistria), 319.
Conspersa (Plectrotettix), 133.
Conspersa (Pseudotrimerotropis), 259.
Conspersa (Scyllina), 133.
Conspersa (Tettix), 42.
Conspersa (Trimerotropis), 259.
Conspersipes (Nautia), 389.
Conspersum (Chrysochraon), 126.
Conspersus (Dichroplus), 489.
Conspersus (Euplectrotettix), 132.
Conspersus (Diedronotus), 361.
Conspersus (Melanoplus), 525.
Conspersus (Trigonophymus), 489.
Conspersus (Tropidonotus), 361.
Conspersus (Tropinotus), 361.
Conspersus (*Gryllus*), 308.
Conspersus (*Locusta*), 308
Conspicuus (Hippiscus), 208.
Couspicuus (Melanoplus), 514.
Conspicuus (Xanthippus), 208.
Constricta (Gomphomastax), 72.
Constricta (Humpatella), 320
Constricta (*Truxalis*), 97.
Constrictus (Gomphomastax), 72.
Contigua (Acrydium), 579.
Contigua (Tettix), 42.
Continua (Heteracris), 555.
Continuata (Eremobia), 289.
Continuatus (Tmethis), 289
Continuum (Acridium), 555.
Contracta (Eucoptacra), 469.
Contracta (Scelimena), 13.
Contracta (Scelymena), 13.
Contracta (*Pyrgomorpha*), 334.
Contractum (Acridium), 469.
Contractus (Crimisus), 24.

Contractus (Paratettix), 33.
Conturbata (Epacromia), 264.
Conturbatus (Acrotylus), 264.
Convergens (Ischnacrida), 405.
Convergens (Mazarredia), 26.
Convergens (Opomala), 405.
Convexus (Apotettix), 53.
Convexus (Tettix), 53.
COPIOCERA, 420.
COPIPHORA, 571.
COPTACRA, 467.
COPTACRELLA, 468.
COPTOTETTIX, 55, 579.
Coquilleti (Ligurotettix), 136.
Coquilletti (Trimerotropis), 255.
CORA, 575.
Coralliferus (*Phymateus*), 314.
Corallina (Locusta), 207.
Corallinipes (Acridium), 453.
Corallinipes (Cyrtacanthacris), 453.
Corallinus (Pœpedetes), 542.
Corallipes (Ædipoda), 207.
Corallipes (Hippiscus), 208.
Corallipes (Œdomerus), 435.
Corallipes (Œdipoda), 207.
Corallipes (Stegastris), 392.
Corallipes (Trybliophorus), 392.
Corallipes (Xanthippus), 207, 208.
CORDILLACRIS, 116.
Cordillerae (Sertomastax), 78.
Coreanum (Acridium), 482.
Coreanus (Catantops), 482.
Coriacea (Osmilia), 540.
Coriacea (Stenacris), 114.
Coriacea (Truxalis), 414.
Corneola (Pristocorypha), 106.
Corniculata (Xistra), 27.
Corniculatus (Tettix), 27.
CORNOPS, 417.
Cornuta (Phaneroptera), 574.
Cornuta (Saussurella), 61.
Cornutum (Acridium), 61.
Cornutum (Tetrix), 61.
Cornutus (Notocerus), 29, 578.
Coronata (Potua), 11.
Coronata (Trachyrhachis), 248.
Coronata (Trachyrhachys), 248.
Coronatus (Tettix), 42.
Corpulentus (Leprus), 210.
Corpulentus (Melanoplus), 525.
Corrugata (Conozoa), 251.
Cortices (Xerophyllum), 8.
CORYNORHYNCHUS, 85.
CORYPHISTES, 438.
CORYPHOSIMA, 147.
COSCINEUTA, 423.
COSMORHYSSA, 218.
COSMORRHIPIS, 262.
Costæ (Pezotettix), 535.
Costæ (Podisma), 535.
Costalis (Eucoptolophus), 201.
Costalis (Œdipoda), 201.
Costalis (Orphulella), 122.
Costalis (Stenobothrus), 122.
Costalis (Tragocephala), 201.
Costaricensis (Amblytropidia), 115.
Costaricensis (Chrysopsacris), 429.
Costaricensis (Heliastus), 270.
Costaricensis (Jodacris), 429.
Costaricensis (Orphulella), 123.
Costata (Cosmorhyssa), 219.
Costata (Morphacris), 219.
Costatus (Tettix), 48.
Costistriga (Epacromia), 183.
Costistriga (Stauroderus), 183.
Costulata (Cephalocœma), 89.
Costulata (Ichthiacris), 337.
Costulata (Ochrilidia), 150.
Costulata (Platypterna), 150, 581.
Costulata (Platypternodes), 581.
COTA, 11.
Cothurnata (*Acroptera*), 170.
Cothurnata (*Œdipoda*), 170.
Cothurnatus (*Gryllus*), 170.
Cothurnatus (*Gomphocerus*), 170.
COTYS, 21.
Couloniana (Dittopternis), 221.
Couloniana (Heteropternis), 221.
Coxale (Acridium), 423.
Coxalis (Coscineuta), 423.
Coxalis (Sitalces), 435.
CRANAE, 387.
Crassa (Arphia), 196.
Crassa (Chlœbora), 216.
Crassa (Hippacris), 370.
Crassa (Œdipoda), 216.
Crassicollis (*Œdaleus*), 226.
Crassicornis (Acinipe), 583.
Crassicornis (Gelonus), 338.
Crassicornis (Pamphagus), 583.
Crassicornis (Sphenacris), 336.
Crassipes (Chorthippus), 160.
Crassipes (Gomphocerus), 160.
Crassipes (Gryllus), 160.
Crassipes (Mnesicles), 73.
Crassipes (Œdipoda), 160.
Crassipes (Opomala), 303.
Crassipes (Sphenarium), 303.
Crassipes (Stenobothrus), 160.
Crassipes (Xanthomastax), 74.

Crassiuscula (Arcyptera), 171.
Crassiusculus (Caloptenopsis), 551.
Crassiusculus (Dociostaurus), 153.
Crassiusculus (Stauronotus), 153.
Crassivenosa (Charora), 268.
Crassum (Acrydium), 48.
Crassus (Acridoderes), 470.
Crassus (Acrotylus), 264.
Crassus (Æoloplus), 500.
Crassus (Aiolopus), 581.
Crassus (Barytettix), 494.
Crassus (Caloptenus),547.
Crassus (Euryphymus), 547.
Crassus (Œdipoda), 264.
Crassus (Tettix), 48.
CRATILOPUS, 439.
CRATIOMA, 572.
CRATIPPUS, 439.
CRATYLUS, 572.
CRATYPEDES, 205.
Crenaticeps (Atractomorpha), 333.
Crenaticeps (Pyrgomorpha), 333.
Crenaticeps (Truxalis), 333.
Crenatum (Acridium), 74.
Crenatum (Mastax), 74.
Crenatus (Mnesicles), 74.
Crenatus (*Truxalis*), 331.
Crenulata (Alpha), 116.
Crenulata (Atractomorpha), 331.
Crenulata (Cordillacris), 116.
Crenulata (Legua), 408.
Crenulata (Ochrilidia), 116.
Crenulata (Pyrgomorpha), 331.
Crenulata (*Truxalis*), 332.
Crenulatum (Acridium), 332.
Crenulatum (Pyrgomorpha), 332.
Crenulatum (*Acridium*), 333.
Crenulatus (Cladoramus), 576.
Crenulatus (Gryllus), 408.
Crenulatus (Locusta), 408.
Crenulatus (Mesops), 408.
Crenulatus (Truxalis), 331.
Crenulatus (*Truxalis*), 332.
Crepitans (Dissosteira), 233.
Crepitans(Spharagemon), 233.
Crepusculum (Arphia), 195.
Cribellatus (Dicæarchus), 391.
Cribrata (Schistocerca), 462.
Cribratum (Acridium), 462.
Cribrifrons (Acridium), 454.
Cribrifrons (Cyrtacanthacris), 454.
CRIMISUS, 12, 24.
CRIOTETTIX, 16, 577.
Crista-flammea (Monachidium), 463.
Cristagalli (Acridium), 461.
Cristagalli (Pelecinotus), 464
Cristagalli (Schistocerca), 461.
Cristata (Batrachidea), 52.
Cristata (Dissosteira), 234
Cristata (Lamarckiana), 344.
Cristata (Lophacris), 378.
Cristata (Tettix), 42.
Cristata (Trimerotropis), 254.
Cristata (Xiphocera), 344.
Cristata (*Locusta*), 379.
Cristata (*Pyrgodera*), 214.
Cristata (*Tropidacris*), 379.
Cristaticollis (Conometopus), 368.
Cristatum (Acridium), 41.
Cristatum (Acrydium), 41.
Cristatum (Spharagemon), 234.
Cristatum (*Acridium*), 379.
Cristatum (*Acrydium*), 379
Cristatus (Adephagus), 342.
Cristatus (Alcamenes), 362,
Cristatus (Ecphantus), 464.
Cristatus (Gryllus), 378.
Cristatus (Locusta), 378.
Cristatus (Pamphagus), 342.
Cristatus (*Gryllus*), 379, 380.
Cristatus (*Locusta*), 379, 380.
Cristatus (*Nomotettix*), 52.
Cristella (Œdipoda), 244.
Cristella (Trilophidia), 244.
Cristicornis (Cladonotus), 9.
Cristulata (Bibracte), 466.
Cristulata (Mazarredia), 25.
Cristulata (Ptetica), 223.
Cristulata (*Pantelia*), 10.
Cristulata (*Strops*), 438.
Cristulatus (Demochares), 433.
Cristulatus (Demonax), 433.
Cristulifer (Acrotylus), 264.
Cristuiifer (Calliptamus), 264.
Cristulifer(Euryphymus), 264.
Cristulifer (*Caloptenus*), 245.
Crocea (Acrida), 91.
Crocea (Tryxalis), 91.
Croceus (Cratypedes), 205.
Croceus (Hippiscus), 205, 210.
Croceus (Xanthippus), 210.
Crocodilus(Gavialidium), 14.
Crocodilus (Scelymena), 14.
Crocotaria (Schistocerca), 455.
Cruciata (Dittopternis), 220.
Cruciata (Œdipoda),241.
Cruciata (Tetramerotropis), 202.
Cruciata (*Œdipoda*), 152.
Cruciatum (*Acridium*), 152.
Cruciatus (Gymnobothrus), 148.
Cruciatus (*Dociostaurus*), 152.
Cruciatus (*Gomphocerus*), 171.

Cruciatus (*Gryllus*), 152, 171.
Cruciatus (*Œdipoda*), 171.
Cruciatus (*Stauronotus*), 152, 153.
Crucifer (*Gryllus*), 446.
Crucifer (*Locusta*), 446.
Cruciformis (Pœcdes), 82.
Crucigera (Tettix), 39.
Crucigerus (Epistaurus), 471.
Crucigerus (*Gryllus*), 152.
Crucigerus (*Stauronotus*), 152.
Cruentata (Petasia), 305, 306.
Cruentata (Tapesia), 305.
Cruentata (Zoniopoda), 376.
Cruentata (*Œdipoda*), 175.
Cruentatum (Acridium), 376.
Cruentatus (Dictyophorus), 305.
Cruentatus (Sphodromerus), 549.
Cruentatus (*Iris*), 563.
CRYPSICERUS, 282.
CRYPTOTETTIX, 24.
Crystallina (*Mantis*), 568.
Csikii (Acrida), 94.
CTYPHIPPUS, 238, 260.
CTYPOHIPPUS, 238.
Cubense (Acridium), 456.
Cubensis (Schistocerca), 456.
Cubensis (Chortophaga), 199.
Cubensis (Sphingonotus), 274.
Cubensis (Tragocephala), 199.
Cubiceps (Acridium), 426.
Cubiceps (Adimantus), 426.
Cubicus (Crypsicerus), 282.
Cucullata (Paratettix), 34.
Cucullata (Tetrix), 33.
Cucullata (Lamarckiana), 343.
Cucullatus (Euryparyphes), 354.
Cucullatus (Eunapius), 354.
Cucullatus (Gryllus), 343.
Cucullatus (Locusta), 343.
Cucullatus (Pamphagus), 343, 354.
Cucullatus (Paratettix), 34.
Cucullatus (Tettix), 34.
Cucullifera (Saussurella), 61.
Cucullifera (Tettix), 61.
CUCULLIGERA, 283.
Cultatrix (Misythus), 9.
Cultatrix (Tettix), 9.
Cultratus (Hymenotus), 6.
Cultratus (Paratettix), 33.
Cultratus (Piezotettix), 6.
Cultricolle (Tropidauchen), 348.
Cultricollis (Tropidauchen), 348.
Cultrifer (Acanthoxia), 407.
Cultrifer (Gonyacantha), 407.
Cunctatus (Eurymorphopus), 21.
Cunctator (Paraeuprepocnemis), 557.
Cuneatus (Acanthalobus), 17.
Cuneatus (Melanoplus), 510.
Cupidineum (Derotmema), 243.
Cupido (Phaneroturis), 125.
Cupidus (Hippiscus), 209.
Cupidus (Xanthippus), 209.
Curriei (Dasyleurotettix), 12.
Curtipennis (Ageneotettix), 135.
Curtipennis (Chloëaltis), 188.
Curtipennis (Chorthippus), 188.
Curtipennis (Hesperotettix), 499.
Curtipennis (Locusta), 188.
Curtipennis (Phæoparia), 426.
Curtipennis (Stenobothrus), 188.
Curtithorax (Choroetypus), 68.
Curtithorax (Scirtotypus), 68.
Curtus (Eleleus), 8.
Curtus (*Melanoplus*), 521.
Curvicollis (Epigrypa), 88.
Curvifrons (Platypterna), 580.
Curvinotus (Camelotettix), 578.
Curvipes (Dericorys), 383.
Curvipes (Derocorys), 383.
Curvipes (Derocorystes), 383.
Curvipes (Euryphymus), 547.
Cuspidata (Cyrtacanthacris), 451.
Cuspidata (Tettigidea), 59.
Cuspidatum (Acridium), 451.
Cuspidatum (Acrydium), 579.
Cuspidatus (Euryphymus), 545.
Cuspidatus (Halmenus), 503.
Cuspidatus (Tetrix), 579.
CUTILIA, 654.
Cyanea (Cyrtacanthacris), 449.
Cyanea (Pseudotrimerotropis), 256.
Cyanea (Trimerotropis), 256.
Cyaneipennis (Pseudotrimerotropis), 260.
Cyaneipennis (Trimerotropis), 260.
Cyaneum (Acridium), 449.
Cyaneum (*Acrydium*), 274.
Cyaneum (*Spathalium*), 297.
Cyaneus (Leprus), 211.
Cyaneus (Gryllus), 449.
Cyaneus (Locusta), 449.
Cyaneus (Stenocrobylus), 485.
Cyanipennis (Eremobia), 286.
Cyanipennis (Tmethis), 286.
Cyanipes (Catantops), 477.
Cyanipes (Gryllus), 132.
Cyanipes (Melanoplus), 524.
Cyanipes (Nocarodes), 355.
Cyanipes (Pamphagus), [illegible]
Cyanipes (Scyllina), 132.

Cyanipes (*Ocnerodes*), 356.
Cyanoptera (Colpolopha), 363.
Cyanoptera (Coptacra), 469.
Cyanoptera (Coryphistes), 435.
Cyanoptera (Leptysma), 412.
Cyanoptera (Œdipoda), 276.
Cyanoptera (Ommexycha), 297.
Cyanoptera (Oxya), 393.
Cyanoptera (Xiphiola), 432.
Cyanoptera (Xiphocera), 363.
Cyanoptera (Xiphophora), 365.
Cyanopteroides (Coryphistes), 436.
Cyanopterum (Ommexycha), 297.
Cyanopterus (Gryllus), 276.
Cyanopterus (Sphingonotus), 276.
Cyanopterus (*Gryllus*), 242.
CYCLOCERCUS, 495.
Cycloidea (Verdulia), 338.
Cycloideum (Acridium), 338.
Cycloideum (Pyrgomorpha), 338.
CYCLOPTERA, 572.
Cyclopterum (Acridium), 71.
Cyclopterum (Mastax), 71.
Cyclopterus (Eupatrides), 71.
Cygnicollis (Ophiotettix), 3.
Cylindrica (Blatta), 567.
Cylindrica (Opsomala), 403.
Cylindrica (Opsomala), 403.
Cylindrica (Pyrgomorpha), 325.
Cylindrica (Tropidopola), 403.
Cylindrica (*Paropomala*), 106.
Cylindricollis (Catantops), 477.
Cylindricollis (Pœcilocerus), 477.
Cylindricus (Gryllus), 403.
Cylindricus (*Mesops*), 106.
Cylindrodes (Opsomala), 414.
Cylindrodes (Stenacris), 414.
Cylindrodes (*Arnilia*), 413.
CYLINDROTETTIX, 412.
CYMATOPSYGMA, 80.
Cymbifera (Euprepocnemis), 557.
Cymbiferus (Cataloipus), 557.
Cymbiformis (*Gryllus*), 359.
Cymbiformis (Locusta), 359.
Cymbiformis (Pamphagus), 359.
CYMOCHTHA, 142.
CYPHOCERASTIS, 471.
CYPHOPHORUS, 383.
Cypria (Pyrgomorpha), 326.
CYRTACANTHACRIS, 446, 585.
CYRTOLOPHA, 212.
CYSTOCŒLIA, 65.

DACTYLOTUM, 541.
Dædalea (Locusta), 573.
Dædaleum (Typophyllum), 573.
DÆMONEA, 271.
Daganensis (Hieroglyphus), 396.
Damnei (Stenobothrus), 179.
Dairisama (Podisma), 536.
Dalmani (Gomphocerus), 109.
Dalmani (Sinipta), 109.
Damnifica (Schistocerca), 462.
Damnificum (Acridium), 462.
Danica (Locusta), 230.
Danica (*Locusta*), 227.
Danicus (Gryllus), 230.
Danicus (Locusta), 230.
Danicus (Œdaleus), 230.
Dasycnemis (Orthochtha), 141.
DASYLEUROTETTIX, 12.
DASYSCIRTUS, 493.
Daurica (*Blatta*), 563.
Davidiana (Callirhipis), 262.
Davidiana (Cosmorhipis), 262.
Davisi (Tettigidea), 579.
Dawsoni (Melanoplus), 516, 517.
Dawsoni (Pezotettix), 516.
Dealbatus (Melanoplus), 533.
Debile (Acridium), 454.
Debilis (Catantops), 480.
Debilis (Cyrtacanthacris), 454.
Debilis (Leptea), 327.
Debilis (Melanoplus), 533.
Debilis (Pyrgomorphella), 327.
Debilitatum (Acridium), 478.
Decens (*Aulocara*), 135.
Decepta (Arphia), 197.
Decepta (Duronia), 139.
Decepta (Paracomacris), 139.
Deceptoria (Acinipe), 350, 583.
Deceptorius (Pamphagus), 350, 583.
Deceptus (Melanoplus), 519.
Decipiens (*Acridium*), 357.
Decipiens (Catantops), 480.
Decisa (Orphulella), 122.
Decisa (*Cyrtacanthacris*), 450.
Decisum (*Acridium*), 450.
Decisus (Caloptenus), 561.
Decisus (Euprepocnemis), 561.
Decisus (Stenobothrus), 122, 165.
Deckeni (Acridium), 453.
Deckeni (Cyrtacanthacris), 453.
Declivum (*Acridium*), 184.
Declivus (*Gomphocerus*), 185.
Declivus (*Stenobothrus*), 184, 185.
Decolor (Œdipoda), 239.
Decoloratus (Sphodromerus), 549.
Decoloratus (Tarbaleus), 389.
Decora (Orphula), 123.

Decora (Orphulella), 123.
Decora (Tettix), 40.
Decorata (Blatta), 567.
Decorata (Cyphacris), 374.
Decoratus (Catantops), 479.
Decoratus (Melanoplus), 519.
Decoratus (Tettix), 48.
Decoratus (*Catantops*), 479.
Decoripes (*Acridium*), 540.
Decorsei (Geloius), 338.
Decorum (*Acridium*), 225.
Decorus (Melanoplus), 519.
Decurtatum (*Acridium*), 146.
Decurva (Saussurella), 61.
Decussata (Stirapleura), 130.
Deducta (Tropinotus), 437.
Defectus (Melanoplus), 512.
Deflorata (Ceracris), 144.
Deflorata (Duronia), 144.
Defloratus (Eranthus), 70
DEFLORITA, 573.
Degener (Apoboleus), 441.
Degenerata (Desmoptera), 329.
Delecta (Abracris), 428.
Deletor (Caloptenus), 528.
Deletor (Melanoplus), 528.
Delicatula (Scyllina), 130.
Delicatula (Stirapleura), 130.
Delicatulum (Derotmema), 243.
Delineolatum (*Acridium*), 183.
DELLIA, 423.
Deltigera (Tettix), 42.
DELTONOTUS, 7, 576.
Demmuta (Bibracte), 467.
DEMOCHARES, 433.
Democratica (Schistocerca), 461.
Democraticum (Acridium), 461.
DEMODOCUS, 554.
DEMONAX, 433.
DENDROTETTIX, 502.
Dentata (Eumastax), 77.
Dentata (Otumba), 26.
Dentata (*Porthetis*), 347.
Dentatum (*Acrydium*), 349, 359.
Dentatus (Eumastax), 77.
Dentatus (Peucestes), 574.
Dentatus (*Truxalis*), 97.
Denticulata (Rhombodera), 567.
Denticulatus (Nomotettix), 52.
Dentifer(Eugavialidium), 14.
Dentifer (*Gavialidium*), 14.
Dentifer (*Tettix*), 14.
Dentifrons (Atractomorpha), 333.
Dentipes (Tæniophora), 390.
Dentiumeris (Eugavialidium), 14.
Deorum (Ageneotettix), 134, 135.
Deorum (Chrysochraon), 134.
Deorum (Eremnus), 134.
Deponens (*Acrydium*), 561.
Depressa (Lilæa), 282.
Depressa (Tettix), 42.
Depressa (*Tettix*), 59.
Depressicornis (Aristia), 425.
Depressifrons (Thericles), 81.
Depressior (Acrydium), 44.
Depressior (Tetrix), 44.
Depressum (Acrydium), 42, 579.
Depressus (Tettix), 42.
DERASPIELLA, 335.
DERASPIS, 335.
DERICORYS, 382.
Derjugini (Eunothrotes), 356.
Dernensis (Sphingonotus), 582.
DEROCORYS, 382.
DEROCORYSTES, 382.
DEROTMEMA, 243.
Desereta (Orphulella), 121.
Deserticola (Ramona), 250.
Deserticola (*Gomphocerus*), 157.
Desertorum (Strumiger), 282.
Des[illegible] (*Sphingonotus*), 274.
Deses (Parepistaurus), 471.
Desiliens (Schistocerca), 455.
DESMOPLEURA, 508.
DESMOPTERA, 328.
Despecta (Exarna), 143.
Desultorius (Melanoplus), 532.
Determinatus (*Pachytylus*), 226.
Deustus (Acrotylus), 264.
Deustus (Gryllus), 264.
Devastator (Melanoplus), 514.
Devius (Melanoplus), 515.
Devorator (*Caloptenus*), 523.
DIABLEPIA, 141.
Diabolicum (Bœpedon), 128.
Diabolicus (Ocnocerus), 99.
Diadematus (Sphingonotus), 277.
DIBASTICA, 396.
Dibelonus (Melanotettix), 131.
DICÆARCHUS, 391.
DICHOPETALA, 573.
Dichroa (Ophthalmolampis), 390.
Dichroa (*Œdipoda*), 186.
DICHROATETTIX, 127.
DICHROMORPHA, 125.
DICHROPLUS, 487.
DICORYPHA, 573.
DICTYOPHORUS, 304, 317, 369.
Didymus (Gryllus), 556.
Didymus (Tylotropidius), 556.
Didymus ([illegible]), 556.
DIEDRONOTUS, 329.
DIESIS, 398
Differentiale (Acridium), 528.
Differentiale (Œdipoda), 198.
Differentialis (Arphia), 198.
Differentialis (Caloptenus), 528.
Differentialis (Melanoplus), 528, 529.

Differentialis (Œdipoda), 529.
Differentialis (Pezotettix), 529.
Difficilis (Arphia), 195.
DIGENTIA, 395.
Digitatus (Catantops), 481.
Dilatata (Gerenia), 472.
Dilatatum (Acrydium), 45.
Dilatatum (Tettix), 45.
Dilatatus (Tettix), 45.
Dimidiata (Gerista), 407.
Dimidiata (Taphronota), 309.
Dimidiata (Traulia), 475.
Dimidiata (Podisma), 187.
Dimidiatipes (Erucius), 73.
Dimidiatum (Acridium), 475.
Dimidiatum (Oxya), 475.
Dimidiatum (Acridium), 475.
Dimidiatum (Oxya), 475.
Dimidiatus (Gryllus), 176.
Dimidipennis (Melanoplus), 517.
Diminuta (Atractomorpha), 333.
Diminuta (Oxya), 476.
Diminuta (Traulia), 476.
Diminuta (Tryxalis), 333.
Diminutus (Melanoplus), 513.
DIOTARUS, 10.
DIPONTHUS, 381.
DIRANEURA, 247.
Directa (Trigoniza), 441.
Discalis (Acrydium), 45.
Discalis (Tettix), 45.
Discoidalis (Calliptamus), 553.
Discoidalis (Caloptenus), 553.
Discoidalis (Œdipoda), 164.
Discoidalis (Schistocerca), 457.
Discoidalis (Stenobothrus), 164.
Discoidalis (Tristria), 401.
Discoidalis (Tristria), 401.
Discoidea (Gestroa), 11.
Discoidea (Gestroana), 11.
Discoidea (Xiphocera), 360.
Discoidea (Ædipoda), 206.
Discoidea (Œdipoda), 206.
Discoideus (Diedronotus), 360.
Discoideus (Hippiscus), 206.
Discoideus (Pamphagus), 360.
Discoideus (Tropidonotus), 360.
Discoideus (Tropinotus), 360.
Discolor (Bulla), 63.
Discolor (Melanoplus), 510.
Discolor (Pezotettix), 510.
Discolor (Pneumora), 63.
Discolor (Tettix), 42.
Discolor (Gryllus), 230, 575.
Discolor (Tettigonia), 565.
DISCOLORHINUS, 336.
DISCOTETTIX, 2, 575.
Discrepans (Monistria), 319.
Discrepans (Petasida), 319.
Dispar (Acridium), 146.
Dispar (Biroella), 76.
Dispar (Castetsia), 56.
Dispar (Chorthippus), 146, 157.
Dispar (Chrysochraon), 145, 146.
Dispar (Cratilopus), 439.
Dispar (Cratippus), 439.
Dispar (Gomphocerus), 157.
Dispar (Gryllus), 39.
Dispar (Podisma), 145.
Dispar (Pyrgomorpha), 325.
Dispar (Tettix), 39.
Disparilis (Cyrtacanthacris), 447.
Dissimilis (Paropomala), 106.
Dissimilis (Paroxya), 506.
DISSOSTEIRA, 231.
Distanti (Acridium), 452.
Distanti (Acrydium), 44.
Distanti (Chrotogonus), 302.
Distanti (Cyrtacanthacris), 452.
Distanti (Pagopedilum), 346.
Distanti (Xiphocera), 346.
Distincta (Goniæa), 437.
Distinguendum (Acridium), 481.
Distinguendum (Catantops), 481.
Distinguendus (Catantops), 481.
Distinguendus (Dichroplus), 489.
Distinguendus (Trigonophymus), 489.
DITTOPTERNIS, 219.
Dium (Acridium), 453.
Dius (Cyrtacanthacris), 453.
Divergens (Melanoplus), 519.
Diversifera (Cyrtacanthacris), 506.
Diversifera (Paroxya), 506.
Diversiferum (Acridium), 506.
Diversipes (Azelota), 442.
Dives (Hypsipages), 433.
Djelfensis (Pamphagus), 353.
DNOPHERULA, 151.
DOCIOSTAURUS, 152.
Dodgei (Caloptenus), 534.
Dodgei (Podisma), 534.
Dohrni (Atractomorpha), 333.
Dohrni (Verdulia), 338.
Dohrnianus (Gastrimargus), 227.
Dohrnianus (Œdaleus), 227.
Dohrnii (Tettix), 32.
DOLATETTIX, 6.
Dolichocera (Acinipe), 583.
Dolichocerus (Pamphagus), 583.
Domicola (Blatta), 567.
Dominans (Bactrophora), 406.
Dominans (Caloptenus), 468.
Dominans (Coptacra), 468.

Dominans (*Bactrophorus*), 406.
Dominator (Caloptenus), 506.
Dominator (Paroxya), 506.
Doranii (Arcyptera), 172.
Doranii (Stetheophyma), 172.
Doriæ (Discotettix), 2.
DORIAELLA, 339.
DORIELLA, 339.
Dorsale (Acridium), 38.
Dorsale (Acrydium), 38.
Dorsalis (Epacromia), 192.
Dorsalis (Gerenia), 472.
Dorsalis (Gryllus), 192.
Dorsalis (Leptysma), 411.
Dorsalis (Mesops), 411.
Dorsalis (Ommatolampis), 434.
Dorsalis (Stenopola), 415.
Dorsalis (Tetrix), 47.
Dorsalis (Tettix), 38, 40, 42, 47.
Dorsalis (Truxalis), 415.
Dorsalis (*Xiphocera*), 369.
Dorsata (Euprepocnemis), 559.
Dorsata (Œdipoda), 186.
Dorsatum (Acridium), 559.
Dorsatum (Acrydium), 186.
Dorsatus (Calliptamus), 559.
Dorsatus (Chorthippus), 186.
Dorsatus (Gomphocerus), 186.
Dorsatus (Gryllus), 186.
Dorsatus (Stenobothrus), 186.
Dorsatus (Thisoecetrus), 559.
Dorsatus (Thisoicetrus), 559.
Dorsifera (Tettix), 45.
Dorsiferum (Acrydium), 45.
Dorsiger (*Caloptenus*), 368.
Dorsigera (Oxya), 395.
DRACONATA, 368.
DRACOTETTIX, 367.
Dromadaria (Xiphocera), 347.
Dubia (Mesambria), 440.
Dubia (Parasphena), 321.
Dubia (Xistra), 27.
Dubiosum (Acrydium), 44.
Dubiosus (Tettix), 44.
Dubium (Acridium), 440.
Dubius (Dichroplus), 489.
Dubius (Stauroderus), 181.
Dubius (Stenobothrus), 181.
Dubius (Trigonophymus), 489.
Dubius (*Calephorus*), 137.
Dubius (*Gryllus*), 137.
Ducalis (*Heteracris*), 555.
Dulcis (Chariacris), 427.
Dumicola (Melanoplus), 525.
Dumicola (Pezotettix), 525.
Dumicolus (Melanoplus), 525.
Duria (Duronia), 140.
Duria (Rodunia), 140.
Durieui (Ocnerodes), 356.
DURONIA, 139, 140.
DURONIELLA, 140.
Durus (Criotettix), 16.
Durus (Paratettix), 16, 35.
Dusmeti (Systella), 340.
Dux (Acridium), 380.
Dux (Acrydium), 380.
Dux (Gryllus), 380.
Dux (Locusta), 380.
Dux (Tropidacris), 380.
Dux (*Acridium*), 381.
Dux (*Gryllus*), 380.
Dux (*Locusta*), 380.
Dux (*Tropidacris*), 380.
DYSCOLORHINUS, 336.

Eblis (Lamarckiana), 344.
Eblis (Xiphicera), 344.
Echinatus (Cladonotus), 9
ECPHANTUS, 464.
ECTOBIA, 562.
Edax (Gelastorrhinus), 409.
Edax (*Pezotettix*), 531.
Egena (Empusa), 568.
EGNATIOIDES, 269.
EGNATIUS, 268.
Ehnbergi (Stauroderus), 179.
Ehnbergi (Stenobothrus), 179.
Eiseni (Brachystola), 294.
ELÆOCHLORA, 365, 584.
ELASMODERUS, 586.
Electum (Acridium), 381.
Electus (Diponthus), 381.
Elegans (Æoloplus), 500.
Elegans (Catantops), 479.
Elegans (Chorthippus), 185.
Elegans (Clinocephalus), 124.
Elegans (Dinotettix), 26.
Elegans (Eleutherotheca), 150.
Elegans (Gomphocerus), 158, 185.
Elegans (Gryllus), 185, 315.
Elegans (Heteracris), 555.
Elegans (Locusta), 185.
Elegans (Œdipoda), 185.
Elegans (Orthacris), 336.
Elegans (Oxyrrhepes), 402.
Elegans (Phlæoba), 140.
Elegans (Rodunia), 140.
Elegans (Stenobothrus), 185, 186.
Elegans (Tettix), 40.
Elegans (Zonocerus), 315, 316.
Elegans (*Calephorus*), 137.
Elegans (*Orphulella*), 122.
Elegans (*Xiphocera*), 359.
Elegantulus (Orbillus), 474.
ELELEUS, 8.
Elephantulus (Paratherieles), 82.
Elephas (Acrydium), 347.
Elephas (Gryllus), 346, 347, 352.
Elephas (Leprus), 210.
Elephas (Locusta), 352.
Elephas (Œdipoda), 210.
Elephas (Pamphagus), 352.

Elephas (*Batrachotettix*), 290.
Elephas (*Locusta*), 347.
Elephas (*Pamphagus*), 347.
Elephas (*Porthetis*), 352.
ELEUTHEROTHECA, 150.
Elevata (*Tettix*), 43.
ELIMÆA, 573.
Elliotii (Œdocara), 135.
Elliotti (Aulocara). 135.
Elliotti (Stauronotus), 135.
Elongata (*Tettigidea*), 59.
Elongatum (*Acridium*), 448.
Elongatus (Dichroplus), 488.
Elongatus (Melanoplus), 511.
Elongatus (Trigonophymus), 488.
Emarginata (Phæoparia), 426.
Emarginata (Procolpia), 364.
Emarginata (Xiphicera), 364.
Emarginata (Xiphocera), 364.
Emarginata (Zoniopoda), 376.
Emarginatum (Acridium), 19.
Emarginatum (Tetrix), 19.
Emarginatum (*Acridium*), 458.
Emarginatus (Criotettix), 19.
Emarginatus (Loxilobus), 19.
Emarginatus (Pamphagus), 364.
Emendata (Cranaë), 387.
Emigratorium (*Acrydium*), 230.
Emortuale (Acridium), 456.
Emortualis (Schistocerca), 456.
ENCOPTOLOPHUS, 200.
ENEREMIUS, 293.
Enigma (Œdaleonotus), 507.
Enigma (Pezotettix), 507.
Ensator (Acanthoxia), 407.
Ensator (Mesops), 407.
Ensatrix (Misythus), 10.
Ensicornis (Gonæa), 437.
Ensicornis (Lamarckiana), 244.
Ensicornis (Rhytidochrota), 543.
Ensicornis (Xiphocera), 344.
Ensicornu (Acrydium), 103.
Ensifer (Truxalis), 585.
Ensifera (Coptacra), 468.
Ensis (Acrida), 91.
EOMORPHOPUS, 22.
EOTETTIX, 498.
Epacromioides (*Stenobothrus*), 180.
Epacromoides (Stenobothrus), 165.
EPAMONTOR, 309.
Ephippigera (Petasida), 316.
Ephippioides (Tettix), 40.
Ephippium (Acridium), 41.
Ephippium (Acrydium), 41.
Ephippium (Tettix), 42.
EPIGRYPA, 88.
EPIPRORA, 419.
EPISACTUS, 73.
EPISCOPOTETTIX, 421.
EPISTAURUS, 471.
EPITETTIX, 576.
Equa (Phyllochoreia), 67.
Eques (Rhomalea), 372.
Eques (Tæniopoda), 372.
Equestris (Hedotettix), 50.
Equestris (Tettix), 42.
Equuleus (Eremidium), 465.
Erectus (Erianthus), 70.
EREMIDIUM, 465.
Eremitus (Hippiscus), 208.
Eremitus (Xanthippus), 208.
EREMNUS, 134.
EREMOBIA, 285.
Eremobioides (Euryphymus), 545.
Eremobioides (Phymeurus), 545.
EREMOBIUS, 586.
EREMOCHARIS, 290.
EREMOGRYLLUS, 154.
EREMOPACHYS, 296.
EREMOPEZA, 289.
EREMOPLANA, 289.
EREMOTETTIX, 290.
ERIANTHUS, 69.
Ericetarius (Gomphocerus), 158.
Erinaceus (Nicarchus), 433.
ERITETTIX, 111.
ERITRICHIUS, 424.
Erosa (Prionacris), 377.
Erosum (*Typophyllum*), 573.
Errabundus (Acrotylus), 266.
Erubescens (Caloptenus), 483.
Erubescens (Catantops), 483.
ERUCIUS, 72.
Erythrocnemis (Œdipoda), 271.
Erythrocnemis (Urnisa), 271.
Erythrogastra (Copiocera), 420.
Erythrogastra (Opsomala), 420.
Erythrogastra (Xiphicera), 420.
Erythrophthalmus (Locusta), 230.
Erythrophthalmus (*Gryllus*), 230.
Erythropterus (*Truxalis*), 96.
Erythropus (Calliptenus), 546.
Erythropus (Euryphymus), 546.
Erythropus (Gryllus), 546.
Erythropus (*Gryllus*), 522.
Erythropus (*Locusta*), 522.
ESCALERA, 406.
Escalerai (Gomphocerus), 157.
Escherichi (Eremobia), 287.
Escherichi (Tmethis), 287.
Eslavæ (Syrbula), 107.
Esox (Gelastorrhinus), 409.
Eucera (Copiocera), 420.
Eucerata (Œdipoda), 246.
Eucerata (Locusta), 246.
Eucerata (Œdipoda), 246.
Euceros (Gryllus), 420.
EUCOPIOCERA, 421.
EUCOPTACRA, 469.

EUGAVIALIDIUM, 14.
EUMASTAX, 76.
EUMECISTES, 436.
EUMIGUS, 351, 583.
EUNAPIODES, 584.
EUNAPIUS, 353.
EUNOTHROTES, 356.
EUPARATETTIX, 31, 578.
EUPARNOPS, 416.
EUPATRIDES, 75.
EUPEDETES, 112.
EUPLECTROTETTIX, 132.
EUPNIGODES, 129.
EUPODISMA, 502.
EUPREPOCNEMIS, 559.
EUPROPACRIS, 476.
Eurasius (Stenobothrus), 163.
EUROTETTIX, 491.
Eurotiæ (Psoloessa), 130.
Eurotiæ (Stirapleura), 130.
Eurycephalus (Apotettix), 54.
Eurycera (Allotriusia), 414.
EURYCNEMA, 563.
EURYMORPHOPUS, 21.
EURYPARYPHES, 353, 584.
EURYPHYMUS, 545.
Euryscelis (Lamarckiana), 344.
Euryscelis (Pamphagus), 344.
Euryscelis (Xiphocera), 344.
EUSCHMIDTIA, 82.
EUSTERNUM, 238.
EUTHYMIA, 384.
EUTHYNOUS, 100.
EUTHYRRHAPHA, 565.
EUTRYXALIS, 106.
Evanescens (Gomphocerus), 159.
Evanescens (Stenobothrus), 159.
Exacta (Cyrtacanthacris), 451.
Exactum (Acridium), 451.
Exaggeratus (Hyalopteryx), 105.
Exaltata (Acrida), 94.
Exaltata (Truxalis), 94.
EXARNA, 413.
Excavata (Cyrtacanthacris), 447.
Excavatum (Acridium), 447.
Excelsa (Bradynotes), 502.
Excelsa (Scyllina), 134.
Excelsus (Eupatrides), 75.
Excelsus (Melanoplus), 511.
Excelsus (Plectrotettix), 134.
Exclusa (Apotropis), 440.
Exclusum (Acridium), 440.
Exempta (Coryphistes), 456.
Exempta (Xiphocera), 436.
Exemptum (Acridium), 547.
Exemptus (Euryphymus), 547.
Exigua (Tettigidea), 58.
Exiguus (Catantops), 481.
Exilipes (Zoniopoda), 370.
Exilis (Dichroplus), 488.
Exilis (Trigonophymus), 488.
Eximia (*Truxalis*), 96.
Eximius (*Truxalis*), 96.
EXOCEPHALA, 572.
EXOCHODERES, 464.
EXOCHODERUS, 464.
EXORA, 573.
Expandens (Orphulella), 122.
Expandens (Stenobothrus), 122.
Expandens (*Proscopia*), 83.
Expansa (Acinipe), 351, 583.
Expansus (Pamphagus), 351, 583.
Expleta (Bradynotes), 501.
Explicata (Desmoptera), 329.
Explicata (Pyrgomorpha), 329.
Exsertus (Criotettix), 16.
Exsul (Schistocerca), 460.
Exsultans (Hedotettix), 50.
Exsultans (Tetrix), 50.
Extensa (Oxyrrhepes), 402.
Extensa (*Scelymena*), 13.
Extensum (Acridium), 402.
Extensus (Paratettix), 34.
Extenuatus (Stenodorsus), 49.
Extenuatus (Stenodorus), 49.
Extranea (*Eynisacris*), 381.
Extraordinaria (Tympanophyllum), 572.
Extraordinaria (Tympanoptera), 572.
Extraordinarius(Aprion), 572.
Extremus (Caloptenus), 523.
Extremus (Melanoplus), 523.
EYNISACRIS, 381.
EYPREPOCNEMIS, 559.

Fabricii (*Œdipoda*), 239.
Fabricii (*Tropidacris*), 381.
Faecalis (Paramastax), 78.
Falcataria (Acanthops), 568.
Falconina (Opsomala), 419.
Falconinum (Acridium), 419.
FALCONIUS, 15.
Fallax (Arphia), 195.
Fallax (Chortoicetes), 193.
Fallax (Paratettix), 30.
Fallax (Petamella), 402.
Fallax (Pseudotrimerotropis), 259.
Fallax (Trimerotropis), 259.
Fallax (Telmatettix), 30.
Fallax (*Methone*), 292.
Famula (Phylloptera), 574.
Fasciata (Euthymia), 384,
Fasciata (Oxya), 384.
Fasciata (*Œdipoda*), 239, 241.
Fasciata (*Cosmorhyssa*), 219.
Fasciatum (*Acridium*), 562.
Fasciatus (Caloptenus), 520.
Fasciatus (Catantops), 181.

Fasciatus (Mecostethus), 145.
Fasciatus (Melanoplus), 520, 521.
Fasciatus (Peitharchicus), 404.
Fasciatus (Thrinchus), 287.
Fasciatus (*Caloptenus*), 219, 239, 525.
Fasciatus (*Gryllus*), 219, 265.
Fascicula (Pseudotrimerotropis), 256.
Fascicula (Trimerotropis), 256.
Fascicula (*Trimerotropis*), 259.
Fasciculata (*Opsomala*), 403.
Fascifera (Cyrtacanthacris), 449.
Fasciferum (Acridium), 449.
Fascipes (Acridium), 44.
Fastigiatus (Mecostethus), 145.
Fastigiatus (Parapleurus), 145.
Fauriei (Pezotettix), 539.
Fauriei (Podisma), 539.
Fedschenki (Œdipoda), 240.
Fedtschenkoi (Conophyma), 400.
Femorale (Acridium), 456.
Femorale (*Acridium*), 522.
Femoralis (Acheta), 570.
Femoralis (Acrotylus), 264.
Femoralis (Nocarodes), 355.
Femoralis (Omocestus), 581.
Femoralis (Paratettix), 33.
Femoralis (Racilia), 397.
Femoralis (Systolederus), 20.
Femoralis (Tettix), 20, 40.
Femoralis (*Caloptenopsis*), 550.
Femoralis (*Opsomala*), 415.
Femorata (Parapetasia), 308.
Femorata (Scelimena), 13.
Femorata (Serpusia), 473.
Femorata (Tæniophora), 390.
Femorata (Tettix), 51.
Femoratum (Aulacora), 136.
Femoratus (Eurotettix), 491.
Femoratus (Gryllus), 13.
Femoratus (Locusta), 13.
Femoratus (Neotettix), 51.
Femoratus (*Caloptenus*), 520.
Femoratus (*Melanoplus*), 531.
Femur-nigrum (Melanoplus), 532.
Femur-rubrum (Acrydium), 522.
Femur-rubrum (Caloptenus), 522.
Femur-rubrum (Melanoplus), 522.
Femur-rubrum (Pezotettix), 522.
Femur-rubrum (*Caloptenus*), 512.
FENESTRA, 127.
Fenestralis (Œdipoda), 246.
Fenestralis (Psinidia), 246.
Fenestrata (Calidomantis), 568.
Fenestrata (Xiphicera), 66.
Fenestratum (Acridium), 67.
Fenestratum (Choroetypus), 67.
Fenestratus (Choroetypus), 66.
Fenestratus (Chorotypus), 66.
Fenestratus (Phyllochoreis), 67.
Ferox (Agriacris), 369.
Ferox (Sia), 571.
Ferrierei (Tanita), 324.
Ferrifer (Caloptenopsis), 549.
Ferrifer (Caloptenus), 549.
Ferrigunea (Blatta), 566.
Ferrina (*Cyrtacanthacris*), 403.
Ferrinum (Acridium), 483.
Ferrugata (Mesambria), 440.
Ferrugata (Œdipoda), 241.
Ferrugata (Tettix), 40.
Ferruginata (Traulia), 475.
Ferruginea (Blatta), 566.
Ferruginea (Jodacris), 428.
Ferruginea (Pseudotrimerotropis), 256.
Ferruginea (Psoloessa), 129.
Ferruginea (Taphronota), 310.
Ferruginea (Trimerotropis), 256.
Ferruginea (Tripetalocera), 1.
Ferruginea (*Taphronota*), 310.
Ferrugineum (Acridium), 1.
Ferrugineum (Tetrix), 1.
Ferrugineus (Anniceris), 428.
Ferrugineus (Coptotettix), 56.
Ferrugineus (Euplectrotettix), 132.
Ferrugineus (Gryllus), 310.
Ferrugineus (*Caloptenus*), 483.
Ferruginosa (Amblytropidia), 114, 115.
Ferruginosus (Calliptenus), 544.
Ferruginosus (Euryphymus), 544.
Ferruginosus (Plegmapterus), 544.
Ferruginosus (Tomonotus), 237.
Fervens (Hemiacris), 268.
Festa (Zacompsa), 142.
Festæ (Caletodes), 431.
Festæ (*Caloptenus*), 557.
Festæ (Hisychius), 391.
Festæ (Ommatolampis), 434.
Festiva (Eremobia), 286.
Festivus (Diponthus), 382.
Festivus (*Hedotettix*), 50.
Festivus (Hesperotettix), 499.
Festivus (Stenobothrus), 164.
Festivus (Tmethis), 286.
Fieberi (Nocarodes), 355.
Fieberi (Podisma), 537.
Filatus (Chrysochraon), 118.

Filatus (Gelastorrhinus), 409.
Filatus (Mesops), 409.
Filatus (Orphula), 118.
FILCHNERELLA, 582.
Filicornis (Platypterna), 150.
Filiformis (Leptacris), 404.
Filiformis (Leptysma), 411.
Filiformis (Opsomala), 411.
Filiformis (Orthacris), 336.
Filiformis (*Astroma*), 90.
Filiformis (*Proscopia*), 90.
Filum (Mantis), 568.
Filum (Mesopsera), 584.
Filum (Mesopsis), 410, 584.
Filum (Spanionyx), 568.
Fimbriatus (*Gryllus*), 456.
Finale (Acridium), 474.
Finalis (Orbillus), 474.
Finoti (Acridium), 453.
Finoti (Cyrtacanthacris), 453.
Finoti (Euschmidtia), 83.
Finoti (Geloius), 338.
Finoti (Pterotiltus), 386.
Finoti (Scirtotypus), 68.
Finoti (*Stenobothrus*), 178.
FINOTIA, 357.
Finotianus (Helioscirtus), 273.
Finotianus (Sphingonotus), 273.
Fischeri (Œdipoda), 163.
Fischeri (Stenobothrus), 163.
Fischeri (*Eyprepocnemis*), 559.
Fissa (Anaua), 375.
Fissa (Hoplolopha), 348.
Fissa (Xiphocera), 348.
Fissicauda (Arnilia), 413.
Fissicauda (Stenacris), 413.
Flabellatus (Melanoplus), 519.
Flabellatus (Pezotettix), 519.
Flabellifer (Melanoplus), 510.
Flabelliferum (Cymatopsygma), 80.
Flava (Goniaea), 437.
Flava (Humbe), 215.
Flava (Humbella), 215.
Flava (Œdipoda), 215, 239.
Flavelliferum (*Cymatopsygma*), 80.
Flavescens (Acridium), 445.
Flavescens (Acrotylus), 266.
Flavescens (Gryllus), 445.
Flavescens (Melanoplus), 510.
Flavescens (Orthacanthacris), 445.
Flavescens (*Acridium*), 450.
Flavescens (*Cyrtacanthacris*), 450.
Flavicorne (Acridium), 447.
Flavicorne (Acrydium), 447.
Flavicornis (Gryllus), 378.
Flavicornis (Locusta), 378.
Flavicornis (Lophacris), 378.
Flavicornis (*Gryllus*), 447, 459.
Flavicosta (Arcyptera), 171.
Flavicosta (Stauronotus), 171.
Flavida (Tæniopoda), 372.
Flavidus (Melanoplus), 510.
Flavifrons (Maura), 306.
Flavipennis (Œdipoda), 254.
Flavipennis (Trimerotropis), 254.
Flavipennis (Vilerna), 430.
Flavipes (Erianthus), 70.
Flavipes (Leiotettix), 490.
Flavipes (Leptysma), 412.
Flavipes (Ommatolampis), 434.
Flavipes (Truxalis), 412.
Flavipes (*Gryllus*), 168.
Flavipes (*Locusta*), 168.
Flavipes (*Monachidium*), 465.
Flavirostris (Cephalocema), 89.
Flavirostris (Proscopia), 89.
Flaviventre (*Acridium*), 459.
Flaviventris (Boöpedon), 128.
Flavoannulata (Traulia), 475.
Flavoannulatum (Acridium), 475.
Flavoannulatum (Dactylotum), 542.
Flavoannulatus (Melanoplus), 507.
Flavoannulatus (Pezotettix), 542.
Flavofasciata (Schistocerca), 456.
Flavofasciatum (Acridium), 456.
Flavofasciatum (Acrydium), 456.
Flavofasciatum (Boöpedon), 128.
Flavofasciatum (Boopidon), 128.
Flavoinflatus (Erianthus), 70.
Flavolineata (Chirista), 142.
Flavolineata (Osmilia), 539.
Flavolineatum (Acridium), 539.
Flavolineatum (Acrydium), 539.
Flavolineatum (Osmilia), 539.
Flavolineatum (*Caloptenus*), 507.
Flavomaculata (Maura), 307.
Flavomarginata (Nautia), 389.
Flavonotata (Batrachidea), 60.
Flavopictum (Dactylotum), 541.
Flavopictus (Acanthalobus), 18.
Flavopictus (Calotettix), 496.
Flavopictus (Criotettix), 18.
Flavovirens (*Gryllus*), 191.
Flavovittata (Kassongia), 470.
Flavovittata (Leptomerinthophora), 151.
Flavovittata (Tettix), 40.
Flavovittatum (*Acrydium*), 531.
Flavum (Derotmema), 243.

Flavum (*Acridium*), 225.
Flavus (Gryllus), 215.
Flavus (Locusta), 215.
Flavus (Œdaleus), 215.
Flavus (Pachytylus), 215.
Flavus (*Gryllus*), 224, 225, 227.
Flavus (*Locusta*), 225, 227.
Flavus (*Phymateus*), 314.
Flexuosa (Chirista), 143.
Flexuosa (Cuculligera), 284.
Flexuosa (Duronia), 143.
Flexuosa (Eremobia), 284.
Flexuosa (Prionotropis), 284.
Flexuosus (Thrinchus), 284.
Floridana (Paroxya), 505, 506.
Floridanus (Caloptenus), 506.
Floridanus (Nomotettix), 52.
Floridianus (Caloptenus), 505.
Fluctuans (Paratettix), 33.
Fluctuosus (Tettix), 48.
Fluviatilis (Melanoplus), 525.
Fœdata (Coptacra), 467.
Fœdatum (Acridium), 467.
Fœdatus (Catantops), 467.
Fœdus (Melanoplus), 525.
Foliatum (Astroma), 90.
Foliatum (Choriphyllum), 5.
Foliatus (Phyllotettix), 5.
Fontana (*Trimerotropis*), 253.
Fonti (Helioscirtus), 281.
Forbesi (Dissosteira), 217.
Forbesi (Quiroguesia), 217.
Foreli (Acinipe), 350.
Foreli (Pamphagus), 350.
Forficata (Mioblatta), 565.
Formosus (Gryllus), 212.
Formosus (Tropidolophus), 212.
Formosus (*Stenobothrus*), 169.
Fornicata (Mioblatta), 565.
Forte (Acridium), 448.
Fortis (Cyrtacanthacris), 448.
Fortius (Eumigus), 583.
FORTUNATA, 582.
Fossulatus (Coptotettix), 55.
Fossulatus (Liotettix), 54.
Fossulatus (Prototettix), 54.
Fossulatus (Trigonofemora), 27.
Fosteri (Paraleuas), 427.
Fracta (*Duronia*), 141.
Franciscanus (Melanoplus), 533.
Francoisi (Nerenia), 538.
Frater (Chortoicetes), 194.
Fratercula (Caloptenopsis), 550.
Fratercula (Pseudotrimerotropis), 259.
Fratercula (Trimerotropis), 259.
Fraternum (*Acridium*), 489.
Fraternum (*Podisma*), 489.
Frenata (Hema), 416.
Frenatus (Gryllus), 416, 488.
Frenatus (Trigonophymus), 488.
Frey-Gesnerii (Paratettix), 33.
Frigida (Arphia), 197.
Frigida (Pezotettix), 538.
Frigida (Podisma), 538.
Frigida (*Podisma*), 538.
Frigidus (Gryllus), 538.
Frigidus (Pezotettix), 538.
Frontalis (Acridium), 462.
Frontalis (Schistocerca), 462.
Frontalis (*Acridium*), 500.
Fruhstorferi (Elæochlora), 366.
Fuliginosa (Tetrix), 44.
Fuliginosum (Acridium), 44.
Fuliginosum (Acrydium), 44.
Fuliginosum (*Acrydium*), 214.
Fuliginosus (Coptotettix), 56.
Fuliginosus (Encoptolophus), 201.
Fuliginosus (Stenobothrus), 186.
Fuliginosus (Tettix), 44.
Fuliginosus (*Stenobothrus*), 181.
Fullonius (Odontomelus), 100.
Fumida (Phlæoba), 138.
Fumida (Xiphocera), 158.
Fumidum (*Acridium*), 477.
Fumipennis (Dericorys), 383.
Fumosa (Atractomorpha), 331.
Fumosa (Cyrtacanthacris), 452.
Fumosa (Opsomala), 137.
Fumosa (Phlæoba), 137.
Fumosa (*Xiphocera*), 138.
Fumosum (Acridium), 452.
Fumosus (Chrotogonus), 299.
Fumosus (Stenocrobylus), 485.
Funesta (*Xiphocera*), 369.
Fungosa (Pnorisa), 151.
Furcata (Lepidophora), 565.
Furcata (Tepperia), 565.
Furcatus (Melanoplus), 530.
Furcatus (Xanthomastax), 74.
Furcifer (Acrotylus), 266.
Furcifer (Paprides), 442.
Furcifer (*Acridium*), 397.
Furcifer (*Oxya*), 397.
Furcifera (Goniæa), 437.
Furciferum (Acridium), 437.
Fusca (Acicera), 342.
Fusca (Acocera), 342.
Fusca (Arcyptera), 169.
Fusca (Caconda), 302.
Fusca (Goniæa), 437.
Fusca (Ischnacrida), 405.

Fusca (Tettix), 38. 40.
Fuscifrons (Psinidia), 248.
Fuscifrons (Trachyrhachis), 248.
Fuscifrons (Trachyrhachys), 248.
Fuscipennis (Eremobia), 288.
Fuscipennis (Tmethis), 288.
Fuscipes (Catantops), 481.
Fuscipes (Mazarredia), 25.
Fuscipes (Melanoplus), 519.
Fuscipes (Tettix), 25.
Fuscocincta (Œdipoda), 239, 240.
Fuscofasciata (Acrida), 97.
Fuscofasciata (Acridella), 97.
Fuscofasciata (Truxalis), 97.
Fuscoirrorata (Œdipoda), 275.
Fuscoirroratus (Sphingonotus), 275.
Fuscopictus (Nichelius), 381.
Fuscovittata (Syrbula), 108.
Fuscovittatus (Gryllus), 586.
Fuscula (Goniæa), 437.
Fuscum (Boopedon), 128.
Fuscum (Stetheophyma), 169.
Fuscum (Stethophyma), 169.
Fuscum (Xerophyllum), 8.
Fuscus (Acanthalobus), 577.
Fuscus (Coptotettix), 55.
Fuscus (Dichroplus), 487.
Fuscus (Gryllus), 487.
Fuscus (Pamphagus), 342.
Fuscus (Parmilis), 342.
Fuscus (Pezotettix), 487.
Fuscus (Trigonophymus), 487.
Fuscus (Arcyptera), 169.
Fuscus (Chorthippus), 194.
Fuscus (Gryllus), 169.
Fuscus (Locusta), 169.
Fusiformis (Capromimus), 337.
Fusiformis (Microtylopteryx), 544.
Fusiformis (Paradichroplus), 492.
Fusiformis (Sphenexia), 320.
Fusiformis (Teichophrys), 71.
Fusilinea (Cyrtacanthacris), 448.
Fusilineum (Acridium), 448.

Gabonense (Acridium), 385.
Gabonense (Ixalidium), 385.
Gabonica (Taphronota), 310.
Gabonicus (Chrotogonus), 301.
Gabonicus (Hemierianthus), 69.
Galeata (Opomala), 138.
Galeata (Phlæoba), 138.
Galeatum (Xerophyllum), 8.
Galeatus (Diotarus), 10.
Galericulatus (Pamphagus), 349.
Galericulatus (Prionosthenus), 349.
GALIDEUS, 584.
Galinieri (Humbe), 216.
Galinieri (Œdipoda), 216.
Galinieri (Pycnodictya), 216
Gallæ (Cawendia), 320.
Gallinacea (Mazarredia), 25.
Gallinacea (Xiphicera), 66.
Gallinaceum (Acridium), 66.
Gallinaceum (Choroetypus), 66.
Gallinaceus (Choroetypus), 66.
Gallinaceus (Gryllus), 66.
Gallinaceus (Tettix), 25.
Gallinaceus (Xiphicera), 66.
Gallus (Amp[illegible]), 164.
GASTRIMARGUS, 226.
Gaudens (Paramastax), 77.
Gaugeri (Tylotropidius), 556
GAVIALIDIUM, 14.
Gavialis (Scelimena), 13
Gavialis (Scelymena), 13.
Gebleri (Bryodema), 241
Gebleri (Œdipoda), 261.
GELASTORHINUS, 109.
GELASTORRHINUS, 109.
GELOIOMIMUS, 341.
GELOIUS, 338.
Gemella (Mazarredia), 25.
GEMENETA, 385.
Genei (Dociostaurus), 154.
Genei (Gryllus), 154.
Genei (Stauronotus), 154.
Genei (Stauronotus), 153, 157.
Geniculata (Cyrtacanthacris), 447.
Geniculata (Mesambria), 440
Geniculata (Ophthalmolampis), 389.
Geniculata (Praxibulus), 397.
Geniculata (Praxilla), 397.
Geniculata (Tæniophora), 389.
Geniculata (Œdipoda), 175, 179.
Geniculatum (Acridium), 447.
Geniculatus (Anaceris), 422.
Geniculatus (Melanoplus), [illegible].
Geniculatus (Acridium), 477.
Geniculatus (Eyprepocnemis), 477.
GERENIA, 472.
GERGIS, 386
GERISTA, 407.
Germanica (Phyllodromia), 563.
Germanica (Œdipoda), 239, 241.
Germanicum (Acridium), 241.

Germanicum (*Acrydium*), 239, 552.
Germanicus (Gryllus), 168.
Germanicus (Locusta), 168.
Germanicus (*Gryllus*), 239, 552.
Germari (Ommexycha), 297.
Gerstaeckeri (Atractomorpha), 332.
Gerstaeckeri (Duronia), 143.
Gerstaeckeri (Holoperena), 143.
Gerstaeckeri (*Atractomorpha*), 333.
GESONIA, 393.
GESTROA, 11.
GESTROANA, 11.
Gestroi (Falconius), 15.
Gestroi (Systelia), 340.
Gibba (Blatta), 567.
Gibba (Lamarckiana), 343.
Gibba (Xiphicera), 343.
Gibber (Tmethis), 285, 286.
Gibbera (Eremobia), 286.
Gibbera (Mezentia), 390.
Gibbiceps (Deltonotus), 7.
Gibbiceps (Pœcilotettix), 7.
Gibbosa (Dericorys), 383.
Gibbosa (Mazarredia), 25.
Gibbosa (Proscopia), 87.
Gibbosa (Stiphra), 87.
Gibbosulus (Amorphopus), 23.
Gibbosulus (Platytettix), 23.
Gibbosum (Acridium), 9, 383.
Gibbosum (Tetrix) 9.
Gibbosus (Cladonotus), 9.
Gibbosus (Lactista), 236.
Gibbosus (Tettix), 48.
Gibbum (*Acrydium*), 40.
Gigantea (Acrida), 93.
Gigantea (Cephalocœma), 89.
Gigantea (Proscopia), 87.
Gigantea (*Rhomalea*), 370.
Giganteus (Taxiarchus), 87.
Giganteus (Truxalis), 93.
Giglio-Tosi (Ommexycha), 297.
Gillettæ (Acrotylus), 267.
Gillettei (Hesperotettix), 499.
Gillettei (Melanoplus), 516.
Giornæ (Acridium), 398.
Giornæ (Gryllus), 398.
Giornæ (Pelecycleis), 398.
Giornæ (Pelecyclus), 398.
Giornæ (Pezotettix), 399.
Giornæ (Platyphyma), 399.
Giornai (*Platyphyma*), 399.
Glaber (Aerostogastes), 465.
Glabra (Rhienoderma), 391.
Glabrata (Cawendia), 320.
Glabrifrons (Trypophyllum), 7.
Glacialis (Gelastorrhinus), 409.
Glacialis (Pezotettix), 534.
Glacialis (Podisma), 534.
Gladiator (Acanthoxia), 407.
Gladiator (Opsomala), 407.
Gladiator (Oxyacantha), 407.
Gladiatrix (Misythus), 9.
Gladiatrix (Tettix), 9.
GLADIOTETTIX, 23.
Gladstoni (Melanoplus), 517.
GLAPHYRACRIS, 420.
Glaucescens (Stenobothrus), 163.
Glaucipennis (Leprus), 211.
Glaucipes (Caloptenus), 511.
Glaucipes (Hippiscus), 209.
Glaucipes (Melanoplus), 511.
Glaucipes (Staurorhectus), 166.
Glaucipes (Xanthippus), 209.
Glaucopsis (Caloptenus), 547.
Glaucopsis (Euryphymus), 547.
Globulifera (Phialosphæra), 473.
Gloveri (Rhomalea), 370.
GLYPHANUS, 285.
GLYPHOCLONUS, 93.
Gnu (Thericles), 81.
Gohieri (Acridium), 447.
Gohieri (Cyrtacanthacris), 447.
GOMPHOCERUS, 154, 581.
GOMPHOMASTAX, 72.
Gonagra (Procolpia), 363.
Gonagra (Prorhachis), 363.
Gonagra (Xomana), 363.
GONIÆA, 436.
GONIATRON, 136.
GONISTA, 410.
GONYACANTHELLA, 407.
Gorgorzæ (Xistra), 27.
Gracile (Acrydium), 49.
Gracile (Boöpedon), 128.
Gracile (Nephele), 49.
Gracile (Ommexycha), 300.
Gracile (Tettix), 49.
Gracilicornis (Leioscapheus), 422.
Gracilicornis (Mesopsis), 410.
Gracilipes (Mestobregma), 249.
Gracilipes (Melanoplus), 518.
Gracilipes (Trepidulus), 249.
Gracilipes (Tylotropidius), 556.
Gracilis (Acamptus), 194.
Gracilis (Aleuas), 427.
Gracilis (Allotriusia), 444.
Gracilis (Apioscelis), 85.
Gracilis (Arcyptera), 172.
Gracilis (Arnilia), 414.
Gracilis (Birmana), 1.
Gracilis (Brancsikellus), 194.

Gracilis (Calanus), 98.
Gracilis (Chlœbora), 215.
Gracilis (Chrotogonus), 300.
Gracilis (Cyclocercus), 495.
Gracilis (Diedronotus), 361.
Gracilis (Eutryxalis), 106.
Gracilis (Eremobia), 289.
Gracilis (Hadrotettix), 255, [263].
Gracilis (Hedotettix), 49.
Gracilis (Helioscirtus), 281.
Gracilis (Humbe), 215.
Gracilis (Hyalopteryx), 106.
Gracilis (Leptopternis), 279.
Gracilis (Leptysma), 411.
Gracilis (Macrotona), 443.
Gracilis (Mantis), 569.
Gracilis (Mecostethus), 172.
Gracilis (Melanoplus), 526.
Gracilis (Mesops), 98.
Gracilis (Napaia), 126.
Gracilis (Œdaleus), 225.
Gracilis (Œdipoda), 255, 279.
Gracilis (Ommexycha), 297, 300.
Gracilis (Orchamus), 349.
Gracilis (Orphulella), 121.
Gracilis (Pamphagus), 349.
Gracilis (Pezotettix), 526.
Gracilis (Platypterna), 150.
Gracilis (Proctolabus), 421.
Gracilis (Rhachicreagra), 544.
Gracilis (Schistocerca), 454.
Gracilis (Sphingonotus), 279.
Gracilis (Stenacris), 414.
Gracilis (Stetheophyma), 172.
Gracilis (Tettigidea), 58, 89.
Gracilis (Tettix), 49.
Gracilis (Tropinotus), 361.
Gracilis (Trimerotropis), 255.
Gracilis (*Hadrotettix*), 256.
Gracilis (*Proscopia*), 90.
Gracilis (*Stenobothrus*), 121.
Gracillima (Inusia), 414.
GRAEA, 298.
Grallatus (Scirtobænus), 571.
Graminea (Acrida), 93.
Graminea (Cyrtacanthacris), 447.
Graminea (Orphulella), 119.
Graminea (Parorphula), 119.
Gramineum (Acridium), 447.
Grammicus (Anthermus), 443.
Grammicus (Stenobothrus), 164.
Grandidieri (Chlœbora), 216.
Grandidieri (Phymateus), 315.
Grandis (Acridella), 95.
Grandis (Eremobia), 286.
Grandis (Gryllus), 380.
Grandis (Œdaleus), 228
Grandis (Tmethis), 285.
Grandis (Tropidacris), 380, 381.
Grandis (Truxalis), 95.
Granosa (Pyrgomorpha), 327.
Granosa (Pyrgomorphella), 327.
Granosa (*Proscopia*), 84.
Granosus (Anthermus), 443.
Granosus (Eunapiodes), 584.
Granosus (Eunapius), 353.
Granosus (Euryparythes), 353.
Granosus (Pamphagus), 353.
Granti (Phaulotypus), 68.
Granulata (Arphia), 195.
Granulata (Batrachotetrix), 292.
Granulata (Pneumora), 64.
Granulata (Pompholyx), 64.
Granulata (Proscopia), 84.
Granulata (Prostalia), 64.
Granulata (Pyrgomorpha), 325.
Granulata (Stenoscepa), 320.
Granulata (Tettix), 46.
Granulata (*Eremocharis*), 290.
Granulatum (Acridium), 273.
Granulatum (Acrydium), 46.
Granulatum (*Choriphyllum*), 7.
Granulatus (Acrydium), 292.
Granulatus (Alcamenes), 362.
Granulatus (Batrachotetrix), 292.
Granulatus (Batrachotettix), 292.
Granulatus (Eomorphopus), 22.
Granulatus (Hedotettix), 50.
Granulatus (Sphenacris), 336.
Granulatus (Tettix), 46.
Granulatus (Tropinotus), 362.
Granulatus (*Tettix*), 46.
Granulosa (Elæochlora), 366.
Granulosa (Eremocharis), 290.
Granulosa (Eremopeza), 290.
Granulosa (Lamarckiana), 345.
Granulosa (Mazæa), 386.
Granulosa (Prorhachis), 364.
Granulosa (*Proscopia*), 85.
Granulosa (Xiphicera), 345.
Granulosum (Astroma), 90.
Granulosus (Opaon), 543.
Grata (*Epacromia*), 271.
Gratiosa (Orphulella), 122.
Gratiosa (Pseudotrimerotropis), 258.

Gratiosa (Stenobothrus), 122.
Gratiosa (Trimerotropis), 258.
Gratiosa (*Œdipoda*), 241.
Gratiosum (Acrydium), 44.
Gratiosus (Eunecistes), 436.
Gratiosus (Tettix), 44.
Gratissima (Schistocerca), 585.
Greeni (Scirtotypus), 68.
Greeni (Systolederus), 20.
Gregaria (Scyllina), 132.
Gregarius (Plectrotettix), 132.
Gregarius(Stenobothrus), 132.
Grisea (Akicera), 348.
Grisea (Anconia), 250.
Grisea (Hoplolopha), 348.
Grisea (Petasia), 305.
Grisea (Tapesia), 305.
Grisea (*Akicera*), 342.
Griseus (Amorphopus), 22.
Griseus (Dictyophorus), 305.
Griseus (Hippiscus), 210.
Griseus (Xanthippus), 210.
Griseus (*Caloptenus*), 532.
Griseus (*Melanoplus*), 532.
Griseus (*Pamphagus*), 342.
Grobbeni(Sphingonotus), 274, 582.
Grossa (Chlœbora), 216.
Grossa (Orthochtha), 141.
Grossa (Pnorisa), 151.
Grossum (Acrydium), 167.
Grossum(Stetheophyma), 167.
Grossum (Stethophyma), 168.
Grossum (*Acridium*), 191.
Grossus (Gryllus), 167.
Grossus (Locusta), 167.
Grossus (Mecostethus), 168.
Grossus (Thisoicetrus), 559.
GRYLLACRIS, 571.
Grylloides (Oxya), 388.
Grylloides (Phalaca), 388.
Grylloides (*Pygomorpha*), 325.
Grylloides (Truxalis), 325.
GRYLLUS, 228, 586.
Gruvieri (*Heliastus*), 175.
Guarani (Diedronotus), 361.
Guarani (Tropinotus), 361.
Guatemalæ (Heliastus), 270.
Guatemalæ (Orphula), 118.
Guatemalteca (Tettigidea), 58.
Guentheri (Pyrgomorpha), 526.
[illegible] (Hedotettix), 70.
Guineensis (Chortoicetes), 193.
Guineensis (Heteropternis), 221.
Guineensis (Œdipoda), 193, 221.
Guinneensis (Euprepocnemis), 560.
Gulosa (Schistocerca), 457.
Gundlachii (Mastax), 79.
Gundlachii (Masyntes), 79.
Guttata (Blatta), 567.
Guttata (Mastax), 70.
Guttata (Oncolopha), 463.
Guttatifrons (Euschmidtia), 82.
Guttatus (Erianthus), 70.
Guttatus (Gryllus), 463.
Guttatus (*Gryllus*), 370.
Guttatus (*Locusta*), 370.
Guttifera (Heteropternis), 221.
Guttulosa (Cyrtacanthacris), 451.
Guttulosa (*Œdipoda*), 271.
Guttulosum (Acridium), 451.
Gutturosa (Tæniopoda), 372.
Gavisa (Heteracris), 395.
Gavisa (Oxya), 395.
GYMNES, 110.
GYMNIDIUM, 385.
GYMNOBOTHRUS, 148.
GYMNOSCIRTETES, 486.
GYMNOTETTIX, 75.
GYRTONE, 340.

Haani (Choroetypus), 67.
Haani (Desmoptera), 329.
Haani (Systolederus), 20.
Haani (Xiphicera), 67.
Haasi (Tylotropidius), 556.
HADROTETTIX, 263.
Hæmatocnemis(Gryllus), 586.
Hæmatonota (Copiocera), 420.
Hæmatonotum (Acridium), 420.
Hæmatoptera (Annandalea), 329.
Hæmatoptera (Mestra), 329.
Hæmatopterum (Acridium), 329.
Hæmatopterum (Pyrgomorpha), 329.
Hæmatopum (Acrydium), 546.
Hæmatopus (Calliptamus), 546.
Hæmatopus (Calliptenus), 546.
Hæmatopus(Caloptenus), 546.
Hæmatopus (Euryphymus), 546.
Hæmatopus (Gryllus), 546.
Hæmatopus (Locusta), 546.
Hæmatoscelis (Ixalidium), 385.
Hæmorrhoidalis (Catantops), 479.
Hæmorrhoidalis (Chorthippus), 173.
Hæmorrhoidalis (Gomphocerus), 173.
Hæmorrhoidalis (Gryllus), 172.
Hæmorrhoidalis (Œdipoda), 172
Hæmorrhoidalis (Omocestus), 172.
Hæmorrhoidalis (Stenobothrus), 172, 173.

Hæmorrhoidalis (*Locusta*), 182.
Hagenbachii (Acridium), 467.
Hagenbachii (Bibracte), 467.
Haitensis (Œdipoda), 275.
Haitensis (Sphingonotus), 275.
HALDEMANELLA, 294.
Haldemanii (Hippiscus), 206.
Haldemanii (Œdipoda), 206.
Haldemanii (Pardalophora), 206.
HALDEMANNIA, 294.
HALDMANELLA, 294.
Haldmanni (Hippiscus), 207.
HALMENUS, 503.
Hamata (Scaria), 60.
Hamata (Tettix), 60.
Hamatum (Acrydium), 61.
Hammadæ (Eremogryllus), 154.
Hammarstroemi (Stauroderus), 178.
Hammarstroemi (Stenobothrus), 178.
Hancocki (Acrydium), 48.
Hancocki (Loxilobus), 18.
Hancocki (Micronotus), 53.
Hancocki (Neotettix), 51.
Hancocki (Tettix), 48.
HAPLOOTROPIS, 283.
HAPLOPUS, 569.
Haploscelis (Lamarckiana), 344.
Haploscelis (Pamphagus), 344.
Haploscelis (Xiphocera), 344.
HAPLOTROPIS, 283.
Harpago (Scelimena), 13.
Harpago (Tetrix), 13.
Harpago (*Tetrix*), 13.
Hastata (Astroma), 89.
Hastata (Cephalocœma), 89.
Hastata (Paratettix), 33.
Hastata (Tettix), 33.
Hastatus (Leiotettix), 490.
Hastatus (Oxynotus), 15.
Hauensteini (Dociostaurus), 153.
Hauensteini (Stauronotus), 153.
HAUSTELLARIA, 570.
Haydenii (Derotmema), 243.
Haydenii (Œdipoda), 243.
Hebardi (Eotettix), 498.
Hebardi (Microtylopteryx), 544.
Hecate (Maura), 306.
Hecate (Petasia), 306.
HEDOTETTIX, 49, 579.
Heldreichi (Glyphanus), 285.
HELIASTUS, 269.
HELIOSCIRTUS, 280.
Helluo (*Caloptenus*), 532.
HEMIACRIS, 268.
HEMIERIANTHUS, 67.
Hemipterum (*Acridium*), 199.
Hemipterus (Chrotogonus), 302.
HENIA, 416.
Heptapotamica (Eremobia), 287.
Heptapotamicus (Tmethis), 287.
Herbacea (Heteracris), 555.
Herbaceum (Acridium), 555.
Herbaceus (Cylindrotettix), 412.
Herbaceus (Encoptolophus), 201.
Herbaceus (Euprepocnemis), 555.
Herbaceus (Melanoplus), 510.
Herbaceus (Pezotettix), 555.
HERMISTRIA, 375.
Heros (Trachytettix), 576.
Hesperica (Acinipe), 350.
Hesperica (Porthetis), 350.
Hesperica (*Acocera*), 350.
Hespericus (Pamphagus), 350.
Hesperidum (Sphingonotus), 277.
Hesperiphila (*Arphia*), [198], 236.
HESPEROTETTIX, 498.
Hesperus (Paratettix), 30.
Hesperus (Telmatettix), 30.
HETERACRIS, 554.
HETERAPRIUM, 572.
Heteroceros (Blatta), 566.
Heteroclita (Acheta), 570.
HETEROLAMPRA, 563.
Heteropoda (Phasma), 87.
Heteropoda (Taxiarchus), 87.
HETEROPTERNIS, 270.
HETEROTRYPUS, 570.
Hexodon (Acridium), 13.
Hexodon (Scelimena), 13.
Hexodon (Tetrix), 13.
HIERODULA, 567.
Hieroglyphica (Pœcilocera), 317.
Hieroglyphica (Tettix), 42.
Hieroglyphicum (Acridium), 41.
Hieroglyphicus (Decticus), 317.
Hieroglyphicus (Dictyophorus), 317.
Hieroglyphicus (Pœcilocerus), 317.
Hieroglyphicus (Pœkilocerus), 317.
HIEROGLYPHUS, 396.
Hilare (Acridium), 41.
Hilaris (Edæochlora), 366.
Hilaris (Epiprora), 419.
Hilaris (Opiptacris), 387.
Hilaris (Rhicnoderma), 391.
Hilaris (Tettix), 42.
Hildebrandi (Phymateus), 313.
Himalayica (Atractomorpha), 332.
HIPPACRIS, 370.
HIPPISCUS, 203.
Hippiscus (Choroetypus), 69.
Hippiscus (Plagiotriptus), 69.
HIPPODES, 10.
HIPPOPEDON, 202.
HIRRIUS, 3.
Hirsutus (Paratettix), 33.
Hirta (Blatta), 567.
Hirtipes (Acrolophitus), 108.
Hirtipes (Gryllus), 108.
Hispanica (Œdipoda), 165.

Hispanica (Ramburia), 166.
Hispanica (Ramburiella), 165.
Hispanicum (Stethophyma), 166.
Hispanicus (Gomphocerus), 165.
Hispanicus (Gryllus), 165.
Hispanicus (Stauronotus), 153.
Hispanicus (Stenobothrus), 165.
Hispida (Bradynotes), 501.
Hispida (Corynorhynchus), 85.
Hispida (Pezotettix), 501.
Hispida (Proscopia), 85.
Hispidulum (*Acridium*), 288.
Hispidulus (Corynorhynchus), 86.
Hispidum (Spathalium), 298.
Hispidus (Corynorhynchus), 85.
Histrica (Paratettix), 33, 578.
Histrica (Tettix), 33.
Histricum (Dactylotum), 542.
Histricus (Paratettix), 33, 578.
Histricus (Tettix), 33.
Histrio (Dociostaurus), 153.
Histrio (Œdipoda), 153.
Histrio (Sphenarium), 303.
Histrio (*Sphenarium*), 303.
Histrionicus (*Misythus*), 9.
HISYCHIUS, 391.
Hoagi (Boöpedon), 128.
Hoffmanii (*Œdipoda*), 263.
Hogeditica (Mantis), 568.
Holdereri (Bryodema), 261.
HOLOCERUS, 28.
HOLOCOMPSA, 565.
HOLOLAMPRA, 562.
HOLOPERCNA, 143.
Holtzi (Tmethis), 287.
Homalodema (Ommexycha), 300, 301.
Homalodemum (Ommexycha), 300.
HOMALOSAPARUS, 584.
Homoptera (*Œdipoda*), 147.
Hoodensis (Sphingonotus), 275.
Hoosieri (Paroxya), 505.
Hoosieri (Pezotettix), 505.
Hopei (Systella), 339.
Hopei (Trigonopteryx), 339.
HOPLOLOPHA, 347.
Hoplosterna (Mestra), 330.
Hoplosterna (Tagasta), 330.
HORÆOCERUS, 561.
HORESIDOTES, 127, 580.
Horrenda (Pantelia), 10.
Horrendus (Cladonotus), 10.
Horrida (Graea), 298.
Horrida (Hoplolopha), 347.
Horrida (Schinzia), 341.
Horrida (Xiphocera), 347.
Horridus (Pamphagus), 347.
Horridus (*Cladonotus*), 12.
Horvathi (Stauroderus), 178.
Horvathi (Stenobothrus), 178.
Hospes (Œdipoda), 262.
Hospita (Stropis), 438.
Hottentottum (*Acridium*), 450, 546.
Hottentottum (*Calliptenus*), 546.
Hottentottus (Acrotylus), 264.
Hottentottus (*Calliptenus*), 547.
Hottentottus (*Caloptenus*), 547.
Hottentotus (*Euryphymus*), 546.
Hottentotus (Batrachotetrix), 291.
Hottentotus (Batrachotettix), 291.
Hova (Euschmidtia), 82.
Hova (Ischnacrida), 405.
Hova (Zonocerus), 316.
Hova (*Atractomorpha*), 333.
Huachucana (Conalcæa), 493.
Huastecæ (Trimerotropis), 256.
HUMBE, 215.
HUMBELLA, 215.
Humbertiana (*Pternosticta*), 217.
Humbertianus (Cladonotus), 9.
Humbertianus (Erianthus), 70.
Humbertianus (*Acrotylus*), 266.
Humboldtii (Lophacris), 378
Humboldtii (Titanacris), 378.
Humerale (Acridium), 38.
Humeralis (Amorphopus), 22.
Humeralis (Catantops), 481.
Humeralis (Gryllus), 481.
Humeralis (Hybotettix), 29.
Humeralis (Tettix), 22, 38.
Humeralis (*Catantops*), 481.
Humeralis (*Heteracris*), 393.
Humile (Acridium), 483.
Humile (Rhicnoderma), 391.
Humile (Spharagemon), 234.
Humile (*Oxya*), 483
Humilicrus (Acridium), 444.
Humilicrus (Cyrtacanthacris), 444.
Humilicrus (Orthacanthacris), 444.
Humilis (Catantops), 483.
Humilis (Hymenotes), 62.
Humilis (Œdipoda), 131, [255].
Humilis (Phlœonotus), 62.
Humilis (Stirapleura), 131.
Humilis (Trimerotropis), 255.
Humilis (Tetanorhynchus), 85.
HUMPATELLA, 320.
Humphreysii (Conalcæa), 493.
Humphreysii (Melanoplus), 514.

Humphreysii (Pezotettix), [493], 514.
Humphreysii (*Pezotettix*), 515.
Hungaricus (*Truxalis*), 93.
Huroni (*Melanoplus*), 518.
Huroriana (Pseudotrimetropis), 259.
Huroniana (Trimerotropis), 259.
Hyalina (Agonozoa), 251.
Hyalina (Heteropternis), 221.
Hyalina (Schistocerca), 457.
Hyalina (Trimerotropis), 251.
Hyalinum (Mestobregma), 249.
Hyalinus (Acrotylus), 267.
Hyalinus (Stauroderus), 179.
Hyalinus (Stenobothrus), 179.
Hyalinus (Trepidulus), 249.
Hyalodes (Humbe), 215.
HYALOPTERYX, 105.
HYALORHIPIS, 279.
HYBOTETTIX, 29.
HYBUSA, 88.
Hyla (Acridium), 393, 394.
Hyla (Oxya), 393, 394.
Hymenæa (Elæochlora), 366.
Hymenæa (Xiphocera), 366.
HYMENOTES, 4.
HYPERHOMALA, 573.
HYPOCHLORA, 497.
HYPSÆUS, 4.
HYS, 563.
HYSIA, 384.
HYSIELLA, 384.
Hystrix (Acridium), 284.
Hystrix (Cuculligera), 284
Hystrix (Gryllus), 284.
Hystrix (Œdipoda), 284.

Ibandana (Euprepocnemis), 560.
Iberica (Œdipoda), 240.
ICHTHIACRIS, 337.
ICHTHIDION, 335.
ICHTHIOTETTIX, 335.
ICHTHYACRIS, 337.
ICHTHYDION, 335.
ICHTHYOTETTIX, 335.
Ictericum (Sphenarium), 303.
Ictericus (*Calliptamus*), 552.
Ictericus (*Caloptenus*), 552.
Icterus (Chromacris), 374.
Icterus (Rhomalea), 374.
Idonea (Schistocerca), 457.
Ignobilis (Paratettix), 35.
Ignobilis (Tettix), 35.
Ignota (*Porthetis*), 348.
Iheringi (Zoniopoda), 376.
Illepida (*Cyrtacanthacris*), 451.
Illepidum (Acrydium), 44.
Illepidum (*Acridium*), 451.
Illepidus (Tettix), 44.
Illepidus (*Caloptenus*), 547.
Illustris (Heteracris), 555.
Illustrissima (Orthacanthacris), 446.
Illustrissimum (Acridium), 446.
Illustrissimus (Cyrtacanthacris), 446.
Imitans (Leptopternis), 279.
Imitans (Sphingonotus), 279.
Imitatrix (*Acridium*), 451.
Imitatrix (Cyrtacanthacris), 451.
Imitatrix (*Mastax*), 78.
Immaculata (Bulla), 62.
Immaculata (Phaeoparia), 426.
Immaculata (Pneumora), 62.
Immaculatus (Hippiscus), 204.
Immunis (Melanoplus), 532.
Immunis (*Caloptenus*), 484.
Impennis (Pterotiltus), 386.
Impennis (Pygostolus), 386.
Imperator (Catantops), 479.
Imperfecta (Arphia), 195.
Imperfecta (Opeia), 114.
Imperfecta (Tettigidea), 59.
Imperialis (*Tropidacris*), 380.
Impiger (Melanoplus), 524.
Impleta (Cyrtacanthacris), 455.
Impleta (Schistocerca), 455.
Impotens (Parapetasia), 308.
Impotens (Petasia), 308.
Impressa (Xistra), 27.
Impressus (Liotettix), 54.
Impressus (Prototettix), 54.
Impressus (Tettix), 54.
Impudica (Scotussa), 490.
Impudicus (Melanoplus), 514.
Inæquale (Xerophyllum), 8.
Inæqualipennis (Pyrgomorpha), 325.
Inæqualis (Hypsæus), 8.
Inæqualis (Mazarredia), 25.
Inæqualis (Proscopia), 84.
Inamœna (Eucoptacra), 469.
Inamœnus (Caloptenus), 469.
Inane (Acrydium), 65.
Inanis (Cystocœlia), 65.
Inanis (Gryllus), 65.
Inanis (*Pneumora*), 62.
Incarnatus (Gryllus), 586.
Incertus (Chrotogonus), 300.
Incertus (Tetanorhynchus), 86.
Incisa (Chimarocephala), 200.
Incisa (*Proscopia*), 87.
Incisus (Melanoplus), 532.
Inclarata (Munatia), 364.
Inclarata (Xiphocera), 364.

Includens (*Platacanthus*), 443.
Inclyta (Cyrtacanthacris), 449.
Inclyta (Epacromia), 226.
Inclyta (Rodunia), 140.
Inclytum (Acridium), 449.
Inclytus (Œdaleus), 226.
Inclytus (Stenobothrus), 140.
Incompta (Eucoptacra), 469.
Incomptus (Caloptenus), 469.
Inconspicua (Pseudotrimerotropis), 258.
Inconspicua (Trachyrhachis), 247.
Inconspicua (Trachyrhachys), 247.
Inconspicua (Trimerotropis), 258.
Inconspicuus (Melanoplus), 520.
Inconspicuus (Sphodromerus), 549.
Incultus (Melanoplus), 533.
Incurvata (Tettix), 46.
Incurvatum (Acrydium), 46.
Incurvatus (Tettix), 46.
Inda (Bryodema), 262.
Indecisa (Orthacanthacris), 445.
Indecisum (Acridium), 445.
Idefatigabilensis (Sphingonotus), 275.
India (Scelimena), 576.
Indica (Acrida), 97.
Indica (Acridella), 97.
Indica (Aspidophyma), 342.
Indica (Tagasta), 331.
Indica (*Pyrgomorpha*), 326.
Indicus (Catantops), 483.
Indicus (Criotettix), 16.
Indicus (Gymnobothrus), 148.
Indicus (Paratettix), 33.
Indigens (Melanoplus), 515.
Indum (Acrydium), 49.
Indum (Bryodema), 262.
Indus (Sphingonotus), 277.
Ineptus (Catantops), 476.
Inermis (Hysia), 384.
Inermis (Hysiella), 384.
Inermus (Lactista), 237.
Infantilis (Melanoplus), 527.
Infausta (Tettix), 55.
Infaustus (Coptotettix), 55.
Infernalis (Arphia), 197.
Infernalis (Macromastax), 82.
Infernalis (Œdaleus), 225.
Infernus (Aulacobothrus), 189.
Inficita (Œdipoda), 220.
Inficita (*Cyrtacanthacris*), 451.
Inficita (*Œdipoda*), 265, 266.
Inficita (*Acridium*), 451.
Infimus (Bermius), 396.
Inflatus (Coptotettix), 55.
Inflatus (Tettix), 48.
Infumata (Atractomorpha), 332.
Infumata (Phlæoba), 138.
Infumata (Schistocerca), 456.
Infuscata (Catantops), 483.
Infuscata (Chortophaga), 199.
Infuscata (Locusta), 199.
Infuscata (Mesopsis), 410.
Infuscata (Tragocephala), 199.
Infuscatum (Acridium), 483.
Infuscatum (Oxya), 483.
Infuscatus (Catantops), 483.
Infuscatus (Sitalces), 435.
Ingenita (Amblytropidia), 115.
Ingenitzkyi (Stauroderus), 178.
Ingenitzkyi (Stenobothrus), 178.
Ingens (Agymnastus), 212.
Ingens (Blatta), 566.
Ingens (Proscopia), 84.
Ingens (Xanthippus), 212.
Innotabile (*Acridium*), 483.
Innotata (Bennia), 71.
Innotata (Mastax), 71.
Inops (Melanoplus), 526.
Inornata (Opomala), 350.
Inornata (Tagasta), 330.
Inornata (Tettix), 17.
Inornatipes (Inusia), 415.
Inornatum (Spharagemon), 234.
Inornatus (Acanthalobus), 17.
Inornatus (Acrotylus), 267.
Inornatus (Melanoplus), 519.
Inornatus (Œdaleus), 225.
Inscita (Trigoniza), 441.
Inscitus (Caloptenus), 441.
Inscripta (Cyrtacanthacris), 455.
Inscripta (Schistocerca), 455.
Inscriptum (Acridium), 455.
Insidiosus (Criotettix), 18.
Insidiosus (Loxilobus), 18.
Insidiosus (Ptemoblax), 585.
Insignis (Caloptenopsis), 550.
Insignis (Caloptenus), 550.
Insignis (Camoensia), 304.
Insignis (Diedronotus), 361.
Insignis (Eremocharis), 290.
Insignis (Heteracris), 554.
Insignis (Œdipoda), 290.
Insignis (Podisma), 534.
Insignis (Prorachthes), 408.
Insignis (Tropidonotus), 361.
Insignis (Tropinotus), 361.
Insipida (Durania), 140.
Insipida (Rodunia), 140.
Insitiva (Ischnansis), 485.

Instabilis (Scyllina), 132.
Instillatus (Œdaleus), 225.
Insubricus (Œdipoda), 265.
Insubricum (Acridium), 265.
Insubricum (Œdipoda), 265.
Insubricus (Acrotylus), 264, 265.
Insubricus (Gryllus), 264.
Insulana (Dellia), 423.
Insulanus (Catantops), 478.
Insularis (Brachytypus), 69.
Insularis (Cornops), 417.
Insularis (Cylindrotettix), 412.
Insularis (Litoscirtus), 370.
Insularis (Mazarredia), 25.
Insularis (Orphulella), 123.
Insularis (Phæstus), 576.
Insularis (Plagiotriptus), 69.
Insularis (Tagasta), 331.
Integra (Anconia), 250.
Intercalata (Acrida), 91.
Interior (Arnilia), 419.
Interior (Leprus), 211.
Interior (Opsomala), 419.
Interior (Melanoplus), 523.
Interioris (Coryphistes), 436.
Interlineata (Opomala), 139.
Interlineata (Phlæoba), 139
Interlineata (Rodunia), 139.
Intermedia (Brachystola), 293.
Intermedia (Chrysochraon), 147.
Intermedia (Euprepocnemis), 560.
Intermedia (Gerenia), 472.
Intermedia (Fenestra), 127.
Intermedius (Catantops), 484.
Intermedius (Chrotogonus), 302.
Intermedius (Leprus), 210.
Intermedius (Melanoplus), 512.
Intermixta (Cyrtacanthacris), 450.
Interrita (Schistocerca), 455.
Interrupta (Chirista), 143.
Interrupta (Cyrtacanthacris), 461.
Interrupta (Xiphocera), 323.
Interruptus (Catantops), 484.
Interruptus (Chortoicetes), 193.
Interruptus (Cladonotus), 9.
Interruptus (Coptotettix), 36.
Interruptus (Euparatettix), 31.
Interruptus (Paratettix), 31.
Interruptus (Truxalis), 95.
Intertexta (Mermiria), 104.
Intricata (Orphulella), 122.
Intricata (Truxalis), 122.
Intutus (Sphingonotus), 278.
Inuncatus (Pterotiltus), 387.
Inuncatus (Pygostolus), 387.
INUSIA, 414.
Invenusta (Pnorisa), 151.
Inversum (Heteraprum), 572.
Inversus (Aprion), 572.
Inversus (Morsimus), 572.
Iris (Phymateus), 313.
Irisus (Calliptamus), 545.
Irisus (Euryphymus), 545.
Irregulare (Acridium), 452.
Irregularis (Cyrtacanthacris), 452.
Irrorata (Œdipoda), 255.
Irrorata (Trimerotropis), 255.
Irruptum (Acrydium), 45.
Irruptus (Tettix), 45.
ISCHINACRIDA, 404.
ISCHNACRIDA, 404.
ISCHNANSIS, 485.
ISCHNOPTERA, 562
Islandicus (Melanoplus), [illegible]
ISONYX, 167.
[illegible] (Stenobothrus), 162.
Italicum (Acridium), 552.
Italicum (Acrydium), 551.
Italicus (Calliptamus), 550, 551.
Italicus (Calliptenus), 551, 552.
Italicus (Caloptenus), 552.
Italicus (Gryllus), 551.
Italicus (Locusta), 551.

Jalapa (Tettigidea), 57.
Jallæ (Pseudothericles), 80.
Jallæ (Thericles), 80.
Jamaicensis (Sphingonotus), 275.
[illegible], 290
Janeirensis (Inusia), 415.
Japonica (Acridium), 18.
Japonica (Cyrtacanthacris), 452.
Japonica (Trilophidia), 244.
Japonica (Tettix), 18, 45.
Japonica (Tropidopoda), 404.
Japonica (Truxalis), 404.
Japonicum (Acridium), 452.
Japonicum (Acrydium), 45.
Japonicus (Acanthalobus), 18.
Japonicus (Chrysochraon), 147.
Japonicus (Sphingonotus), 277.
Japonicus (Tettix), 45.
Japonicus ([illegible]), 331.
Javanica (Saussurella), 61.
Javanica (Opomala), 137.
Javanus (Erucius), 73.
JIVARUS, 390.
JODACRIS, 418.
Johnstoni (Acrotylus), 267.
Johnstoni (Chrotogonus), 267.

Johnstoni (*Caloptenopsis*), 549.
Jucunda (Anthinochroma), 420.
Jucunda (Elæochlora), 361.
Jucunda (Orphula), 118.
Jucunda (Phymaptera), 334.
Jucunda (Pœcilochroma), 420.
Jucunda (Xiphocera), 366.
Jucundus (Chorthippus), 184.
Jucundus (Gomphocerus), 184.
Jucundus (Stenobothrus), 184.
Jucundus (*Pezotettix*), 507.
Judicata (Desmoptera), 328.
Jugata (Tettix), 61.
Jugatus (Phlœonotus), 61.
Juliana (Pseudotrimerotropis), 255.
Juliana (Trimerotropis), 255.
Juncorum (Zoniopoda), 376.
Jungi (Cirphula), 439.
Jungi (*Chortoicetes*), 194.
Jungii (Blatta), 564.
Jungii (Periplaneta), 564.
Junius (*Melanoplus*) 523.
Junius (*Pezotettix*), 523.
Junodi (Acrotylus), 266.
Junodiana (Heteropternis), 221.
Jurinei (Oxyphyma), 412.
Juvenalis (*Elæochlora*), 367.
Juvencus (Melanoplus), 520.

Kalmyka (Duroniella), 141.
KAPAORIA, 388.
Karnyi (Catantops), 483.
Karschi (Aresceutica), 473.
Karschi (Calanus), 98.
Karschi (Caloptenopsis), 550.
Karschi (Catantops), 482.
Karschi (Dictyophorus), 305.
Karschi (Phymateus), 314.
Karschi (Piezotettix), 7.
Karschi (Pteropera), 473.
Karschi (Symbellia), 81.
Karschi (Tapesia), 305.
KASSONGIA, 470.
Keeleri (Caloptenus), 528.
Keeleri (Melanoplus), 528.
Kennicottii (Melanoplus), 511.
Kheili (Arcyptera), 171.
Kiowa (Mestobregma), 249.
Kiowa (Œdipoda), 249.
Kiowa (Psinidia), 249.
Kiowa (Trachyrhachis), 249.
Kirbyi (Acrotylus), 267.
Kirbyi (Euthymia), 384.
Kittaryi (Sphingonotus), 278.
Kittaryi (*Œdipoda*), 280.
Klugii (Ommexycha), 298.
Klugii (*Truxalis*), 96.
Koebelei (Arphia), 197.
Koebelei (Conozoa), 256.
Koebelei (Pseudotrimerotropis), 256.
Koebelei (Tanaocerus), 293.
Koebelei (Trimerotropis), 256.
Kœppeni (Podisma), 535.
Kollarii (*Chorthippus*), 180.
Kraussi (Catantops), 479.
Kraussii (Acrydium), 44.
Krausii (Dociostaurus), 153.
Kraussii (Eugavialidium), 14.
Kraussii (Gavialidium), 14.
Kraussii (Gomphomastax), 72.
Kraussii (Ischnacrida), 406.
Kraussii (Rhamphacrida), 406.
Kraussii (Stauronotus), 153.
Kraussii (Tetrix), 44.
Kraussi (*Euthymia*), 384.
Kuekenthali (Cranaë), 387.
Kunzei (Ligurotettix), 136.

Labiata (Arcyoptera), 171.
Labiata (Arcyptera), 171.
Labiata (Podisma), 170.
Labiatum (Arcyptera), 170.
Labiatus (Stauronotus), 171.
Labiatus (Stethophyma), 171.
Labrata (Osmilia), 540.
Labratum (Acridium), 540.
Lacerta (Tristria), 401.
LACTISTA, 236.
Læta (Copiocera), 418.
Læta (Cyphocerastis), 471.
Læta (Mastax), 78.
Læta (Paramastax), 78.
Læta (Phlæoba), 139.
Læta (Rodunia), 139.
Lætabilis (Phœnicoptera), 574.
Lætum (Acridium), 446.
Lætum (*Acridium*), 191.
Lætus (Eunapius), 584.
Lætus (Euryparyphes), 584.
Lætus (Stenobothrus), 145.
Lætus (*Stenobothrus*), 167.
Lævicollis (Epilampra), 564.
Lævicollis (Heterolampra), 564.
Lævifrons (Rhytidochrota), 543.
Lævipes (Dichronotus), 361.
Lævipes (Tropidonotus), 361.
Lævipes (Tropinotus), 361.
Lævis (Perixerus), 541.
Lævis (*Gryllus*), 316.
Læviuscula (Eremobia), 289.
Lakinus (Melanoplus), 509.
Lakinus (Pezotettix), 509.
LAMARCKIANA, 343.

Lameerei (Chrotogonus), 300.
Lameerei (Sphingonotus), 272.
Lamellipes (Hyalopteryx), 105.
LAMELLITETTIX, 24.
Laminata (Praxibulus), 397.
Laminata (Praxilla), 397.
Laminatus (Misythus), 10.
Lancea (Cephalocœma), 89.
Lanceolata (Atractomorpha), 332.
Lanceolata (Gonyacantha), 407.
Lanceolata (Gonyacanthella), 407.
Lanceolata (Stenacris), 413.
Languidus (Systolederus), 20.
Lanuginosa (Bocagella), 465.
Lapidicolus (*Circotettix*), 252.
Larreæ (Clematodes), 429.
Lata (Acrida), 94.
Lata (Truxalis), 94.
Latefasciatus (Hippiscus), 209.
Latefasciatus (Xanthippus), 209.
Latens (Melanoplus), 515.
Laterale (Acridium), 41.
Laterale (Acrydium), 57.
Lateralis (Tettigidea), 57.
Lateralis (Tetrix), 57.
Lateralis (Tettix), 57.
Lateralis (*Pamphagus*), 359.
Lateritius (Hippiscus), 210.
Lateritius (Xanthippus), 210.
LATHICERUS, 283.
Laticincta (Petasia), 305.
Laticincta (Pseudotrimerotropis), 257.
Laticincta (Trimerotropis), 257.
Laticinctum (Derotmema), 243.
Laticinctus (Dictyophorus), 305.
Laticornis (Gelastorrhinus), 409.
Laticornis (Mesops), 410.
Laticornis (Mesopsis), 410.
Laticornis (Opomala), 409.
Laticosta (Calopteuopsis), 550.
Latifasciata (Œdipoda), 278.
Latifasciata (Pseudotrimerotropis), 257.
Latifasciata (Trimerotropis), 257.
Latifasciatus (Sphingonotus), 278.
Latifera (Tettix), 18.
Latifercula (Melanoplus), 516.
Latiferus (Acanthalobus), 18.
Latifrons (Coptotettix), 55.
Latihumerus (Ocytettix), 576.
Latipennis (Chromacris), 373.
Latipennis (Circotettix), 253.
Latipennis (Colpolopha), 362.
Latipennis (Locusta), 253.
Latipennis (Paraxibulus), 397.
Latipennis (Praxilla), 397.
Latipennis (Rhomalea), 373.
Latipennis (Stauroderus), 181.
Latipennis (Stenobothrus), 181.
Latipes (Abila), 424.
Latipes (Acrydium), 44.
Latipes (Platypterna), 150.
Latipes (Tettix), 44.
Latipes (*Xiphocera*), 344.
Latiramus (Cladonotus), 9.
Latirostris (Corynorhynchus), 86.
Latirostris (*Proscopia*), 84.
Latispina (Tettix), 18.
Lativertix (Mazarredia), 26.
Lativitta (*Tryxalis*), 97.
Lativittatus (Stenobothrus), 165.
Latreillei (Acridium), 380.
Latreillei (Acrydium), 379, 380.
Latreillei (Tropidacris), 379.
Latruncularia (Pristocorypha), 406.
Latum (Ommexycha), 300.
Latus (Chrotogonus), 300.
Latus (Melanoplus), 515.
Laufferi (Diedronotus), 361.
Laufferi (Tropidonotus), 361.
Laufferi (Tropinotus), 361.
LAUFFERIA, 323.
Lauræ (*Duronia*), 140.
Lauta (Badistica), 396.
Lauta (Circotettix), 253.
Lauta (Mazarredia), 25.
Lauta (Trimerotropis), 253.
Laxus (Metaxymecus), 557.
Ledereri (Œdipoda), 242.
Ledereri (Thalpomena), 246.
LEGUA, 408.
LEIOSCAPHEUS, 422.
LEIOTETTIX, 490.
Lemagneni (Thaleius), 582.
Lemniscatum (Acridium), 487.
Lemniscatum (Podisma), 487.
Lemniscatus (Dichroplus), 487.
Lemniscatus (Pezotettix), 487.
Lemniscatus (Trigonophymus), 487.
Lentiginosum (Derotmema), 244.
Lentiginosum (Tmetodera), 244.
LENTULA, 385.
Lepechinus (Gryllus), 42.
Lepida (Copiocera), 418.
Lepida (Exarna), 443.
Lepida (Segellia), 472.
LEPIDOPHORA, 568.
Lepidus (Caloptenus), 443.
Lepidus (Melanoplus), 526.

Leprosa (Aplatacris), 377.
Leprosa (Pœcilocera), 312.
Leprosus (Dictyophorus), 312.
Leprosus (Gryllus), 312.
Leprosus (Hippiscus), 209.
Leprosus (Locusta), 312.
Leprosus (Mecostibus), 283.
Leprosus (Maphyteus), 312.
Leprosus (Phymateus), 312.
Leprosus (Thrasyderes), 377.
Leprosus (Xanthippus), 208, 209.
LEPTACRIS, 404.
LEPTEA, 327.
LEPTOMERINTHOPHORA, 421.
LEPTOPTERNIS, 279.
LEPTOSCIRTUS, 269.
Leptotes (Pernacrotes), 80.
LEPTYSMA, 410.
LEPTYSMINA, 112.
LERINA, 219.
Lesinensis (Stauroderus), 178.
Lesinensis (Stenobothrus), 178.
Leucocera (*Syrbula*), 107.
Leucocerca (Syrbula), 107.
LEUCONOTUS, 112.
Leucoptera (Œdipoda), 146.
Leucoptera (Ommatolampis), 434.
Leucostoma (Locusta), 523.
Leucostoma (Melanoplus), 523.
Levior (Blepomma), 268.
Levipes (Chrysochraon), 147.
Levis (Rhaphotittha), 151.
Liaspis (Chrotogonus), 301.
Liaspis (Ommexycha), 301.
Liberta (Acrida), 91.
Ligata (Monistria), 319.
Ligneola (Ochrophlebia), 322.
Ligneolus (Melanoplus), 533.
Ligneolus (Pœkilocerus), 322.
LIGOCATINUS 564.
LIGUROTETTIX, 136.
LILÆA, 282.
Limbata (Blatta), 567.
Limbata (Goniæa), 437.
Limbata (Tettix), 42.
Limbata (*Eremobia*), 287.
Limbata (*Tmethis*), 287.
Limbatella (Stropis), 438.
Limbatipennis (Oxyblepta), 416.
Limbatipennis (Stenopola), 416.
Limbatus (*Thrinchus*), 287.
Limbatus (*Tmethis*), 288.
Limosina (Tetricodina), 3.
Limosina (Tetrix), 3.
Limosinus (Spartolus), 3.
Limosus (Stenobothrus), 165.
Linea (Gryllus), 586.
Linea-alba (Gryllus), 425.
Linea-alba (Gymnobothrus), 148.
Linea-alba (Locusta), 425.
Linea-alba (Phæoparia), 425.
Linea-alba (Pyrgomorpha), 324.
Linea-alba (Tanita), 324.
Linearis (Calamus), 97, 98.
Linearis (Calanus), 97.
Linearis (Cannula), 97.
Linearis (Cocytotettix), 127.
Linearis (Fenestra), 127.
Linearis (Ommexycha), 269.
Linearis (*Truxalis*), 325.
Lineata (Acrida), 94
Lineata (Arcyptera), 172.
Lineata (Cephalocœma), 89.
Lineata (Cyrtacanthacris), 452.
Lineata (Hoplolopha), 347.
Lineata (Locusta), 162.
Lineata (Œdipoda), 162.
Lineata (Opeia), 114.
Lineata (Paratettix), 578.
Lineata (Scaria), 60.
Lineata (Schistocerca), 458.
Lineata (Stethophyma), 172.
Lineata (Tettix), 39.
Lineata (Traulia), 475.
Lineata (Tryxalis), 94.
Lineatitarsis (*Opsomala*), 402.
Lineatitarsis (*Oxyrrhepes*), 402.
Lineatum (Acridium), 450.
Lineatum (Acrydium), 162.
Lineatus (Aleuas), 427.
Lineatus (Amblyscapheus), 166
Lineatus (Chorthippus), 162
Lineatus (Diedronotus), 361.
Lineatus (Gomphocerus), 162.
Lineatus (Gryllus), 162, 450.
Lineatus (Locusta), 450.
Lineatus (Mecostethus), 172.
Lineatus (Paratettix), 578.
Lineatus (Porthetis), 347.
Lineatus (Truxalis), 94.
Lineatus (Tropinotus), 361.
Lineatus (Tryxalis), 94.
Lineatus (Xiphocera), 347.
Lineatus (*Hippiscus*), 205.
Lineatus (*Stenobothrus*), 161, 162, 163.
Lineifera (Tettix), 45.
Lineiferum (Acrydium), 45.
Lineola (*Acridium*), 445.
Lineola (*Acrydium*), 445.
Lineola (*Gryllus*), 445.
Lineolata (Blatta), 567.
Lineosa (Heteracris), 555.
Lineosa (Tettix), 45.
Lineosa (*Akicera*), 348.
Lineosum (Acrydium), 45.
Lineosus (*Pamphagus*), 348.
Linnei (Tettix), 42.
LINOCERATIUM, 124.
LIOTETTIX, 54.

Literosa (Schistocerca), 457.
Literosum (Acridium), 457.
Litoralis (Eyprepocnemis), 558.
Litoralis (Thisoicetrus), 558.
Littoralis (Caloptenus), 558.
Littoralis (Euprepocnemis), 558.
Littoralis (Eyprepocnemis), 558.
Littoralis (Gryllus), 558.
Littoralis (Thisoicetrus), 558.
Liturata (Ædipoda), 242.
Liturata (Œdipoda), 242.
Liturata (Phlæoba), 139.
Liturifer (Caloptenopsis), 551.
Liturifer (Caloptenus), 551.
Livida (Paratettix), 578.
Livida (Tettix), 38.
Lividus (*Gryllus*), 456.
Livingstonii (Physophorina), 64.
Li[illegible] (*Gomphocerus*), 156.
Lobata (Dericorys), 383.
Lobata (Otumba), 26.
Lobata (Stiphra), 87.
Lobatum (Acridium), 383.
Lobatus (Circotettix), 252.
Lobipennis (Euschmidtia), 83.
Lobipes (Cervidia), 408.
LOBOPOMA, 137.
LOBOPTERA, 563.
Loboscel (Lamarckiana), 344.
Loboscelis (Pamphagus), 344.
Loboscelis (Xiphocera), 344.
Lobulata (Tettix), 55.
Lobulatus (Liotettix), 55.
Lobulatus (Prototettix), 55.
Lobulatus (Tettix), 55.
LOCHEIMA, 368.
LOCHEYMA, 368.
LOCUSTA, 228, 444, 446, 575.
Locusta (Sauracris), 468.
LOCUSTIDÆ, 1, 575.
LOCUSTINÆ, 194.
Logani (Scelimena), 13.
Longiceps (Tanita), 324.
Longiceps (*Spartolus*), 19.
Longicorne (Acrydium), 187.
Longicornis (Blatta), 566.
Longicornis (Bulla), 62.
Longicornis (Chorthippus), 187.
Longicornis (Gryllus), 187.
Longicornis (Melanoplus), 520.
Longicornis (Nocarodes), 357.
Longicornis (Ocnerodes), 357.
Longicornis (Opsomala), 150, [403].
Longicornis (Pamphagus), 357.
Longicornis (Pezotettix), 520.
Longicornis (Platypterna), 150.
Longicornis (Pseudotrimerotropis), 258.
Longicornis (Staurorhectus), 166.
Longicornis (Trimerotropis), 258.
Longicornis (Tropidopola), 403.
Longicrus (*Œdipoda*), 146.
Longicrus (*Podisma*), 146.
Longifrons (Cleostratus), 2.
Longilobus (Acanthalobus), 577.
Longipalpa (Blatta), 566.
Longipenne (Acridium), 417.
Longipenne (Dactylotum), 512.
Longipenne (Paracornops), 417.
Longipenne (*Acridium*), 456.
Longipennis (Dactylotum), 512.
Longipennis (Dichromorpha), 125.
Longipennis (Dissosteira), 232.
Longipennis (Neotettix), 51.
Longipennis (Oxya), 417.
Longipennis (Sphingonotus), 277.
L[illegible] (*D[illegible]*), 202.
Longipennis (*Stenobothrus*), 188.
Longipes (Acrotylus), 266, 582.
Longipes (A[illegible]), 12.
Longipes (Lezina), 570.
Longipes (Magrettia), 570.
Longipes (Ochrilidia), 1[illegible].
Longipes (Œdipoda), 256.
Longirostris (Tetanorhynchus), 86.
Longispina (Elæochlora), 366.
Loosi (Tanita), 324.
LOPHACRIS, 378.
Lorata (Œdipoda), 164.
Lorata (Stenobothrus), 164.
Loricatus (Batrachotetrix), 291.
Loricatus (Batrachotettix), 291.
LORYMA, 400.
LOXILOBUS, 18, 577.
Lucasii (Acridium), 175.
Lucasii (Duroniella), 140.
Lucasii (Omocestus), 175.
Lucasii (Phlæoba), 140.
Lucasii (Sphingonotus), 277.
Lucasii (Stenobothrus), 175.
Lucasi (*Stenobothrus*), 175.
Lucida ([illegible]), 397.
Lucifer (Holocerus), 28.
Lucifer (Tetrix), 28.
LUCINA, 570.
L[illegible] (*[illegible]*), 409.
LUCRETILIS, 388.
Luctuosus (Catantops), 476.
Luctuosa (Bryodema), 261.
Luctuosa (Peristegus), 311.
Luctuosum (Bryodema), 261.
Luctuosus (Bryodema), 261.
Luctuosus (Gryllus), 261.

Luctuosus (Locusta), 261.
Lucubensis (Charagotettix), 16.
Luculenta (Paracinema), 144.
Ludius (Ptemoblax), 474.
Lugens (Bryodema), 262.
Luggeri (Acrydium), 47.
Luggeri (Tettix), 47.
Lugubre (Ommexycha), 301.
Lugubris (Acrida), 95.
Lugubris (Chrotogonus), 301.
Lugubris (Erianthus), 70.
Lugubris (Maura), 307.
Lugubris (Ommexycha), 301.
Lugubris (*Gryllus*), 287.
Lugubris (*Œdipoda*), 262.
Lunulatum (Acridium), 41.
Lunulatus (Gryllus), 183.
Lunum (Achrydium), 463.
Lunum (Monachidium), 463.
Lunus (Gryllus), 463.
Lunus (Monachidium), 463.
Lurida (Æolopus), 192.
Lurida (Caloptenus), 528.
Lurida (Epacromia), 192.
Lurida (Maura), 306.
Lurida (Xistra), 27.
Luridescens (Acridium), 455.
Luridescens (Schistocerca), 455.
Luridus (Gryllus), 306.
Luridus (Melanoplus), 528.
Luridus (Oraistes), 401.
Lusitanus (Scirtobænus), 571.
Lutea (Sphingonotus), 276.
Luteicorne (Acridium), 452.
Luteicornis (Cyrtacanthacris), 452.
Luteicornis (*Œdipoda*), 162.
Luteicornis (*Stenobothrus*), 162, 163.
Luteipes (Stenobothrus), 165.
Luteola (Arphia), 197.
Luteola (Oxya), 395.
Luteolum (Acridium), 395.
Luteolum (Oxya), 395.
Luteolum (*Acridium*), 482.
Luteomarginata (*Tetricodina*), 3.
Luteomarginata (Tettigodina), 3.
Lutescens (Elasmoderus), 586.
Lutescens (Eremobius), 586.
Lutescens (*Acridium*), 448.
Lutescens (*Cyrtacanthacris*), 448.
Lutescens (Caloptenus), 443.
Lutescens (Exarna), 443.
Lutescens (*Gryllus*), 394.
Luteum (Phaulacridium), 442.
Luteus (Sphingonotus), 276.
Lutosa (Metrodora), 24.

Mabillei (Acinipe), 350.
Mabillei (Pamphagus), 350.
MACHÆRIDIA, 100.
MACHÆROCERA, 109.
Macilenta (Machæridia), 100.
MACNEILLIA, 114.
Macneillei (Melanoplus), 524, [532].
Macneilli (Plectrotettix), 134.
Macneilli (Scyllina), 134.
Macracanthus (Caloptenopsis), 550.
Macrocera (Œdipoda), 164.
Macrocera (Stenobothrus), 164.
MACROMASTAX, 82.
MACROPHYLLODROMIA, 565.
Macroptera (Ommexycha), 297.
Macroptera (Tylotropidus), 556.
Macropterum (Ommexycha), 297.
Macropterum (Spathalium), 297.
Macropterus (Tettix), 39.
Macropus (Tettix), 42.
MACROTONA, 443.
Macula-lutea (Acridium), 466.
Macula-lutea (Althæmenes), 466.
Maculata (Bibracte), 467.
Maculata (Leptopternis), 279.
Maculata (Œdipoda), 242.
Maculata (Pneumora), 64.
Maculata (Scaria), 60.
Maculata (Tettix), 40.
Maculata (Trigoniza), 441.
Maculata (Tytthotyle), 294.
Maculata (*Derocorys*), 383.
Maculatum (Acridium), 265.
Maculatum (Acrydium), 265.
Maculatus (Aiolopus), 581.
Maculatus (Catantops), 481.
Maculatus (Circotettix), 251.
Maculatus (Gomphocerus), 157.
Maculatus (Hippiscus), 208.
Maculatus (Melanoplus), 509.
Maculatus (Thrincus), 294.
Maculatus (Trigoniza), 441.
Maculatus (Xanthippus), 208.
Maculatus (*Cyphophorus*), 383.
Maculicollis (Acridium), 448.
Maculicollis (Cyrtacanthacris), 448.
Maculicollis (Gomaea), 437.
Maculiferum (Acridium), 381.
Maculiferus (Diponthus), 381.
Maculipennis (Acrocara), 109.
Maculinervis (Cuculligera), 285.

Maculinervis (Prionotropis), 285.
Maculipenne (Acridium), 461.
Maculipennis (Phæoparia), 426.
Maculipennis (Psoloessa), 129.
Maculipennis (Schistocerca), 461.
Maculipennis (*Orphula*), 120.
Maculipennis (*Stenobothrus*), 120.
Maculipes (Mesambria), 440.
Maculosa (Euprepocnemis), 561.
Maculosa (Psinidia), 247.
Maculosa (Stropis), 438.
Maculosa (Tettix), 40.
Maculosum (Acridium), 438.
Maculosum (Stropis), 438.
Madagassus (Phymateus), 314.
Madecassa (Acrida), 92.
Madecassa (Buyssoniella), 335.
Madecassa (Pyromorphella), 327.
Madecassa (Tryxalis), 92.
Madecassus (*Œdaleus*), 226.
Maderæ (Œdipoda), 245.
Maderæ (Thalpomena), 245.
Madimbana (Allotriusia), 444.
MADUREA, 148.
Maesoi (Coptotettix), 55.
Magellanicus (Phrynotettix), 212.
Magellanicus (Tristira), 212.
Magister (Arcyptera), 171.
Magister (Mecostethus), 171.
Magistralis (Metrodora), 28.
Magistralis (Scabrotettix), 28.
Magna (Amblytropidia), 114.
Magna (Brachystola), 293.
Magna (Cephalocema), 89
Magna (Eremobia), 295.
Magna (Macharocera), 110.
Magna (Mastax), 78.
Magna (Paramastax), 78.
Magna (Phyllodromia), 563.
Magna (*Brachystola*), 294.
Magnifica (Cyrtacanthacris), 449.
Magnifica (Erucius), 73.
Magnifica (Trimerotropis), 255.
Magnificum (Acridium), 449.
Magnus (Brachypeplus), 293.
Magnus (Criotettix), 577.
Magnus (Phrynotettix), 295.
MAGRETTIA, 570.
Maindroni (Orthacris), 336.
Major (Catantops), 479.
Major (Dibastica), 396.
Major (Dinotettix), 26.
Major (Sphingonotus), 277.
Malachitica (Schistocerca), 459.
MALAGASSA, 75.
Malagassus (Catantops), 482.
Malcolmi (Erianthus), 70.
Manca (Chirista), 142.
Manca (Pezotettix), 516.
Manca (Trigoniza), 441.
Mancus (Draconata), 368.
Mancus (Melanoplus), 516.
Mannulus (Pagopedilum), 345.
Mannulus (Xiphocera), 345.
MANTIDÆ, 567.
MANTIS, 567, 568.
Mantispoides (Chma), 75.
Mantispoides (Mastax), 75.
MAPHYTEUS, 312
Marcapata (Otumba), 26.
Marci (Dictyophorus), 370.
Marci (Rhomalea), 370.
Marci (Romalea), 370.
Margaritatus (Aptoceras), 430.
Marginale (Acridium), 424.
Marginale (Phaulacridium), 442.
Marginalis (Caloptenopsis), 550.
Marginalis (Caloptenus), 442.
Marginalis (Zosperamerus), 424.
Marginalis (*Caloptenus*), 442.
Marginalis (*Gryllus*), 177.
Marginata (Blatta), 562.
Marginata (Cranaë), 387.
Marginata (Desmoptera), 329.
Marginata (Hololampra), 562.
Marginata (Œdipoda), 241.
Marginata (Paratettix), 578.
Marginata (Temnopteryx), 562.
Marginata (Tetrix), 38.
Marginata (Tettix), 38.
Marginatum (Acridium), 38.
Marginatum (Sphenarium), 305.
Marginatum (*Acridium*), 199.
Marginatus (Catantops), 482.
Marginatus (Melanoplus), 526.
Marginatus (Pezotettix), 526.
Marginella (Atractomorpha), 330.
Marginella (Mestra), 330.
Marginella (Tagasta), 330.
Marginellus (Truxalis), 330.
Marginellus (*Calliptamus*), 553.
Marginicollis (Leptysma), 411.
Marginicollis (Opomala), 411.

Marginicollis (Opsomala), 411.
Marginicosta (Tristria), 396.
Marginipennis (Euryphymus), 547.
Mariæ (Arcyptera), 581.
Maritima (Locusta), 254.
Maritima (Œdipoda), 254.
Maritima (Trimerotropis), 254.
Marmorata (Dissosteira), 236.
Marmorata (Locusta), 236.
Marmorata (Œdipoda), 236.
Marmorata (Porthetis), 352.
Marmorata (Scirtetica), 236.
Marmorata (Scirtettica), 236.
Marmorata (Tettix), 42.
Marmorata (*Pneumora*), 64.
Marmoratus (Calliptamus), 553.
Marmoratus (Gastrimargus), 226.
Marmoratus (Gryllus), 226.
Marmoratus (Hippiscus), 204.
Marmoratus (Œdaleus), 226, 227, 228.
Marmoratus (Pachytylus), 226.
Marmoratus (Pamphagus), 352.
Marmoratus (Sticthippus), 204.
Maroccanus (Dociostaurus), 152.
Maroccanus (Euryparyphes), 353.
Maroccanus (Eunapius), 353.
Maroccanus (Stauronotus), 152.
Maroccanus (Tmethis), 582.
Marschalli (Arnilia), 413.
Marshalli (Chrotogonus), 302.
Marshalli (Maura), 307.
Marshalli (Stenacris), 413.
Marshalli (*Pezotettix*), 513.
Martini (Coptacrella), 468.
Martini (Orthochtha), 580.
Martini (Platypterna), 580.
Maruxina (Pyrgomorpha), 326, [583].
MASTACIDES, 74.
MASTAX, 76.
MASTUSIA, 418.
MASYNTES, 79.
MAURA, 306.
Maura (*Tettix*), 49.
Mauretanica (Acinipe), 351.
Mauretanica (Œdipoda), 242.
Mauretanicus (Acinipe), 351, [583].
Mauretanicus (Pamphagus), 351, [583].
Maxima (Acrida), 92.
Maxima (Ischnacrida), 404.
Maxima (Leptacris), 404.
Maxima (*Tæniopoda*), 372.
Maximiliani (Macrophyllodromia), 565.
Maximiliani (Phortiœca), 565.
Maximiliani (Zetobora), 565.
Maya (Schistocerca), 456.
MAZÆA, 386.
Mazaganicus (Eunapius), 584.
MAZARREDIA, 24, 577.
Mazarredoi (Coptotettix), 56.
Mecheriæ (Sphingonotus), 274.
MECOSTETHUS, 144, 167.
MECOSTIBUS, 283.
Media (Desmoptera), 329.
Medialis (Tettigidea), 57.
Megacephala (Aristia), 425.
Megacephala (Eupnigodes), 129.
Megacephala (Pezotettix), 425.
Megacephala (Pnigodes), 129.
Megacephala (Tæniophora), 390.
Megacephala (*Aristia*), 391.
Megacephalum (*Acridium*), 163.
Melanocera (Schistocerca), 457.
Melanocerca (Euthymia), 384.
Melanocerum (Acridium), 457.
Melanocerum (Schistocerca), 457.
Melanocorne (*Acridium*), 446.
Melanopleurus (*Stenobothrus*), 126.
MELANOPLUS, 509.
Melanoptera (Pseudotrimerotropis), 257.
Melanoptera (Trimerotropis), 257.
Melanopterus (*Gomphocerus*), 177.
Melanopterus (*Stenobothrus*), 177.
Melanopus (Caloptenus), 545.
Melanopus (Euryphymus), 545.
Melanorhodon (Acridium), 445.
Malanorhodon (Orthacanthacris), 445.
Melanostictus (Catantops), 480.
Melanostictus (Gryllus), 586.
MELANOTETTIX, 131.
Mallea (*Schistocerca*), 455.
Melleola (Conozoa), 251.
Mellerborgi (Phæstus), 3.
Mellerborgi (Tetrix), 3.
Mellerborgi (Tettix), 3.
Mellifera (Coptacra), 468.
Mellitus (Catantops), 478.
MELOSCIRTUS, [160], 184.
Membracioides (Bulla), 63.
Membracioides (Pneumora), 63.
Mendax (*Pezotettix*), 536.
Menetriesii (Phlocerus), 148.
Menyharthi (Lamarkiana), 343.
Menyharthi (Xiphocera), 343.
Merceti (Taphronota), 309.
Meridionalis (Anniceris), 422.

Meridionalis (Chrotogonus), 299.
Meridionalis (Chortophaga), 199.
Meridionalis (Gomphocerus), 159.
Meridionalis (Hesperotettix), 499.
Meridionalis (Melanoplus), 516.
Meridionalis (Omalotettix), 428.
Meridionalis (Orphula), 118.
Meridionalis (Orphulella), 123.
Meridionalis (Paratettix), 32, 578.
Meridionalis (Stenobothrus), 175.
Meridionalis (Stirapleura), 130.
Meridionalis (Tetrix), 32.
Meridionalis (Tettix), 32, 43.
MERISTOPTERYX, 242.
MERMIRIA, 104.
MEROTETTIX, 53.
MESAMBRIA, 440.
Mescalero (Stiropleura), 130.
MESOCHLOA, 112.
MESOPS, 410.
MESOPSERA, 584.
MESOPSIS, 410.
MESTOBREGMA, 247.
MESTRA, 330.
METALEPTEA, 103.
METAPA, 404.
METAPULA, 403.
METATOR, 247.
METAXYMECUS, 557.
METHANA, 564.
Methanoides (Periplaneta), 564.
METRIOTES, 569.
METRODORA, 24.
Mexicana (Brachystola), 294.
Mexicana (Calamacris), 337.
Mexicana (Dichromorpha), 125.
Mexicana (Leptysma), 411.
Mexicana Machærocera), 109.
Mexicana (Melanoplus), [513].
Mexicana (Ommatolampis), 421.
Mexicana (Opeia), 114.
Mexicana (Opomala), 411.
Mexicana (Orphulella), 122.
Mexicana (Paratettix), 34.
Mexicana (Pezotettix), 487, 513.
Mexicana (Psinidia), 247.
Mexicana (Schistocerca), 458.
Mexicana (Tettix), 34.
Mexicana (Trachyrhachis), 247.
Mexicana (Trachyrhachys), 247.
Mexicana (*Dellia*), 421.
Mexicana (*Leptysma*), 411.
Mexicana(*Œdipoda*),237.
Mexicanum (Cornops), 411.
Mexicanum (Ichthidion), 336.
Mexicanum (Ichthydion), 336.
Mexicanum (Ichthyotettix), 336.
Mexicanum (Mestobregma), 247.
Mexicanum (Platyphyma), 492.
Mexicanum (Sphenarium), 303.
Mexicanus (Atyphoscirtus), 337.
Mexicanus (Caloptenus), 492.
Mexicanus (Dichroplus), 487.
Mexicanus (Diedronotus), 360.
Mexicanus (Oxycoryphus), 122.
Mexicanus (Paradichroplus), 492.
Mexicanus (Paratettix), 34.
Mexicanus (Pezotettix), 492.
Mexicanus (Proctolabus), 421.
Mexicanus (Tomonotus), 237.
Mexicanus (Trigonophymus), 487.
Mexicanus (Tropinotus), 360.
Mexicanus (*Dichroplus*), 490.
Mexicanus (*Stenobothrus*), 121.
MEZENTIA, 390.
MICRONOTUS, 53.
Microptera (Acinipe), 357.
Microptera (Rhomalea), 369.
Microptera (Romalea), 369.
Microptera (Traulia), 476.
Microptera (*Romalea*), 370.
Micropterum (Acridium), 369, 370, 476
Micropterum (Oxya), 476.
Micropterum (Rhomalea), 370.
Micropterus (Chrotogonus), 302.
Micropterus (Dictyophorus), 370.
Micropterus (Haplopus), 569.
Micropterus (Ocnerodes), 357.
MICROSCIRTUS, 218.
MICROTES, 236.
MICROTYLOPTERYX, 544.
Migratoria (Locusta), 229.
Migratoria (Œdipoda), 229.
Migratoria (*Œdipoda*), 230.
Migratorium (Acrydium), 229.
Migratorius (Gryllus), 229, 231.
Migratorius (Locusta), 229.
Migratorius(Pachytylus), 229.
Migratorius (*Gryllus*), 230, 459.
Migratoroides (Locusta), 229.
Migratoroides (Œdipoda), 229.
Migratoroides (Pachytylus), 229.
Miguelitana (Conalcæa), 493.
Mikado (Pezotettix), 503, [539].
Mikado (Podisma), 503, [539].
Mikado (Prumna), 503.
Milanjica(Rhaphotittha), 151.
Milberti (Acridium), [162].

Milberti (Schistocerca), [462].
Milberti (*Acridium*), 530.
Miles (Catantops), 482.
Miles (Chromacris), 373.
Miles (Gryllus), 373.
Miles (Locusta), 373.
Miles (Rhomalea), 373.
Miles (Rutodideres), 373.
Miles (*Gryllus*), 373.
Miles (*Locusta*), 373.
Miles (*Rhomalea*), 373.
Miliare (Acridium), 308.
Miliaris (Aularches), 308.
Miliaris (Gryllus), 308.
Miliaris (Locusta), 308.
Miliaris (Phymateus), 308.
Miliarius (Acanthalobus), 17.
Miliarius (Criotettix), 17.
Militaris (Eumastax), 77.
Militaris (Mastax), 77.
Militaris (Melanoplus), 516.
Millierei (Dericorys), 383.
Mimica (Paraidemona), 496.
Mimulus (Catantops), 480.
Mimulus (Heterotrypus), 570.
Mimus (Paratettix), 33.
Minax (Spartolus), 19.
Miniacea (Acidacris), 375.
Miniata (Œdipoda), 238, 239.
Miniata (*Acrida*), 95.
Miniata (*Locusta*), 175.
Miniata (*Truxalis*), 95, 96.
Miniatipennis (Humbe), 215.
Miniatula (Dellia), 423.
Miniatulus (Pterotiltus), 387.
Miniatum (*Acridium*), 217.
Miniatus (Ctyphippus), 239.
Miniatus (Gryllus), 238.
Miniatus (Toxopterus), 123.
Miniatus (*Chorthippus*), 164.
Miniatus (*Gomphocerus*), 165.
Miniatus (*Gryllus*), 163.
Miniatus (*Stenobothrus*), 164.
Minima (Leptysma), 411.
Minimipenne (Achurum), 102.
Minimum (Sphenarium), 304.
Minimus (Catantops), 479.
Minimus (Heliastus), 270.
Minor (Æoloplus), 501.
Minor (Arnilia), 413.
Minor (Caloptenus), 527.
Minor (Catara), 564.
Minor (Eurotettix), 491.
Minor (Hisychius), 391.
Minor (Humbe), 215.
Minor (Locusta), 229.
Minor (Melanoplus), 527.
Minor (Metaleptea), 118.
Minor (Œdaleus), 227.
Minor (Orphula), 118.
Minor (Pachytylus), 229.
Minor (Paraleuas), 427.
Minor (Procolpia), 364.
Minor (Stenacris), 413.
Minor (Xerophyllum), 8.
Minor (*Calliptamus*), 547.
Minor (*Caloptenus*), 547.
Minor (*Eutryxalis*), 106.
Minor (*Methone*), 292.
MINORISSA, 334.
Minusculus (Chortoicetes), 193.
Minusculus (Stenobothrus), 193.
Minuta (Mazarredia), 25.
Minuta (Œdipoda), 174.
Minuta (Omocestus), 174.
Minuta (*Mastax*), 76.
Minutipennis (Pezotettix), 526.
Minutissimus (Gomphocerus), 174.
Minutissimus (Omocestus), 174.
Minutissimus (Stenobothrus), 174.
Minutus (Apotettix), 54.
Minutus (Coptotettix), 55.
Minutus (Telmatettix), 30.
MIOBLATTA, 565.
MIOSCIRTUS, 218.
Mira (Rhabdoplea), 147.
Mirabilis (Brunnerella), 214.
Mirabilis (Scolecocephalus), 406.
MIRACULUM, 83.
Miraculum (Charilaus), 341.
MIRIATRA, 29, 578.
Mirificum (Miraculum), 83.
Miripennis (Glyphoclonus), 98.
Misera (Tettix), 45.
Miserabilis (Liotettix), 54.
Miserabilis (Tetrix), 54.
Miserum (Acrydium), 45.
Missionum (Melanoplus), 518.
Missouriensis (Mantis), 568.
MISYTHUS, 9.
Mithras (Gryllus), 463.
MITRARIA, 29.
Mitrata (Quilta), 392.
Mitratum (Acridium), 392.
Mitratum (Quilta), 392.
MITRICEPHALA, 384.
MITRITETTIX, 29.
Mlokosewitchi (Œdaleus), 225.
Mlokosievetsi (Œdaleus), 226.
Mlokosiewiczi (Œdaleus), 226.
Mlokoziewiztcki (Œdaleus), 225.
Mlokoziewiztcki (Pachytylus), 225.
MNESARCHUS, 2.
MNESICLES, 75.
Mocquerysi (Galideus), 584.
Moderata (*Œdipoda*), 186.
Moderatus (*Stenobothrus*), 186.
Modesta (Dibastica), 396.
Modesta (Leptomerinthophora), 431.
Modesta (Maura), 307.
Modesta (Ophthalmolampis), 390.

Modesta (Pseudotrimerotropis), 257.
Modesta (Syrbula), 108.
Modesta (Trimerotropis), 257.
Modestus (Agrœcotettix), 496.
Modestus (Diedronotus), 360.
Modestus (Mnesicles), 73.
Modestus (Tropidonotus), 360.
Modestus (Tropinotus), 360.
Modicicrus (Lentula), 385.
Modicus (Catantops), 478.
Modigliani (Coptotettix), 55
Modiglianii (Eritrichius), 424.
Mœsta (Orthacanthacris), 444.
Mœstum (Acridium), 444.
Mola (*Trachypetra*), 292.
Mollipes (Acrostegastes), 465.
Mollis (*Gryllus*), 182.
Mollis (*Locusta*), 182.
Moluccensis (Desmoptera), 328.
Monacha (Maura), 307.
Monacha (Xiphicera), 66.
MONACHIDIUM, 463.
Monachus (Choroetypus), 66.
MONASTRIA, 565.
MONCHECA, 572.
Mongolica (Trilophidia), 244.
Mongolica (*Bryodema*), 261.
Mongolicus (Sphingonotus), 226.
MONISTRIA, 318.
Monoceros (Cleostratus), 2.
Monstrosa (Graea), 298.
Monstrosus (Draconotus), 367.
Monstrosus (Dracotettix), 367.
Monstrum (Thaumastax), 75.
Montana (Œdipoda), 205.
Montana (Platyphyma), 517.
Montana (Pseudotrimerotropis), 258.
Montana (Trimerotropis), 258.
Montana (*Locusta*), 187.
Montana (*Platyphyma*), 523.
Montanus (Asemoplus), 507.
Montanus (Bradynotes), 507.
Montanus (Cratypedes), 205.
Montanus (Encoptolophus), 201.
Montanus (Hippiscus), 205.
Montanus (Melanoplus), 517.
Montanus (Xanthippus), 205.
Montanus (*Gomphocerus*), 187.
Montanus (*Gryllus*), 187.
Montanus (*Stenobothrus*), 187.
Monteiroi (Ischnacrida), 405.
Montezuma (Oxycoryphus), 107.
Montezuma (Syrbula), 107.
Monticola (Acinipe), 351.
Monticola (Melanoplus), 523.
Monticola (Pamphagus), 351.
Monticola (Porthetis), 351.
Monticola (Pseudotrimerotropis), 256.
Monticola (Trimerotropis), 256.
Monticola (*Acoecra*), 354.
Monticollis (Gryllus), 465.
Monticollis (Teratodes), 465.
Monticolus (Eumigus), 351.
Monticolus (Pamphagus), 351.
Montivagus (Stenobothrus), 581.
MORABA, 99.
Morbillosa (Locusta), 313.
Morbillosa (Phymateus), 313.
Morbillosa (Pœcilocera), 313.
Morbillosa (Potua), 11.
Morbillosa (Tettix), 11.
Morbillosum (Acrydium), 49, 313.
Morbillosus (Gryllus), 312, 313.
Morbillosus (Locusta), 312.
Morbillosus (Phymateus), 313, 314.
Morbosa (Euprepocnemis), 558.
Morbosa (Paraeuprocnemis), 558.
Morbosum (Acridium), 558.
Morbosus (Euprepocnemis), 558.
Morbosus (Pezotettix), 558.
Mordax (Aristia), 425.
Mordax (Phaeoparia), 425.
Morio (Arcyptera), 171
Morio (Chorthippus), 177.
Morio (Gomphocerus), 177.
Morio (Gryllus), 171.
Morio (*Chorthippus*), 177.
Morio (*Gryllus*), 177.
Morio (*Stenobothrus*), 177.
Morosus (Dichroplus), 489.
Morosus (Platacanthoides), 559.
Morosus (Platacanthus), 559.
Morosus (Trigonophymus), 489.
MORPHACRIS, 218.
MORPHOPUS, 22.
MORSEA, 79.
Morsei (Melanoplus), 526.
Morsei (*Tettix*), 46.
Moseri (Helioscirtus), 280.
Mossambicensis (Phlæoba), 140.
Mossambicensis (Rodunia), 140.
Mossambicus (Acrotylus), 267.
Mossambicus (Caloptenopsis), 550.
Mossambicus (Caloptenus), 550.
Mozubitica (Eremobia), 289.
Mucronata (Batrachidea), 60.

Mucronata (Oxyolena), 98.
Mucronata (Tetrix), 49, 60.
Mucronatum (Acrydium), 49.
Mucronatum (Tetrix), 60.
Muelleri (Acinipe), 350.
Muelleri (Pamphagus), 350
Multicolor (Pterotiltus), 386.
Multicostata (Tettigidea), 58.
Multireticulata (Trigonopteryx), 339.
Multispinosa (Cephalocœma), 88.
Multispinosus (Acrotylus), 267.
MUNATIA, 366.
Munda (Rhabdoplea), 147.
Munda (Tettix), 45.
Munda (*Cyrtacanthacris*), 489.
Mundata (Eucoptacra), 470.
Mundata (Heteracris), 470.
Mundum (Acrydium), 45.
Mundus (Hadrotettix), 263.
Mundus (Stenobothrus), 165.
Muricata (Eremobia), 286, 287.
Muricata (Tmethis), 286.
Muricatum (Acridium), 286.
Muricatus (Gryllus), 286.
Muricatus (Thrinchus), 286, 287.
Muricatus (Tmethis), 286, 287.
Muscosa (Paulinia), 296.
Musica (Œdipoda), 227.
Musicum (Acrydium), 227.
Musicus (Gastrimargus), 227.
Musicus (Gryllus), 227.
Mutabilis (*Gryllus*), 183.
Mutabilis (*Œdipoda*), 183.
Mutator (Caloptenus), 548.
Mutator (Euryphymus), 548.
Mutica (*Heterolampra*), 563.
Mutilata (Mastax), 78.
Mutilata (Masyntes), 78.
Mutilata (Scirtomastax), 78.
Mutillata (Xiphicera), 66.
Mutillatus (Choroetypus), 66.
Mutus (Eneremius), 293.
Mysteca (Amblytropidea), 115.
Mystecus (Stenobothrus), 115.

Namaqua (Orbillus), 474.
Namaquensis (Batrachornis), 291.
Nana (Inusia), 415.
Nana (*Cyrtacanthacris*), 483.
Nanula (Cyrtacanthacris), 470.
Nanula (Eucoptacra), 470.
Nanulum (Acridium), 470.
Nanum (*Acridium*), 483.
Nanus (Amphitornus), 580.
Nanus (Melanoplus), 533.
Nanus (*Hippiscus*), 206.
NAPAIA, 126.
Nasica (Opsomala), 419.
Nasicum (Acridium), 419.
Nasicus (Geloiomimus), 341.
Naso (Truxalis), 585.
Nasuta (Acrida), 95.
Nasuta (Lamarckiana), 344.
Nasuta (Tryxalis), 96.
Nasuta (Xiphicera), 344.
Nasuta (Xiphocera), 344.
Nasuta (*Acrida*), 93, 94.
Nasuta (*Truxalis*), 93.
Nasuta (*Tryxalis*), 93.
Nasutus (Acrida), 95.
Nasutus (Geloius), 338.
Nasutus (Gryllus), 95.
Nasutus (*Acrida*), 92, 93.
Nasutus (*Gryllus*), 92, 93, 94.
Nasutus (*Troxallis*), 93.
Nasutus (*Truxalis*), 92, 95.
Nasutus (*Tryxalis*), 93.
Natalensis (Metapa), 404.
Natalensis (*Ischnacrida*), 404.
NAUTIA, 389.
Navasi (Omocestus), 581.
Navicula (Eritettix), 111.
Naviculus (Eritettix), 111.
Naviculus (Gomphocerus), 111.
Nebrascensis (*Œdipoda*), 232.
Nebrascensis (Phœtaliotes), 504, 505.
Nebulosa (Abracris), 428.
Nebulosa (Jodacris), 428.
Nebulosa (Œdipoda), 278.
Nebulosa (Omalotettix), 428.
Nebulosa (Stenobothrus), 173.
Nebulosa (Tettix), 38.
Nebulosa (*Acrida*), 96.
Nebulosa (*Locusta*), 201.
Nebulosus (Erucius), 73.
Nebulosus (Hadrotettix), 263.
Nebulosus (Sphingonotus), 278.
Nebulosus (*Truxalis*), 96.
Neglecta (Arphia), 205.
Neglecta (Œdipoda), 205.
Neglecta (Orphulella), 121.
Neglecta (*Œdipoda*), 206.
Neglectus (Cratypedes), 205.
Neglectus (Hippiscus), 205.
Neglectus (Xanthippus), 205.
Neocaledonica (Cyrtacanthacris), 451.
Neocaledonicum (Acridium), 451.
Neomexicana (Conalcæa), 493.
Neomexicana (Mermiria), 105.
Neomexicana (Opomala), 105.

Neomexicanus (Melanoplus), 518.
NEOTETTIX, 51.
Nepalensis (Caloptenus), 440.
Nepalensis (Mesambria), 440.
NEPHELE, 23.
NERENIA, 338.
Neriifolia (Gryllus), 572.
Neriifolia (Locusta), 572.
Neriifolia (Tettigonia), 572.
Neriifolius (Cleandrus), 572.
NETROSOMA, 486.
Nevadensis (Hesperotettix), 499.
Nevadensis (Pedioscirtetes), 108.
Newskii (Stenobothrus), 163.
Newskyi (Stenobothrus), 163.
Nexuosus (Criotettix), 17.
Nicaraguæ (Tettigidea), 58.
Nicaraguæ (*Anniceris*), 424.
NICARCHUS, 433.
NICHELIUS, 381.
Nietana (Arphia), 195.
Nietanus (Tomonotus), 195.
Nigellus (Criotettix), 16.
Nigra (Mastax), 77.
Nigra (Paramastax), 77.
Nigra (Tettigidea), 58.
Nigra (Tettix), 38.
Nigrescens (Caloptenus), 516.
Nigrescens (Glyphoclonus), 98.
Nigrescens (Melanoplus), 516.
Nigricans (Acrydium), 42.
Nigricans (Copiocera), 420.
Nigricans(Glaphyracris), 420.
Nigricans (Epacromia), 245.
Nigricans (Trilophidia), 245.
Nigricans (*Gryllus*), 222.
Nigricolle (Acrydium), 45.
Nigricollis (Tettix), 45.
Nigricorne (Acridium), 446.
Nigricornis (Catantops), 481.
Nigricornis (Ceracris), 144.
Nigricornis (Cymochtha), 142.
Nigricornis (Cyrtacanthacris), 446.
Nigricornis (Horæocerus), 561.
Nigricornis (Hysia), 384.
Nigricornis (Hysiella), 384.
Nigrinervis (Anniceris), 422.
Nigrinervis (Coryphistes), 436.
Nigripennis (Œdipoda), 275.
Nigripennis (Sphingonotus), 275.
Nigrispinum (Acridium), 451.
Nigrispinus (Hisychius), 391.
Nigroadspersus (Eumigus), 583.
Nigroantennata (Pterotiltus), 387.
Nigrocincta (*Œdipoda*), 239.
Nigroconspersum (Acridium), 382.
Nigroconspersus (Coryphistes), 436.
Nigroconspersus (Diponthus), 382.
Nigrofasciata (Œdipoda), 224.
Nigrofasciatum (Acrydium), 224.
Nigrofasciatus (Gryllus), 224.
Nigrofasciatus(Œdaleus), 224, 225, 226.
Nigrofasciatus (Pachytylus), 224.
Nigrogeniculatus (Stenobothrus), 163.
Nigroguttata (Ommatolampis), 434.
Nigrolineatus(Stenobothrus), 187.
Nigromaculatum (Acridium), 161.
Nigromaculatus (Gomphocerus), 161.
Nigromaculatus (Stenobothrus), 161.
Nigromarginata (Macharocera), 110.
Nigromarginata (Peruvia), 110.
Nigropicta (Paraspheua), 321.
Nigroplagiatus (Apteropeedes), 83.
Nigropleura (Netrosoma), 486.
Nigropleurum (Netrosoma), 486.
Nigropleurus (Œdonerus), 435.
Nigropunctata (Goniæa), 437.
Nigropunctatum (Aemophyllum), 8.
Nigropunctatus(Caloptenus), 547.
Nigropunctatus (Eurymus), 547.
Nigropunctatus (Nocarodes), 357.
Nigropunctatus (Ocnerodes), 357.
Nigroreticulata (Cranaë), 387.
Nigrosignata (Rubellia), 319.
Nigrotæniata (Tristria), 400.
Nigrotæniatum (Spathosternum), 400.
Nigrotæniatum (*Acrydium*), 176.
Nigrovaria (*Cyrtacanthacris*), 447.
Nigrovariegatus (Caloptenopsis), 550.
Nigrovariegatus (Caloptenus), 550.
Nigrovarium (*Acridium*), 447.
Nigrovittatus (Pezotettix), 508.
Nigrovittatus (Philocleon), 508.
Nigrovittatus (Stenobothrus), 180.
Nigrum (*Boopedon*), 128.
Niloticus(Sphingonotus), 274.
Nipponensis(Erianthus), 70.
Nitens (*Gryllus*), 456.
Nitidula (Segellia), 472.
Nitidula (Tetratænia), 418.
Nitidulum (*Acridium*), 394.
Nitidus (Melanoplus), 514.
Nitidus (Paprides), 442.
Nivalis (Brachaspis), 503.

Nivalis (Pezotettix), 503.
Nobilis (Euprepocnemis), 561.
Nobilis (Plectrotettix), 134.
Nobilis (Scyllina), 134.
Nobilis (Stenobothrus), 134.
Nobrei (*Tettix*), 43.
NOCARODES, 354.
Nodicollis (Antiphanes), 432.
Nodicollis (Ommatolampis), 432.
Nodifera (Criotettix), 17.
Nodifera (Tettix), 17, 18.
Nodiferus (Acanthalobus), 18.
Nodosa (*Scelymena*), 13.
Nodulosa (Tetrix), 17.
Nodulosa (Tettix), 43.
Nodulosus (Coptotettix), 56.
Nodulosus (Criotettix), 17.
Nodulosus (Tettix), 17.
Nodulus (Euryphymus), 548.
NOMOTETTIX, 51.
Notabilis (Amorphopus), 21.
Notabilis (Œdipoda), 217.
Notabilis (Quiroguesia), 217.
Notata (Batrachidea), 60.
Notata (Hedotettix), 50.
Notata (Mestra), 330.
Notata (Paratettix), 578.
Notata (Tagasta), 330.
Notata (Tettix), 38, 50.
Notata (*Cyrtacanthacris*), 558.
Notatum (*Acridium*), 558.
Notatus (Catantops), 480.
Notatus (Dichroplus), 490.
Notatus (Trigonophymus), 490.
Nothra (Rhachicreagra), 544.
NOTOCERUS, 29, 578.
Notochloris (Sisantum), 116.
Notochloris (*Metaleptea*), 103.
Notochloris (*Tryxalis*), 103.
Notochlorus (*Truxalis*), 103.
NOTOPLEURA, 154.
Novæ-Guineæ (Acridium), 328.
Novæ-Guineæ (Desmoptera), 328.
Novæ-Guineæ (Eugavialidium), 14.
Novæ-Guineæ (Euparatettix), 31.
Novæ-Guineæ (Gavialidium), 14.
Novæ-Guineæ (Kapaoria), 388.
Novæ-Guineæ (Paratettix), 31.
Novæ-Guineæ (Pyrgomorpha), 328.
Nubecula (*Gryllus*), 446.
Nubicola (Podisma), 534.
Nubila (Microtes), 236.
Nubila (Pseudotrimerotropis), 259.
Nubila (Trimerotropis), 259.
Nubilum (Boöpedon), 128.
Nubilus (Gryllus), 128.
NUCERIA, 130.
NUCIERA, 130.
Nudata (Penichrotes), 80.
Nudulus (Catantops), 481.
Nudus (Asemoplus), 507.
Nudus (Penichrotes), 80.
Nudus (Sitalces), 435.
Nudus (*Pezotettix*), 496.
Numida (Eunapius), 353.
Numida (Euryparyphes), 353.
Numidicus (*Pamphagus*), 352.
Nuptialis (Procolpia), 363.
Nuptialis (Rhomalea), 374.
Nuptialis (Romalea), 374.
Nuptialis (Xomana), 363.
Nuptus (Gryllus), 586.
Nutans (Coryphistes), 436.
Nutans (Tetrix), 42.
Nutans (Tettix), 42.
Nyassicus (Orbillus), 474.
Nympha (*Gryllus*), 306, 313, 342, 343.
Nympha (*Locusta*), 306, 313, 342, 343.
Oberthuri (Bennia), 71.
Oberthuri (Cataloipus), 556.
Oberthuri (Dictyophorus), 304.
Oberthuri (Euprepocnemis), 556.
Oberthuri (Gymnobothrus), 148.
Oberthuri (Petasia), 304.
Oberthuri (Tapesia), 304.
Oberthuri (*Cataloipus*), 557.
Obesa (Brachynotes), 502.
Obesa (Paxilla), 56.
Obesa (Pezotettix), 502.
Obesa (Robecchia), 466.
Obesa (Tettigidea), 56.
Obesus (Batrachopus), 358.
Obesus (Caloptenus), 553.
Obesus (Heliastus), 270.
Obesus (Paracaloptenus), 553.
Obesus (Parascopas), 491.
Obesus (Paratettix), 33.
Obesus (Pezotettix), 502.
Obesus (Psilotettix), 424.
Obesus (Scopas), 491.
Obiona (*Tragocephala*), 203.
Obionus (*Stenobothrus*), 203.
Obliqua (Osmilia), 540.
Obliqua (Pneumora), 65.
Obliqua (Systella), 340.
Obliqua (Trigonopteryx), 340.
Obliqua (*Cyrtacanthacris*), 482.
Obliquata (Orphulella), 121
Obliquata (Schistocerca), 459.
Obliquata (*Blatta*), 563.
Obliqueannulata (Traulia), 475.
Obliquifera (Tettix), 45.
Obliquiferum (Acrydium), 45.
Obliquinervis (Gerenia), 472.
Obliquum (Acridium), 540.
Obliquum (Osmilia), 540.
Obliquum (*Acridium*), 540.
Obliquus (Gryllus), 540.

Obliterans (*Caloptenus*), 469.
Obliterata (Trilophidia), 248.
Obliterata (*Œdipoda*), 267, 232.
Obovatipennis (Melanoplus), 520.
Obovatipennis (Pezotettix), 520.
Obscœnus (Alectorolophus), 467.
Obscura (Leptysma), 411.
Obscura (Machærocera), 109.
Obscura (Macneillia), 114.
Obscura (Œdipoda), 220.
Obscura (Opeia), 113.
Obscura (Orphulella), 121.
Obscura (Pseudotrimerotropis), 260.
Obscura (Pycnodictya), 223.
Obscura (Schistocerca), 458.
Obscura (Stirapleura), 131.
Obscura (Tæniopoda), 372.
Obscura (Tettix), 41, 48.
Obscura (Trimerotropis), 260.
Obscura (*Œdipoda*).[193], 223.
Obscurata (Œdipoda), 272.
Obscuratus (Sphingonotus), 272.
Obscurella (Chortoicetes), [193].
Obscurella (Heteropternis), 220.
Obscurella (Œdipoda), [193], 220.
Obscurobrunneus (Choryphistes), 456.
Obscurobrunneus (Coryphistes), 436.
Obscurum (Acridium), 41, 458.
Obscurum (Pedeticum), 114.
Obscurum (Spathalium), 298.
Obscurum (*Acridium*), 461.
Obscurum (*Acrydium*), 223.
Obscurus (Calotettix), 496.
Obscurus (Chrysochraon), 114.
Obscurus (Dichroplus), 487.
Obscurus (Gryllus), 223, 458.
Obscurus (Hippiscus), 209.
Obscurus (Locusta), 223.
Obscurus (Melanoplus), 514.
Obscurus (Oxycoryphus), 113.
Obscurus (Tetrix), 48.
Obscurus (Tettix), 48.
Obscurus (Trigonophymus), 487.
Obscurus (Xanthippus), 209.
Obscurus (*Gryllus*), 239.
Obsidata (Cystocœlia), 65.
Obsoleta (Colpolopha), 363.
Obsoleta (Lamarckiana), 345.
Obsoleta (Tropinotus), 363.
Obsoleta (Xiphicera), 345.
Obsoleta (Xiphocera), 363.
Obtusa (Cephalocœma), 89.
Obtusa (Cercina), 398.
Obtusa (Chimarocephala), 200.
Obtusa (Oxya), 394.
Obtusa (Phæoparia), 426.
Obtusifer (Catantops), 484.
Obtusiferum (Acridium), 484.
Obtusifrons (Lentula), 385.
Obtusifrons (Thericles), 81.
Obtusum (Acridium), 394.
Obtusum (Oxya), 394.
Obtusum (*Acridium*), 484.
Obtusus (Apterotettix), 21.
Obtusus (Erianthus), 70.
Obtusus (Glyphanus), 285.
Obumbrata (Œdipoda), 189.
Obumbrata (Tinaria), 189.
Occidentale (*Acridium*), 456, 457.
Occidentalis (*Schistocerca*), 457.
Occidentalis (Ageneotettix), 135.
Occidentalis (Amblytropidia), 115.
Occidentalis (Caloptenus), 509.
Occidentalis (Chrotogonus), 301.
Occidentalis (Gymnotettix), 75.
Occidentalis (Hybusa), 88.
Occidentalis (Melanoplus), 509.
Occidentalis (Œdipoda), 236.
Occidentalis (Pezotettix), 509.
Occidentalis (Proscopia), 88.
Occidentalis (Scirtetica), 236.
Occidentalis (Stenobothrus), 115.
Occidentalis (Taphronota), 309, 310.
Occidentalis (Trachyrhachys), 247.
Occidentalis (*Gryllus*), 455.
Occidentalis (*Pezotettix*), 525.
Occipitalis (Alphus), 116.
Occipitalis (Chorthippus), [188].
Occipitalis (Cordillacris), 116.
Occipitalis (Stenobothrus), 116, [188].
Oceanica (Atractomorpha), 334.
Oceanica (Chortoicetes), 193.
Oceanica (Œdipoda), 193.
Oceanica (Phaneroptera), 574.
Oceanicus (Truxalis), 334.
Ocellata (Blatta), 566.
Ocellata (Bulla), 63.
Ocellata (Pneumora), 63.
Ocellata (Stropis), 438.
Ocellatus (Acrotylus), 267.
Ocellatus (Stropis), 438.
Ocelote (Hippiscus), 204.
Ocelote (Œdipoda), 204.
OCHETOTETTIX, 50.
Ochracea (Xistra), 27.
Ochraceipennis (Œdipoda), 251.

Ochraceipennis (Trimerotropis), 254.
Ochraceum (Acridium), 41.
Ochraceus (Batrachidia), 41.
Ochraceus (Conometopus), 368.
Ochraceus (Gryllus), 586.
Ochraceus (Tettix), 41.
OCHRILIDIA, 149.
OCHROPHLEBIA, 322.
OCHROPHLEGMA, 322.
Ochrostictus (Gryllus), 586.
OCHROTETTIX, 112.
OCNERODES, 356.
OCNOCERUS, 99.
Ocreatus (Orchetypus), 68.
Ocskayi (*Chorthippus*), 146.
Octofasciata (Œdipoda), 272.
Octofasciata (*Sphingonotus*), 272.
Octofasciatus (Sphingonotus), 272.
Octolunata (*Xiphicera*), 367.
Octomaculata (Xiphicera), 367.
Octomaculatus (Tryblіophorus), 392.
Octospilota (Mantis), 567.
Oculata (Calamacris), 337.
Oculata (Paratettix), 579.
Oculata (Proscopia), 84.
Oculata (*Tettix*), 40.
Oculatum (*Spharagerum*), 235.
Oculatus (Æoloplus), 501.
Oculatus (Criotettix), 16.
Ocymifolia (Locusta), 575.
OCYTETTIX, 576.
Odiosa (Tettix), 54.
Odiosus (Liotettix), 54.
Odontocercus (Bermius), 396.
ODONTOMELUS, 100.
ŒDALEUS, 224.
ŒDALOMETOPON, 389.
ŒDIPODA, 238.
Œdipodioides (Lerina), 219.
Œdipodioides (Pseudoceles), 222.
ŒDOMERUS, 435.
ŒONOMUS, 118.
OGMOTHELA, 151.
Olcesei (Euryparyphes), 584.
Oleifolia (*Gryllus*), 575.
Oleifolia (*Tettigonia*), 575.
Olfersii (*Acridium*), 378.
Olfersii (*Lophacris*), 378.
Olfersii (*Titanacris*), 378.
OLIGONYX, 568.
Olivacea (Campylacantha), 498.
Olivacea (Coscineuta), 424.
Olivacea (Metapula), 403.
Olivacea (Orphula), 119.
Olivacea (Orphulella), 119.
Olivacea (Petasia), 306.
Olivacea (Pezotettix), 498.
Olivacea (Pœcilocera), 306.
Olivacea (Rhicnoderma), 391.
Olivacea (Schistocerca), 458.
Olivacea (Verdulia), 338.
Olivaceum (Acridium), 458.
Olivaceus (Anniceris), 422.
Olivaceus (Melanoplus), 531.
Olivaceus (Phymateus), 311.
Olivaceus (Phyteumas), 311.
Olivaceus (Platybothrus), [188].
Olivaceus (Stenobothrus), 119, [188].
Olivieri (Tmethis), 288.
OMALLOTETTIX, 428.
OMALOTETTIX, 428.
OMMATOLAMPIS, 433.
OMMEXYCHA, 296.
OMMEXYCHINÆ, 296.
Omnicolor (Acridium), 376.
Omnicolor (Zoniopoda), 376.
OMOCESTUS, 172, 581.
OMURA, 334.
ONCOLOPHA, 463.
Opaca (Gomphomastax), 72.
Opacula (Serpusia), 473.
Opacum (Acrydium), 40.
Opacus (Gomphomastra), 72.
Opacus (Nocarodes), 355.
Opacus (Parerucius), 72.
Opacus (*Gryllus*), 313.
OPAON, 543.
OPEIA, 113.
Ophiopsis (*Proscopia*), 84.
OPHIOTETTIX, 3.
Ophthalmia (Acridarachnea), 580.
Ophthalmica (Tettix), 32.
Ophthalmicus (Catantops), 477.
Ophthalmicus (Systolederus), 20.
OPHTHALMOLAMPIS, 389.
Opilioides (Lucina), 570.
Opilioides (Paralucina), 570.
Opilionoides (Escalera), 406.
Opimus (*Bradynotes*), 502.
OPIPTACRIS, 387.
OPOMALA, 419.
Opomaloides (Stropis), 438.
Opomaloides (Xiphocera), 438.
OPSHOMALA, 419.
OPSOMALA, 419, 584.
Opulenta (Chromacris), 374.
Opulenta (Rhomalea), 374.
Opulentum (Monachidium), 463.
Opulentus (Catantops), 476.
ORAISTES, 401.
ORBILLUS, 474.
ORCHAMUS, 349, 571.
ORCHESTICUS, 571.
ORCHETYPUS, 68.
Oreas (Podisma), 535.
Oregonensis (Chorthippus), 188.
Oregonensis (Pezotettix), 535.
Oregonensis (Podisma), 535.
Oregonensis (Stenobothrus), 188.
ORESTERA, 358.

Orientalis (Acinipe), 583.
Orientalis (Caloptenopsis), 550.
Orientalis (Caloptenus), 550.
Orientalis (Catantops), 484.
Orientalis (Primnia), 484.
Orientalis (*Gryllus*), 230.
Orizabæ (Orphula), 122.
Orizabæ (Orphulella), 122.
Orizabæ (Tomonotus), 237.
Ornata (Badistica), 396.
Ornata (Œdipoda), 241.
Ornata (Pœcilocera), 318.
Ornata (Stirapleura), 130.
Ornata (Tettix), 47.
Ornata (Tristria), 401.
Ornata (*Tetrix*), 46.
Ornaticollis (Catreus), 368.
Ornaticollis (Tropinotus), 368.
Ornatipes (Cyrtacanthacris), 561.
Ornatipes (Euprepocnemis), 561.
Ornatipes (Nautia), 389.
Ornatissima (Oxya), 426.
Ornatissimus (Adimantus), 426.
Ornatum (Acrydium), 47.
Ornatum (Antiphon), 464.
Ornatum (Monachidium), 464.
Ornatus (Amphitornus), 113.
Ornatus (Catantops), 477.
Ornatus (Dociostaurus), 130.
Ornatus (Pœcilocerus), 318.
Ornatus (Stenobothrus), 165.
Ornatus (Stenocrobylus), 485.
Ornatus (Tettix), 47.
Ornatus (*Gryllus*), 323.
ORPHULA, 117, 119.
ORPHULELLA, 119.
ORPHULINA, 118.
ORTHACANTHACRIS, 444.
ORTHACRIS, 336.
ORTHOCHTHA, 141, 580.
ORTHOSCAPHEUS, 427.
Oslari (Lactista), 237.
OSMILIA, 539.
OSMILIOLA, 432.
OSSA, 296.
OSTRACINA, 212.
Otomita (Chimarocephala), 200.
Otomitus (Tomonotus), 200.
OTUMBA, 26, 577.
Ovaticeps (Arphia), 195.
Ovatipennis (Dellia), 423.
Ovatipennis (Sitalces), 435.
OXYA, 393.
OXYBLEPTA, 415.
OXYBLEPTELLA, 414.
Oxycephala (Tettix), 47.
Oxycephalum (Acrydium), 47.
Oxycephalus (Tetrix), 47.
OXYCORYPHUS, 136.
OXYNOTUS, 15.
OXYOLENA, 98.
OXYPHYMA, 412.
Oxyptera (Ommexycha), 301.
Oxypterum (Ommexycha), 301.
Oxypterus (Chrotogonus), 391.
OXYRRHEPES, 402.

Pachecoi (Fortunata), 582.
Pachecoi (Wernerella), 582.
Pachymerus (Piezotettix), 7.
Pachymerus (Plagiocephalus), 7.
Pachytyloides (Humbella), 215.
Pachytyloides (Humbella), 216.
PACHYTYLUS, 228.
Pacifica (Chimarocephala), 200.
Pacifica (Euthyrrhapha), 565.
Pacifica (Machærocera), 110.
Pacifica (Pseudotrimerotropis), 258.
Pacifica (Syrbula), 107.
Pacifica (Tragocephala), 200.
Pacifica (Trimerotropis), 258.
Pacificus (Hesperotettix), 499.
Pacificus (Melanoplus), 518.
Pacificus (Pezotettix), 518.
Packardii (Melanoplus), 524, 525.
Pagana (Orphula), 117.
Pagana (Truxalis), 117.
Paganus (Gomphocerus), 117.
Paganus (Hyalopteryx), 117.
PAGOPEDILUM, 345.
PALLASIELLA, 168.
Pallasii (*Gryllus*), 286.
Pallasii (*Locusta*), 286.
Pallasii (*Œdipoda*), 222.
Pallens (Catantops), 481.
Pallens (Gryllus), 460.
Pallens (Schistocerca), 460.
Pallens (*Acridium*), 460.
Pallens (*Schistocerca*), 460.
Pallescens (Acridium), 37.
Pallescens (Tettix), 37.
Palliata (Blatta), 560.
Palliceps (Lucina), 570.
Palliceps (Paralucina), 570.
Pallida (Epacromia), 193.
Pallida (Heteropternis), 221.
Pallida (Inusia), 414.
Pallida (Ischnacrida), 405.
Pallida (Leptysmina), 412.
Pallida (Opeia), 114.
Pallida (Opsomala), 105.
Pallida (Paropomala), 106.
Pallida (Stirapleura), 131.
Pallida (Tristria), 401.
Pallida (Tylotropidius), 556.
Pallidicornis (*Caloptenopsis*), 550.
Pallidicornis (*Calliptenus*), 549.
Pallidinervis (Gergis), 386.
Pallidinota (Parorphula), 119.
Pallidipennis (Arphia), 197.

Pallidipennis (Œdipoda), 258.
Pallidipennis (Pseudotrimerotropis), 258.
Pallidipennis (Trimerotropis), 258.
Pallidum (Ommexycha), 299.
Pallidum (Spharagemon), 235.
Pallidus (Chortoicetes), 193.
Pallidus (Chrotogonus), 299.
Pallidus (Encoptolophus), 202.
Pallidus (Gomphocerus), 158.
Pallipes (Catantops), 482.
Pallipes (Paratettix), 35.
Pallipes (Rhachicreagra), 544.
Pallipes (Tettix), 35.
Pallitarsis (*Tettix*), 35.
Palmeri (Calamacris), 337.
Palmeri (Melanoplus), 517.
Palmeri (Opeia), 114.
Palmeri (Rhabdotettix), 495.
Palpalis (Gomphocerus), 157.
Palpata (Ommatolampis), 434.
Palpatus (Chthonius), 15.
Palpatus (Chthonotettix), 576.
Palpatus (Tefrinda), 15, 576.
Palpatus (Tettix), 15.
Palustris (Eotettix), 498.
PAMPHAGINÆ, 341.
PAMPHAGODES, 342.
Pamphagoides (Filchnerella), 582.
PAMPHAGUS, 352.
PANESTHIA, 566.
Pannonicus (Æolopus), 581.
Panteli (Diedronotus), 361.
Panteli (Omocestus), 175.
Panteli (Phlæoba), 138.
Panteli (Stenobothrus), 175.
Panteli (Tropidonotus), 361.
PANTELIA, 10.
Pantherina (Anablysis), 432.
Pantherina (Pardalophora), 206.
Pantherinum (Acridium), 506.
Pantherinus (Hippiscus), 206.
Pantherinus (Pœcilotettix), 506.
Panzeri (Tetrix), 37.
Panzeri (Tettix), 37.
Papagensis (Horesidotes), 580.
PAPAGOA, 107.
Papillosa (Blatta), 565.
Papillosa (Bulla), 63, 64.
Papillosa (Pneumora), 63.
Papillosa (*Pœcilocera*), 313.
Papillosum (Acrydium), 64.
Papillosus (Gryllus), 64.
Papillosus (*Dictyophorus*), 313.
PAPIPAPPUS, 211.
PAPPUS, 211.
PAPRIDES, 442.
Papuanus (Catantops), 484.
Papuasica (Cyrtacanthacris), 451.
Papuasicum (Acridium), 451.
Parabolica (*Pyrgomorpha*), 334.
PARACALOPTENUS, 553.
PARACHLOEBATA, 124.
PARACINEMA, 143.
PARACOMACRIS, 139.
PARACOPTACRA, 468.
PARACORNOPS, 417.
PARADICHROPLUS, 492.
Paradoxa (Doriella), 339.
Paradoxa (Œdipoda), 209.
Paradoxa (*Mantis*), 62.
Paradoxa (*Œdipoda*), 206.
Paradoxus (Hippiscus), 209.
Paradoxus (Xanthippus), 209.
Paraensis (*Taxiarchus*), 87.
PARAEUPREPOCNEMIS, 557.
Paraguayense (Paracornops), 417.
Paraguayensis (Bucephalacris), 423.
Paraguayensis (Dichroplus), 488.
Paraguayensis (Diponthus), 382.
Paraguayensis (Isonyx), 166.
Paraguayensis (Trigonophymus), 481.
PARAIDEMONA, 496.
PARALEUAS, 427.
Parallela (Locusta), 187.
Parallela (Œdipoda), 186.
Parallela (*Proscopia*), 84.
Parallelum (Aulocara), 136.
Parallelus (Chorthippus), 186.
Parallelus (Gomphocerus), 186.
Parallelus (Gryllus), 186.
Parallelus (Stenobothrus), 187.
Parallelus (*Gomphocerus*), 146.
Paralogistes (Stereotettix), 167.
PARALUCINA, 570.
PARAMASTAX, 77.
Paranense (Acridium), 460.
Paranensis (Schistocerca), 460.
PARAPETASIA, 307.
PARAPHLÆOBA, 138.
Parapleura (Œdipoda), 145.
PARAPLEURUS, 144.
Parapleurus (Gomphocerus), 145.
Parapleurus (Gryllus), 145.
PARASCOPAS, 491.
PARASPHENA, 321.
PARATETTIX, 32, 578.
PARATHERICLES, 82.
PARATYLOTROPIDIA, 504.
Pardalina (Cyrtacanthacris), 452.
Pardalina (Eumastax), 77.
Pardalina (Locusta), 228.
Pardalina (Œdipoda), 208.
Pardalina (Psinidia), 247.

Pardalinum (Acridium), 452.
Pardalinus (Hippiscus), 208.
Pardalinus (Metator), 247.
Pardalinus (Pachytylus), 228.
Pardalinus (Phymateus), 311.
Pardalinus (Phyteumas), 311.
Pardalinus (Xanthippus), 208.
Pardalis (Phymeurus), 545.
PARDALOPHORA, 206.
PAREPISACTUS, 75.
PAREPISTAURUS, 471.
PARERUCIUS, 72.
PAREUPREPOCNEMIS, 557.
PARGA, 98.
PARMILIS, 342.
Parnassica (Podisma), 535.
Parnassica (*Œdipcda*), 222.
PAROPOMALA, 106, 580.
PARORPHULA, 119.
PAROXYA, 505.
Paroxyoides (Melanoplus), 527.
Partita (Heteropternis), 221.
Parva (Blatta), 564.
Parva (Periplaneta), 564.
Parva (*Phlibostroma*), 134.
Parviceps (Heliastus), 270.
Parviceps (Œdipoda), 270.
Parvipennis (Euschmidtia), 83.
Parvipennis (Tettigidea), 57.
Parvipennis (Tetrix), 57.
Parvispina (Elæochlora), 365.
Parviverticis (Telmatettix), 31.
Parvula (Tettigidea). 58.
Parvula (*Cyrtacanthacris*), 451, 456.
Parvulum (*Acridium*), 161.
Parvulus (*Acridium*), 161.
Parvulus (Cephalotettix). 494.
Parvulus (Eumigus), 583.
Parvum (*Phlibostroma*), 117.
Parvus (Coptotettix), 579.
Parvus (Encoptolophus), 201.
Parvus (Euparatettix), 31.
Parvus (Nomotettix), 52.
Parvus (Systolederus), 577.
Parvus (*Caloptenus*), 523.
Patagiata (Cranaë), 387.
Patagiatus (Metaxymecus), 557.
Patagona (Clarazella), 374.
Patagonus (Pappus), 211.
Patiana (Schistocerca), 460.
Patianum (Acridium), 460.
PATOCRA, 470.
Patriæ (Plectrotettix), 134.
Patriæ (Scyllina), 134.
Patruele (Acridium), 488.
Patruele (Podisma), 488.
Patruelis (Acrotylus), 266.
Patruelis (Dichroplus), 488.
Patruelis (Œdipoda), 266.
Patruelis (Orphula), 120.
Patruelis (Orphulella), 120.
Patruelis (Pezotettix), 488.
Patruelis (*Acrotylus*), 205.
Patruus (Crimisus), 24.
PAULINIA, 296.
Paulinoi (Acinipe), 351.
Paulinoi (Pamphagus), 351.
Pauper (Melanoplus), 527.
Pauperatus (Catantops). 476.
Paupercula (Coptacra), 468.
Paupercula (Lamarckiana), 345.
PAUROTARSUS, 60.
Pavonina (Locusta), 572.
Pavonina (Pterochroza), 572.
PAXILLA, 56.
Pazii (Ommatolampis), 434.
Pecticornis (*Rhomalea*), 371.
Pecticornis (*Tæniopoda*), 371.
Pectinicornis (Empusa), 568.
Pectoralis (Rhombodera), 567.
Pectoralis (*Acridium*), 460.
Pectoralis (*Cyrtacanthacris*), 460.
Pedarius (Caloptenus), 554.
Pedarius (Peripolus), 554.
Pedemontana (Pezotettix), 535.
Pedemontana (Podisma), 535.
Pedemontanus (Pezotettix), 535.
Pedes (*Rhomalea*), 374.
Pedester (Gryllus), 537.
Pedestre (Acridium), 537.
Pedestre (Acrydium), 537.
Pedestris (Gryllus). 537.
Pedestris (Locusta), 537.
Pedestris (Mesops), 101.
Pedestris (Pezotettix), 537, 538.
Pedestris (Podisma), 537.
Pedestris (Psednura), 101.
PEDETICUM, 114.
PEDIES, 542.
PEDIOSCIRTETES, 108.
PEGASIDION, 504.
PEITHARCHICUS, 404.
PELECINOTUS, 464.
PELECYCLEIS, 398.
PELECYCLUS, 398.
PELERINUS, 574.
Pelidna (Orphula), 120.
Pelidna (Orphulella), 120.
Pelidnus (Gomphocerus), 120.
Pelidnus (Stenobothrus), 120.
Pellarini (Œdipoda), 242.
Pellepidus (*Locusta*), 238.
Pellucida (Cannula), 202, 203.

Pellucida (Œdipoda), 202, 203.
Pellucida (*Encoptolopha*), 201.
Pellucida (*Œdipoda*), 201.
Pellucida (*Truxalis*), 93, 94.
Pelops (Cladonotus), 9.
Pendulus (Metaxymecus), 557.
Penelope (*Aræopteryx*), 249.
PENICHROTES, 79.
Peninsulæ (Barytettix), 494.
Pennata (Tettigidea), 57.
Pennicornis (*Gryllus*), 323.
Pennicornis (*Locusta*), 323.
Pennicornis (*Ochrophlebia*), 323.
Pennicornis (*Pœcilocérus*), 323.
Pennsylvanica (Ischnoptera), 562.
Pentagrammica (Charora), 268.
PECEDES, 82.
Peragrans (Epacromia), 133.
Peragrans (Gomphocerus), 133.
Peragrans (Plectrotettix), 133.
Peragrans (Scyllina), 133.
Peregrinum (*Acridium*), 459, 460.
Peregrinum (*Schistocerca*), 459, 460.
PERENA, 331.
Perezii (Cuculligera), 284.
Perezii (Thrinchus), 284.
Perficita (Catantops), 484.
Perficita (Heteracris), 484.
Peringueyi (Batrachornis), 291.
Peringueyi (Batrachotetrix), 291.
Peringueyi (Batrachotettix), 291.
Peringueyi (Lamarckiana), 344.
Peringueyi (Plerisca), 321.
Peringueyi (Xiphocera), 344.
PERIPLANETA, 564.
PERIPOLUS, 554.
PERISTEGUS, 311.
PERIXERUS, 541.
Perloides (Batrachornis), 291.
Perminutus (Criotettix), 19.
Perminutus (Loxilobus), 19.
Permistum (Acridium), 382.
Permistus (Diponthus), 382.
Perpallidus (Paropomala), 580.
Perplexa (*Trimerotropis*), 253.
Perplexus (*Circotettix*), 253.
Persa (Eremobia), 286.
Persa (Sphingonotus), 278.
Persa (Thalpomena), 246.
Persa (Tmethis), 286.
Personata (Mastax), 78.
Personata (Paramastax), 78.
Personatus (Euparatettix), 31.
Personatus (Paratettix), 31.
Perspicillaris (Ectobia), 562.
Perspicillata (Ommatolampis), 433, 434.
Perspicillatus (Gryllus), 433.
Perspicillatus (Locusta), 433.
Perturbans (Schistocerca), 459.
PERUVIA, 110.
Peruviana (Chromacris), 374.
Peruviana (Phrynotettix), 212.
Peruviana (Rhomalea), 374.
Peruviana (Schistocerca), 462.
Peruviana (Tristira), 212.
Peruvianus (Allotettix), 28.
Peruvianus (Anchotatus), 88.
Peruvianus (Paratettix), 28.
Peruvianus (Pezotettix), 490.
Peruvianus (Trigonophymus), 490.
Pervittata (Cranaë), 387.
PETAMELLA, 402.
Petasata (Nautia), 389.
Petasatum (Œdalometopon), 389.
PETASIA, 304.
PETASIDA, 316.
Petræum (Acridium), 173.
Petræus (Omocestus), 173.
Petræus (Stenobothrus), 173.
Petricola (Pezotettix), 503.
Petricolus (Brachaspis), 503.
PEUCESTES, 574.
PEZOTETTIX, 398, 492, 503, 533.
PHÆDROTETTIX, 493.
PHÆOPARIA, 425.
PHÆSTUS, 3, 576.
PHALACA, 388.
PHANEROCERUS, 282.
PHANEROPTERA, 574.
PHANEROTURIS, 125.
PHANTOMA, 568
Pharaonis (Acridella), 95.
Pharaonis (Phlæoba), 140.
Pharaonis (Rodunia), 140.
Pharaonis (Truxalis), 95.
PHASGONURIDÆ, 570.
PHASMIDÆ, 569.
PHAULACRIDIUM, 442.
PHAULOTETTIX, 494.
PHAULOTYPUS, 68.
PHELENE, 23.
PHEMONOE, 388.
PHIALOSPHÆRA, 473.
Philippensis (Trigonopteryx), 340.
Philippina (Atractomorpha), 333.
Philippina (Schistocerca), 455.
Philippinensis (Systella), 340.
Philippinum (*Gavialidium*), 15.
PHILOCLEON, 508.

PHLÆOBA, 137.
PHLÆOBIDA, 138.
PHLIBOSTROMA, 117.
PHLOCERUS, 148.
PHLŒONOTUS, 61. 580.
Phœnicoptera (Œdipoda), 206.
Phœnicoptera (Pardalophora), 206.
Phœnicoptera (*Ædipoda*), 207.
Phœnicoptera (*Œdipoda*), 207.
Phœnicopterus (Hippiscus), 206.
Phœnicopterus (*Hippiscus*), 207.
PHŒTALIOTES, 504.
Phœtaliotiformis (Melanoplus), 532.
PHORASPIS, 563.
Phronusa (Euprepocnemis), 561.
PHRYNOTETTIX, 211, 294.
Phyllocera (Miriatra), 30.
Phyllocera (Mitraria), 30.
Phyllocerum (Acridium), 30.
Phyllocerum (Tetrix), 30.
Phyllocerus (Amorphopus), 22.
Phyllocerus (Morphopus), 22
PHYLLOCHOREIA, 67.
PHYLLODROMIA, 563.
PHYLLODROMICA, 562.
PHYLLONOTUS, 4.
PHYLLOPTERA, 574.
PHYLLOTETTIX, 4.
PHYLOTETTIX, 4.
PHYMAPTERA, 334.
PHYMATEUS, 312.
PHYMEURUS, 545.
Physalus (Mecostibus), 283.
PHYSOPHORINA, 64.
Physopoda (Scyllina), 134.
PHYTEUMAS, 311.
PHYXACRA, 469.
Piceifrons (Acridium), 462.
Picta (Acorypha), 548.
Picta (Dissosteira), 236.
Picta (Opomala), 409.
Picta (Parasphena), 321.
Picta (Phoraspis), 563.
Picta (Pœcilocera), 317.
Picta (Pezotettix), 542.
Picta (Scirtetica), 236.
Picta (Scyllina), 133.
Picta (Trimerotropis), 236.
Picta (Xiphocera), 346.
Picta (Zonopoda), 376.
Picteti (Thalpomena), 246.
Picteti (Wernerella), 246.
Picticeps (Parasphena), 321.
Picticollis (Elæochlora), 366.
Picticollis (Xiphocera), 366.
Picticornis (Caloptenus), 506.
Picticornis (Hesperotettix), 506.
Picticornis (Hippacris), 370.
Picticornis (Pœcilotettix), 506.
Picticornis (Rhomalea), 371.
Picticornis (Tæniopoda), 371.
Picticornis (*Tæniopoda*), 371.
Pictilis (Traulia), 475.
Pictipennis (Dissosteira), 233.
Pictipes (Acridium), 561.
Pictipes (Cyrtacanthacris), 561.
Pictipes (Euprepocnemis), 561.
Pictipes (Paraeuprepocnemis), 557.
Pictipes (Pteropera), 473.
Pictipes (Stropis), 438.
Pictula (Cyrtacanthacris), 449.
Pictulum (Acridium), 449.
Pictum (Acrydium), 317.
Pictum (Dactylotum), 542.
Pictum (Pagopedilum), 346.
Pictum (Phlibostroma), 117.
Pictum (Pœpedetes), 542.
Pictum (*Dactylotum*), 541.
Picturata (Conozoa), 251.
Picturata (Pyrgomorpha), 324.
Picturata (Tanita), 324.
Picturata (Orphulella), 121.
Picturatum (*Dactylotum*), 542.
Picturatus (Melanoplus), 511.
Pictus (Erucius), 73.
Pictus (Gelastorrhinus), 409.
Pictus (Gryllus), 317.
Pictus (Melanoplus), 510.
Pictus (Plectrotettix), 133.
Pictus (Pœcilocerus), 317.
Pictus (Pœkilocerus), 317.
Pictus (*Gryllus*), 227.
Pierretii (Alophonota), 369.
Pierretii (Xiphicera), 369.
PIEZOTETTIX, 6.
Pilatus (Melanoplus), 533.
Piliferus (Sigaus), 441.
Pilipes (Acridium), 442.
Pilipes (Azelota), 442.
Pilipes (Caloptenus), 549.
Pilipes (Sphodromerus), 549.
Pilosa (Pseudotrimerotropis), 259.
Pilosa (Rhytidochrota), 543.
Pilosa (Trimerotropis), 259.
Pilosus (Paraidemona), 495.
Pilosus (Pezotettix), 495.
Pilosus (Rhabdotettix), 495.
Pilosus (Sphingonotus), 274.
Pilosus (Tarbaleus), 389.
Pilosus (*Gryllus*), 546.
Pima (Cordillacris), 117.
Pinctus (Melanoplus), 532.
Pingue (Acridium), 483.
Pingue (Catantops), 483.
Pinguis (Bradynotes), 501.

Pinguis (*Caloptenus*), 547.
Pinguis (Catantops), 483.
Piperatus (Acantherus), 103.
Pisciforme (*Acridium*), 405.
Pisciforme (*Opsomala*), 405.
Pisciformis (*Opsomala*), 403.
Pistrinaria (Pseudotrimerotropis), 257.
Pistrinaria (Trimerotropis), 257.
Pistrinaria (Batrachotetrix), 291.
Pistrinarius (Batrachotetrix), 291.
Pistrinarius (Batrachotettix), 291.
Placida (*Œdipoda*), 254.
Plagiata (Agriacris), 369.
Plagiata (Cyrtacanthacris), 452.
Plagiata (Tettigidia), 58.
Plagiata (Xiphocera), 369.
Plagiatum (Acridium), 452.
Plagiatum (Choriphyllum), 6.
Plagiatum (Phyllonotus), 6.
PLAGIOCEPHALUS, 6.
PLAGIOTRIPTUS, 69.
Plagosus (Æoloplus), 501.
Plagosus (Pezotettix), 501.
Plana (Goniæa), 437.
Plana (Hedotettix), 50.
Plana (Tettigidea), 579.
Plana (Tettix), 50.
Planipennis (Dissosteira), 233.
Planitarsus (Mazarredia), 577.
Planum (Goniatron), 136.
Planum (Spharagemon), 234.
Planum (Sphenarum), 304.
Planus (Bolotettix), 577.
Planus (Coptotettix), 55.
Planus (Tettigidea), 579.
PLATACANTHOIDES, 559.
PLATACANTHUS, 559.
Plattii (Œdipoda), 248.
Plattii (Trachyrhachis), 248.
Plattii (Trachyrhachys), 248.
PLATYBOTHRUS, 188.
Platyceps (Paraphlæoba), 138.
Platycerca (Platyphyma), 399.
Platycercus (Pezotettix), 399.
PLATYCLEIS, 571.
Platycorys (Hymenotes), 8.
Platycorys (Xerophyllum), 8.
PLATYPHYMA, 398.
Platyptera (Arcyptera), 172.
Platyptera (Stetheophyma), 172.
Platyptera (Systella), 340.
Platyptera (*Systella*), 340.
PLATYPTERNA, 149, 580.
PLATYPTERNODES, 581.
Platypterum (Acridium), 340.
Platypterum (Trigonopteryx), 340.
Platypterus (Mecostethus), 172.
Platypygia (Æolopus), 192.
Platypygia (Epacromia), 192.
PLATYTETTIX, 23.
PLATYTHORUS, 21.
Plebeia (Apotropis), 440.
Plebeia (Heteracris), 440.
Plebeia (Orphulella), 123.
Plebeia (Truxalis), 123.
Plebeja (Eumastax), 76.
Plebeja (Mastax), 76.
Plebejus (Gomphocerus), 123.
Plebejus (Hyalopteryx), 123.
Plebejus (Melanoplus), 526.
Plebejus (Pezotettix), 526.
PLECTRONOTUS, 59.
PLECTROPHORUS, 132.
PLECTROTETTIX, 132
PLEGMAPTERUS, 544.
Plena (Chortoicetes), [193].
Plena (Epacromia), [193], 225.
Plenipennis (Caloptenopsis), 549.
Plenipennis (Caloptenus), 549.
Plenus (Œdaleus), 225.
PLERISCA, 321.
PLESIOTETTIX, 20.
Plicatula (Caconda), 302.
Plorans (Acridium), 560.
Plorans (Caloptenus), 560.
Plorans (Euprepocnemis), 560.
Plorans (Eyprepocnemis), 560.
Plorans (Gryllus), 560.
Plorans (Pezotettix), 560.
Plorans (*Acridium*), 230.
Plumbeus (Melanoplus), 521.
Plumbum (Caloptenus), 521.
Plutonius (Draconotus), 367.
Plutonius (Dracotettix), 367.
PNEUMORA, 63.
PNIGODES, 129.
PNORISA, 150.
PODISMA, 392, 533.
PODISMOPSIS, 147.
PODODULA, 395.
PŒCILOCERA, 317.
PŒCILOCERUS, 317.
PŒCILOCHROMA, 420.
Pœcilopus (Gryllus), 586.
PŒCILOTETTIX, 7, 506.
PŒKILOCERUS, 317.
PŒPEDETES, 542.
Polita (Panesthia), 566.
Polita (Podisma), 534.
Politum (Paracornops), 417.
Polychroa (Tauchira), 397.
Polychroma (Euthymia), 384.
Polymita (*Pœcilocera*), 317.

Polymorpha (Tetrix), 57.
Polymorpha (Tettigidea), 57.
POLYPHAGA, 565.
POLYSARCUS, 544.
Pompalis (Catantops), 477.
POMPHOLYX, 64.
Ponderosa (Brachystola), 293.
Ponderosus (*Calopterus*), 529.
Ponticus (Æolopus), 581.
Pontificalis (Mitraria), 29.
Pontificalis (Pseudomitraria), 29.
Poonensis (*Duronia*), 140.
Poppiusi (Chrysochraon), 147.
Porosus (Pœcilocerus), 309.
Porphyreum (Acridium), 416.
Porphyreus (Oxyblepta), 416.
Porrecta (Trimerotropis), 254.
Porrecta (*Truxalis*), 332.
PORTHETIS, 346.
POTUA, 11.
Poultoni (Eumastax), 76.
Poultoni (Taphronota), 309.
Præclara (Pseudotrimerotropis), 257.
Præclara (Trimerotropis), 257.
Præmonstrator (*Catantops*), 478.
Præmorsa (Colpolopha), 363.
Præmorsa (Coptacra), 469.
Præmorsa (Eucoptacra), 469.
Præmorsum (Acridium), 469.
Præmorsum (Catantops), 469.
Præmorsus (Catantops), 469.
PRÆPHIPPIGERA, 571.
PRÆPHIPPIGERIDA, 571.
Prasina (Atractomorpha), 331.
Prasina (Cyrtacanthacris), 453.
Prasina (Desmoptera), 329.
Prasina (Epacromia), 193.
Prasina (Ochrophlebia), 323.
Prasina (Xenippa), 408.
Prasina (*Cyrtacanthacris*), 453.
Prasinata (Euprepocnemis), 561.
Prasinifera (Heteracris), 394.
Prasinifera (Oxya), 394.
Prasinum (Acridium), 453.
Prasinum (*Acridium*), 453.
Prasinus (Acridoderes), 470.
Prasinus (Chortoicetes), 193.
Prasinus (Euplectrotettix), 132.
Prasinus (*Gryllus*), 191.
Pratensis (Dichroplus), 488.
Pratensis (Hesperotettix), 499.
Pratensis (Parachloebata), 124.
Pratensis (Plectrotettix), 132.
Pratensis (Scyllina), 132.
Pratensis (Trigonophymus), 488.
Pratorum (Chorthippus), 187.
Pratorum (Gomphocerus), 187.
Pratorum (Orphulella), 121.
Pratorum (Stenobothrus), 187.
PRAXIBULUS, 397.
PRAXILLA, 397.
Prehensile (Cyathosternum), 557.
Presinus (*Gryllus*), 191.
PRIMNIA, 189.
Primnoa (Eupodisma), 503.
Primnoa (Podisma), 503.
Primnoa (Prumna), 523.
Princeps (*Tropidacris*), 378.
PRIONACRIS, 377.
PRIONIDIA, 217.
Prionocera (Ortho-[illegible]), 580.
PRIONOLOPHA, 358.
PRIONOSTHENUS, 349.
PRIONOTROPIS, 283.
Priscum (Acrydium), 45.
Priscus (Tettix), 45.
Pristinus (Merotettix), 53.
PRISTOCORYPHA, 406.
Procera (Humbe), 216.
Procera (Humbella), 216.
Procera (Oxya), 402.
Procera (Oxyrrhepes), 402.
Procera (Pyrgomorpha), 326, [583].
Procera (*Truxalis*), 96.
Procerus (Œdaleus), 216.
Procerus (Oxyrrhepes), 402.
Processus (Miriatra), 578.
Processus (Mitritettix), 578.
PROCOLPIA, 364.
PROCTOLABRUS, 421.
PROCTOLABUS, 421.
Producta (Miriatra), 29.
Producta (Mitraria), 29.
Producta (Rodunia), 140.
Producta (Scaria), 60.
Producta (Scelimena), 13.
Producta (Scelymena), 13.
Producta (Tapesia), 305.
Producta (Tetrix), 13.
Producta (Tettix), 13, 15.
Productum (Acridium), 13.
Productum (Gavialidium), 15.
Productum (Tetrix), 13.
Productus (Dictyophorus), 305.
Productus (Stenobothrus), 140.
Prolongatus (Allotettix), 28.
Prominula (Orphulella), 125.

Propinqua (Acrida), 95.
Propinqua (Arnilia), 413.
Propinqua (Stenacris), 413.
Propinquans (*Stenobothrus*), 120.
Propinquus (Melanoplus), 523.
Propinquus (Stenobothrus), 165.
Propinquus (Tetanorhynchus), 86.
Proprium (*Acridium*), 458.
PRORACHTES, 408.
PRORACHTHES, 408.
PRORHACHIS, 364.
PRORHACIS, 364.
Prorsa (Tettigidea), 59.
PROSARTHRIA, 83.
PROSCOPIA, 83.
PROSPHENA, 303.
PROSTALIA, 64.
Prosternalis (Oxyrrhepes), 402.
PROTAGASTA, 321.
Proteifolia (Phylloptera), 574.
PROTOMACHUS, 334.
PROTOTETTIX, 54.
Proxima (Cyrtacanthacris), 451.
Proxima (Ochrophlebia), 323.
Proximum (Acridium), 451.
Proximus (Apotettix), 579.
Pruinosa (Ochrilidia), 150.
Pruinosa (Platypterna), 150.
Pruinosa (*Œdipoda*), 263.
PRUMNA, 502.
Przewalskii (Gomphocerus), 156.
PSEDNURA, 101.
PSEUDOCELES, 222.
PSEUDOCOMACRIS, 139.
PSEUDOCRANAE, 388.
Pseudofasciata (Trimerotropis), 253.
Pseudofasciata (Cercotettix), 253.
PSEUDOMITRARIA, 29.
PSEUDOMYTRARIA, 29.
Pseudonietana (Arphia), 196.
Pseudonietanus (Tomonotus), 196.
PSEUDOPOMALA, 102.
PSEUDOSERMYLE, 569.
PSEUDOSTAURONOTUS, 130, 132.
PSEUDOTHERICLES, 80.
PSEUDOTRIMEROTROPIS, 255.
PSILOTETTIX, 424.
PSINIDIA, 246.
Psittacina (Acridium), 333.
Psittacina (Elæochlora), 366.
Psittacina (Xiphocera), 366.
Psittacinum (Acridium), 333.
Psittacinum (Truxalis), 333.
Psittacinum (*Acridium*), 332.
Psittacus (Chromacris), 373.
Psittacus (Rhomalea), 373.
Psittacus (Romalea), 373.
PSOLOESSA, 129.
PSOPHUS, 213.
PTEMOBLAX, 474, 585.
PTERNOSCIRTA, 217, 280.
PTERNOSCIRTUS, 280.
PTERNOSTICTA, 217.
PTEROCHROZA, 572.
Pterolepis (Mastacides), 74.
PTEROPERA, 473.
Pterosticha (Calliptamus), 559.
Pterostichus (Thisoicetrus), 559.
PTEROTETTIX, 26.
PTEROTILTUS, 386.
PTETICA, 223.
Puberulus (Thericles), 81.
Pudica (*Calacris*), 421.
Pudica (Heteropternis), 221.
Pudica (Œdipoda), 221.
Puelchus (*Diponthus*), 376.
Puellus (Hedotettix), 50.
Puer (Melanoplus), 519.
Puer (Pezotettix), 519.
PUERULA, 575.
Pugionatus (Spartolus), 19.
Pugionatus (Threciscus), 19.
Pugnax (Ommatolampis), 434.
Pugnax (Rhicnoderma), 391.
PUIGGARIA, 61.
Pulchella (Cyrtacanthacris), 483.
Pulchella (Mestobregma), 249.
Pulchella (Orphulina), 118.
Pulchella (Pedioscirtetes), 108.
Pulchella (Tæniopoda), 372.
Pulchella (Tettigidea), 59.
Pulchella (Trachyrhachis), 249.
Pulchella (Trepidulus), 249.
Pulchellum (*Acridium*), 538.
Pulchellus (Catantops), 483.
Pulchellus (Hedotettix), 50.
Pulchellus (*Catantops*), 483.
Pulcher (Clinocephalus), 124.
Pulcher (Compsacris), 124.
Pulcher (Criotettix), 18.
Pulcher (Loxilobus), 18.
Pulcherrimus (Phymateus), 313.
Pulchra (Acrydium), 579.
Pulchra (Dichopetala), 573.
Pulchra (Euprepocnemis), 561.
Pulchra (Ischnacrida), 405.
Pulchra (Tapesia), 306.
Pulchripennis (Arphia), 196.
Pulchripennis (Eremobia), 288.
Pulchripennis (Fenestra), 127.
Pulchripennis (Tmethis), 288.
Pulchripes (Caloptenus), 561.
Pulchripes (Euprepocnemis), 561.
Pulchripes (Hermistria), 375.
Pulchripes (Parasphena), 321.

Pulchripes (Sphenarium), 321.
Pulchripes (Ophthalmolampis), 390.
Pulchripes (Phymateus), 310.
Pulchripes (Tæniophora), 390.
Pulchripes (Taphronota), 310.
Pulicarius (*Gryllus*), 62.
Pulicarius (*Locusta*), 62.
Pulla (Tristria), 401.
Pulla (*Œdipoda*), 158.
Pullus (Criotettix), 18.
Pullus (Gryllus), 179.
Pullus (Loxilobus), 18.
Pullus (Paratettix), 33.
Pullus (Stauroderus), 179.
Pullus (Stenobothrus), 179.
Pulverulenta (*Œdipoda*), 191.
Pulverulentus (*Aiolopus*), 191.
Pulvinata (Œdipoda), 184.
Pulvinatus (Chorthippus), 184.
Pulvinatus (Stenobothrus), 184.
Pumila (Blatta), 567.
Pumilus (Hippiscus), 209.
Pumilus (Xanthippus), 209.
Punctaria (Mesambria), 440.
Punctarium (Acridium), 440.
Punctata (Acoryphella), 548.
Punctata (Blatta), 567.
Punctata (Heterogamia), 565.
Punctata (Lactista), 237.
Punctata (Locusta), 308.
Punctata (Munatia), 366.
Punctata (Œdipoda), 237.
Punctata (Orphulella), 121.
Punctata (Paraidemona), 496.
Punctata (Phymatea), 308.
Punctata (Pœcilocera), 309.
Punctata (Polyphaga), 565.
Punctata (Proscopia), 86.
Punctata (Schistocerca), 457.
Punctata (Systella), 339.
Punctata (Trigonopteryx), 339.
Punctata (Truxalis), 121.
Punctatissima (Digentia), 395.
Punctatosignata (Tettix), 42.
Punctatum (Acridium), 339.
Punctatum (Acrydium), 121.
Punctatum (Trigonopteryx), 339
Punctatus (Acridoderes), 471.
Punctatus (Arulenus), 3.
Punctatus (Aularches), 308.
Punctatus (Epitettix), 576.
Punctatus (Eumigus), 352.
Punctatus (Gryllus), 308.
Punctatus (Gymnes), 110.
Punctatus (Hirrius), 3.
Punctatus (Lactista), 237.
Punctatus (Locusta), 308.
Punctatus (Pamphagus), 352.
Punctatus (Pezotettix), 496.
Punctatus (Phymateus), 208.
Punctatus (Tetanorhynchus), 86.
Puncticeps (Opsomala), 415.
Puncticeps (Oxyblepta), 415.
Puncticeps (Stenopola), 415.
Puncticornis (Lamarckiana), 345.
Puncticornis (Xiphocera), 345.
Punctifrons (Acridium), 393.
Punctifrons (Gesonia), 393.
Punctifrons (Oxya), 393.
Punctifrons (Pachytylus), 215.
Punctifrons (Sitalces), 435.
Punctifrons (*Œdaleus*), 215.
Punctipennis (*Locusta*), 484.
Punctipennis (Heteracris), 555.
Punctipennis (Paraleuas), 121.
Punctipennis (*Cyrtacanthacris*), 484.
Punctipennis (*Opsomala*), 104.
Punctipennis (*Pyrgomorpha*), 104.
Punctipes (Leiotettix), 490.
Punctiventris (Pœcilocera), 318.
Punctiventris (Pœkilocerus), 318.
Punctosa (Akicera), 343.
Punctosa (Lamarckiana), 343.
Punctulata (Blatta), 566.
Punctulata (Tettix), 42.
Punctulata (*Chloealtis*), 125.
Punctulatum (Chrysochraon), 125.
Punctulatus (Caloptenus), 531.
Punctulatus (Dichroplus), 489.
Punctulatus (Gryllus), 489.
Punctulatus (Melanoplus), 531.
Punctulatus (Pezotettix), 489.
Punctulatus (Trigonophymus), 489.
Punicea (Ophthalmolampis), 390.
Puniceus (Phymateus), 315.
Punticornis (Porthetis), 345.
Punticornis (Xiphocera), 345.
Pupæformis (Mastacides), 74.
Pupæformis (*Pezotettix*), 526.
Pupillata (Bulia), 63.
Pupillata (Pneumora), 63.
Pupus (Diotarus), 10.
Purpurascens (Acrydium), 22.
Purpurascens (Eumorphopus), 25.
Purpurascens (Phymateus), 314.
Purpurascens (Sphenarium), 304.

Purpurascens (Tettix), 22.
Purpurea (Sinipta), 109.
Purpurea (Tanita), 324.
Purpureus (Gryllus), 109.
Purpurifera (Cyrtacanthacris), 448.
Pusilla (Chortoicetes), 193.
Pusilla (Epacromia), 193.
Pusilla (Stirapleura). 130.
Pusilla (Xiphicera), 67.
Pusillulus (Chortoicetes), 194.
Pusillus (Choroetypus), 67.
Pusillus (Eotettix), 498.
Pusillus (Gymnoscirtetes), 436.
Pustulata (Minorissa), 334.
Pustulifera (Monistria), 319.
Pustuliferum (Acridium), 319.
Pustulipennis (Caloptenus), 472.
Pustulipennis (Gerenia), 472.
Pustulosa (Monistria), 319.
Putidus (Catantops), 476.
Putnami (*Cratypedes*), 205.
PYCNODICTYA, 223.
PYCNOSARCUS, 544.
PYCNOSTICTUS, 271.
Pycnostictus (Diponthus), 382.
Pygmæa (Ochrophlebia), 322.
Pygmæa (Ochrophlegma), 322.
Pygmæa (Vilerna). 430.
Pygmæum (Spathosternum), 400.
Pygmea (Xiphicera), 430.
Pygmea (Xiphocera), 430.
PYGODERA, 214.
PYGOSTOLUS, 386.
Pyramidalis (Proscopia), 85.
Pyramidata (*Schistocerca*), 455.
Pyrenæa (Pezotettix), 536.
Pyrenæa (Podisma), 536.
Pyrenæus (Pezotettix), 536.
Pyrenæus (Stenobothrus), 163.
PYRGODERA, 214.
PYRGOMORPHA, 324, 583.
PYRGOMORPHELLA, 327.
PYRGOMORPHINÆ, 299.
PYRGOPHYMA, 310.
Pyrrhocnemis (Acridium), 439.
Pyrrhocnemis(Cirphula), 439.
Pyrrhomela (*Petasia*), 307.
Pyrrhoscelis (*Heteropternis*), 220.

Quadrata (Otumba), 577.
Quadratus (Caloptenus), 480.
Quadratus (Melanoplus), 526.
Quadricarinata (Mastusia), 418.
Quadricarinata (Mazarredia), 25.
Quadridentata (Acinipe), 353.
Quadridentatus (Eunapius), 353.
Quadridentatus (Euryparyphes), 353
Quadrilobus(Ecphantus), 464.
Quadrimaculata (Locusta), 575.
Quadrimaculata (Tetrix), 47.
Quadrimaculata (Tettix), 47.
Quadrimaculata (*Epacromia*), 264.
Quadrimaculatum (Acridium), 264.
Quadrimaculatum (Acrydium), 38.
Quadrimaculatum (Œdipoda), 264.
Quadriplagiata (Hedotettix), 49.
Quadriundulatus (Micronotus), 53.
Quadriundulatus(Tettix), 53.
Quagga (Thericles), 81.
Quercus (Dendrotettix), 502.
QUILTA, 392.
QUIROGUESIA, 216.

Rabula (Circotettix), 252.
RACILIA, 397.
Radama (Acridium), 454.
Radama (Cyrtacanthacris), 454.
Radamæ (*Acrida*), 91.
Radiata (Locusta), 199.
Radiata (Tragocephala), 199.
Radiata (*Ochrophlebia*), 322.
RADINOTATUM, 101.
Radula (Corynorhynchus), 85.
Radula (Proscopia), 85.
Radula (*Proscopia*), 84.
Raflesi (Systella), 340.
Rafflesii (Systella), 340.
Rafflesii (*Truxalis*), 95.
Rafflesii (*Tryxalis*), 95.
Rainierensis(Asemoplus), 507.
Ramburi (*Chorthippus*), 161.
RAMBURIA, 165.
RAMBURIELLA, 165.
RAMONA, 250.
Ramona (Arphia), 197.
Rana (Cratilopus), 439.
Rana (Cratippus), 439.
Rana (Methone), 292.
Rana (Metrodora), 24.
Rana (Phrynotettix), 212.
Rana (Trachypetrella), 292.
Rana (Tristira), 212.
Ranacea (Cyrtacanthacris), 451, 585.
Ranaceum (Acridium), 451.
Ranaceus (Gryllus), 451.
Ranaceus (Locusta), 451.
Ranavaloæ (Acridium), 454.
Ranavaloæ (Cyrtacanthacris), 454.
Raulinii (Acinipe), 349.
Raulinii (Pamphagus), 349.
Raulinii (*Porthetis*). 349.
Raymondi (Gomphocerus), 173.
Raymondi (Omocestus), 173.
Raymondi (Stenobothrus), 173.

Rebellis (Conozoa), 250.
Rebellis (Trimerotropis), 280.
Recta (Rodunia), 140.
Recta (*Paroxya*), 506.
Rectus (*Melanoplus*), 521.
Rectus (Stenobothrus), 140.
Reducta (Tettix), 45.
Reducta (Vilerna), 430.
Reductum (Acrydium), 45.
Reductus (Caloptenus), 548.
Reductus (Euryphymus), 548.
Reedi (Hybusa), 88.
Referta (Bradynotes), 502.
Reflexa (Hoplolopha), 347.
Reflexus (Melanoplus), 516.
Reflexus (Pamphagus), 347.
Regalis (Æoloplus), 500.
Regalis (Caloptenus), [500], 511.
Regalis (Catantops), 476.
Regalis (Melanoplus), 511.
Regalis (*Æoloplus*), 507.
Regularis (Diedronotus), 361.
Regularis (Tropinotus), 361.
Rehni (Ichthiacris), 337.
Rejecta (Heteracris), 531.
Remissa (Mazarredia), 25.
Remora (*Gryllus*), 347.
Rendalli (Acrida), 94.
Rendalli (Chrotogonus), 302.
Rendalli (Pagopedilum), 345.
Rendalli (Xiphicera), 345.
Renkensis (Acridium), 454.
Renkensis (Cyrtacanthacris), 454.
Renkensis (Locusta), 454.
Repleta (Epacromia), 264.
Repletus (Acrotylus), 264.
Repletus (Caloptenus), 529.
Repletus (Melanoplus), 529.
Respondens (Acrydium), 220.
Respondens (Heteropternis), 220.
Reticularis (Tæniopoda), 372.
Reticulata (Blatta), 566.
Reticulata (Stropis), 438.
Reticulata (*Locusta*), 372.
Reticulata (*Monachidia*), 372.
Reticulatus (Platytettix), 23.
Reticulatus (*Dictyophorus*), 370.
Reticulatus (*Gryllus*), 372.
Retifolia (Locusta), 574.
Retifolia (Phylloptera), 574.
Reuteri (Gomphocerus), 156.
Revoili (Tenuitarsus), 299.
Rex (Tropidacris), 380.
RHABDOPLEA, 147.
RHABDOTETTIX, 494.
RHACHICREAGRA, 544.
RHACHIDORUS, 571.
RHADINOTATUM, 101.
RHAMPHACRIDA, 406.
Rhamses (Hyalorhipis), 280, 582.
Rhamses (Leptopternis), 280, 582.
RHAPHOTITTHA, 151.
RHICNODERMA, 391.
Rhodioptera (Parga), 98.
Rhodiopterus (Amycus), 98.
Rhodopa (Bryodema), 262.
Rhodopa (Œdipoda), 262.
Rhodoptera (Atractomorpha), 333.
Rhodoptera (*Œdipoda*), 262.
Rhodoptila (*Truxalis*), 325.
Rhodoptilus (Coryphistes), 435.
Rhodoptilus (*Gryllus*), 222.
Rhodopus (Bryodema), 262.
RHODORRHIPIS, 260.
RHOMALEA, 369 373.
Rhombea (Cicada), 4.
Rhombea (Hymenotes), 5.
Rhombea (Membracis), 5.
Rhombea (Phyllotettix) 4.
Rhombeum (Acridium), 5.
Rhombeum (Choriphyllum), 5, 6.
Rhombeum (Chorophyllum), 5.
Rhombeum (Hymenotes), 5.
RHOMBODERA, 567.
Rhomboidea (*Locusta*), 182.
RHYNCHOTETTIX, 578.
RHYTIDOCHROTA, 543.
Riffensis (Pamphagodes), 342.
Rignaudii (Pœkilocerus), 316.
Rignaudii (Zonocerus), 316.
Rileyanum (Derotmema), 244.
Rileyanum (Tmetodera), 244.
Rileyanus (Melanoplus), 510.
ROBECCHIA, 466.
Robinsoni (Annandalea), 329.
Robusta (Amblytropidia), 115.
Robusta (Heteracris), 555.
Robusta (Haldemanella), 295.
Robusta (Haldemannia), 295.
Robusta (Orphulella), 123.
Robusta (Phrynotettix), 295.
Robusta (Syrbula), 108.
Robustulus (Dichroplus), 489.
Robustulus (Pezotettix), 489.
Robustulus (Trigonophymus), 489.
Robustum (Acridium), 555.
Robustum (Sphæragemon), 234.
Robustus (Acanthalobus), 577.

Robustus (Caloptenus), 529.
Robustus (Dichroplus), 488.
Robustus (Halmenus), 503.
Robustus (Melanoplus), 529.
Robustus (Pezotettix), 529.
Robustus (Phrynotettix), 295.
Robustus (Sitalces), 435.
Robustus (Trigonophymus), 488.
Rodericensis (Chortoicetes), 193.
Rodericensis (Epacromia), 193.
RODUNIA, 139.
Rogenhoferi (Conozoa), 250.
Rollini (Chrotogonus), 301.
ROMALEA, 369.
Romi (Odontomelus), 101.
Rosacea (Dittopternis), 220.
Rosacea (Pyrgomorpha), 326.
Rosacea (Truxalis), 94.
Rosacea (*Œdipoda*), 223.
Rosaceum (Mestobregma), 249.
Rosaceus (Trepidulus), 249.
Rosea (Acrotylus), 582.
Rosea (Cyrtacanthacris), 447.
Rosea (Leptysmina), 412.
Rosea (Protagasta), 321.
Rosea (Pyrgomorpha), 325.
Rosea (Truxalis), 325.
Rosea (*Leptysmina*), 412.
Roseipennis (Bryodema), 262.
Roseipennis (Cyphophorus), 383.
Roseipennis (Dericorys), 383.
Roseipennis (Derocorystes), 383.
Roseipennis (Nuceria), 430.
Roseipennis (Nuciera), 430.
Roseipennis (Orthoscapheus), 427.
Roseipennis (*Pœcilocera*), 315.
Roseipennis (*Pœkilocerus*), 315.
Rosenbergii (Eumastax), 78.
Rosenbergii (Scirtomastax), 78.
Roseosignatus (Mnesicles), 73.
Roseoviridis (Orbillus), 474.
Roseum (Acridium), 447.
Roseum (Acrydium), 447.
Roseus (Gryllus), 447, 586.
Roseus (Locusta), 447.
Roseus (Stenocrobylus), 485.
Rostrata (Mermiria), 105.
Rostrata (Taphronota), 310.
Rostrata (*Proscopia*), 84.
Rostratus (Rhynchotettix), 578.
Rosulentus (Diedronotus), 360.
Rosulentus (Tropidonotus), 360.
Rotundata (Meristopteryx), 242.
Rotundata (Œdipoda), 242.
Rotundata (Phæoparia), 426.
Rotundatus (Chrotogonus), 299.
Rotundatus (Orchetypus), 68.
Rotundifrons (Brachytypus), 69.
Rotundifrons (Plagiotriptus), 69.
Rotundipennis (Melanoplus), 520.
Rotundipennis (Pezotettix), 520.
Rubella (Cyrtacanthacris), 449.
RUBELLIA, 319.
Rubellum (Acridium), 449.
Rubens (Pneumora), 62, 63.
Rubescens (Acridium), 448.
Rubescens (Cyrtacanthacris), 448.
Rubescens (Gryllus), 586.
Rubescens (Œdipoda), 274.
Rubescens (Sphingonotus), 274.
Rubicunda (*Locusta*), 176.
Rubicundus (Gryllus), 163.
Rubicundus (Stenobothrus), 163.
Rubicundus (*Gryllus*), 176.
Rubiginosa (*Cyrtacanthacris*), 484.
Rubiginosa (*Schistocerca*), 458.
Rubiginosum (*Acridium*), 458, 462, 484.
Rubripenne (Acrydium), 214.
Rubripennis (Trachyrhachis), 248.
Rubripennis (Trachyrhachys), 248.
Rubripes (Eucopiocera), 421.
Rubripes (Pseudotrimerotropis), 258.
Rubripes (Scotussa), 190.
Rubripes (Scyllina), 134.
Rubripes (Trimerotropis), 258.
Rubripes (*Acrydium*), 546.
Rubripes (*Nocarodes*), 355.
Rubro-ornata (Maura), 307.
Rubro-ornata (Petasia), 307.
Rudis (*Heteracris*), 561.
Rudis (*Tettix*), 43.
Rufa (Blatta), 566.
Rufa (*Œdipoda*), 241.
Rufescens (Acrida), 94.
Rufescens (Gryllus), 581.
Rufescens (Phlæoba), 139.
Rufescens (Rodunia), 139.
Rufescens (Stenobothrus), 581.
Rufescens (Truxalis), 94.
Rufescens (*Gryllus*), 459.
Ruficorne (Acridium), 450, 451.
Ruficorne (*Acridium*), 450.

Ruficornis (Agesander), 543.
Ruficornis (Cyrtacanthacris), 450.
Ruficornis (Gryllus), 450.
Ruficornis (Orthacris), 336.
Ruficornis '(Tettigidea), 59.
Ruficornis (Tettix), 59.
Ruficornis (*Proscopia*), 85.
Rufipennis (Hyalopteryx), 105.
Rufipennis (*Hyalopteryx*), 105.
Rufipes (Acridium). 540.
Rufipes (Catantops), 477.
Rufipes (Coptotettix), 55.
Rufipes (Gryllus), 540.
Rufipes (Mazarredia), 25.
Rufipes (Melanoplus), 524.
Rufipes (Osmilia), 540.
Rufipes (Oxya), 394.
Rufipes (Podisma), 539.
Rufipes (Stropis), 438.
Rufipes (Tettix), 25.
Rufipes (*Acridium*), 174.
Rufipes (*Gomphocerus*), 174.
Rufipes (*Gryllus*), 174
Rufipes (*Locusta*), 174.
Rufipes (*Nocarodes*), 355.
Rufipes (*Œdipoda*), 174.
Rufipes (*Stenobothrus*), 174.
Rufitibia (Heteracris), 555.
Rufitibia (*Acridium*), 483.
Rufomarginatum (*Acrydium*), 176.
Rufopunctata (Atractomorpha), 331.
Rufostriata (Epacromia), 192.
Rufostriatus (Æolopus), 192.
Rufovittata (Aptenopedes), 508.
Rufovittata (*Phemonoe*), 388.
Rufum (Acrydium), 156.
Rufum (Aulocara), 135.
Rufus (Chorthippus), 157.
Rufus (Gomphocerus), 156, 157.
Rufus (Gryllus), 156.
Rufus (Locusta), 156.
Rufus (Stenobothrus), 157.
Rufus (*Gryllus*), 158.
Rugifrons (Stropis), 438.
Ruginata (Blepomma), 268.
Rugosa (Apotettix), 54.
Rugosa (Exarna), 443.
Rugosa (Œdipoda), 203.
Rugosa (Tettix), 54.
Rugosa (Tmetonota), 245.
Rugosa (Trigoniza), 441.
Rugosa (Trilophidia), 245.
Rugosipes (Lamarckiana), 344.
Rugosipes (Xiphicera), 344.
Rugosum (Sphenarium), 304.
Rugosum (*Acridium*), 462.
Rugosus (Apotettix), 54.
Rugosus (Criotettix), 18.
Rugosus(Hippiscus), 203.
Rugosus (Loxilobus), 18.
Rugosus (Paurotarsus), 61.
Rugosus (Telmatettix), 30.
Rugosus (*Gryllus*), 347, 379.
Rugosus (*Hippiscus*), 204.
Rugulosa (Bibracte), 467.
Rugulosa (Goniæa), 437.
Rugulosa (Maura), 307.
Rugulosa (Orphulina), 119.
Rugulosa (Platyphyma), 399.
Rugulosa (Vilerna), 430.
Rugulosus (Pezotettix), 399.
Rugulosus (Stenobothrus), 119.
Rugulosus (*Eunapius*), 354.
Rugulosus (*Pamphagus*), 354.
Rupestris (Blatta), 567.
Ruricola (*Xiphocera*), 135.
Rustica (Cyrtacanthacris), 450.
Rustica (Epilampra), 563.
Rustica (Heterolampra), 563.
Rusticum (*Acridium*), 460.
Rusticus (Hedotettix), 50.
Rusticus (Melanoplus), 518.
Rusticus (Pezotettix), 518.
Rusticus (*Gryllus*), 460.
RUTIDODERES, 311.

Sabaudum (Pyrgophyma), 310.
Sabulosa (Porthetis), 346.
Sabulosa (Xiphocera), 346.
Sabulosum (Pagopedilum), 346.
Sabulosus (Porthetis), 346.
Sacalava (Catantops), 482.
Sacer (Caloptenus), 549.
Sacer (Sphodromerus), 549.
Sævus (Paratettix), 35.
Sagitta (Oxybleptella), 414.
Sagittaria (Xistra), 27.
Sagittarius (Catantops), 179.
Sagittata (Xistra), 27.
Sagittatus (Paratettix), 27.
Sagræ (Chorophyllum), 6.
Sagrai (Choriphyllum), 5.
Sagrai (Hymenotes), 5.
Sagrai (Phyllonotus), 6.
Saharæ (Acinipe), 350.
Saharæ (Pamphagus), 350.
Saharica (Notopleura), 154.
Sajax (Apioscelis), 85.
Sajax (Proscopia), 85.
Sakalava (Euschmidtia), 82.
Salamandra (Pezotettix), 536.
Salamandra (Podisma), 536.
Salina (Œdipoda), 241.
Salina (Orphulella), 121.
Salina (Pseudotrimerotropis), 258.
Salina (Stirapleura), 130.

Salina (Trimerotropsis), 258.
Salina (*Œdipoda*), 261.
Salinator (Gryllus), 586.
Salinum (Acrydium), 241.
Salinus (Gryllus), 241.
Salinus (Ochrotettix), 112.
Salmiæfolia (Locusta), 575.
Saltator (Acrotylus), 266.
Saltator (Hippopedon), 202.
Saltator (Melanoplus), 520.
Saltator (Parepisactus), 75.
SANAA, 572.
Sancta (*Mantis*), 568.
Sanctæ-Helenæ (Acridium), 189.
Sanctæ-Helenæ (Primnia), 189.
Sanctæ-Helenæ(Tinaria), 189.
Sanctæ-Mariæ (Acridium), 448.
Sanctæ-Mariæ (Cyrtacanthacris), 448.
Sanderi (Pyrgomorpha), 324.
Sanderi (Tanita), 324.
Sangiorgii (Stauroderus), 178.
Sangiorgii (Stenobothrus), 178.
Sanguinaria (*Arphia*), 196.
Sanguinea (Acrida), 91.
Sanguinea (Morphacris), 218.
Sanguineo-annulata (Caryanda), 395.
Sanguineocephalus (*Caloptenus*), 505.
Sanguineus (Gryllus), 218.
Sanguineus (Leiotettix), 490.
Sanguineus (Melanoplus), 511.
Sanguineus(Pœcilotettix), 506.
Sanguineus (*Truxalis*), 425.
Sanguiniferus (Sphodromerus), 549.
Sanguinipes (Traulia), 475.
Sanguinipes (*Acridium*), 430.
Sanguinipes (*Acrydium*), 430.
Sanguinolenta(Phlæoba), 139.
Sanguinolenta (Rodunia), 139.
Sanguinolenta (Scelimena), 13.
Sanguinolenta (*Acrydium*), 316.
Sanguinolentus (*Caloptenus*), 523.
Sanguineolentus (*Pœkilocerus*), 316.
SANNA, 572.
Sansibara (Æolopus), 192.
Sansibara (Epacromia), 192.
Sansibarica (Euschmidtia), 32.
Sansibaricus (*Comacris*), 141.
SAPARUS, 431.
Sapellanus (Melanoplus), 518.
Saphiripes(Calliptamus), 545.
Saphiripes (Euryphymus), 545.
Sarasini (Gastrimargus), 228.
Sarasini (Œdaleus), 228.
Sardeum (*Acridium*), 352.
Satanas (Maura), 307.
Satanas (Petasia), 307.
Satrapes (Sphingonotus), 272.
Satur (Bradynotes), 502.
Saturata (Eucoptacra), 419.
Saturata (*Pternosticta*), 217.
Saturatum (Acridium), 419.
Saturatus (Caloptenus), 546.
Saturatus (Euryphymus), 546.
Saucia (Catantops), 478.
Saucia (Conistica), 223.
Saucia (Dissosteira), 223.
Saucia (Œdipoda), 223.
Saucium (Acridium), 478.
Saucius (Catantops), 478.
Saulcyi (Stauroderus), 179.
Saulcyi (Stenobothrus), 179.
Saulcyi (Tetrix), 43.
SAURACRIS, 468.
Saurus (Masyntes), 79.
Saussureana (Arphia), 195.
Saussureanum (Derotmema), 243.
Saussurei (Acridium), 540.
Saussurei (Chrotogonus), 301.
Saussurei (Choriphyllum), 6.
Saussurei (Chorophyllum), 6.
Saussurei (Euthymia), 384.
Saussurei (Heteropternis), 221.
Saussurei (Hippiscus), 206.
Saussurei (Lamarkiana), 345.
Saussurei (Ommatolampis), 541.
Saussurei (Osmilia), 540.
Saussurei (Pardalophora), 206.
Saussurei (Phyllonotus), 6.
Saussurei (Teinophaus), 541.
Saussurei (Xiphocera), 345.
Saussurei (*Caloptenopsis*), 551.
Saussurei (*Stenobothrus*), 158.
SAUSSURELLA, 61.
Savannarum (Boöpedon), 128.
Savignii (Ommexycha), 300.
Savigny (Chrotogonus), 300.
Savigny (Ommexycha), 300.
Savignyi (Duronia), 140.
Savignyi (Duroniella), 140.
Savignyi (Heteropternis), 221.
Savignyi (Ommexycha), 300.
Savignyi (Sphingonotus), 277.
Savignyi (*Leptoscirtus*), 269.
Saxatile (Spharagemon), 234.
Saxatilis (Pseudotrimerotropis), 259.
Saxatilis (Trimerotropis), 259.

Saxosa (Cota), 11.
Saxosus (Phymateus), 315.
Scaber (Atractomorpha), 332.
Scaber (Caloptenus), 440.
Scaber (Gryllus), 365.
Scaber (Paratettix), 32.
Scaber (Plectronotus), 53.
Scaber (Tettix), 32.
Scaber (Truxalis), 332.
Scaberrimus (*Trachytettix*), 12.
Scabiosus (Aularches), 309.
Scabiosus (Gryllus), 309.
Scabiosus (Locusta), 309.
Scabiosus (Phymateus), 309.
Scabiosus (*Gryllus*), 308.
Scabiosus (*Locusta*), 308.
Scabra (Blatta), 567.
Scabra (Elæochlora), 365.
Scabra (Mesambria), 440.
Scabra (Proscopia), 84.
Scabra (Tmetonota), 245.
Scabriculus (Sphinctonotus), 276.
Scabriculus (Sphingonotus), 276.
Scabridus (Discotettix), 2.
Scabridus (Mnesarchus), 2.
Scabripes (Diedronotus), 361.
Scabripes (Paratettix), 35.
Scabripes (Tropidonotus), 361.
Scabripes (Tropinotus), 361.
SCABRITETTIX, 27.
Scabriusculus (*Sphingonotus*), 277.
Scabrosa (Ochrophlebia), 324.
Scabrosa (Tanita), 324.
Scabrosus (Scabritettix), 27.
SCABROTETTIX, 27.
Scabrum (Acrydium), 32.
Scalaris (Œdipoda), 177.
Scalaris (Stauroderus), 177.
Scalaris (*Truxalis*), 96,
Scalata (Amphicremna), 99.
Scapularis (Gymnobothrus), 148.
Scapularis (Otumba), 26.
Scapularis (Paratettix), 32.
Scapularis (Tettix), 32.
SCARIA, 61, 579.
SCELHYMENA, 13.
SCELIMENA, 12, 576.
SCELYMENA, 13.
Schaefferi (Pseudotrimerotropis), 257.
Schaefferi (Trimerotropis), 257.
SCHINZIA, 341.
SCHISTOCERCA, 454, 585.
Schistocercoides (Acridium), 454.
Schistocercoides (Cyrtacanthacris), 454.
Schistocercoides (Scyllina), 133.
Schmidtii (Podisma), 536.
Schmidtii (*Pezotettix*), 537.
Schochii (Clypeotettix), 31.
Schochii (Œdipoda), 242.
Schochii (Paratettix), 31.
Schoutedeni (Catantops), 479.
Schrankii (*Tettix*), 40.
Schrenkii (Thrinchus), 282.
Schrenkii (Thrincus), 282.
Schulthessi (Orthochtha), 580.
Schulthessi (Rodunia), 140, 580.
SCHULTHESSIA, 355.
Schulzi (Antita), 585.
Schulzi (Dichroplus), 490.
Schulzi (Diedronotus), 360.
Schulzi (Diponthus), 382.
Schulzi (Euplectrotettix), 132.
Schulzi (Trigonophymus), 490.
Schulzi (Tropidonotus), 360.
Schulzi (Tropinotus), 360.
SCINTHARISTA, 216.
SCIRTETICA, 235.
SCIRTETTICA, 235.
SCIRTOBÆNUS, 571.
SCIRTOMASTAX, 78.
SCIRTOTYPUS, 68.
Scitula (Tryxalis), 95.
Scitulum (Acridium), 560.
Scitulus (Euprepocnemis), 560.
Scitulus (Melanoplus), 519.
Scitus (Melanoplus), 511.
SCOLECOCEPHALUS, 406.
SCOPAS, 491.
SCOTUSSA, 490.
Scriptipennis (Caloptenus), 549.
Scriptipennis (Sphodromerus), 549.
Scriptum (Acridium), 41.
Scriptus (Caloptenus), 512.
Scriptus (Melanoplus), 512.
Scrobiculatum (Acridium), 454.
Scrobiculatus (Cyrtacanthacris), 453.
Scudderi (Ageneotettix), 134.
Scudderi (Aulocara), 134.
Scudderi (Chrotogonus), 299.
Scudderi (Cornops), 417.
Scudderi (Eremnus), 134.
Scudderi (Euthymia), 384.
Scudderi (Melanoplus), 515.
Scudderi (Oligonyx), 568.
Scudderi (Orphula), 123.
Scudderi (Orphulella), 123.
Scudderi (Paroxya), 505.
Scudderi (Pezotettix), 515.
Scudderi (Podisma), 535.
Scudderi (Prosphena), 303.
Scudderi (Spharagemon), 235.
Scudderi (Tettigidea), 58.
[illegible], 158.

Sculpta (Cirphula), 439.
Sculpta (Mazarredia), 25.
Sculpturata (Camoensia), 304.
Scutatus (*Gryllus*), 359.
Scutatus (*Locusta*), 359.
Scutellare (*Acridium*), 458.
Scutellaris (Batrachotetrix), 291.
Scutellaris (Pneumora), 65.
Scutellaris(Trachypetra), 291.
Scutellatum (*Acrydium*), 40.
Scutifer (Calliptamus), 553.
Scutifer (Caloptenus), 553.
Scutigera (Batrachotetrix), 292.
Scutigera (Batrachotettix), 292.
Scutigera (Trachypetra), 292.
Sebetium (*Acridium*), 241.
Secura (Blatta), 563.
Secura (Phyllodromia), 563.
Securicolle (Tropidauchen), 348.
Securicollis (Tropidauchen), 348.
Securifer (Cladonotus), 9.
SEDULIA, 472.
Setiæ (*Sphingonotus*), 276.
SEGELLIA, 472.
Segurensis (Pamphagus), 583.
Selache (Gelastorrhinus), 409.
Selecta (Epacromia), 281.
Selectus (Caloptenus), 516.
Selectus (Melanoplus), 516.
Sellata (Rhytidochrota), 543.
Sellatum (*Acridium*), 459.
Selysi (Discotettix), 2.
Selysi (Maura), 307.
Semenovi (Conophyma), 399.
Semenowi (Conophyma), 399.
Semenowi (Eremobia), 287.
Semenowi (Tmethis), 287.
Semicæca (Eumastax), 76, 77.
Semicæca (Mastax), 76.
Semicæcus (Mastax), 76.
Semicarinata (*Duronia*), 139.
Semicarinatus (Chrysochraon), 141.
Semicarinatus (Comacris), 141.
Semicarinatus (*Chrysochraon*), 139.
Semicolor (Gomphocerus), 159.
Semifasciatum (*Acridium*), 446.
Semihirsutus (Paratettix), 33.
Semipicta (Opomala), 409.
Semipictus (Gelastorrhinus), 409.
Semiroseus (Calliptamus), 546.
Semiroseus (Caloptenus), 546.
Semiroseus (Euryphymus), 546.
Semirubrum (*Acridium*), 378.
Semivittata (Schistocerca), 462.
Semivittatum (Acridium), 462.
Semoni (Blatta), 564.
Semoni (Rhachidorus), 571.
Semoni (Stylopyga), 564.
Semperi (Mazarredia), 25.
Senegalensis (Chrotogonus), 299.
Senegalensis (Œdaleus), 225.
Senegalensis (Pachytylus), 225.
Separata (Schistocerca), 458.
Sepositus (Sygrus), 353.
Septemfasciata (Cyrtacanthacris), 448.
Septemfasciatum (Acridium), 448.
Septentrionalis (Cyrtacanthacris), 457.
Septentrionalis (Schistocerca), 457.
Septentrionalis (Taxiarchus), 87.
Septentrionalis (*Pezotettix*), 521.
Serapis (Calliptamus), 548.
Serapis (Caloptenus), 549.
Serapis (Sphodromerus), 548.
Serbica (Pyrgomorpha), 327.
Serbica (Pyrgomorphella), 327.
Serialis (*Gryllus*), 461.
Seriatus (Pycnostictus), 271.
Serpa (Ochrophlebia), 322.
SERPUSIA, 473.
Serrata (Acrida), 97.
Serrata (Bulla), 63.
Serrata (Chiriquia), 23.
Serrata (Hoplolopha), 348.
Serrata (Opomala), 584.
Serrata (Opsomala), 584.
Serrata (Pneumora), 63.
Serrata (Porthetis), 348.
Serrata (Prionolopha), 358, 359.
Serrata (Tryxalis), 97.
Serrata (Xiphocera), 348, 359.
Serraticus (Adrapetes), 71.
Serratofasciatum (*Acrydium*), 359.
Serratum (Acrydium), 359.
Serratus (Bulla), 358.
Serratus (Coryphistes), 436.
Serratus (Gryllus), 358, 359.
Serratus (Pamphagus), 359.
Serratus (Tropinotus), 359
Serratus (Truxalis), 97.
Serricollis (Nocarodes), 355.
Serricornis (Moraba), 99.
Serricornis (Thrinchus), 287.
Serricornis (Tmethis), 287.
Serripes (Acrydium), 44, 347.
Serripes (Gryllus), 347.
Serripes (Locusta), 347.

Serripes (Pamphagus), 347.
Serripes (Tettix), 44.
Serrulata (Graea), 298.
Serrulata (Ommexycha), 298.
Serrulata (Oxya), 393.
Serrulatum (Spathalium), 298.
Serrulatus (Gryllus), 297.
Servillei (Ommexycha), 297.
Servillei (Tapesia), 306.
Servillei (Xerophyllum), 7.
Servillei (Gryllus), 376.
SERVILLIA, 575.
Severini (Humpatella), 320.
Sexguttata (Cystocœlia), 65.
Sexguttata (Pneumora), 65.
Sexspinosa (Proscopia), 90.
Shastana (Bruneria), 131.
Shastana (Brunneria), 131.
Shastanus (Circotettix), 252.
Shastanus (Gomphocerus), 131.
Shelfordi (Discotettix), 575.
Shoshone (Acridium), 459.
Shoshone (Schistocerca), 459.
SIA, 571.
Sibirica (Tetrix), 44.
Sibiricum (Acrydium), 44, 155.
Sibiricus (Chorthippus), 156.
Sibiricus (Gomphocerus), 155, 156, 581.
Sibiricus (Gryllus), 155.
Sibiricus (Locusta), 155.
Sibiricus (Stenobothrus), 155, 156.
Sibiricus (Tettix), 44.
Sica (Cephalocœma), 88.
Sica (Proscopia), 88.
Sicifolia (Systella), 340.
Sicula (Œdipoda), 239.
Sicula (Opomala), 403.
Sicula (Opsomala), 403.
Sicula (Tropidopola), 403.
Siculus (Caloptenus), [illegible].
Sierra (Hippiscus), 204.
Sierranus (Melanoplus), 513.
SIGAUS, 441.
Sigillata (Orthacanthacris), 444.
Sigillatum (Acridium), 444.
Sigmoidalis (Euryphymus), 545.
Signata (Acrydium), 579.
Signata (Elimæa), 573.
Signata (Œdipoda), 166.
Signata (Ramburiella), 166.
Signata (Tettix), 40.
Signatipennis (Œdipoda), 131, [254].
Signatipennis (Stirapleura), 131.
Signatipennis (Trimerotropis), [254].
Signatipes (Caloptenus), 484.
Signatipes (Omalotettix), 428.
Signatum (Acrydium), 45.
Signatus (Caloptenus), 548.
Signatus (Catantops), 479.
Signatus (Eotettix), 498.
Signatus (Epistaurus), 471.
Signatus (Euryphymus), 548.
Signatus (Tettix), 45.
SILVITETTIX, 112.
Sima (Locusta), 575.
Simile (Conophyma), 400.
Simile (Xerophyllum), 8.
Similis (Campylacantha), 498.
Similis (Caloptenus), 559.
Similis (Euparatettix), 578.
Similis (Melanoplus), 519.
Similis (Paratettix), 33.
Similis (Pseudotrimerotropis), 258.
Similis (Thisoicetrus), 559.
Similis (Trimerotropis), 258.
Similis (Xistra), 27.
Similis (Zoniopoda), 376.
Similis ([illegible]), 333.
Simillima (Acinipe), 351.
Simillima (Porthetis), 351.
Simillimus (Pamphagus), 351.
Simoni (Paraphlæoba), 138.
Simoni (Paratettix), 35.
Simonyi (Omocestus), 174.
Simonyi (Stenobothrus), 174.
Simplex (Amorphopus), 22.
Simplex (Arphia), 197.
Simplex (Eremopachys), 296.
Simplex (Eritettix), 111.
Simplex (Gomphocerus), 111.
Simplex (Heteracris), 394.
Simplex (Melanoplus), 510.
Simplex (Morphopus), 22.
Simplex (Orphulella), 120.
Simplex (Oxya), 394.
Simplex (Phlæoba), 138.
Simplex (Stauroderus), 181.
Simplex (Stenobothrus), 138, 181.
Simulans (Orthacris), 336.
Simulatrix (Acrotylus), 267.
Simulatrix (Epacromia), 267.
Simulatrix (Schistocerca), 462.
Simulatrix (Acridium), 462.
Simulatrix (Cyrtacanthacris), 462.
SINALOA, 495.
Sinense (Acridium), 394.
Sinensis (Atractomorpha), 332.
Sinensis (Gelastorrhinus), 409.
Sinensis (Heteropternis), 220.
Sinensis (Tryxalis), 409.
Sinensis (Caloptenus), 469.
Sinetyi (Epistaurus), 471.
SINIPTA, 109.
Sinuata (Atractomorpha), 332.

Sinuata (Colpolopha), 363.
Sinuatocollis (Zygophlæoba), 138.
Sinuatus (Paratettix), 35.
Sinuatus (Phlœonotus), 580.
Sinuatus (Tylotettix), 12.
Sinufrons (Nomotettix), 52.
Sinuosus (Euryphymus), 547.
SISANTUM, 116.
SITALCES, 434.
Sitifense (Acridium), 353.
Sitifensis(Euryparyphes), 353.
Sjœstedti (Phymateus), 313.
Skalozubovi (Celes), 222.
Smaragdipes (Leptomerinthophora), 431.
Smaragdulum (*Acridium*), 146.
Smilacea (*Œdipoda*), 146.
Smilaceum (*Acridium*), 146.
Smithi (Scyllina), 133.
Smithi (Tetranorhynchus), 86.
Snowi (Pseudotrimerotropis), 258.
Snowi (Trimerotropis), 258.
Snowii (Melanoplus), 521.
Sobria (Mazarredia), 24.
Sobria (Tettix), 24.
Sobria (*Œdipoda*), 271.
Sobrinus (Hedotettix), 50.
Socia (Chirista), 142.
Socia (Epacromia), 142.
Socius (Aulacobothrus), 189.
Socius (Epacromia), 142.
Socius (Gomphocerus), 142.
Sokolowi (Conophyma), 400.
Sokotranus (Pœkilocerus), 316.
Sokotranus (Zonocerus), 316.
Somali (Demodocus), 554.
Somali (Heteracris), 554.
Somalia (Acrida), 97.
Somalicus (Euprepocnemis), 560.
Somalicus (Eyprepocnemis), 560.
Somalicus (Tylotropidius), 556.
Sommeri (Spathalium), 298.
Sonneratii (*Dictyophorus*), 317.
Sonneratii (*Pœcilocera*), 317.
Sonneratii (*Pœkilocerus*), 317.
Sonomaensis (Melanoplus), 519.
Sonoræ (Melanoplus), 509.
Sonorensis (Paratettix), 35.
Sonorensis(Schistocerca), 458.
Sordida (Coryphistes), 436.
Sordida (Œdipoda), 200, 201.
Sordida (Opsomala), 436.
Sordida (Pseudotrimerotropis), 259.
Sordida (Tettix), 47.
Sordida (Tragocephala), 201.
Sordida (Trimerotropis), 259.
Sordidum(Pagopedilum), 346.
Sordidus (Encoptolophus), 200, 201.
Sordidus (Pamphagus), 346.
Sordidus (Platybothrus), 188.
Sordidus (Stenobothrus), 188.
Sordidus (Tetrix), 47.
Sordidus (*Caloptenus*), 480.
Sordidus (*Encoptolophus*), 201.
Soror (Proscopia), 84.
SPANIONYX, 568.
Sparrmani (Lamarckiana), 343.
Sparrmani (Xiphocera), 343.
Sparsa (Circotettix), 253.
Sparsa (Heteracris), 555.
Sparsa (Œdipoda) 253.
Sparsum (Acridium), 555.
SPATHALIUM, 298.
Spathalium (Ommexycha), 298.
SPATHOSTERNUM, 400.
Spathulata (Tetrix), 46.
Spathulata (Tettix), 46.
Spathulatum(Acrydium), 46.
Spatulata (Parga), 98.
Speciosa (Chromacris), 373.
Speciosa (Heteracris), 555.
Speciosa (Orphula), 120.
Speciosa (Rhomalea), 373.
Speciosissima (Ophthalmolampis), 390.
Speciosum (Acridium), 373.
Speciosus (Alectorolophus), 467.
Speciosus (Catantops), 484.
Speciosus (Gryllus), 373.
Speciosus (Hesperotettix), 500.
Speciosus (Pezotettix), 500.
Speciosus(Stenobothrus), 120.
Spectabilis (Mastusia), 418.
Spectabilis (*Eupropacris*), 477.
Spectrum (Lamarckiana), 344.
Spectrum (Xiphocera), 344.
Specularia (Sedulia), 472.
Specularia (Traulia), 472.
Specularis (Copiocera), 420.
Specularis(Hyalopteryx), 105.
Sphalera (Orthacanthacris), 444.
SPHARAGEMON, 233.
SPHENACRIS, 336.
Sphenarioides (Aptenopedes), 508.
Sphenarioides (Pyrgomorphella), 327.
Sphenarioides (Uhagonia), 335.
SPHENARIUM, 303.
SPHENEXIA, 320.
SPHINCTONOTUS, 272.

Sphingiformis (Gryllus), 364.
Sphingiformis (Locusta), 364.
SPHINGONOTHUS, 271.
SPHINGONOTUS, 271, 582.
SPHODROMERUS, 548, 585.
Spicata (Tettigidea), 59.
Spiculatum (Eugavialidium), 14.
Spiculatum (Gavialidium), 14.
Spiculatus (*Tettix*), 14.
Spinicollis (Finotia), 357.
Spinifer (Heterogamia), 565.
Spinifer (Polyphaga), 565.
Spinifera (Servillia), 575.
Spinifrons (Dolatettix), 6.
Spinifrons (Metrodora), 26.
Spinifrons (Otumba), 26.
Spinifrons (Tetrix), 26.
Spinifrons (Tettix), 26.
Spinilobus (Criotettix), 16.
Spinosa (Proscopia), 86.
Spinosostylata (Methana), 564.
Spinosus (Corynorhynchus), 86.
Spinosus (Plesiotettix), 20.
Spinulosa (Bulla), 64.
Spinulosa (Lamarckiana), 343.
Spinulosa (Xiphocera), 343.
Spissa (Catantops), 478.
Spissa (Cyrtacanthacris), 478.
Spissus (*Caloptenus*), 551.
Splendens (Catantops), 482.
Splendens (Gryllus), 482.
Splendens (Pyrgophyma), 310.
Spleniata (Serpusia), 473.
Spoliata (Elæochlora), 366.
Spoliata (Xiphocera), 366.
Sponsus (Gryllus), 586.
Spretus (Acridium), 513.
Spretus (Caloptenus), 513.
Spretus (Melanoplus), 513.
Spretus (Pezotettix), 513.
Spumans (Dictyophorus), 305.
Spumans (Gryllus), 305.
Spumans (Petasia), 305, 306.
Spumans (Pœcilocera), 305.
Spumans (Tapesia), 305, 306.
Spurcata (Dissosteira), 232.
Spuria (Oxya), 395.
Spurium (Acridium), 395.
Spurium (Oxya), 395.
Squalidus (Gryllus), 586.
Squalina (Pyrgomorpha), 326.
Squalina (Tanita), 326.
Squalinus (Dyscolorhinus), 336.
Squalus (Gomphocerus), 150.
Squalus (Pnorisa), 150, 151.
Squamipennis (Perixerus), 541.
Squamipennis (Euryphymus), 545.
Squarrosa (Locusta), 311.
Squarrosa (Rutidoderes), 311.
Squarrosa (*Pœcilocera*), 314.
Squarrosus (Gryllus), 311.
Squarrosus (Libellula), 311.
Squarrosus (Locusta), 311.
Squarrosus (Peristegus), 311.
Squarrosus (Phymateus), 311.
Squarrosus (Rutidoderes), 311.
Squarrosus (*Gryllus*), 314.
Squarrosus (*Locusta*), 314.
Stæli (Acrida), 92.
Stæli (Arnilia), 419.
Stæli (Catantops), 479.
Stæli (Eunapius), 354.
Stæli (Euryparyphes), 354.
Stæli (Opsomala), 419.
Stæli (Tæniopoda), 371.
Stæli (Taphronota), 309.
Stæli (Tylotropidius), 556.
Stali (Acrida), 92.
Stali (Spathalium), 298.
Stali (Tryxalis), 92.
Stalii (*Caloptenus*), 281.
STAURODERUS, 177, 580.
STAURONOTUS, 152.
STAURORHECTUS, 166.
STEGASTRIS, 392.
Steindachneri (*Brachycrotaphus*), 149.
STENACRIS, 413.
Stenobothroides (*Opsomala*), 164.
STENOBOTHRUS, 160.
Stenocrobyloides (Catantops), 482.
STENOCROBYLUS, 485.
STENODORSUS, 49.
STENODORUS, 49.
Stenofrons (Teredorus), 30.
STENOPOLA, 415.
Stenoptera (Duronia), 139.
Stenopterus (Chrysochraon), 139.
STENOSCEPA, 320.
STENOXYPHUS, 328.
STEREOTETTIX, 166.
STETHEOPHYMA, 167, 169.
STETHOPHYMA, 167, 168, 169.
STIBARA, 574.
STIBAROPTERA, 574.
STICTHIPPUS, 201.
Stigmatica (Traulia), 475.
Stigmaticum (Acridium), 161.
Stigmaticus (Gomphocerus), 161.
Stigmaticus (Gryllus), 160.
Stigmaticus (Stenobothrus), 160, 161.
Stigmaticus (*Chorthippus*), 162.
Stigmaticus (*Gomphocerus*), 175.

Stigmosus (Hippiscus), 210.
Stigmosus (Xanthippus), 210.
STIPATOR, 571.
Stipatum (Acridium), 480.
Stipatus (Catantops), 480.
STIPHRA, 87.
STIRAPLEURA, 130.
Stolidus (Euryphymus), 547.
Stolli (*Chromacris*), 373.
Stolli (*Phymateus*), 314.
Stolli (*Pterochroza*), 573.
Stolli (*Rhomalea*), 373.
Stollii (Batrachotetrix), 292.
Stollii (Batrachotettix), 292.
Stollii (Phymateus), 314.
Stollii (*Acridium*), 408.
Stollii (*Arcyoptera*), 170, 171.
Stollii (*Opsomala*), 408.
Stonei (Melanoplus), 525.
Stragulum (Tettix), 38.
Straminea (Acrida), 93.
Straminea (Œdipoda), 259.
Straminea (Pseudotrimerotropis), 259.
Straminea (*Heteracris*), 394.
Stramineus (*Caloptenus*), 480.
Strangulata (*Heteracris*), 402.
Strangulatum (Œdocara), 135.
Strangulum (Œdocara), 136.
Straubei (Nocarodes), 355.
Straubei (Pamphagus), 355.
Straubei (*Nocarodes*), 355.
Strenua (Pseudotrimerotropis), 258.
Strenua (Trimerotropis), 259.
Strenum (*Acridium*), 458.
Strenuum (*Acridium*), 458.
Strenuus (Acridoderes), 470.
Strenuus (Caloptenus), 470.
Strepens (Acrydium), 190.
Strepens (Æolopus), 190.
Strepens (Aiolopus), 190.
Strepens (Epacromia), 190.
Striata (Apotropis), 440.
Striata (Paratettix), 33.
Striata (Proscopia), 90.
Striata (Tetrix), 33.
Striata (*Proscopia*), 86.
Striatum (Astroma), 90.
Striatus (Egnatioides), 269.
Striatus (Tritropis), 440.
Striatus (*Gryllus*), 39.
Stricta (Coptacra), 468.
Strictus (Aulacobothrus), 189.
Strictus (Caloptenus), 468.
Stridula (Œdipoda), 213.
Stridulum (Acridium), 213.
Stridulum (Acrydium), 213.
Stridulum (*Acrydium*), 239.
Stridulus (Gryllus), 213.
Stridulus (Locusta), 213.
Stridulus (Pachytylus), 213.
Stridulus (Psophus), 213.
Strigata (Eutryxalis), 106.
Strigata (Parorphula), 119.
Strigata (*Œdipoda*), 219.
Strigatus (Mnesicles), 74.
Strigifer (Caloptenus), 469.
Strigifer (Eucoptacra), 469.
Strigosa (Machæridia), 98.
Strigosa (Parga), 98.
Strigulatus (*Stenobothrus*), 400.
STROPIS, 438.
STRUMIGER, 282.
Strumosa (Cota), 11.
Strumosus (Melanoplus), 515.
Stuhlmanni (Brachycrotaphus), 149.
Stuhlmanni (Ochrilidia), 149.
Stuhlmanniana (Lamarckiana), 343
Stuhlmanniana (Xiphocera), 343.
Stummeri (Eremobia), 289.
Stummeri (Tmethis), 289.
Stupefacta (Podisma), 534.
Stupefactus (Pezotettix), 534.
Stupida (Calvarias), 570.
Stylata (Xistra), 577.
Stylifer (Catantops), 478.
Subalpinum (*Podisma*), 538.
Subaptera (Astroma), 90.
Subaptera (Cephalocœma), 90.
Subaptera (Proscopia), 90.
Subapterus (Alectorolophus), 467.
Subapterus (Anchotatus), 88.
Subcæruleipennis (*Gryllus*), 222.
Subcæruleipennis (*Œdipoda*), 222.
Subconspersa (Amblytropidia), 115.
Subconspersus (Stenobothrus), 115.
Subcruciatum (Pagopedilum), 345.
Subcucullatus (Deltonotus), 7, 576.
Subcucullatus (Tettix), 7.
Subcylindrica (Ochrophlebia), 323.
Subcylindrica (Tanita), 323, 324.
Subfasciatum (Acridium), 228.
Subfasciatum (Œdipoda), 228.
Subfasciatus (Gastrimargus), 228.
Subfasciatus (Œdaleus), 228.
Subgracilis (Encoptolophus), 202.
Subgranulata (Proscopia), 87.
Subgranulatus (Taxiarchus), 87.

Subhyalina (*Amblytropidia*), 115.
Subimmaculata (Acridium), 451.
Sublævis (Barombia), 386.
Sublævis (Fortunata), 582.
Sublævis (Mecostibus), 283.
Sublævis (Proscopia), 87.
Sublævis (Taxiarchus), 87.
Sublævis (Tetanorhynchus), 86.
Sublævis (Wernerella), 582.
Subliturata (*Cyrtacanthacris*), 585.
Sublituratum (*Acridium*), 585.
Subnuda (Areseeutica), 466.
Subobtusa (*Proscopia*), 84.
Subparallela (*Proscopia*), 86.
Subpustulata (Apotropis), 440.
Subpustulata (*Tettix*), 32.
Subpustulatum (Acridium), 440.
Subrosea (Heliastus), 270.
Subrufescens (Stenobothrus), 165.
Subsellata (Cyrtacanthacrus), 449.
Subsellatum (Acridium), 449.
Subsinuatus (*Gomphocerus*), 180.
Subspurcata (Cyrtacanthacris), 462.
Subspurcata (Schistocerca), 462.
Subsulcata (Eremobia), 290.
Subsulcata (Eremocharis), 290.
Subtilis (Acrida), 95.
Subtilis (Rhaphotittha), 151.
Subtruncatus (Orchetypus), 68.
Subulata (Tetrix), 32, 37.
Subulata (Tettix), 37, 38.
Subulatum (Acridium), 36.
Subulatum (Acrydium), 36, 578.
Subulatus (Bulla), 36.
Subulatus (Criotettix), 16.
Subulatus (Gryllus), 36.
Subulatus (Tettix), 37, 38, 39.
Subulosum (Pagopedilum), 346.
Subverrucosa (Taphronota), 310.
Subvittata (Cyrtacanthacris), 456.
Subvittata (Schistocerca), 456.
Subvittata (*Proscopia*), 84.
Succincta (Cyrtacanthacris), 448.
Succinctum (Acridium), 448.
Succinctum (Acrydium), 448.
Succinctum (*Acridium*), 450.
Succinctus (Gryllus), 448.
Succinctus (Locusta), 448.
Succinctus (*Gryllus*), 450.
Succinea (Blatta) 567.
Succinea (Coptacra), 468.
Succursor (Ptemoblax), 585.
Succursor (*Ptemoblax*), 585.
Sudanensis (Tristria), 401.
Suffusus (Scyllina), 133.
Suffusus (Circotettix), 252.
Suffusus (Trimerotropis), 252.
Sulcata (Cosmorhyssa), 219.
Sulcata (Morphacris), 219.
Sulcata (Trigoniza), 441.
Sulcata (*Cosmorhyssa*), 219.
Sulcata (*Phyllochoreia*), 67.
Sulcaticollis (Catreus), 368.
Sulcaticollis (Tropinotus), 368.
Sulcatus (Gryllus), 219.
Sulcatus (Hymenotes), 6.
Sulcatus (Piezotettix), 6.
Sulciceps (Carsula), 407.
Sulcicollis (Pachytylus), 228.
Sulcifer (Catantops), 481.
Sulcifrons (Conozoa), 251.
Sulcifrons (Psinidia), 251.
Sulcirostris (Episcopotettix), 421.
Sulculatus (Ocnocerus), 99.
Sulfurescens (Œdipoda), 241.
Sulphurans (Œdipoda), 242.
Sulphurea (Arphia), 197, 198.
Sulphurea (Locusta), 197.
Sulphurea (Œdipoda), 197.
Sulphureum (Acridium), 197.
Sulphureum (Acrydium), 197.
Sulphureus (Caloptenus), 477.
Sulphureus (Catantops), 477.
Sulphureus (Gryllus), 197.
Sulphureus (Temonotus), 197.
Sulphuripennis (Acrida), 92.
Sulphuripennis (Truxalis), 92.
Sulphuripennis (*Acrida*), 92.
Sumatrana (Xistra), 27.
Sumatrensis (Potua), 11.
Sumatrensis (Saussurella), 61.
Sumatrensis (*Coptacra*), 470.
Sumichrasti (Achurum), 102.
Sumichrasti (Machærocera), 110.
Sumichrasti (Heliastus), 269.
Sumichrasti (Melanoplus), 529.
Sumichrasti (Œdipoda), 269.
Sumichrasti (Pezotettix), 529.
Sumichrasti (Truxalis), 102.
Sundaicus (Gastrimargus), 228.
Sundaicus (Œdaleus), 228.
Superba (Paracinema), 144.

Superba (Tæniopoda), 371.
Superbum (Monachidium), 371, [464].
Superbum (Zygoclistron), 426.
Superbus (Taxiarchus), 87.
Surda (Eumastax), 77.
Surinama (Eumastax), 78.
Surinama (Scirtomastax), 78.
Surinama (Tetratænia), 418.
Surinamum (Acridium), 418.
Surinamum (Acrydium), 418.
Surinamus (Gryllus), 418.
Suschkini (Sphingonotus), 274.
Suschkini (Tmethis), 289.
Suturalis (Hippiscus), 204.
Suturalis (Tristria), 401.
SYGRUS, 353.
SYLETRIA, 431.
Sylvatica (Atractomorpha), 334.
Sylvaticus (Melanoplus), 526.
Sylvaticus (Truxalis), 334.
Sylvestre (*Paracinema*), 144.
Sylvestris (Eritettix), 111.
Sylvestris (Melanoplus), 519.
Sylvestris (*Gryllus*), 144.
SYMBELLIA, 81.
Symmetricus (Melanoplus), 529.
SYMMETROPLEURA, 574.
SYMPÆSTRIA, 574.
SYNTOMACRIS, 431.
SYNTOMAPTERA, 564.
SYRBULA, 107.
Syriaca (Eremocharis), 290.
Syriaca (Euprepocnemis), 557.
Syriaca (Paraeuprepocnemis), 557.
Syriaca (Pezotettix), [539], 557.
Syriaca (Podisma), [539].
Syriaca (Tropidopola), 403.
Syriacum (Acridium), 353.
Syriacus (Eunapius), 353.
Syriacus (Euryparyphes), 353.
Syrica (Opomala), 403.
SYSTELLA, 339.
SYSTOLEDERUS, 20, 577.

Tæniata (Amphicremna), 99.
Tæniata (Gelastorrhinus), 409.
Tæniata (Lucretilis), 388.
Tæniata (Machæridia), 98.
Tæniata (Opsomala), 409.
Tæniata (Paramastax), 78.
Tæniata (Parga), 98.
Tæniata (*Ischinacrida*), 405.
Tæniata (*Ischnacrida*), 405.
Tæniatum (Acridium), 409.
Tæniatum (Opsomala), 409.
Tæniatus (Aulacobothrus), 189.
Tæniolatus (Catantops), 480.
TÆNIONEMA, 569.
TÆNIOPHORA, 390.
TÆNIOPODA, 371.
TÆNIOSOMA, 569.
TÆNOPHAUS, 541.
TAGASTA, 330.
Tamaulipennis (Tæniopoda), 371.
Tamulus (Acridium), 192.
Tamulus (Æolopus), 192.
Tamulus (Epacromia), 192.
Tamulus (Gomphocerus), 192.
Tamulus (Gryllus), 192.
TANAOCERUS, 293.
TANITA, 323.
Taosanus (Phrynotettix), 295.
TAPESIA, 304.
TAPHRONOTA, 309.
Taramassi (Catantops), 478.
TARAMASSUS, 561.
TARBALEUS, 389.
Tarsale (Acridium), 440.
Tarsalis (Ischnacrida), 405.
Tarsalis (Mesambria), 440.
Tarsalis (Opomala), 405.
Tarsata (Zoniopoda), 375.
Tarsata (*Zoniopoda*), 376.
Tarsatum (Acridium), 375.
Tarsatum (Acrydium), 375.
Tarsius (Caloptenopsis), 553.
Tartara (Eremobia), 288.
Tartara (Tetrix), 43.
Tartarica (*Locusta*), 461.
Tartaricum (*Acridium*), 445.
Tartaricus (*Gryllus*), 445.
Tartarus (Acrydium), 43.
Tartarus (Tettix), 43.
Tartarus (Tmethis), 288.
Tasmaniensis (Trigoniza), 441.
Tatarica (Schistocerca), 459.
Tatarica (*Œdipoda*), 230.
Tataricum (*Acridium*), 445, 450.
Tataricus (Gryllus), 459.
Tataricus (Locusta), 459.
TAUCHIRA, 397.
Taurus (*Gryllus*), 347.
Taurus (*Locusta*), 347.
TAXIARCHUS, 87.
Tecta (Tettigidea), 58.
Tectiferum (Acridium), 453.
Tectiferus (Cyrtacanthacris), 453.
Tectiformis (*Deltonotus*), 7, 576.
Tectus (Apotettix), 54.
Tectus (Tettix), 54
TEFRINDA, 15, 576.
TEICHOPHRYS, 71.
TEINOPHAUS, 541.
Telifera (Criotettix), 17.
Telifera (Tettix), 17.
Tellustris (*Pezotettix*), 517.
TELMATETTIX, 30.
Temporalis (Chortoicetes), 193.
Temporalis (Epacromia), 193.
Tenebrifer (Catantops), 484.
Tenebriferum (Acridium), 484.

Tenebrosa (Cyrtacanthacris), 452.
Tenebrosa (Opomala), 138.
Tenebrosa (Phlæoba), 138.
Tenebrosa (*Arphia*), 195, 196.
Tenebrosa (*Œdipoda*), 196.
Tenebrosum (Acridium), 452.
Tenebrosus (*Melanoplus*), 528.
Tenebrosus (*Tomonotus*), 196.
Tenella (Coptacra), 468.
Tenella (Cyrtacanthacris), 468.
Tenellus (*Gryllus*), 163.
Tenellus (*Locusta*), 163.
Tenera (Carsula), 407.
Tentatrix (*Œdipoda*), 270.
Tentatus (*Tettix*), 46.
Tenuicarina (Stirapleura), 130.
Tenuicorne (Acrydium), 42.
Tenuicornis (Humbe), 215.
Tenuicornis (Humbella), 215.
Tenuicornis (Pachytylus), 215.
Tenuicornis (Tettix), 42.
Tenuipennis (Æoloplus), 500.
Tenuipennis (Melanoplus), 518.
Tenuis (Erucius), 73.
Tenuis (Eumastax), 76.
Tenuis (Mastax), 76.
Tenuis (*Heteracris*), 393.
Tenuis (*Podisma*), 187.
Tenuis (*Truxalis*), 93.
TENUITARSUS, 299.
Teocelæ (Symmetropleura), 574.
Tepaneca (Orphulella), 122.
Tepaneeus (Stenobothrus), 122.
Tepanica (Orphula), 120.
Tepanicus (Orphula), 120.
Tepidus (Melanoplus), 520.
Teporata (Arphia), 196.
TEPPERIA, 565.
TERATODES, 465.
TEREDORUS, 30.
Teres (Anablysis), 432.
Tereticolle (Acridium), 449.
Tereticollis (Cyrtacanthacris), 449.
Tereticornis (*Tryxalis*), 137.
Tere irostris (Prosarthria), 83.
Teretiuscula (Cephalocœma), 89.
Tergestina (Epacromia), 192.
Tergestinus (Æolopus), 192, 581.
Tergestinus (Aiolopus), 192, 581.
Terg stinus (Gryllus), 192.
Terminale (Paracinema), 144.
Terminalis (Melanoplus), 524.
Terminalis (Œdipoda), 272.
Terminalis (Sphingonotus), 272.
Terminifera (Chortoicetes), 194.
Terminifera (Epacromia), 194.
Terrea (Gemeneta), 385.
Terrea (Ostracina), 212.
Terrestris (Brachaspis), 504.
Terrestris (Bufonacris), 295.
Terrestris (Pezotettix), 524.
Terrosa (Trnetonota), 245.
Terrulenta (Porthetis), 354.
Terrulentus (Eunapius), 354.
Terrulentus (Pamphagus), 354.
Terrulentus (*Euryparyphes*), 354.
Tessellata (Pseudotrimerotropis), 256.
Tessellata (Trimerotropis), 256
Tessellatus (Pœcilocerus), 317.
Testacea (Ischnacrida), 405.
Testacea (Mantis), 569.
Testacea (Opeia), 111.
Testacea (*Acrida*), 94.
Testaceum (Spathalium), 298.
Testaceus (Caloptenus), 548.
Testaceus (Coptotettix), 56.
Testaceus (Euryphymus), 548.
Testaceus (Parasphena), 321.
Testaceus (*Truxalis*), 94.
Testudo (Amorphopus), 22.
Testudo (Phaneroccrus), 282.
TETANORHYNCHUS, 86
TETRAMEROTROPIS, 202.
Tetranesiotis (Sphingonotus), 275.
TETRATÆNIA, 418.
TETRICODINA, 3.
TETRIX, 36.
TETTICERUS, 23.
TETTIGIDEA, 56, 579.
TETTIGODINA, 3.
TETTIX, 36.
Texana (Conozoa), 254.
Texana (Mermiria), 104.
Texana (Pardalophora), 207.
Texana (Psinidia), 248.
Texana (Psoloessa), 129.
Texana (Stirapleura), 129.
Texana (Trachyrhachis), 248.
Texana (Trachyrhachys), 248.
Texana (Trimerotropis), 254.
Texanus (Hippiscus), 207.
Texanus (Melanoplus), 526.
Texanus (Paratettix), 34.
Texanus (Pezotettix), 526.
Texense (Spharagemon), 234.
Texensis (Dissosteira), 234.
Texensis (Encoptolophus), 202.
Texensis (Melanoplus), 515.
Thalephora (Taphronota), 310.
Thalephora (*Taphronota*), 310.
Thalephorus (Gryllus), 310.
Thalephorus (Locusta), 310.
Thalassica (Pseudotrimerotropis), 256.

Thalassica (Trimerotropis), 256.
Thalassina (Chlœbora), 215.
Thalassina (Epacromia), 191.
Thalassina (Humbe), 215.
Thalassina (Œdipoda), 191.
Thalassina (*Epacromia*), 190, 192.
Thalassina (*Œdipoda*), 190.
Thalassinum (*Acridium*), 190, 231.
Thalassinum (Acrydium), 191.
Thalassinus (Æolopus), 190.
Thalassinus (Aiolopus), 191.
Thalassinus (Circotettix), 252.
Thalassinus (Gomphocerus), 191.
Thalassinus (Gryllus), 190, 191.
Thalassinus (*Gryllus*), 190.
THALEIUS, 582.
THALPOMENA, 245.
THAUMASTAX, 75.
Theresiæ (Tomonotus), 238.
THERICLES, 81.
THISOECETRUS, 558.
THISOICETRUS, 558.
Thomasi (Melanoplus), 531.
Thomasi (Mestobregma), 248.
Thomasi (Trachyrhachis), 248.
Thomasi (Trachyrhachys), 248.
Thoracica (Epacromia), 221.
Thoracica (Heteropternis), 221.
Thoracicum (Acrydium); 37.
THRASYDERES, 377.
THRECISCUS, 19.
THRINCHINÆ, 281.
THRINCHUS, 281.
THRINCOTROPIS, 341.
THRINCUS, 281.
Thrymmatoptera (Acrida), 95.
Thunbergii (Bulla), 63.
Thunbergii (*Œdipoda*), 262.
THYRIPTILON, 115.
THYRSUS, 29.
Tiaratus (Thyrsus), 29.
Tibiale (*Acridium*), 457.
Tibialis (Acinipe), 351.
Tibialis (Batrachopus), 358.
Tibialis (Calephorus), 137.
Tibialis (Caloptenopsis), 550.
Tibialis (Cranaë), 387.
Tibialis (Cyphophorus), 383.
Tibialis (Dericorys), 383.
Tibialis (Derocorys), 383.
Tibialis (Gelastorrhinus), 409.
Tibialis (Gryllus), 278.
Tibialis (Ochrilidia), 119.
Tibialis (Opsomala), 409.
Tibialis (Oxycoryphus), 137.
Tibialis (Pamphagus), 351.
Tibialis (Platypterna), 119.
Tibialis (Porthetis), 351.
Tibialis (Sphingonotus), 278.
Tibialis (Vilerna), 430.
Tibialis (*Arcyoptera*), 171.
Tigrinus (Hippiscus), 208.
Tigrinus (Xanthippus), 208.
Tigris (Masyntes), 79.
TINARIA, 189.
Tincta (Œdipoda), 242.
Tinctipennis (Mantis), 569.
Tipularia (Eumastax), 77.
Tipularia (Mastax), 77.
TITANACRIS, 377.
Titusi (Pseudotrimerotropis), 258.
Titusi (Trimerotropis), 258.
TMETHIS, 285, 582.
TMETODERA, 244.
TMETONOTA, 245.
Tolteca (Batrachidea), 34.
Tolteca (Œdipoda), 257.
Tolteca (Orphulella), 122.
Tolteca (Osmilia), 540.
Tolteca (Paratettix), 34, 35.
Tolteca (Pseudotrimerotropis), 257.
Tolteca (Schistocerca), 456.
Tolteca (Tettix), 34.
Tolteca (Trimerotropis), 257.
Toltecum (Acridium), 456, 540.
Toltecum (Osmilia), 540.
Toltecus (Aleuas), 540.
Toltecus (Hippiscus), 209.
Toltecus (Oxycoryphus), 122.
Toltecus (Paratettix), 34.
Toltecus (Xanthippus), 209.
TOMONOTUS, 194, 237.
Tonkinensis (Tagasta), 331.
Tornosi (Arcyptera), 170.
Torquata (Ommatolampis), 434.
Torquatus (Paprides), 442.
Totonaca (Orphulella), 122.
Totonacus (Oxycoryphus), 122.
Townsendi (Arphia), 196.
Townsendi (Pseudotrimerotropis), 257.
Townsendi (Trachyrhachis), 248.
Townsendi (Trachyrhachys), 248.
Townsendi (Trimerotropis), 257.
TOXOPTERUS, 123.
TRACHYPETRA, 291, 292.
TRACHYPETRELLA, 292.
Trachyptera (Ommexycha), 300.
Trachypterum (Ommexycha), 300.
Trachypterus (Chrotogonus), 300.
TRACHYRHACHIS 247.
TRACHYRHACHYS, 247.
Trachystictum (Zygoclistron), 426.
TRACHYTETTIX, 11, 576.
TRAGOCEPHALA, 198.

Transfuga (*Blatta*), 563.
Transiens (Acridium), 452.
Transiens (Cyrtacanthacris), 452.
Transtrigata (Œdipoda), 204.
Transtrigatus (Hippiscus), 204.
Transversus (Gastrimargus), 227.
Transversus (Gryllus), 227.
TRAULIA, 475.
TREPIDULUS, 249.
Triangularis (Hymenotes), 4.
Triangularis (Tettix), 47.
Triangulata (Cutilia), 564.
Triangulata (Polyzosteria), 564.
Tribuloides (Melanoplus), 515.
Tribulus (Melanoplus), 515.
Tricarinata (Apotropis), 440.
Tricarinata (Duronia), 140.
Tricarinata (Pnorisa), 151.
Tricarinata (Pyrgomorpha), 326.
Tricarinata (Rodunia), 140.
Tricarinata (Stropis), 440.
Tricarinata (*Camnula*), 203.
Tricarinata (*Locusta*), 186.
Tricarinatus (Criotettix), 16.
Tricarinatus (Eritettix), 111.
Tricarinatus (Paratettix), 33.
Tricarinatus (Stenobothrus), 111.
Tricincta (Œdipoda), 272.
Tricinctus (Sphingonotus), 272.
Tricolor (Gryllus), 143.
Tricolor (Paracinema), 143.
Tricolor (Phlæoba), 140.
Tricolor (Rodunia), 140.
Tricoloripes (*Gomphocerus*), 192.
Tricostatus (Euryphymus), 547.
Tricostatus (Spartolus), 19.
Tricristata (Æolacris), 367.
Tricristata (Xiphicera), 367.
Tricristata (Xistra), 27.
Trifasciata (Œdipoda), 263.
Trifasciatus (Catantops), 476.
Trifasciatus (Gryllus), 263.
Trifasciatus (Hadrotettix), 263.
Trifasciatus (Stenocrobylus), 476.
Triglina (Locusta), 575.
TRIGONIZA, 441.
TRIGONOFEMORA, 27.
TRIGONOPHYMUS, 486.
TRIGONOPTERYX, 339.
Trilineata (Elæochlora), 365.
Trilineata (Xiphicera), 365.
Trilineata (Xiphocera), 365.
TRILOPHIDIA, 244.
TRIMEROTROPIS, 253, 255.
Trinesiotis (Sphingonotus), 275.
Trinitatis (Amblytropidia), 115.
Trinitatis (Sitalces), 435.
Trinitatis (Tettigidea), 59.
TRIPETALOCERA, 1.
TRISTIRA, 211.
Tristis (Cyphocerastis), 471.
Tristis (Melanoplus), 515.
Tristis (Tettix), 40.
Tristis (Tristria), 401.
TRISTRIA, 401.
TRITROPIS, 439.
Trivavensis (Ephippigera), 295.
Trivavensis (Phrynotettix), 295.
Trivavensis (*Ephippigera*), 208.
Trivittata (Cocama), 432.
Trochilus (Acridium), 389.
Trochilus (Ophthalmolampis), 389.
Trogon (Chromacris), 374.
Trogon (Rhomalea), 374.
Trogon (Romalea), 374.
TROPIDACRIS, 379.
TROPIDAUCHEN, 348.
TROPIDODERUS, 569.
TROPIDOLOPHUS, 212.
TROPIDONOTUS, 359.
TROPIDOSTETHUS, 358.
TROPINOTUS, 359.
TROXALLIS, 91.
Truchmana (*Arcyptera*), 169.
Truchmana (*Œdipoda*), 168.
Truculenta (Arphia), 195.
Truncata (Mazarredia), 25.
Truncaticollis (Zygophlæoba), 138.
Truncatipennis (Conalcæa), 493.
Truncatus (Anniceris), 422.
Truncatus (Loxilobus), 577.
Truncatus (Melanoplus), 532.
Truncatus (Œdaleonotus), 507.
TRUXALIS, 91, 102, 103, 585.
TRYBLIOPHORUS, 392.
TRYPOPHYLLUM, 7.
Tryxalicera (Ochrilidia), 149.
Tryxalicera (Opomala), 149.
Tryxalidocera (Platypterna), 149.
TRYXALIS, 91, 101.
Tryxaloides (Gelastorrhinus), 409.
Tschivavensis (Ephippigera), 295.
Tschivavensis (Haldemanella), 295.
Tschivavensis (Haldmanella), 295.
Tschivavensis (Phrynotettix), 295.
Tschivavensis (*Ephippigera*), 208.

Tschoffeni (Amphicremna), 99.
Tschoffeni (Hedotettix), 50.
Tuberculata (Apioscelis), 85.
Tuberculata (Blatta), 566.
Tuberculata (Bryodema), 260.
Tuberculata (Œdipoda), 260.
Tuberculata (Pardalophora), 207.
Tuberculata (Proscopia), 85.
Tuberculata (Stiphra), 87.
Tuberculata (Stropis), 438.
Tuberculatum (Acridium), 207, 438.
Tuberculatum (Brycodema), 261.
Tuberculatum (Eugavialidium), 14.
Tuberculatum (Gavialidium), 14.
Tuberculatum (*Acridium*), 360.
Tuberculatus (Bryodema), 260.
Tuberculatus (Coptotettix), 56.
Tuberculatus (Euryphymus), 546.
Tuberculatus (Gryllus), 260.
Tuberculatus (Hippiscus), 207.
Tuberculatus (Melanoplus), 516.
Tuberculatus (Paratettix), 34.
Tuberculosa (Barombia), 386.
Tuberculosa (*Tmetonota*), 245.
Tuerki (Acrydium), 43, 579.
Tuerki (Tetrix), 43.
Tuerki (Tettix), 43.
Tunetanus (Pamphagus), 352.
Turanicus (Chrotogonus), 300.
Turbata (Epacromia), 266.
Turbatus (Acrotylus), 266.
Turbatus (Dociostaurus), 154.
Turbatus (Stenobothrus), 154.
Turbida (Cyrtacanthacris), 449.
Turbida (*Epacromia*), 271.
Turbidum (Acridium), 449.
Turbidus (Caloptenus), 548.
Turbidus (Euryphymus), 548.
Turbinatum (Gymnidium), 385.
Turcomana (Œdipoda), 168.
Turcomana (Pallasiella), 168.
Turcomanum (Stethophyma), 168.
Turcomanus (Chorthippus), 168.
Turcomannus (Stauronotus), 168.
Turgaica (Stauronotus), 171.
Turgida (Nephele), 23.
Turgida (Phelene), 23.
Turgida (Rhytidochrota), 543.
Turgidicrus (Lentula), 385.
Turki (Tetrix), 44.
Turki (Tettix), 43.
Turnbullii (Æoloplus), 501.
Turnbullii (Caloptenus), 501.
Turpis (Acrotylus), 267.
Turpis (Epacromia), 267.
Turrifer (Cladonotus), 9.
Turrita (Acrida), 92.
Turritus (Acrida), 92.
Turritus (Gryllus), 92.
Turritus (*Thrinchus*), 286.
TYLOTETTIX, 12.
TYLOTROPIDIUS, 556.
TYMPANOPHYLLUM, 572.
Typicalis (Melanoplus), 514.
TYPOPHYLLUM, 573.
Typus (*Paracaloptenus*), 554.
Typus (*Parapleurus*), 115.
TYTTHOTYLE, 294.

Ugandensis (Paratettix), 32.
UHAGONIA, 335.
Uhagonii (*Gomphoceras*), 174.
Uhagonii (*Stenobothrus*), 174.
Umbraculata (Haustellaria), 570.
Umbrifer (Stenobothrus), 165
Umbrifera (Tettix), 45.
Umbriferum (Acrydium), 45.
Umbripennis (Liotettix), 54.
Umbripennis (Prototettix), 54.
Uncinata (Pantelia), 10.
Uncinata (Scelimena), 13.
Uncinata (Tetrix), 13.
Uncinatus (Plesiotettix), 20.
Uncinatus (Systolederus), 20.
Uncinatus (Tettix), 20.
Undatus (*Truxalis*), 96.
Undulatum (Aemophyllum), 8.
Undulatum (Acridium), 42.
Undulatus (Circotettix), 242.
Undulatus (Œdipoda), 242.
Undulifer (Stenobothrus), 189.
Undulifera (Tinaria), 189.
Ungarica (*Truxalis*), 93.
Ungaricus (*Truxalis*), 93.
Unguicula (*Truxalis*), 95.
Unguicula (*Tryxalis*), 96.
Unguiculatus (Leptoscirtus), 269.
Unicarinatus (Caloptenus), 547.
Unicarinatus (Euryphymus), 547.
Unicolor (Acentetus), 113.
Unicolor (Akentetus), 113.
Unicolor (Atrachelacris), 486.
Unicolor (Bibracte), 467.
Unicolor (Bulla), 62.
Unicolor (Chlorizeina), 319.
Unicolor (Choroetypus) 67.
Unicolor (Gryllus), 62.

Unicolor (Mesochloa), 112.
Unicolor (Phyllochoreia), 67.
Unicolor (Stenobothrus), 113.
Unicolor (Pezotettix), 515.
Unicolor (Truxalis), 93.
Uniforme (Netrosoma), 486.
Uniformis(Acrolophitus), 108.
Uniformis (Æoloplus), 501.
Uniformis (Caloptenopsis), 550.
Uniformis (Melanoplus), 514.
Uniformis (Netrosoma), 486.
Uniformis (Scyllina), 132.
Unilineata (Cyrtacanthacris), 462.
Unilineatum (Acridium), 462.
Unilobatus (Alectorolophus), 467.
Unistrigata (Cranaë), 387.
Unistrigata (Oxya), 387.
Unistrigata (Tæniophora), 387.
Unistrigatum (Acridium), 387, 395.
Unistrigatum (Cranaë), 387.
Unistrigatum (Oxya), 387, 395.
Urania (Catantops), 477.
URNISA, 271.
URNISSA, 271.
Usambarica (Metopa), 404.
Usitatus (Melanoplus), 532.
Ustulata (Stauroderus), 180.
Utahensis (Dissosteira), 235.
Utahensis (Melanoplus), 511.
Utahensis (Œdipoda), 235.
Utahensis (Spharagemon), 235.

Vacca (Thericles), 81.
Vagans (Gomphocerus), 180.
Vagans (Œdipoda), 180.
Vagans (Stenobothrus), 180.
Vaginalis (Mastacides), 74.
Valga (Amesotropis), 148.
Valga (Cyclocercus), 495.
Valgus (Cyclocercus), 495.
Valida (Herus), 107.
Valida (Syrbula), 107.
Validicornis (Coryphistes), 436.
Validispinus (Arulenus), 2.
Validispinus(Bolotettix), 577.
Validus (Hippiscus), 210.
Validus (Melanoplus), 533.
Validus (Xanthippus), 210.
Vanus (Catantops), 477.
Varelai (Chrotogonus), 302.
Varentzowi (Diexis), 398.
Varentzowi (Mioscirtus), 218.
Varia (Epacromia), 245.
Varia (Trilophidia), 245.
Variabilis (Acrida), 96.
Variabilis (Celes), 221, 222.
Variabilis (Ctyphippus), 222.
Variabilis (Eritettix), 111.
Variabilis (Gryllus), 221.
Variabilis (Melanoplus), 525.
Variabilis (Neotettix), 51.
Variabilis (Œdipoda), 221.
Variabilis (Paratettix), 33, 578.
Variabilis (Perixerus), 541.
Variabilis (Phantoma), 568.
Variabilis (Stirapleura), 131.
Variabilis (Truxalis), 96.
Variabilis (Chorthippus), 183.
Variabilis (Stenobothrus), 183.
Varians (Chirista), 142.
Varians (Gymnobothrus), 142.
Varicolor (Chlorus), 491.
Varicolor (Paradichroplus), 491.
Varicolor (Pezotettix), 491.
Varicolor (Rhytidochrota), 543.
Varicornis (Apalacris), 483.
Varicornis (Catantops), 483.
Varicornis (Euprepocnemis), 561.
Varicornis (Heteracris), 561.
Varicus (Melanoplus), 532.
Variegata (Anniceris), 422.
Variegata(Cibotopteryx), 367.
Variegata (Cyrtacanthacris), 450.
Variegata (Epigrypa), 88.
Variegata (Hyperhomala), 573.
Variegata (Œdipoda), 242.
Variegata (Phyllophora), 573.
Variegata (Podisma), 534.
Variegata (Pseudotrimerotropis), 259.
Variegata (Trimerotropis), 259.
Variegata (Xiphicera), 328.
Variegata (Arcyoptera), 170.
Variegata (Arcyptera), 170.
Variegata (Ommatolampis), 418.
Variegatum (Acridium), 41, 450.
Variegatum (Dactylotum), 541.
Variegatum (Acridium), 418.
Variegatum (Stethophyma), 170.
Variegatus (Acrolophitus), 108.
Variegatus (Acrotylus), 267.
Variegatus (Gomphocerus), 156.
Variegatus (Gryllus), 316.

Variegatus (Hippiscus), 204.
Variegatus (Leioscapheus), 422.
Variegatus (Locusta), 316.
Variegatus (Nocarodes), 356.
Variegatus (Paratettix), 33.
Variegatus (Pezotettix), 541.
Variegatus (Staurorhectus), 166.
Variegatus (Stenoxyphus), 328.
Variegatus (Zonocerus), 316.
Variegatus (*Gryllus*), 169, 316.
Variegatus (*Locusta*), 169.
Variolosa (Coptacra), 469.
Variolosa (Phyxacra), 469.
Variolosa (Pneumora), 63, 64.
Variolosum (Acrydium), 64.
Variolosus (Bulla), 63.
Variolosus (Gryllus), 63, 64.
Variolosus (Locusta), 64.
Variolosus (*Melanoplus*), 509.
Varipennis (Sitalces), 435.
Varipennis (Tæniopoda), 372.
Varipes (Acridium), 462.
Varipes (Opsomala), 584.
Varipes (Plectrotettix), 133.
Varipes (Schistocerca), 462.
Varipes (Scyllina), 133.
Varipes (*Locusta*), 182.
Vastator (*Œdipoda*), 152.
Vaucherianus (Eunapius), 354.
Vaucherianus (Euryparyphes), 354.
Vegana (Campylacantha), 498.
Velasquezii (*Lophacris*), 378.
Velazquezii (*Acridium*), 378.
Velazquezii (*Titanacris*), 378.
Velox (Acridium), 393.
Velox (Gryllus), 393.
Velox (Oxya) 393, 394.
Venezuelæ (Heliastus), 270.
Venosa (*Locusta*), 182.
Venosus (Gryllus), 586.
Ventrale (Acridium); 174.
Ventralis (Gryllus), 174.
Ventralis (Omocestus), 174.
Venulosum (Spathosternum), 400.
Venusta (Dissosteira), 232, 233.
Venusta (Dittopternis), 220.
Venusta (Maura), 306.
Venusta (Microscirtus), 219.
Venusta (Morphacris), 219.
Venusta (Œdipoda), 219, 220, 233, 278.
Venusta (Ommatolampis), 434.
Venusta (Phaneroptera), 574.
Venusta (Schistocerca), 458.
Venusta (Scintharista), 219.
Venustus (Calephorus), 137.
Venustus (Mioscirtus), 219.
Venustus (Oxycoryphus), 137.
Venustus (Sphingonotus), 278.
VERDULIA, 338.
Vermiculata (Stropis), 438.
Vernalis (*Eritettix*), 111.
Verrucifer (Diotarus), 10.
Verrucigena (Pteropera), 473.
Verrucosa (Tmetonota), 245.
Verrucosa (*Apioscelis*), 85.
Verrucosum (*Acrydium*), 308.
Verrucosus (Gryllus), 314.
Verrucosus (Locusta), 314.
Verrucosus (Pamphagus), 349.
Verrucosus (Phymateus), 314.
Verrucosus (Prionosthenus), 349.
Verruculata (Locusta), 252.
Verruculata (Œdipoda), 252.
Verruculata (Phrynotettix), 295.
Verruculata (Trimerotropis), 253.
Verruculatus (Circotettix), 252.
Verruculatus (Phrynotettix), 295.
Versicolor (Acrotylus), 265.
Versicolor (Ceracris), 144.
Versicolor (Erianthus), 70.
Versicolor (Eumastax), 77.
Versicolor (Euschmidtia), 83.
Versicolor (Gryllus), 287.
Versicolor (Locusta), 287.
Versicolor (Masyntes), 77.
Versicolor (Tmethis), 287.
Verticalis (*Œdaleus*), 226.
Vestita (Blatta), 565.
Vestita (Holocompsa), 565.
Veteratoria (Orphulina), 118.
Vexillatus (*Gryllus*), 463.
Vexillatus (*Locusta*), 463.
Viatica (Psednura), 101.
Viatica (Tryxalis), 101.
Viator (Gryllus), 586.
Viatoria (Scyllina), 133.
Viatorius (Plectrophorus), 133.
Viatorius (Plectrotettix), 133.
Viatorius (Scyllina), 133.
Viatorius (Stenobothrus), 133.
Vicaria (Schistocerca), 460.
Vicarium (Acridium), 460.
Vicarius (Hippodes), 10.
Vicarus (*Hippodes*), 10.
Vicina (Oxya), 394.

Vicina (Paramastax), 78.
Vicina (Oxya), 478.
Vidali (Criotettix), 16.
Vigilans (Mermiria), 105.
VILERNA, 429.
Villosa (Prionidia), 218.
Villosa (Pternoscirta), 218.
Villosus (Catantops), 480.
Villosus (Gryllus), 218.
Vinaceus (Gryllus), 62.
Vinaceus (Locusta), 62.
Vinculata (Pseudotrimerotropis), 259.
Vinculata (Trimerotropis), 259.
Vinosa (Cyrtacanthacris), 452.
Vinosum (Acridium), 452.
Viola (Melanoplus), 529, 530.
Viola (Pezotettix), 529.
Violacea (Acidacris), 375.
Violacea (Ischnacrida), 405.
Violacea (Ochrophlebia), 322.
Violacea(Ochrophlegma), 322.
Violacea (Osmilia), 540.
Violacea (Stenobothrus), 163.
Violacea (Traulia), 476.
Violacea (Lophacris), 377.
Violacea (Osmilia), 539.
Violaceum (Acridium), 476, 540.
Violaceum (Osmilia), 540.
Violaceus (Anthermus), 443.
Violaceus (Phymateus), 314.
Violaceus (Gryllus), 540.
Violascens (Acridium), 452.
Violascens (Cyrtacanthacris), 452.
Virens (Coscineuta), 423.
Virens (Gryllus), 423.
Virens (Ommexycha), 297.
Virens (Pamphagus), 352.
Virescens (Acridium), 470.
Virescens (Brachystola), 293.
Virescens(Brachypeplus), 293.
Virescens (Eucoptacra), 470.
Virescens (Gastrimargus), 226.
Virescens (Gryllus), 226.
Virescens (Oxyrrhepes), 402.
Virescens (Pedies), 542.
Virescens (Mastax), 76.
Virgata (Chirista), 142.
Virgata (Paropomala), 106.
Virgata (Tetratænia), 418.
Virgatum (Acridium), 418.
Virgatus (Eritettix), 111.
Virgatus (Gomphocerus), 111.
Virgatus (Melanoplus), 514.
Virginiana (Chortophaga), 199.
Virginiana (Œdipoda), 199.
Virginianum (Acridium), 199.
Virginianus (Gryllus), 199.
Virgo (Gryllus), 574.
Virgo (Ligocatinus), 574.
Virgo (Tettigonia), 574.
Virgula (Chirista), 142.
Virgula (Duronia), 142.
Virgula (Œdaleus), 226.
Virgula (Œdipoda), 226.
Viridans (Gryllus), 586.
Viride (Acridium), 461.
Viridescens (Cyrtacanthacris), 457.
Viridescens (Orphulella), 122.
Viridescens (Schistocerca), 457.
Viridescens (Gryllus), 231.
Viridicata (Elæochlora), 365.
Viridicata (Xiphicera), 365.
Viridifasciata (Chortophaga), 198, 199.
Viridifasciata (Locusta), 198.
Viridifasciata (Tragocephala), 198, 199.
Viridifasciatum (Acrydium), 198.
Viridifrons (Dichroatettix), 127.
Viridipenne (Monachidium), 466.
Viridipennis (Abisares), 466.
Viridipennis (Arnilia), 413.
Viridipennis (Gastrimargus), 227.
Viridipennis (Gryllus), 413.
Viridipennis (Œdaleus), 227.
Viridipennis (Stenacris), 413.
Viridipes (Melanoplus), 519.
Viridipes (Phymateus), 314.
Viridipes (Stenobothrus), 189.
Viridipes (Tinaria), 189.
Viridis (Aiolopus), 581,
Viridis (Antandrus), 392.
Viridis (Arnilia), 419.
Viridis (Caloptenus), 498.
Viridis (Chloëaltis), 125.
Viridis (Chrysochraon), 125.
Viridis (Diablepia), 141.
Viridis (Dibastica), 396.
Viridis (Dichromorpha), 125.
Viridis (Epacromia), 192.
Viridis (Hesperotettix), 498, 499.
Viridis (Leiotettix), 490.
Viridis (Ommatolampis), 498.
Viridis (Opshomala), 419.
Viridis (Opsomala), 419.
Viridis (Ossa), 296.
Viridis (Paulinia), 296.
Viridis (Pezotettix), 498.
Viridis (Podisma), 392.
Viridis (Schistocerca), 461.
Viridis (Spathalium), 298.
Viridis (Hesperotettix), 498.

Viridissima (Orphulella), 122.
Viridissimus (Stenobothrus), 122.
Viridivitta (*Heteracris*), 393.
Viridula (Locusta), 176.
Viridula (Œdipoda), 176.
Viridula (Patocra), 470.
Viridula (Xenippa), 408.
Viridula (*Duronia*), 139.
Viridula (*Phlæoba*), 139.
Viridulum (*Acridium*), 144.
Viridulum (*Acrydium*), 175.
Viridulus (Anniceris), 422.
Viridulus (Catantops), 477.
Viridulus (Chorthippus), 176.
Viridulus (Gomphocerus), 176.
Viridulus (Gryllus), 175.
Viridulus (Locusta), 175.
Viridulus (Stenobothrus), 176.
Viridulus (*Truxalis*), 104.
Vitellinus (Hippiscus), 210.
Vitellinus (Xanthippus), 210.
Vitrea (Catantops), 482.
Vitrea (Mastax), 73.
Vitrea (Sphingonotus), 274.
Vitreus (Erucius), 73.
Vitreus (Gryllus), 586.
Vitripenne (Thyriptilon), 116.
Vittafrons (Schistocerca), 462.
Vittagenæ (Nautia), 389.
Vittata (Amblytropidia), 115.
Vittata (Apotropis), 440.
Vittata (Catantops), 481.
Vittata (Heteropternis), 221.
Vittata (Ischnacridia), 405.
Vittata (Mitricephala), 384.
Vittata (Opomala), 415.
Vittata (Pœcilocera), 318.
Vittata (Schistocerca), 461.
Vittata (Stenopola), 415.
Vittata (Tettix), 39, 40, 42, 44.
Vittata (*Catantops*), 148.
Vittata (*Eumastax*), 76.
Vittata (*Locusta*), 182.
Vittaticolle (Acridium), 447.
Vittaticollis (Cyrtacanthacris), 447.
Vittatum (Acridium), 41, 461.
Vittatum (*Acridium*), 190.
Vittatum (*Acrydium*), 456.
Vittatus (Anthermus), 443.
Vittatus (Caloptenopsis), 549.
Vittatus (Caloptenus), 549.
Vittatus (Catantops), 481.
Vittatus (Chlorus), 491.
Vittatus (Decticus), 318.
Vittatus (Dichroplus), 489.
Vittatus (Gryllus), 405.
Vittatus (Mesops), 405.
Vittatus (Pœcilocerus), 318.
Vittatus (Trigonophymus), 489.
Vittatus (Tritropis), 440.
Vittatus (Truxalis), 405.
Vitticeps (Acridium), 426, 455.
Vitticeps (Adimantus), 426.
Vitticeps (Schistocerca), 455.
Vitticolle (Acridium), 395.
Vitticollis (Aleuas), 427.
Vitticollis (Oxya), 395.
Vittifer (Stenobothrus), 189.
Vittifera (Ochrophlegma), 322.
Vittifera (Tettix), 45.
Vittifera (Tinaria), 189.
Vittifera (Xiphocera), 322.
Vittiferum (Acrydium), 45.
Vittifrons (Stenobothrus), 165.
Vittiger (Osmilia), 540.
Vittigera (Oxya), 394.
Vittigera (Pnorisa), 151.
Vittigera (Schistocerca), 461.
Vittigerum (Acridium), 394, [461], 540.
Vittipennis (Syntomacris), 431.
Vittipennis (Loryma), 400.
Vittipennis (Platyphyma), 400.
Vittipes (Heteracris), 555.
Vittiventris (Sitalces), 435.
Vivax (Campylacantha), 498.
Vivax (Pezotettix), 498.
Vocans (Goniæa), 437.
Vocans (Gryllus) 437.
Voeltzkowiana (Paratettix), 33.
Volans (Ochetotettix), 51.
Volaticus (Melanoplus), 521.
Volitans (Pegasidion), 504.
Volucris (Caloptenus), 505.
Volucris (Phœtaliotes), 505.
Volucris (Stegastris), 392.
Volucris (Trybliophorus), 392.
Volxemi (Deraspiella), 335.
Volxemi (Deraspis), 335.
Volxemi (Nocarodes), 357.
Volxemi (Ocnerodes), 357.
Volxemi (Pamphagus), 357.
Volxemi (Sitalces), 435.
Vorax (Caloptenus), 416.
Vorax (Oxyblepta), 416.
Vulcanius (Caloptenopsis), 553.
Vulcanius (Caloptenus), 553.
Vulcanus (Pœcilocerus), 318.
Vulcanus (Pœkilocerus), 318.
Vulnerata (Trilophidia), 244.
Vulneratum (Acridium), 244.

Vulneratum (Œdipoda), 244.
Vylderi (Euryphymus), 547.

Waelbroecki (Acrydium), 49.
Wagneri (Microscirtus), 218.
Wagneri (Mioscirtus), 218.
Wagneri (Œdipoda), 218.
Wagneri (Scintharista), 218.
Wahlbergii (Gastrimargus), 227.
Wahlbergii (Œdaleus), 227.
Wahlbergii (Pachytylus), 227.
Walhousei (Phlæoba), 138.
Walkeri (Acridium), 450.
Walkeri (Bufonacris), 295.
Walkeri (Eremotettix), 290.
Walkeri (*Orphulella*), 122.
Wallula (Conozoa) 251.
Wallula (Psinidia), 251.
Walshii (Melanoplus), 517.
Washingtonianus (Melanoplus), 517.
Washingtonius (Melanoplus), 517.
Wattenwyliana (Caloptenus), 552.
Wattenwylianus (Caloptenus), 552.
Weberi (Conophyma), 399.
WERNERELLA, 246, 582.
Wernerella (Orthacanthacris), 444.
Wernerellus (Catantops), 479.
Werneri (Stenobothrus), 163.
Wernerianus (Stauroderus), 180.
Westwoodi (Hypsæus), 4.
Westwoodi (*Choriphyllum*), 5.
Westwoodii (Systella), 340.
Wheeleri (Leprus), 211.
Wheeleri (Œdipoda), 211.
Wheeleri (*Leprus*), 211.
Whiteheadi (Phyllochoreia), 67.
Whiti (*Batrachotettix*), 291.
Wilverthi (Paratettix), 35.
WILVERTHIA, 100.
Wingatei (Acridium), 452.
Wingatei (Cyrtacanthacris), 452.
Wyomingensis (Mesops), 106.
Wyomingensis (Opomala), 106.
Wyomingensis (Parapomala), 106.
Wyomingiana (Œdipoda), 235.
Wyomingianum (Sphargemon), 235.

XANTHIPPUS, 207.
Xanthochlora (Oxyblepta), 416.
Xanthochlora (Stenopola), 416.
Xanthochlorus (Gryllus), 416.
Xanthocnemis (Euryphymus), 546.
XANTHOMASTAX, 74.
Xanthoptera (Arphia), 195.
Xanthoptera (Chromacris), 374.
Xanthoptera Œdipoda), 195.
Xanthoptera (Parga), 98.
Xanthopterum (Acridium), 374.
Xanthopterus (Amycus), 98.
Xanthopterus (Tomonotus), 195.
Xanthus (Stauroderus), 180.
XENIPPA, 408.
Xerophylloide (Acmophyllum), 8.
XEROPHYLLUM, 7.
XIPHICERA, 65, 343.
XIPHIOLA, 432.
XIPHOCERA, 343.
XIPHOPHORA, 365.
XISTRA, 27, 577.
XOMANA, 363.
XYPHICERA, 65, 343.
Xyphothyrea (*Acridium*), 10.
Xyphothyreus (*Gryllus*), 40.
XYRONOTUS, 340.

Yarrowii (Caloptenus), 531.
Yarrowii (Melanoplus), 531.
Yersini (Ophthalmolampis), 389.
Yersini (Orchamus), 349.
Yersini (Pamphagus), 349.
Yorketownensis (Chortoicetes), 194.
Ypsilon (Stauroderus), 181.

ZACOMPSA, 142.
ZAPATA, 129.
Zapoteca (Orphulella), 123.
Zapoteca (Schistocerca), 455.
Zapotecus (Hippiscus), 208.
Zapotecus (Oxycoryphus), 123.
Zapotecus (Xanthippus), 208.
ZARYTES, 326.
Zebra (Gryllus), 586.
Zebra (Thericles), 81.
Zebrata (Dittopternis), 220.
Zebratus (Orchamus), 349.
Zebratus (Pamphagus), 349.
Zetterstedtii (Chorthippus), 175.
Ziczac (Tettix), 42.
Zietzi (Paratemnopteryx), 563.
Zimmermanni (Melanoplus), 516.
Zimmermanni (Pezotettix), 516.
Zimmermanni (Tomonotus), 199.
Zinini (Œdipoda), 272.
Zinini (Sphingonotus), 272.
Zonata (Acorypella), 548.

Zonata (Clypeotettix), 31.
Zonata (Tettix), 31.
Zonatipes (Zosperamerus), 424.
Zonatum (Acridium), 41.
Zonatus (Acrotylus), 264.
ZONIOPODA, 375.
ZONIPODA, 375.
Zonocera (Gesonia), 393.
ZONOCERUS, 315, 583.
ZOSPERAMERUS, 424.
Zubowskyi (Stenobothrus), 161.
ZYGOCLISTRON, 426.
ZYGOPHLÆOBA, 158.

PRINTED BY TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.

B.M. (N.H.).
No. 21.

LIST OF THE CURRENT

NATURAL HISTORY PUBLICATIONS OF THE TRUSTEES OF THE BRITISH MUSEUM.

The following publications can be purchased through the Agency of *Messrs.* LONGMANS & CO., 39, *Paternoster Row, London, E.C.; Mr.* QUARITCH, 11, *Grafton Street, New Bond Street, W.;* and *Messrs.* DULAU & CO., Ltd., 37, *Soho Square, W.;* or at the NATURAL HISTORY MUSEUM, *Cromwell Road, London, S.W.*

The History of the Collections contained in the Natural History Departments of the British Museum :—

Vol. I. Libraries; Botany; Geology; Minerals. Pp. xvii., 442. 1904, 8vo. 15*s.*

Vol. II. Separate historical accounts of the several collections included in the Department of Zoology. Pp. 782. 1906, 8vo. 30*s.*

Catalogue of the Books, Manuscripts, Maps, and Drawings in the British Museum (Natural History). Compiled by B. B. Woodward, Assistant in charge of the General Library, with some clerical assistance :—

Vol. I. A—D. Pp. viii., 500. 1903, 4to. 20*s.*
Vol. II. E—K. Pp. 501–1038. 1904, 4to. 20*s.*

Catalogue of the Specimens and Drawings of Mammals, Birds, Reptiles, and Fishes of Nepal and Tibet. Presented by B. H. Hodgson, Esq., to the British Museum. 2nd edition. By John Edward Gray. Pp. xii., 90. [With an account of the Collection by Mr. Hodgson.] 1863, 12mo. 2*s.* 3*d.*

Catalogue of the Mammalia and Birds of New Guinea in the Collection of the British Museum. [With list of Species of New Guinea Birds, and those of the neighbouring Localities.] By John Edward Gray, Ph.D., F.R.S., and George Robert Gray, F.L.S., &c. Pp. 63. Woodcuts. 1859, 8vo. 1*s.* 6*d.*

(14075r—29.) Wt. 12789—23. 1500. 8/09. D & S. A

Report on the Zoological Collections made in the Indo-Pacific Ocean during the voyage of H.M.S. "Alert," 1881–2. Pp. xxv., 684. 54 Plates. 1884, 8vo. 1*l.* 10*s.*

Summary of the Voyage... ... ... By Dr. R. W. Coppinger.
Mammalia ... ... ,, O. Thomas.
Aves... ... ... ,, R. B. Sharpe.
Reptilia, Batrachia, Pisces ... ... ,, A. Günther.
Mollusca ... ... ,, E. A. Smith.
Echinodermata ... ... ,, F. J. Bell.
Crustacea ... ... ,, E. J. Miers.
Coleoptera ... ... ,, C. O. Waterhouse.
Lepidoptera ... ... ,, A. G. Butler.
Alcyonaria and Spongiida ... ... ,, S. O. Ridley.

Report on the Collections of Natural History made in the Antarctic Regions during the Voyage of the "Southern Cross." Pp. ix., 344. 53 Plates. 1902, Royal 8vo. 2*l.*

Mammalia ... ... By Capt. G. E. H. Barrett-Hamilton.
Notes on Antarctic Seals ... ,, E. A. Wilson, M.B.
Extracts from the "Diary" of the late Nicolai Hanson. } ——
Aves ... ... ,, Dr. R. Bowdler Sharpe.
Pisces... ... ... ,, G. A. Boulenger, F.R.S.
Tunicata ... ... ,, Prof. W. A. Herdman, F.R.S.
Mollusca ... ... ,, E. A. Smith.
Echinoderma ... ... ,, Prof. F. J. Bell.
Insecta ... ... ,, G. H. Carpenter and Hon. N. C Rothschild.
Arachnida ... ... ,, Dr. E. L. Trouessart.
Crustacea ... ... ,, T. V. Hodgson.
Polychæta ... ... ,, Dr. A. Willey.
Gephyrea ... ... ,, A. E. Shipley.
Nematoda ... ...
Cestoda ... ... } ,, Dr. von Linstow.
Polyzoa ... ...
Porifera ... ... } ,, R. Kirkpatrick.
Anthozoa ... ... ,, Dr. L. Roule and S. J. Hickson, F.R.S.
Actiniæ ... ... ,, J. A. Clubb.
Hydrozoa ... ... ,, E. T. Browne.
Cryptogamia ... ... ,, A. Gepp, V. H. Blackman, and Miss E. S. Barton.
Rock Specimens ... ... ,, Dr. G. T. Prior.

National Antarctic Expedition, 1901–1904. [*Discovery Report.*] Natural History :—

Vol. I. Geology (Field-Geology : Petrography). Pp. xii., 160 : 10 plates, 72 text-figures, 2 maps. [With Index.] 1907, 4to. 1*l.* 10*s.*

Field-Geology ... ... By H. T. Ferrar, M.A., F.G.S.
Rock-Specimens ... ... ,, G. T. Prior, M.A., D.Sc., F.G.S.

Vol. II. Zoology (Vertebrata : Mollusca : Crustacea). Pp. xiv., 355 : 33 plates (17 coloured), 146 text-figures, 1 map. 1907, 4to. 3*l.*

Mammalia (pp. 69 : 5 pls. [3 col.], 36 figs.).
Aves (pp. 121 : 13 pls. col., 46 figs.) ... } By E. A. Wilson, M.B.
Anatomy of Penguins (pp. 28 : 1 pl., 8 figs.). .. W. P. Pycraft.

National Antarctic Expedition, 1901-1904—*continued.*

Vol. II—*continued.*

Fishes (pp. 5; 2 pls.)	By G. A. Boulenger, F.R.S.
Cephalodiscus (pp. 67 : 7 pls. [1 col.], 17 figs.).	,, W. G. Ridewood, D.Sc.
Mollusca. I.—Cephalopoda (pp. 2 : 1 fig.).	,, W. E. Hoyle, D.Sc.
,, II.—Gastropoda (pp. 12, 1 : 2 pls.).	,, E. A. Smith, I.S.O.
,, III.—Amphineura	
,, IV.—Nudibranchiata (pp. 28 : 1 pl., 30 figs.).	,, Sir Chas. Eliot, K.C.M.G., LL.D.
,, V.—Lamellibranchiata (pp. 7 : 1 pl.).	,, E. A. Smith, I.S.O.
Brachiopoda (pp. 2 : 4 figs.)	
Crustacea I.—Decapoda (pp. 7) ...	,, W. T. Calman, D.Sc.
,, II.—Cumacea (pp. 6 : 1 pl., 4 figs.).	

Vol. III. Zoology and Botany (Invertebrata: Marine Algæ, Musci). Pp. vi., 273: 51 plates, 8 text-figures, and 1 chart. 1907, 4to. 2*l.* 10*s.*

On Collecting in Antarctic Seas (pp. 10)	By T. V. Hodgson, F.L.S.
Mollusca. VI.—Pteropoda (pp. 15 : 2 pls.).	,, Sir Charles Eliot, K.C.M.G., LL.D.
Crustacea. III.—Amphipoda (pp. 39 : 13 pls.).	,, A. O. Walker, F.L.S.
,, IV.—Leptostraca (pp. 2 : 2 figs.).	,, Dr. J. Thiele.
,, V.—Ostracoda (pp. 9 : 3 pls.)	,, Prof. G. S. Brady, F.R.S.
,, VI.—Cirripedia (pp. 4 : 1 pl.)	,, Prof. A. Gruvel.
Pycnogonida (pp. 72 : 10 pls.)	,, T. V. Hodgson, F.L.S.
Acari (pp. 6 : 1 pl.)	,, Dr. E. L. Trouessart.
Chætognatha (pp. 6 : 1 chart)	,, Dr. G. H. Fowler, F.L.S.
Nematoda (pp. 4 : 1 pl.)	,, Dr. O. von Linstow.
Cestoda (pp. 6 : 1 pl.)	,, A. E. Shipley, F.R.S.
Coelentera. I.—Alcyonaria (pp. 15 : 2 pls.).	,, Prof. S. J. Hickson, F.R.S.
,, II.—Hydroid Zoophytes (pp. 34 : 4 pls.).	,, Prof S. J. Hickson, F.R.S., and F. H. Gravely.
,, III.—Tentacles of a Siphonophore (pp. 3 : 5 figs.).	,, Dr. J. Rennie.
Porifera. I.—Hexactinellida (pp. 25 : 7 pls.).	,, R. Kirkpatrick.
Marine Algæ. I.—Phæophyceæ and Florideæ (pp. 15 : 4 pls.).	,, A. Gepp and Mrs. E. S. Gepp.
,, ,, II.—Corallinaceæ (pp. 2 : 1 fig.).	,, M. Foslie.
Musci (pp. 6 : 2 pls.)	,, J. Cardot.

Vol. IV. Zoology (various Invertebrata). Pp. iv., 281: 65 plates, 1 text-figure. 1908, 4to. 1*l.* 15*s.*

Mullusca. VII.—Solenogastres (pp. 13 : 2 pls.).	By Dr. H. F. Nierstrasz.
Insecta.—Aptera (pp. 5 : 1 pl.) ...	,, G. H. Carpenter, B.Sc., M.R.I.A.
Crustacea. VII.—Schizopoda (pp. 42 : 8 pls.).	,, W. M. Tattersall, M.Sc.
,, VIII.—Copepoda (pp. 44 : 7 pls.).	,, R. Norris Wolfenden, M.D.

National Antarctic Expedition, 1901–1904—*continued.*

Vol. IV—*continued.*

Echinoderma (pp. 16 : 5 pls.)	By F. Jeffrey Bell, M.A.
Echinoderm Larvæ (pp. 9 : 1 pl.) ...	„ E. W. McBride, M.A., F.R.S., and J. C. Simpson, B.Sc.
Myzostomidæ (pp. 26 : 1 pl. and 1 figure)	„ Dr. Rudolf Ritter von Stummer-Traunfels.
Sipunculoidea (pp. 6)	„ W. F. Lanchester, M.A.
Coelentera. IV.—Actiniæ (pp. 12 : 3 pls.)	„ J. A. Clubb, M.Sc.
Porifera. II.—Tetraxonida (pp. 56 : 19 pls.).	„ R. Kirkpatrick.
„ III.—Calcarea (pp. 52 : 12 pls.)	„ C. F. Jenkin, B.A.

A Monograph of Christmas Island (Indian Ocean) : Physical Features and Geology by C. W. Andrews, B.A., B.Sc., F.G.S., with descriptions of the Fauna and Flora by numerous contributors. Pp. xv., 337 : 22 plates (7 coloured), a map, and 27 illustrations in text. [With Index.] 1900, 8vo. 20*s.*

First Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. [With an Introduction, containing a Classification of Animals from the point of view of Economic Zoology, by Prof. E. Ray Lankester, LL.D., F.R.S.] Pp. xxxiv., 192. 18 Woodcuts. 1903, Roy. 8vo. 6*s.*

Second Report on Economic Zoology. By Fred. V. Theobald, M.A., &c. Pp. x., 197. 29 Illustrations. 1904, Roy. 8vo. 6*s.*

MAMMALS.

Catalogue of the Bones of Mammalia in the Collection of the British Museum. By Edward Gerrard. Pp. iv., 296. 1862, 8vo. 5*s.*

Catalogue of Monkeys, Lemurs, and Fruit-eating Bats in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 137. 21 Woodcuts. 1870, 8vo. 4*s.*

Catalogue of Carnivorous, Pachydermatous, and Edentate Mammalia in the British Museum. By John Edward Gray, F.R.S., &c. Pp. vii., 398. 47 Woodcuts. 1869, 8vo. 6*s.* 6*d.*

Catalogue of Seals and Whales in the British Museum. By John Edward Gray, F.R.S., &c. 2nd Edition. Pp. vii., 402. 101 Woodcuts. 1866, 8vo. 8*s.*

——— Supplement. By John Edward Gray, F.R.S., &c., Pp. vi., 103. 11 Woodcuts. 1871, 8vo. 2*s.* 6*d.*

List of the Specimens of Cetacea in the Zoological Department of the British Museum. By William Henry Flower, LL.D., F.R.S., &c. [With Systematic and Alphabetical Indexes.] Pp. iv., 36. 1885, 8vo. 1*s.* 6*d.*

Catalogue of Ruminant Mammalia (*Pecora*, Linnæus) in the British Museum. By John Edward Gray, F.R.S., &c. Pp. viii., 102. 4 Plates. 1872, 8vo. 3*s*. 6*d*.

Catalogue of the Marsupialia and Monotremata in the Collection of the British Museum. By Oldfield Thomas. Pp. xiii., 401. 4 Coloured and 24 plain Plates. [With Systematic and Alphabetical Indexes] 1888, 8vo. 1*l*. 8*s*.

BIRDS.

Catalogue of the Birds in the British Museum :—

Vol. VII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part IV., containing the concluding portion of the family Timeliidæ (Babbling Thrushes). By R. Bowdler Sharpe. Pp. xvi., 698. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 1*l*. 6*s*.

Vol. VIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Cichlomorphæ* : Part V., containing the families Paridæ and Laniidæ (Titmice and Shrikes) ; and *Certhiomorphæ* (Creepers and Nuthatches). By Hans Gadow, M.A., Ph.D. Pp. xiii., 386. Woodcuts and 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1883, 8vo. 17*s*.

Vol. X. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part I., containing the families Dicæidæ, Hirundinidæ, Ampelidæ, Mniotiltidæ, and Motacillidæ. By R. Bowdler Sharpe. Pp. xiii., 682. Woodcuts and 12 coloured Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 1*l*. 2*s*.

Vol. XI. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part II., containing the families Cœrebidæ, Tanagridæ, and Icteridæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 431. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1886, 8vo. 1*l*.

Vol. XII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Fringilliformes* : Part III., containing the family Fringillidæ. By R. Bowdler Sharpe. Pp. xv., 871. Woodcuts and 16 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l*. 8*s*.

Vol. XIII. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Sturniformes*, containing the families Artamidæ, Catalogue of the Birds in the British Museum—*continued.*

Sturnidæ, Ploceidæ, and Alaudidæ. Also the families Atrichiidæ and Menuridæ. By R. Bowdler Sharpe. Pp. xvi., 701. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 8*s.*

Vol. XIV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Oligomyodæ*, or the families Tyrannidæ, Oxyrhamphidæ, Pipridæ, Cotingidæ, Phytotomidæ, Philepittidæ, Pittidæ, Xenicidæ, and Eurylæmidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xix., 494. Woodcuts and 26 coloured Plates. [With Systematic and Alphabetical Indexes.] 1888, 8vo. 1*l.* 4*s.*

Vol. XV. Catalogue of the Passeriformes, or Perching Birds, in the Collection of the British Museum. *Tracheophonæ*, or the families Dendrocolaptidæ, Formicariidæ, Conopophagidæ, and Pteroptochidæ. By Philip Lutley Sclater, M.A., F.R.S. Pp. xvii., 371. Woodcuts and 20 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.*

Vol. XVI. Catalogue of the Picariæ in the Collection of the British Museum. *Upupæ* and *Trochili*, by Osbert Salvin. *Coraciæ*, of the families Cypselidæ, Caprimulgidæ, Podargidæ, and Steatornithidæ, by Ernst Hartert. Pp. xvi., 703. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 16*s.*

Vol. XVII. Catalogue of the Picariæ in the Collection of the British Museum. *Coraciæ* (contin.) and *Halcyones*, with the families Leptosomatidæ, Coraciidæ, Meropidæ, Alcedinidæ, Momotidæ, Totidæ and Coliidæ, by R. Bowdler Sharpe. *Bucerotes* and *Trogones*, by W. R. Ogilvie Grant. Pp. xi., 522. Woodcuts and 17 coloured Plates. [With Systematic and Alphabetical Indexes.] 1892, 8vo. 1*l.* 10*s.*

Vol. XVIII. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores*, containing the family Picidæ. By Edward Hargitt. Pp. xv., 597. Woodcuts and 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1890, 8vo. 1*l.* 6*s.*

Vol. XIX. Catalogue of the Picariæ in the Collection of the British Museum. *Scansores* and *Coccyges*: containing the families Rhamphastidæ, Galbulidæ, and Bucconidæ, by P. L. Sclater; and the families Indicatoridæ, Capitonidæ, Cuculidæ, and Musophagidæ, by G. E. Shelley. Pp. xii., 484: 13 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 5*s.*

Catalogue of the Birds in the British Museum—*continued.*

Vol. XX. Catalogue of the Psittaci, or Parrots, in the Collection of the British Museum. By T. Salvadori. Pp. xvii., 658. Woodcuts and 18 coloured Plates. [With Systematic and Alphabetical Indexes.] 1891, 8vo. 1*l.* 10*s.*

Vol. XXI. Catalogue of the Columbæ, or Pigeons, in the Collection of the British Museum. By T. Salvadorf. Pp. xvii., 676. 15 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 10*s.*

Vol. XXII. Catalogue of the Game Birds (*Pterocletes, Gallinæ, Opisthocomi, Hemipodii*) in the Collection of the British Museum. By W. R. Ogilvie Grant. Pp. xvi., 585. 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l.* 6*s.*

Vol. XXIII. Catalogue of the Fulicariæ (Rallidæ and Heliornithidæ) and Alectorides (Aramidæ, Eurypygidæ, Mesitidæ, Rhinochetidæ, Gruidæ, Psophiidæ, and Otididæ) in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xiii., 353. 9 coloured Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 20*s.*

Vol. XXIV. Catalogue of the Limicolæ in the Collection of the British Museum. By R. Bowdler Sharpe. Pp. xii., 794. Woodcuts and 7 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 5*s.*

Vol. XXV. Catalogue of the Gaviæ and Tubinares in the Collection of the British Museum. Gaviæ (Terns, Gulls, and Skuas), by Howard Saunders. Tubinares (Petrels and Albatrosses), by Osbert Salvin. Pp. xv., 475. Woodcuts and 8 coloured Plates. [With Systematic and Alphabetical Indexes.] 1896, 8vo. 1*l.* 1*s.*

Vol. XXVI. Catalogue of the Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ, and Impennes in the Collection of the British Museum. Plataleæ (Ibises and Spoonbills) and Herodiones (Herons and Storks), by R. Bowdler Sharpe. Steganopodes (Cormorants, Gannets, Frigate-birds, Tropic-birds, and Pelicans), Pygopodes (Divers and Grebes), Alcæ (Auks), and Impennes (Penguins), by W. R. Ogilvie-Grant. Pp. xvii., 687. Woodcuts and 14 coloured Plates. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 1*l.* 5*s.*

Vol. XXVII. Catalogue of the Chenomorphæ (Palamedeæ, Phoenicopteri, Anseres), Crypturi, and Ratitæ in the Collection of the British Museum. By T. Salvadori. Pp. xv., 636. 19 coloured Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 1*l.* 12*s.*

A Hand-list of the Genera and Species of Birds. [Nomenclator Avium tum Fossilium tum Viventium.] By R. Bowdler Sharpe, LL.D. :—

Vol. II. Pp. xv., 312. [With Systematic Index, and an Alphabetical Index to Vols. I. and II.] 1900, 8vo. 10*s*.

Vol. III. Pp. xii., 367. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 10*s*.

Vol. IV. Pp. xii., 391. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 10*s*.

Vol. V. Pp. xx., 678. [With Systematic and Alphabetical Indexes.] 1909, 8vo. £1.

List of the Specimens of Birds in the Collection of the British Museum. By George Robert Gray :—

Part III., Sections III. and IV. Capitonidæ and Picidæ. Pp. 137. [With Index.] 1868, 12mo. 1*s*. 6*d*.

Part IV. Columbæ. Pp. 73. [With Index.] 1856, 12mo. 1*s*. 9*d*.

Part V. Gallinæ. Pp. iv., 120. [With an Alphabetical Index.] 1867, 12mo. 1*s*. 6*d*.

Catalogue of the Birds of the Tropical Islands of the Pacific Ocean in the Collection of the British Museum. By George Robert Gray, F.L.S., &c. Pp. 72. [With an Alphabetical Index.] 1859, 8vo. 1*s*. 6*d*.

Catalogue of the Collection of Birds' Eggs in the British Museum (Natural History) :—

Vol. I. Ratitæ. Carinatæ (Tinamiformes—Lariformes). By Eugene W. Oates. Pp. xxiii., 252. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 30*s*.

Vol. II. Carinatæ (Charadriiformes—Strigiformes). By Eugene W. Oates. Pp. xx., 400. 15 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1902, 8vo. 30*s*.

Vol. III. Carinatæ (Psittaciformes — Passeriformes). By Eugene W. Oates and Capt. Savile G. Reid. Pp. xxiii., 349. 10 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 25*s*.

Vol. IV. Carinatæ (Passeriformes continued). By Eugene W. Oates, assisted by Capt. Savile G. Reid. Pp. xviii., 352. 14 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 30*s*.

REPTILES.

Catalogue of the Tortoises, Crocodiles, and Amphisbænians in the Collection of the British Museum. By Dr. J. E. Gray, F.R.S., &c. Pp. viii., 80. [With an Alphabetical Index.] 1844, 12mo. 1*s*.

Catalogue of Shield Reptiles in the Collection of the British Museum. By John Edward Gray, F.R.S., &c.:—

Appendix. Pp. 28. 1872, 4to. 2*s*. 6*d*.

Part II. Emydosaurians, Rhynchocephalia, and Amphisbænians. Pp. vi., 41. 25 Woodcuts. 1872, 4to. 3*s*. 6*d*.

Hand-List of the Specimens of Shield Reptiles in the British Museum. By Dr. J. E. Gray, F.R.S., F.L.S., &c. Pp. iv., 124. [With an Alphabetical Index.] 1873, 8vo. 4*s*.

Catalogue of the Chelonians, Rhynchocephalians, and Crocodiles in the British Museum (Natural History). New Edition. By George Albert Boulenger. Pp. x., 311. 73 Woodcuts and 6 Plates. [With Systematic and Alphabetical Indexes.] 1889, 8vo. 15*s*.

Catalogue of the Lizards in the British Museum (Natural History). Second Edition. By George Albert Boulenger :—

Vol. I. Geckonidæ, Eublepharidæ, Uroplatidæ, Pygopodidæ, Agamidæ. Pp. xii., 436. 32 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s*.

Vol. II. Iguanidæ, Xenosauridæ, Zonuridæ, Anguidæ, Anniellidæ, Helodermatidæ, Varanidæ, Xantusiidæ, Teiidæ, Amphisbænidæ. Pp. xiii., 497. 24 Plates. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 20*s*.

Vol. III. Lacertidæ, Gerrhosauridæ, Scincidæ, Anelytropidæ, Dibamidæ, Chamæleontidæ. Pp. xii., 575. 40 Plates. [With a Systematic Index and an Alphabetical Index to the three volumes.] 1887, 8vo. 1*l*. 6*s*.

Catalogue of the Snakes in the British Museum (Natural History). By George Albert Boulenger, F.R.S., &c. :—

Vol. I., containing the families Typhlopidæ, Glauconiidæ, Boidæ, Ilysiidæ, Uropeltidæ, Xenopeltidæ, and Colubridæ aglyphæ (part). Pp. xiii., 448 : 26 Woodcuts and 28 Plates. [With Systematic and Alphabetical Indexes.] 1893, 8vo. 1*l*. 1*s*.

Catalogue of the Snakes in the British Museum—*continued.*

Vol. II., containing the conclusion of the Colubridæ aglyphæ. Pp. xi., 382 : 25 Woodcuts and 20 Plates. [With Systematic and Alphabetical Indexes.] 1894, 8vo. 17*s.* 6*d.*

Vol. III., containing the Colubridæ (Opisthoglyphæ and Proteroglyphæ), Amblycephalidæ, and Viperidæ. Pp. xiv., 727 : 37 Woodcuts and 25 Plates. [With Systematic Index, and Alphabetical Index to the 3 volumes.] 1896, 8vo. 1*l.* 6*s.*

Catalogue of Colubrine Snakes in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 281. [With Geographic, Systematic, and Alphabetical Indexes.] 1858, 12mo. 4*s.*

BATRACHIANS.

Catalogue of the Batrachia Salientia in the Collection of the British Museum. By Dr. Albert Günther. Pp. xvi., 160. 12 Plates. [With Systematic, Geographic, and Alphabetical Indexes.] 1858, 8vo. 6*s.*

FISHES.

Catalogue of the Fishes in the British Museum. Second edition. Vol. I. Catalogue of the Perciform Fishes in the British Museum. Vol. I. Containing the Centrarchidæ, Percidæ, and Serranidæ (part). By George Albert Boulenger, F.R.S. Pp. xix., 394. Woodcuts and 15 Plates. [With Systematic and Alphabetical Indexes.] 1895, 8vo. 15*s.*

Catalogue of Fish collected and described by Laurence Theodore Gronow, now in the British Museum. Pp. vii., 196. [With a Systematic Index.] 1854, 12mo. 3*s.* 6*d.*

Catalogue of Lophobranchiate Fish in the Collection of the British Museum. By J. J. Kaup, Ph.D., &c. Pp. iv., 80. 4 Plates. [With an Alphabetical Index.] 1856, 12mo. 2*s.*

Catalogue of the Fresh-water Fishes of Africa in the British Museum (Natural History). Vol. I. By G. A. Boulenger, F.R.S. Pp. xi., 373 : 270 text-figures. [With Systematic and Alphabetical Indexes.] 1909, imp. 8vo. £1 12*s.* 6*d.*

MOLLUSCA.

Guide to the Systematic Distribution of Mollusca in the British Museum. Part I. By John Edward Gray, Ph.D., F.R.S., &c. Pp. xii., 230. 121 Woodcuts. 1857, 8vo. 5*s.*

Catalogue of the Collection of Mazatlan Shells in the British Museum, collected by Frederick Reigen. Described by Philip P. Carpenter. Pp. xvi., 552. 1857, 12mo. 8*s.*

Catalogue of Pulmonata, or Air Breathing Mollusca, in the Collection of the British Museum. Part I. By Dr. Louis Pfeiffer. Pp. iv., 192. Woodcuts. 1855, 12mo. 2*s*. 6*d*.

Catalogue of the Auriculidæ, Proserpinidæ, and Truncatellidæ in the Collection of the British Museum. By Dr. Louis Pfeiffer. Pp. iv., 150. Woodcuts. 1857, 12mo. 1*s*. 9*d*.

List of the Mollusca in the Collection of the British Museum. By John Edward Gray, Ph.D., F.R.S., &c. :—

Part II. Olividæ. Pp. 41. 1865, 12mo. 1*s*.

Catalogue of the Conchifera, or Bivalve Shells, in the Collection of the British Museum. By M. Deshayes :—

Part I. Veneridæ, Cyprinidæ, Glauconomidæ, and Petricoladæ. Pp. iv., 216. 1853, 12mo. 3*s*.

Part II. Petricoladæ (concluded); Corbiculadæ. Pp. 217–292. [With an Alphabetical Index to the two parts.] 1854, 12mo. 6*d*.

BRACHIOPODA.

Catalogue of Brachiopoda Ancylopoda or Lamp Shells in the Collection of the British Museum. [*Issued as* "Catalogue of the Mollusca, Part IV."] Pp. iv., 128. 25 Woodcuts. [With an Alphabetical Index.] 1853, 12mo. 3*s*.

POLYZOA.

Catalogue of Marine Polyzoa in the Collection of the British Museum. Part III. Cyclostomata. By George Busk, F.R.S. Pp. viii., 39. 38 Plates. [With a Systematic Index.] 1875, 8vo. 5*s*.

CRUSTACEA.

Catalogue of the Specimens of Amphipodous Crustacea in the Collection of the British Museum. By C. Spence Bate, F.R.S., &c. Pp. iv., 399. 58 Plates. [With an Alphabetical Index.] 1862, 8vo. 1*l*. 5*s*.

ARACHNIDA.

Descriptive Catalogue of the Spiders of Burma, based upon the Collection made by Eugene W. Oates and preserved in the British Museum. By T. Thorell. Pp. xxxvi., 406. [With Systematic List and Alphabetical Index.] 1895, 8vo. 10*s*. 6*d*.

INSECTS.

Coleopterous Insects.

Nomenclature of Coleopterous Insects in the Collection of the British Museum :—

Part VII. Longicornia, I. By Adam White. Pp. iv., 174. 4 Plates. 1853, 12mo. 2*s*. 6*d*.

Part VIII. Longicornia, II. By Adam White. Pp. 237. 6 Plates. 1855, 12mo. 3*s*. 6*d*.

Illustrations of Typical Specimens of Coleoptera in the Collection of the British Museum. Part I. Lycidæ. By Charles Owen Waterhouse. Pp. x., 83. 18 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1879, 8vo. 16*s*.

Catalogue of the Coleopterous Insects of Madeira in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xvi., 234 : 1 Plate. [With a Topographical Catalogue and an Alphabetical Index.] 1857, 8vo. 3*s*.

Catalogue of the Coleopterous Insects of the Canaries in the Collection of the British Museum. By T. Vernon Wollaston, M.A., F.L.S. Pp. xiii., 648. [With Topographical and Alphabetical Indexes.] 1864, 8vo. 10*s*. 6*d*.

Catalogue of Halticidæ in the Collection of the British Museum. By the Rev. Hamlet Clark, M.A., F.L.S. Physapodes and Œdipodes. Part I. Pp. xii., 301. Frontispiece and 9 Plates. 1860, 8vo. 7*s*.

Catalogue of Hispidæ in the Collection of the British Museum. By Joseph S. Baly, M.E.S., &c. Part I. Pp. x., 172. 9 Plates. [With an Alphabetical Index.] 1858, 8vo. 6*s*.

Hymenopterous Insects.

Catalogue of Hymenopterous Insects in the Collection of the British Museum. By Frederick Smith. 12mo. :—

Part I. Andrenidæ and Apidæ. Pp. 197. 6 Plates. 1853, 2*s*. 6*d*.

Part II. Apidæ. Pp. 199–465. 6 Plates. [With an Alphabetical Index.] 1854. 6*s*.

Part III. Mutillidæ and Pompilidæ. Pp. 206. 6 Plates. 1855. 6*s*.

Catalogue of Hymenopterous Insects in the British Museum—*continued.*

Part IV. Sphegidæ, Larridæ, and Crabronidæ. Pp. 207–497. 6 Plates. [With an Alphabetical Index.] 1856. 6*s.*

Part V. Vespidæ. Pp. 147. 6 Plates. [With an Alphabetical Index.] 1857. 6*s.*

Part VI. Formicidæ. Pp. 216. 14 Plates. [With an Alphabetical Index.] 1858. 6*s.*

Part VII. Dorylidæ and Thynnidæ. Pp. 76. 3 Plates. [With an Alphabetical Index.] 1859. 2*s.*

List of Hymenoptera, with descriptions and figures of the Typical Specimens in the British Museum. Vol. I., Tenthredinidæ and Siricidæ. By W. F. Kirby. Pp. xxviii., 450. 16 Coloured Plates. [With Systematic and Alphabetical Indexes.] 1882, 8vo. 1*l.* 18*s.*

Dipterous Insects.

A Monograph of the Culicidæ, or Mosquitoes. Mainly compiled from the Collections received at the British Museum from various parts of the world in connection with the Investigation into the cause of Malaria conducted by the Colonial Office and the Royal Society. By Fred. V. Theobald, M.A., &c. :—

Vol. III. Pp. xvii., 359 : 17 plates, 1 diagram, and 193 illustrations in text. 1903, 8vo. 1*l.* 1*s.*

Vol. IV. Pp. xix., 639 : 16 plates and 297 text-figures. [With Index.] 1907, 8vo. 1*l.* 12*s.* 6*d.*

A Monograph of the Tsetse-Flies (Genus Glossina, Westwood), based on the Collection in the British Museum. By Ernest Edward Austen. With a chapter on Mouth-parts by H. J. Hansen, Phil. Doc. Pp. ix., 319 : 9 plates (7 coloured), 16 woodcuts, 1 map. 1903, Roy. 8vo. 15*s.*

Illustrations of African Blood-sucking Flies other than Mosquitoes and Tsetse-Flies. By Ernest Edward Austen, with coloured figures by Grace Edwards. Pp. xv., 221 : 13 coloured plates, 3 text-figures. 1909, roy. 8vo. £1 7*s.* 6*d.*

Lepidopterous Insects.

Catalogue of the Lepidoptera Phalænæ in the British Museum. By Sir George F. Hampson, Bart. :—

Vol. I. Catalogue of the Syntomidæ in the Collection of the British Museum. Pp. xxi., 559 : 285 woodcuts. [With Systematic and Alphabetical Indexes.] 1898, 8vo. 15*s.*

——Atlas of 17 Coloured Plates, 8vo. 15*s.*

Catalogue of Lepidoptera Phalænæ—*continued.*

Vol. II. Catalogue of the Arctiadæ (Nolinæ, Lithosianæ) in the Collection of the British Museum. Pp. xx., 589 : 411 woodcuts. [With Systematic and Alphabetical Indexes.] 1900, 8vo. 18*s.*

——Atlas of 18 Coloured Plates (xviii.–xxxv.), 8vo. 15*s.*

Vol. III. Catalogue of the Arctiadæ (Arctianæ) and Agaristidæ in the Collection of the British Museum. Pp. xix., 690 : 294 woodcuts. [With Systematic and Alphabetical Indexes.] 1901, 8vo. 15*s.*

——Atlas of 19 Coloured Plates (xxxvi–liv.), 8vo. 16*s.*

Vol. IV. Catalogue of the Noctuidæ [Agrotinæ]. Pp. xx., 689 : 125 woodcuts. [With Systematic and Alphabetical Indexes.] 1903, 8vo. 15*s.*

——Atlas of 23 Coloured Plates (lv.–lxxvii), 8vo. 16*s.*

Vol. V. Catalogue of the Noctuidæ [Hadeninæ]. Pp. xvi., 634 : 172 woodcuts. [With Systematic and Alphabetical Indexes.] 1905, 8vo. 15*s.*

——Atlas of 18 Coloured Plates (lxxviii.–xcv.), 8vo. 15*s.*

Vol. VI. Catalogue of the Noctuidæ [Cucullianæ]. Pp. xiv., 532 : 172 woodcuts. [With Systematic and Alphabetical Indexes.] 1906, 8vo. 15*s.*

——Atlas of 12 Coloured Plates (xcvi.–cvii.), 8vo. 10*s.*

Vol. VII. Catalogue of the Noctuidæ [Acronyctinæ]. Pp. xv., 709 : 184 woodcuts. [With Systematic and Alphabetical Indexes.] 1908, 8vo. 17*s.*

——Atlas of 15 Coloured Plates (cviii.–cxxii.), 8vo. 13*s.*

Vol. VIII. Catalogue of the Noctuidæ [Acronyctinæ, II.]. Pp. xiv., 583 : 162 woodcuts. [With table of the Phylogeny of the Acronyctinæ, and Systematic and Alphabetical Indexes.] 1909, 8vo. 15*s.*

——Atlas of 14 Coloured Plates (cxxiii.–cxxxvi.), 8vo. 12*s.*

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum :—

Part V. By Arthur Gardiner Butler. Pp. xii., 74. 78–100 Coloured Plates. [With a Systematic Index.] 1881, 4to. 2*l.* 10*s.*

Part VI. By Arthur Gardiner Butler. Pp. xv., 89. 101–120 Coloured Plates. [With a Systematic Index.] 1886, 4to. 2*l.* 4*s.*

Part VII. By Arthur Gardiner Butler. Pp. iv., 124. 121–138 Coloured Plates. [With a Systematic List.] 1889, 4to. 2*l.*

Part VIII. The Lepidoptera Heterocera of the Nilgiri District. By George Francis Hampson. Pp. iv., 144. 139–156 Coloured Plates. [With a Systematic List.] 1891, 4to. 2*l.*

Illustrations of Typical Specimens of Lepidoptera Heterocera in the Collection of the British Museum—*continued.*

Part IX. The Macrolepidoptera Heterocera of Ceylon. By George Francis Hampson. Pp. v., 182. 157–176 Coloured Plates. [With a General Systematic List of Species collected in, or recorded from, Ceylon.] 1893, 4to. 2*l*. 2*s*.

Catalogue of the Collection of Palæarctic Butterflies formed by the late John Henry Leech, and presented to the Trustees of the British Museum by his Mother, Mrs. Eliza Leech. By Richard South, F.E.S. Pp. vi., 228. 2 Coloured Plates. With a Portrait and Biographical Memoir of Mr. Leech. 1902, 4to. 1*l*.

Catalogue of Diurnal Lepidoptera described by Fabricius in the Collection of the British Museum. By Arthur Gardiner Butler, F.L.S., &c. Pp. iv., 303. 3 Plates. 1869, 8vo. 7*s*. 6*d*.

List of the Specimens of Lepidopterous Insects in the Collection of the British Museum. By Francis Walker. 12mo. :—

Part XXIII. Geometrites. Pp. 756–1020. 1861. 3*s*. 6*d*.

Part XXV. ———— Pp. 1281–1477. 1862. 3*s*.

Part XXVI. ———— Pp. 1478–1796. [With an Alphabetical Index to Parts XX.–XXVI.] 1862. 4*s*. 6*d*.

Part XXVII. Crambites and Tortricites. Pp. 1–286. 1863. 4*s*.

Part XXVIII. Tortricites and Tineites. Pp. 287–561. 1863. 4*s*.

Part XXIX. Tineites. Pp. 562–835. 1864. 4*s*.

Part XXX. ———— Pp. 836–1096. [With an Alphabetical Index to Parts XXVII.–XXX.] 1864. 4*s*.

Part XXXI. Supplement. Pp. 1–321. 1864. 5*s*.

Part XXXII. ———— Part 2. Pp. 322–706. 1865. 5*s*.

Part XXXIII. ———— Part 3. Pp. 707–1120. 1865. 6*s*.

Part XXXIV. ———— Part 4. Pp. 1121–1533. 1865. 5*s*. 6*d*.

Part XXXV. ———— Part 5. Pp. 1534–2040. [With an Alphabetical Index to Parts XXXI.–XXXV.] 1866. 7*s*.

Neuropterous Insects.

Catalogue of the Specimens of Neuropterous Insects in the Collection of the British Museum. By Dr. H. Hagen. Part I. Termitina. Pp. 34. 1858, 12mo. 6*d*.

Orthopterous Insects.

Catalogue of Orthopterous Insects in the Collection of the British Museum. Part I. Phasmidæ. By John Obadiah Westwood, F.L.S., &c. Pp. 195. 48 Plates. [With an Alphabetical Index.] 1859, 4to. 3*l.*

Catalogue of the Specimens of Blattariæ in the Collection of the British Museum. By Francis Walker, F.L.S., &c. Pp. 239. [With an Alphabetical Index.] 1868, 8vo. 5*s.* 6*d.*

Catalogue of the Specimens of Dermaptera Saltatoria in the Collection of the British Museum. By Francis Walker, F.L.S., &c. :—

- Part II. Locustidæ (continued). Pp. 225–423. [With an Alphabetical Index.] 1869, 8vo. 4*s.* 6*d.*
- Part III. Locustidæ (continued).—Acrididæ. Pp. 425–604. [With an Alphabetical Index.] 1870, 8vo. 4*s.*
- Part IV. Acrididæ (continued). Pp. 605–809. [With an Alphabetical Index.] 1870, 8vo. 6*s.*
- Part V. Tettigidæ.—Supplement to the Catalogue of Blattariæ.—Supplement to the Catalogue of Dermaptera Saltatoria (with remarks on the Geographical Distribution of Dermaptera). Pp. 811–850; 43; 116. [With Alphabetical Indexes.] 1870, 8vo. 6*s.*

Synonymic Catalogue of Orthoptera. By W. F. Kirby :—

- Vol. I. Orthoptera Euplexoptera, Cursoria, et Gressoria. (Forficulidæ, Hemimeridæ, Blattidæ, Mantidæ, Phasmidæ.) Pp. x., 501. [With Index.] 1904, 8vo. 10*s.*
- Vol. II. Orthoptera Saltatoria. Part I. (Achetidæ et Phasgonuridæ.) Pp. viii., 562. [With Index.] 1906, 8vo. 15*s.*

Hemipterous Insects.

Catalogue of the Specimens of Heteropterous Hemiptera in the Collection of the British Museum. By Francis Walker, F.L.S., &c. 8vo. :—

- Part IV. Pp. 211. [With Alphabetical Index.] 1871. 6*s.*
- Part V. Pp. 202. [With Alphabetical Index.] 1872. 5*s.*
- Part VI. Pp. 210. [With Alphabetical Index.] 1873. 5*s.*
- Part VII. Pp. 213. [With Alphabetical Index.] 1873. 6*s.*
- Part VIII. Pp. 220. [With Alphabetical Index.] 1873. [6*s.* 6*d.*

Homopterous Insects.

A Synonymic Catalogue of Homoptera. Part I. Cicadidæ. By W. L. Distant. Pp. 207. [Index.] 1906, 8vo. 5*s*.

VERMES.

Catalogue of the Species of Entozoa, or Intestinal Worms, contained in the Collection of the British Museum. By Dr. Baird. Pp. iv., 132. 2 Plates. [With an Index of the Animals in which the Entozoa mentioned in the Catalogue are found, and an Index of Genera and Species.] 1853, 12mo. 2*s*.

ANTHOZOA.

Catalogue of Sea-pens or Pennatulariidæ in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 40. 2 Woodcuts. 1870, 8vo. 1*s*. 6*d*.

Catalogue of Lithophytes or Stony Corals in the Collection of the British Museum. By J. E. Gray, F.R.S., &c. Pp. iv., 51. 14 Woodcuts. 1870, 8vo. 3*s*.

Catalogue of the Madreporarian Corals in the British Museum (Natural History) :—

Vol. I. The Genus Madrepora. By George Brook. Pp. xi., 212. 35 Collotype Plates. [With Systematic and Alphabetical Indexes, and Explanation of the Plates.] 1893, 4to. 1*l*. 4*s*.

Vol. II. The Genus Turbinaria; the Genus Astræopora. By Henry M. Bernard, M.A. Cantab., F.L.S., F.Z.S. Pp. iv., 106. 30 Collotype and 3 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1896, 4to. 18*s*.

Vol. III. The Genus Montipora; the Genus Anacropora. By Henry M. Bernard, M.A., &c. Pp. vii., 192. 30 Collotype and 4 Lithographic Plates. [With Systematic Index, Index of Generic and Specific Names, and Explanation of the Plates.] 1897, 4to. 1*l*. 4*s*.

Vol. IV. The Family Poritidæ. I.—The Genus Goniopora. By Henry M. Bernard, M.A. Pp. viii., 206. 12 Collotype and 4 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1903, 4to. 1*l*.

Vol. V. The Family Poritidæ. II.—The Genus Porites. Part I.—Porites of the Indo-Pacific Region. By Henry M. Bernard, M.A. Pp. vi., 303. 35 Plates. [With Index of Generic and Specific Names and Explanation of the Plates.] 1905, 4to. £1 15*s*.

Catalogue of the Madreporarian Corals in the British Museum—*continued.*

Vol. VI. The Family Poritidæ. II.—The Genus Porites. Part II.—Porites of the Atlantic and West Indies, with the European Fossil Forms. The Genus Goniopora, a supplement to Vol. IV. By Henry M. Bernard, M.A. Pp. vi., 173. 16 Collotype and 1 Lithographic Plates. [With Index of Generic and Specific Names, and Explanation of the Plates.] 1906, 4to. £1.

BRITISH ANIMALS.

Catalogue of British Birds in the Collection of the British Museum. By George Robert Gray, F.L.S., F.Z.S., &c. Pp. xii., 248. [With a List of Species.] 1863, 8vo. 3*s*. 6*d*.

Catalogue of British Hymenoptera in the Collection of the British Museum. Second edition. Part I. Andrenidæ and Apidæ. By Frederick Smith, M.E.S. New issue. Pp. xi., 236. 11 Plates. [With Systematic and Alphabetical Index. 1891, 8vo. 6*s*.

Catalogue of British Fossorial Hymenoptera, Formicidæ, and Vespidæ in the Collection of the British Museum. By Frederick Smith, V.P.E.S. Pp. 236. 6 Plates. [With an Alphabetical Index.] 1858, 12mo. 6*s*.

Illustrations of British Blood-sucking Flies, with notes by Ernest Edward Austen, Assistant, Department of Zoology, British Museum (N.H.). Pp. 74. 34 Coloured Plates. 1906, roy. 8vo. £1 5*s*.

A Catalogue of the British Non-parasitical Worms in the Collection of the British Museum. By George Johnston, M.D., Edin., F.R.C.L., Ed., LL.D., Marischal Coll., Aberdeen, &c. Pp. 365. Woodcuts and 24 Plates. [With an Alphabetical Index.] 1865, 8vo. 7*s*.

Catalogue of the British Echinoderms in the British Museum (Natural History). By F. Jeffrey Bell, M.A. Pp. xvii., 202. Woodcuts and 16 Plates (2 Coloured). [With Table of Contents, Tables of Distribution, Alphabetical Index, Description of the Plates, &c.] 1892, 8vo. 12*s*. 6*d*.

List of the Specimens of British Animals in the Collection of the British Museum; with Synonyma and References to figures. 12mo.:—

Part V. Lepidoptera. By J. F. Stephens. 2nd Edition. Revised by H. T. Stainton and E. Shepherd. Pp. iv., 224. 1856. 1*s*. 9*d*.

Part VI. Hymenoptera. By F. Smith. Pp. 134. 1851. 2*s*.

List of the Specimens of British Animals in the Collection of the British Museum—*continued.*

Part VII. Mollusca, Acephala and Brachiopoda. By Dr. J. E. Gray. Pp. iv., 167. 1851. 3*s.* 6*d.*

Part VIII. Fish. By Adam White. Pp. xxiii., 164. (With Index and List of Donors.) 1851. 3*s.* 6*d.*

Part IX. Eggs of British Birds. By George Robert Gray. Pp. 143. 1852. 2*s.* 6*d.*

Part XI. Anoplura, or Parasitic Insects. By H. Denny. Pp. iv., 51. 1852. 1*s.*

Part XII. Lepidoptera (continued). By James F. Stephens. Pp. iv., 54. 1852. 9*d.*

Part XIII. Nomenclature of Hymenoptera. By Frederick Smith. Pp. iv., 74. 1853. 1*s.* 4*d.*

Part XIV. Nomenclature of Neuroptera. By Adam White. Pp. iv., 16. 1853. 6*d.*

Part XV. Nomenclature of Diptera, I. By Adam White. Pp. iv., 42. 1853. 1*s.*

Part XVI. Lepidoptera (completed). By H. T. Stainton. Pp. 199. [With an Index.] 1854. 3*s.*

PLANTS.

Illustrations of Australian Plants collected in 1770 during Captain Cook's Voyage round the World in H.M.S. "Endeavour." By the Right Hon. Sir Joseph Banks, Bart., K.B., P.R.S., and Dr. Daniel Solander, F.R.S. [Being a series of lithographic reproductions of copper-plates engraved after paintings by F. P. Nodder, James Miller, J. F. Miller, and John Cleveley.] With Introduction and Determinations by James Britten, F.L.S., Senior Assistant, Department of Botany, British Museum :—

Part I.—101 Plates, with 31 pages of descriptive text. 1900, fol. £1 5*s.*

Part II.—142 Plates (pls. 101–243), with 41 pages of descriptive text (pp. 35–75). 1901, fol. £1 15*s.*

Part III.—77 Plates (pls. 244–318, 45A, and 122), with 26 pages of descriptive text, including Index to the whole work (pp. 77–102), and 3 maps. 1905, fol. £1 5*s.*

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61 :—

Vol. I. Dicotyledons. By William Philip Hiern, M.A., F.L.S., &c. :—

Part I. [Ranunculaceæ to Rhizophoraceæ.] Pp. xxvi., 336. [With Portrait of Dr. Welwitsch. Introduction, Bibliography, and Index of Genera.] 1896, 8vo. 7*s.* 6*d.*

Catalogue of the African Plants collected by Dr. Friedrich Welwitsch in 1853–61—*continued.*

Vol. I.—*continued.*

Part II. Combretaceæ to Rubiaceæ. Pp. 337–510. [With Index of Genera.] 1898, 8vo. 4*s.*

Part III. Dipsaceæ to Scrophulariaceæ. Pp. 511–784. [With Index of Genera.] 1898, 8vo. 5*s.*

Part IV. Lentibulariaceæ to Ceratophylleæ. Pp. 785–1035. [With Index.] 1900, 8vo. 5*s.*

Vol. II. Monocotyledons, Gymnosperms, and Cryptogams :—

Part I. Monocotyledons and Gymnosperms. By Alfred Barton Rendle, M.A., D.Sc., F.L.S., Assistant, Department of Botany. Pp. 260. [With Index of Genera.] 1899, 8vo. 6*s.*

Part II. Cryptogamia. Pp. 261–566. [With Table of Errata, and General Index to the whole work.] 1901, 8vo. 6*s.*

Vascular Cryptogams ...	By	William Carruthers, F.R.S.
Mosses	,,	Antony Gepp, M.A., F.L.S.
Hepatics	,,	F. Stephani.
Marine Algæ	,,	Ethel S. Barton.
Freshwater Algæ	,,	W. West, F.L.S., and G. S. West, B.A.
Diatomaceæ	,,	Thomas Comber, F.L.S.
Lichenes	,,	E. A. Wainio.
Fungi	,,	Annie Lorrain Smith.
Mycetozoa	,,	Arthur Lister, F.R.S.

Synopsis of the British Basidiomycetes : a Descriptive Catalogue of the Drawings and Specimens in the Department of Botany, British Museum. By Worthington George Smith, F.L.S. Pp. 531. 5 Plates and 145 Figures in Text. [With Index.] 1908, 8vo. 10*s.*

A Monograph of Lichens found in Britain : being a Descriptive Catalogue of the Species in the Herbarium of the British Museum. By the Rev. James M. Crombie, M.A., F.L.S., F.G.S., &c. Part I. Pp. viii., 519 : 74 Woodcuts. [With Glossary, Synopsis, Tabular Conspectus, and Index.] 1894, 8vo. 16*s.*

List of British Diatomaceæ in the Collection of the British Museum. By the Rev. W. Smith, F.L.S., &c. Pp. iv., 55. 1859, 12mo. 1*s.*

FOSSILS.

Catalogue of the Fossil Mammalia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S.:—

Part I. Containing the Orders Primates, Chiroptera, Insectivora, Carnivora, and Rodentia. Pp. xxx., 268. 33 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 5*s.*

Part II. Containing the Order Ungulata, Suborder Artiodactyla. Pp. xxii., 324. 39 Woodcuts. [With Systematic and Alphabetical Indexes.] 1885, 8vo. 6*s.*

Part III. Containing the Order Ungulata, Suborders Perissodactyla, Toxodontia, Condylarthra, and Amblypoda. Pp. xvi., 186. 30 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 4*s.*

Part IV. Containing the Order Ungulata, Suborder Proboscidea. Pp. xxiv., 235. 33 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1886, 8vo. 5*s.*

Part V. Containing the Group Tillodontia, the Orders Sirenia, Cetacea, Edentata, Marsupialia, Monotremata, and Supplement. Pp. xxxv., 345. 55 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1887, 8vo. 6*s.*

Catalogue of the Fossil Birds in the British Museum (Natural History). By Richard Lydekker, B.A. Pp. xxvii., 368. 75 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 10*s.* 6*d.*

Catalogue of the Fossil Reptilia and Amphibia in the British Museum (Natural History). By Richard Lydekker, B.A., F.G.S. :—

Part I. Containing the Orders Ornithosauria, Crocodilia, Dinosauria, Squamata, Rhynchocephalia, and Proterosauria. Pp. xxviii., 309. 69 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 7*s.* 6*d.*

Part II. Containing the Orders Ichthyopterygia and Sauropterygia. Pp. xxi., 307. 85 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Part III. Containing the Order Chelonia. Pp. xviii., 239. 53 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1889, 8vo. 7*s.* 6*d.*

Catalogue of the Fossil Reptilia and Amphibia in the British Museum—*continued.*

Part IV. Containing the Orders Anomodontia, Ecaudata, Caudata, and Labyrinthodontia; and Supplement. Pp. xxiii., 295. 66 Woodcuts. [With Systematic Index, Alphabetical Index of Genera and Species, including Synonyms, and Alphabetical Index of Genera and Species to the entire work.] 1890, 8vo. 7*s.* 6*d.*

Catalogue of the Fossil Fishes in the British Museum (Natural History). By Arthur Smith Woodward, LL.D., F.R.S., F.G.S., &c. :—

Part I. Containing the Elasmobranchii. Pp. xlvii., 474. 13 Woodcuts and 17 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1889, 8vo. 21*s.*

Part II. Containing the Elasmobranchii (Acanthodii), Holocephali, Ichthyodorulites, Ostracodermi, Dipnoi, and Teleostomi (Crossopterygii and Chondrostean Actinopterygii). Pp. xliv., 567. 58 Woodcuts and 16 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1891, 8vo. 21*s.*

Part III. Containing the Actinopterygian Teleostomi of the Orders Chondrostei (concluded), Protospondyli, Aetheospondyli, and Isospondyli (in part). Pp. xlii., 544. 45 Woodcuts and 18 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1895, 8vo. 21*s.*

Part IV. Containing the Actinopterygian Teleostomi of the Suborders Isospondyli (in part), Ostariophysi, Apodes, Percesoces, Hemibranchii, Acanthopterygii, and Anacanthini. Pp. xxxix., 636. 22 Woodcuts and 19 Plates. [With Alphabetical Index, and Systematic Index of Genera and Species.] 1901, 8vo. 21*s.*

A descriptive Catalogue of the Tertiary Vertebrata of the Fayûm, Egypt. Based on the Collection of the Egyptian Government in the Geological Museum, Cairo, and on the Collection in the British Museum (Natural History), London. By C. W. Andrews, D.Sc. Pp. xxxvii., 324: 98 Text Figures and 26 Plates. [With Systematic and Alphabetical Indexes.] 1906, 4to. 1*l.* 15*s.*

Systematic List of the Edwards Collection of British Oligocene and Eocene Mollusca in the British Museum (Natural History), with references to the type-specimens from similar horizons contained in other collections belonging to the Geological Department of the Museum. By Richard Bullen Newton, F.G.S. Pp. xxviii., 365. [With table of Families and Genera, Bibliography, Correlation-table, Appendix, and Alphabetical Index.] 1891, 8vo. 6*s.*

Catalogue of Tertiary Mollusca in the Department of Geology, British Museum (Natural History). Part I. The Australasian Tertiary Mollusca. By George F. Harris, F.G.S., &c. Pp. xxvi., 407. 8 Plates. [With Table of Families, Genera, and Sub-Genera, and Index.] 1897, 8vo. 10*s.*

Catalogue of the Fossil Cephalopoda in the British Museum (Natural History) :—

Part I. Containing part of the Suborder Nautiloidea, consisting of the families Orthoceratidæ, Endoceratidæ, Actinoceratidæ, Gomphoceratidæ, Ascoceratidæ, Poterioceratidæ, Cyrtoceratidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxxi., 344. 51 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1888, 8vo. 10*s.* 6*d.*

Part II. Containing the remainder of the Suborder Nautiloidea, consisting of the families Lituitidæ, Trochoceratidæ, Nautilidæ, and Supplement. By Arthur H. Foord, F.G.S. Pp. xxviii., 407. 86 Woodcuts. [With Systematic Index, and Alphabetical Index of Genera and Species, including Synonyms.] 1891, 8vo. 15*s.*

Part III. Containing the Bactritidæ, and part of the Suborder Ammonoidea. By Arthur H. Foord, Ph.D. F.G.S., and George Charles Crick, A.R.S.M., F.G.S. Pp. xxxiii., 303. 146 Woodcuts. [With Systematic Index of Genera and Species, and Alphabetical Index.] 1897, 8vo. 12*s.* 6*d.*

List of the Types and Figured Specimens of Fossil Cephalopoda in the British Museum (Natural History). By G. C. Crick, F.G.S. Pp. 103. [With Index.] 1898, 8vo. 2*s.* 6*d.*

A Catalogue of British Fossil Crustacea, with their Synonyms and the Range in Time of each Genus and Order. By Henry Woodward, F.R.S. Pp. xii., 155. [With an Alphabetical Index.] 1877, 8vo. 5*s.*

Catalogue of the Fossil Bryozoa in the Department of Geology, British Museum (Natural History):—

The Jurassic Bryozoa. By J. W. Gregory, D.Sc., F.G.S., F.Z.S. Pp. [viii.,] 239 : 22 Woodcuts and 11 Plates. [With List of Species and Distribution, Bibliography, Index, and Explanation of Plates.] 1896, 8vo. 10*s.*

The Cretaceous Bryozoa. By J. W. Gregory, D.Sc., F.R.S., &c. :—

Vol. I. Pp. xiv., 457 : 64 Woodcuts and 17 Plates. [With Index and Explanation of Plates.] 1899, 8vo. 16*s.*

Vol. II. Pp. xlviii., 346. 75 Woodcuts and 9 Plates. [With List of Localities, Bibliography, Subject and Systematic Indexes, and Explanation of Plates.] 1909, 8vo. 13*s.*

Catalogue of the Blastoidea in the Geological Department of the British Museum (Natural History), with an account of the morphology and systematic position of the group, and a revision of the genera and species. By Robert Etheridge, jun., of the Department of Geology, British Museum (Natural History), and P. Herbert Carpenter, D.Sc., F.R.S., F.L.S. (of Eton College). Pp. xv., 322. 20 Plates. [With Preface by Dr. H. Woodward, Table of Contents, General Index, Explanations of the Plates, &c.] 1886 4to. 25*s.*

The Genera and Species of Blastoidea, with a List of the Specimens in the British Museum (Natural History). By F. A. Bather, M.A., F.G.S., of the Geological Department. Pp. x., 70. 1 Woodcut. 1899, 8vo. 3*s.*

Catalogue of the Palæozoic Plants in the Department of Geology and Palæontology, British Museum (Natural History). By Robert Kidston, F.G.S. Pp. viii., 288. [With a list of works quoted, and an Index.] 1886, 8vo. 5*s.*

Catalogue of the Mesozoic Plants in the Department of Geology, British Museum (Natural History). By A. C. Seward, M.A., F.R.S., F.G.S., University Lecturer in Botany and Fellow of Emanuel College, Cambridge:—

- Part I. The Wealden Flora. Part I. Thallophyta—Pteridophyta. Pp. xxxviii., 179. 17 Woodcuts and 11 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1894, 8vo. 10*s.*
- Part II. The Wealden Flora. Part II. Gymnospermæ. Pp. viii., 259. 9 Woodcuts and 20 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1895, 8vo. 15*s.*
- Part III. The Jurassic Flora. Part I. The Yorkshire Coast. Pp. xii., 341. 53 Woodcuts and 21 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1900, 8vo. 20*s.*
- Part IV. The Jurassic Flora. II.—Liassic and Oolitic Floras of England (excluding the Inferior Oolite Plants of the Yorkshire Coast). Pp. xv., 192. 20 Woodcuts and 13 Plates. [With Alphabetical Index, Explanations of the Plates, &c.] 1904, 8vo. 10*s.*

Catalogue of the Fossil Plants of the Glossopteris Flora in the Department of Geology, British Museum (Natural History). Being a Monograph of the Permo-carboniferous Flora of India and the Southern Hemisphere. By E. A. Newell Arber, M.A., F.L.S., F.G.S. Pp. lxxiv., 255: 51 Text-Figures and 8 Plates. [With Bibliography and Alphabetical Index.] 1905, 8vo. 12*s.* 6*d.*

GUIDE-BOOKS, ETC.

A General Guide to the British Museum (Natural History), Cromwell Road, London, S.W. Twelfth Edition. With 59 woodcuts, 2 plans, 2 views of the building, and an illustrated cover. Pp. x., 117. 1909, 8vo. 3*d*.

Guide to the Specimens illustrating the Races of Mankind (Anthropology), exhibited in the Department of Zoology, British Museum (Natural History). [By R. Lydekker, F.R.S.] Illustrated by 16 Figures. Pp. 31. 1908, 8vo. 4*d*.

Guide to the Galleries of Mammals (other than Ungulates) in the Department of Zoology of the British Museum (Natural History). Eighth Edition. Pp. 101. 52 Woodcuts and 4 plans. [Index.] 1906, 8vo. 6*d*.

Guide to the Great Game Animals (Ungulata) in the Department of Zoology, British Museum (Natural History). Pp. 93. 53 Text and other figures. With list of Horns, Antlers and Tusks, and Index. 1907, 8vo. 1*s*.

Guide to the Elephants (Recent and Fossil) exhibited in the Department of Geology and Palæontology in the British Museum (Natural History). [By Dr. C. W. Andrews, F.R.S.] Illustrated by 31 text-figures. Pp. 46. 1908, 8vo. 6*d*.

Guide to the Specimens of the Horse Family (Equidæ) exhibited in the Department of Zoology, British Museum (Natural History). [By R. Lydekker, F.R.S.] Pp. 42. 26 Figures. 1907, 8vo. 1*s*.

Guide to the Domesticated Animals (other than Horses) exhibited in the Central and North Halls of the British Museum (Natural History). [By R. Lydekker, F.R.S.] Illustrated by 24 Figures. Pp. 55. [With table of Contents, List of Illustrations, and Index.] 1908, 8vo. 6*d*.

Guide to the Whales, Porpoises, and Dolphins (order Cetacea) exhibited in the Department of Zoology, British Museum (Natural History). [By R. Lydekker, F.R.S.] Illustrated by 33 Figures. Pp. 47. [With Index.] 1909, 8vo. 4*d*.

Guide to the Gallery of Birds in the Department of Zoology, British Museum (Natural History). [By W. R. Ogilvie Grant.] Second Edition. Pp. iv., 228. 25 Plates, and 7 Illustrations in text. [With Index.] 1910, 4to. 2*s*. 6*d*.

Guide to the Gallery of Birds in the Department of Zoology, British Museum (Natural History). [By W. R. Ogilvie Grant.] :—

- Part I. General Series. Pp. 149. [With Index.] 1905, 4to. 6*d*.
- Part II. Nesting Series of British Birds. Second Edition. Pp. 62. 4 Plates. Index.] 1909, 4to. 4*d*.

Guide to the Gallery of Reptilia and Amphibia in the Department of Zoology of the British Museum (Natural History). [By R. Lydekker, F.R.S.] Illustrated by 76 text and other Figures. Pp. iv., 75. [With Table of Contents.] 1906, 8vo. 6*d*.

Guide to the Gallery of Fishes in the Department of Zoology of the British Museum (Natural History). [By Dr. W. G. Ridewood.] Illustrated by 96 Figures. Pp. v., 209. [With Preface by Sir E. Ray Lankester, Table of Classification, and Index.] 1908, 8vo. 1*s*.

Guide to the exhibited Series of Insects in the Department of Zoology, British Museum (Natural History). By C. O. Waterhouse. Second Edition. Pp. 65: 62 text- and full-page Illustrations. [With Table of Contents and Index.] 1909, 8vo. 1*s*.

Guide to the Shell and Starfish Galleries (Mollusca, Polyzoa, Brachiopoda, Tunicata, Echinoderma, and Worms). Department of Zoology, British Museum (Natural History). Fifth Edition. Pp. iv., 133. 125 Woodcuts, Plan and Indexes. 1908, 8vo. 6*d*.

Guide to the Coral Gallery (Protozoa, Porifera or Sponges, Hydrozoa, and Anthozoa) in the Department of Zoology, British Museum (Natural History). Second Edition. Pp. [iv., 8] 73. 90 Illustrations, Plan and Index. 1907, 8vo. 1*s*.

A Guide to the Fossil Mammals and Birds in the Department of Geology and Palæontology in the British Museum (Natural History). Ninth Edition. [By A. S. Woodward, LL.D., F.R.S.] Pp. xvi., 100. 6 Plates, 88 Woodcuts. [With List of Illustrations, Table of Stratified Rocks, and Index.] 1909, 8vo. 6*d*.

A Guide to the Fossil Reptiles, Amphibians, and Fishes in the Department of Geology and Palæontology in the British Museum (Natural History). Eighth Edition. [By A. S. Woodward, LL.D., F.R.S.] Pp. xviii., 110. 8 Plates and 116 Text-Figures. [With List of Illustrations, Geological Time-Scale and Index.] 1905, 8vo. 6*d*.

A Guide to the Fossil Invertebrate Animals in the Department of Geology and Palæontology in the British Museum (Natural History). [By F. A. Bather, D.Sc.] Pp. ix., 182. 7 Plates and 96 Text-Figures. [With List of Illustrations, Geological Time-scale, and Index.] 1907, 8vo. 1*s*.

List of British Seed-plants and Ferns exhibited in the Department of Botany, British Museum (Natural History). With table of Sequence of Orders, and Index of Genera. Pp. 44. 1907, 8vo. 4*d*.

Guide to Sowerby's Models of British Fungi in the Department of Botany, British Museum (Natural History). Second Edition, revised. By Worthington G. Smith, F.L.S. Pp. 85. 91 Woodcuts. With Table of Diagnostic Characters, Glossary, and Index. 1908, 8vo. 4*d.*

Guide to the British Mycetozoa exhibited in the Department of Botany, British Museum (Natural History). [By Arthur Lister, F.R.S.] Third Edition, revised. Pp. 49. 46 Woodcuts. Index. 1909, 8vo. 3*d.*

A Guide to the Mineral Gallery of the British Museum (Natural History). Tenth Edition. [By L. Fletcher, M.A., F.R.S.] Pp. 32. Plan. 1908, 8vo. 1*d.*

The Student's Index to the Collection of Minerals, British Museum (Natural History). Twenty-third Edition. [By L. Fletcher, M.A., F.R.S.] Pp. 36. With a Plan of the Mineral Gallery. 1908, 8vo. 2*d.*

An Introduction to the Study of Minerals, with a Guide to the Mineral Gallery of the British Museum (Natural History). By L. Fletcher, M.A., F.R.S. Twelfth Edition. Pp. 123. 41 Woodcuts. With Plan of the Mineral Gallery and Index. 1908, 8vo. 6*d.*

An Introduction to the Study of Rocks and Guide to the Museum Collection. Fourth Edition. By L. Fletcher, M.A., F.R.S. Pp. 155. [With Plan of the Mineral Gallery, Table of Contents, and Index.] 1909, 8vo. 1*s.*

An Introduction to the Study of Meteorites, with a List of the Meteorites represented in the Collection. By L. Fletcher, M.A., F.R.S., &c. Tenth Edition. Pp. 120. [With a Plan of the Mineral Gallery, and an Index to the Meteorites represented in the Collection.] 1908, 8vo. 6*d.*

SPECIAL GUIDES.

No. 2.—Books and Portraits illustrating the History of Plant Classification exhibited in the Department of Botany. Second Edition. [By A. B. Rendle, M.A., D.Sc., F.R.S.] Pp. 19. 4 Plates. 1909, 8vo. 4*d.*

No. 3.—Memorials of Linnæus: a collection of Portraits, Manuscripts, Specimens, and Books exhibited to commemorate the Bicentenary of his Birth. [By A. B. Rendle, M.A., D.Sc.] Pp. 16. 2 Plates. 1907, 8vo. 3*d.*

No. 4.—Memorials of Charles Darwin: a Collection of Manuscripts, Portraits, Medals, Books, and Natural History Specimens to commemorate the Centenary of his Birth and the Fiftieth Anniversary of the Publication of "The Origin of Species." [By W. G. Ridewood, D.Sc.] Pp. v., 50. 2 Plates. 1909, 8vo. 6*d.*

Handbook of Instructions for Collectors, issued by the British Museum (Natural History). With Illustrations. Third Edition. Pp. 144. Index. 1906, 8vo. 1*s*. 6*d*.

Instructions for Collectors :—

No. 1.—Mammals. Third Edition. Pp. 12. Text illust. 1905, 8vo. 3*d*.

No. 2.—Birds. Fourth Edition. Pp. 10. 5 figures in text. 1908, 8vo. 3*d*.

No. 3.—Reptiles, Batrachians, and Fishes. [Third Edition.] Pp. 12. 1903, 8vo. 4*d*.

No. 4.—Insects. Fourth Edition. Pp. 11. Text illust. 1907, 8vo. 3*d*.

No. 5.—Diptera (Two-winged Flies). Third Edition. Pp. 16. Text illust. 1908, 8vo. 3*d*.

No. 6.—Mosquitoes (Culicidæ). [Third Edition.] Pp. 8. 1 Plate, 1 figure in text. 1904, 8vo. 3*d*.

No. 7.—Blood-sucking Flies, Ticks, &c. By E. E. Austen. Third Edition. Pp. 24 : 13 figures in text. 1907, 8vo. 3*d*.

No. 8.—Spiders, Centipedes, &c. Second Edition. Pp. 4. 1906, 8vo. 3*d*.

No. 9.—Soft-bodied and other Invertebrate Animals ; Shells of Molluscs. Third Edition. Pp. 18. 1909, 8vo. 3*d*.

No. 10.—Plants. Fourth Edition. Pp. 10 : 3 figures in text. 1909, 8vo. 3*d*.

No. 11.—Fossils and Minerals. Third Edition. Pp. 8. 1906, 8vo. 3*d*.

British Museum (Natural History),
Cromwell Road,
London, S.W.
February 1st, 1910.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, Bacon Street, E.
1910.

3347-4

BINDING SECT.
JUN 18 1971

QL 506 B85 v.3
British Museum (National History) Dept. of Zoology
A synonymic catalogue of Orthoptera

Biological & Medical

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY